

12/23/2019  
Mr. Jim Tomalia  
Arcadis U.S., Inc.  
28550 Cabot Dr.  
Suite 500  
Novi MI 48377

Project Name: Ford LTP  
Project #:  
Workorder #: 1912388

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 12/14/2019 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott  
Project Manager

**WORK ORDER #: 1912388**

Work Order Summary

<b>CLIENT:</b>	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	<b>BILL TO:</b>	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
<b>PHONE:</b>	517-819-0356	<b>P.O. #</b>	30016344.0001B
<b>FAX:</b>		<b>PROJECT #</b>	Ford LTP
<b>DATE RECEIVED:</b>	12/14/2019	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	12/23/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	IA-11701BELDEN-05_121119	Modified TO-15	6.5 "Hg	5 psi
02A	IA-11701BELDEN-06_121119	Modified TO-15	7.5 "Hg	5 psi
03A	IA-11701BELDEN-08_121119	Modified TO-15	6.0 "Hg	5 psi
03B	IA-11701BELDEN-08_121119	Modified TO-15	6.0 "Hg	5 psi
04A	IA-11701BELDEN-07_121119	Modified TO-15	8.0 "Hg	5 psi
04B	IA-11701BELDEN-07_121119	Modified TO-15	8.0 "Hg	5 psi
05A	AA-11701BELDEN-01_121119	Modified TO-15	6.0 "Hg	5 psi
06A	IA-11701BELDEN-01_121119	Modified TO-15	7.0 "Hg	5 psi
07A	IA-11701BELDEN-04_121119	Modified TO-15	8.0 "Hg	5 psi
08A	IA-11701BELDEN-02_121119	Modified TO-15	7.5 "Hg	5 psi
09A	IA-11701BELDEN-03_121119	Modified TO-15	7.5 "Hg	5 psi
10A	Lab Blank	Modified TO-15	NA	NA
10B	Lab Blank	Modified TO-15	NA	NA
10C	Lab Blank	Modified TO-15	NA	NA
11A	CCV	Modified TO-15	NA	NA
11B	CCV	Modified TO-15	NA	NA
11C	CCV	Modified TO-15	NA	NA
12A	LCS	Modified TO-15	NA	NA
12AA	LCS	Modified TO-15	NA	NA
12B	LCS	Modified TO-15	NA	NA
12BB	LCS	Modified TO-15	NA	NA
12C	LCS	Modified TO-15	NA	NA
12CC	LCS	Modified TO-15	NA	NA

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 12/23/19

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP – CA009332019-11, VA NELAP - 460197, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
 Accreditation number: CA300005-011, Effective date: 10/18/2019, Expiration date: 10/17/2020.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279

**LABORATORY NARRATIVE**  
**Modified TO-15**  
**Arcadis U.S., Inc.**  
**Workorder# 1912388**

Nine 6 Liter Summa Canister (100% Cert Ambient) samples were received on December 14, 2019. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the EATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Dilution was performed on samples IA-11701BELDEN-08\_121119, IA-11701BELDEN-07\_121119, IA-11701BELDEN-01\_121119, IA-11701BELDEN-04\_121119, IA-11701BELDEN-02\_121119 and IA-11701BELDEN-03\_121119 due to the presence of high level non-target species.

Samples IA-11701BELDEN-01\_121119, IA-11701BELDEN-04\_121119, IA-11701BELDEN-02\_121119 and IA-11701BELDEN-03\_121119 were transferred from Low Level analysis to full scan TO-15 due to high levels of non-target compounds.

The results for samples IA-11701BELDEN-08\_121119 and IA-11701BELDEN-07\_121119 in this report were acquired from two separate data files originating from the same analytical run. The two data files have the same base file name and are differentiated with a "sim" extension on the SIM data file.

**Definition of Data Qualifying Flags**

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-05_121119	<b>Date/Time Analyzed:</b>	12/19/19 06:51 PM
<b>Lab ID:</b>	1912388-01A	<b>Dilution Factor:</b>	1.71
<b>Date/Time Collected:</b>	12/11/19 01:29 PM	<b>Instrument/Filename:</b>	msd21.i / 21121918
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.25	0.64	0.68	Not Detected
1,4-Dioxane	123-91-1	0.10	0.58	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.24	0.64	0.68	Not Detected
Tetrachloroethene	127-18-4	0.62	1.1	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.35	0.64	0.68	Not Detected
Trichloroethene	79-01-6	0.21	0.87	0.92	Not Detected
Vinyl Chloride	75-01-4	0.18	0.42	0.44	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	103
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-06_121119	<b>Date/Time Analyzed:</b>	12/19/19 07:26 PM
<b>Lab ID:</b>	1912388-02A	<b>Dilution Factor:</b>	1.79
<b>Date/Time Collected:</b>	12/11/19 01:38 PM	<b>Instrument/Filename:</b>	msd21.i / 21121919
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.26	0.67	0.71	Not Detected
1,4-Dioxane	123-91-1	0.11	0.61	0.64	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.26	0.67	0.71	Not Detected
Tetrachloroethene	127-18-4	0.65	1.2	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.37	0.67	0.71	Not Detected
Trichloroethene	79-01-6	0.22	0.91	0.96	Not Detected
Vinyl Chloride	75-01-4	0.18	0.43	0.46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	89
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:02 PM
<b>Lab ID:</b>	1912388-03A	<b>Dilution Factor:</b>	3.36
<b>Date/Time Collected:</b>	12/11/19 01:31 PM	<b>Instrument/Filename:</b>	msd21.i / 21121920
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.49	1.3	1.3	Not Detected
1,4-Dioxane	123-91-1	0.20	1.2	1.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.48	1.3	1.3	Not Detected
Tetrachloroethene	127-18-4	1.2	2.2	2.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.69	1.3	1.3	Not Detected
Vinyl Chloride	75-01-4	0.34	0.82	0.86	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	104
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	94

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:02 PM
<b>Lab ID:</b>	1912388-03B	<b>Dilution Factor:</b>	3.36
<b>Date/Time Collected:</b>	12/11/19 01:31 PM	<b>Instrument/Filename:</b>	msd21.i / 21121920sim
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	79-01-6	0.097	0.27	0.36	0.12 J

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	93



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:37 PM
<b>Lab ID:</b>	1912388-04A	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 01:40 PM	<b>Instrument/Filename:</b>	msd21.i / 21121921
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.38	0.98	1.0	Not Detected
1,4-Dioxane	123-91-1	0.16	0.89	0.94	0.18 J
cis-1,2-Dichloroethene	156-59-2	0.37	0.98	1.0	Not Detected
Tetrachloroethene	127-18-4	0.95	1.7	1.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.54	0.98	1.0	Not Detected
Vinyl Chloride	75-01-4	0.27	0.63	0.67	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:37 PM
<b>Lab ID:</b>	1912388-04B	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 01:40 PM	<b>Instrument/Filename:</b>	msd21.i / 21121921sim
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	79-01-6	0.076	0.21	0.28	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	98

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	AA-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:23 PM
<b>Lab ID:</b>	1912388-05A	<b>Dilution Factor:</b>	1.68
<b>Date/Time Collected:</b>	12/11/19 05:22 PM	<b>Instrument/Filename:</b>	msd21.i / 21121924
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.24	0.63	0.67	Not Detected
1,4-Dioxane	123-91-1	0.10	0.58	0.60	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.24	0.63	0.67	Not Detected
Tetrachloroethene	127-18-4	0.61	1.1	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.34	0.63	0.67	Not Detected
Trichloroethene	79-01-6	0.20	0.86	0.90	Not Detected
Vinyl Chloride	75-01-4	0.17	0.41	0.43	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	108
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	92

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:19 PM
<b>Lab ID:</b>	1912388-06A	<b>Dilution Factor:</b>	1.75
<b>Date/Time Collected:</b>	12/11/19 05:05 PM	<b>Instrument/Filename:</b>	msd14.i / 14122015
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	4.7	21	35	Not Detected
1,4-Dioxane	123-91-1	35	94	130	Not Detected
cis-1,2-Dichloroethene	156-59-2	11	21	35	Not Detected
Tetrachloroethene	127-18-4	21	36	59	Not Detected
trans-1,2-Dichloroethene	156-60-5	13	21	35	Not Detected
Trichloroethene	79-01-6	14	28	47	Not Detected
Vinyl Chloride	75-01-4	7.7	13	22	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-04_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:38 PM
<b>Lab ID:</b>	1912388-07A	<b>Dilution Factor:</b>	3.66
<b>Date/Time Collected:</b>	12/11/19 05:33 PM	<b>Instrument/Filename:</b>	msd14.i / 14122016
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.9	44	72	Not Detected
1,4-Dioxane	123-91-1	72	200	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	44	72	Not Detected
Tetrachloroethene	127-18-4	44	74	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	28	44	72	Not Detected
Trichloroethene	79-01-6	29	59	98	Not Detected
Vinyl Chloride	75-01-4	16	28	47	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-02_121119	<b>Date/Time Analyzed:</b>	12/20/19 03:58 PM
<b>Lab ID:</b>	1912388-08A	<b>Dilution Factor:</b>	1.79
<b>Date/Time Collected:</b>	12/11/19 04:59 PM	<b>Instrument/Filename:</b>	msd14.i / 14122014
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	4.8	21	35	Not Detected
1,4-Dioxane	123-91-1	35	97	130	Not Detected
cis-1,2-Dichloroethene	156-59-2	11	21	35	Not Detected
Tetrachloroethene	127-18-4	21	36	61	Not Detected
trans-1,2-Dichloroethene	156-60-5	14	21	35	Not Detected
Trichloroethene	79-01-6	14	29	48	Not Detected
Vinyl Chloride	75-01-4	7.9	14	23	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	101
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-03_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:58 PM
<b>Lab ID:</b>	1912388-09A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collected:</b>	12/11/19 05:03 PM	<b>Instrument/Filename:</b>	msd14.i / 14122017
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	190	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	Not Detected
Trichloroethene	79-01-6	28	58	96	Not Detected
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	94

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	12/19/19 11:29 AM
<b>Lab ID:</b>	1912388-10A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121906a
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.14	0.38	0.40	Not Detected
1,4-Dioxane	123-91-1	0.060	0.34	0.36	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.14	0.38	0.40	Not Detected
Tetrachloroethene	127-18-4	0.36	0.64	0.68	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.20	0.38	0.40	Not Detected
Trichloroethene	79-01-6	0.12	0.51	0.54	Not Detected
Vinyl Chloride	75-01-4	0.10	0.24	0.26	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	109
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	101



MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	12/19/19 11:29 AM
<b>Lab ID:</b>	1912388-10B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121906sima
<b>Media:</b>	NA - Not Applicable		

<b>Compound</b>	<b>CAS#</b>	<b>MDL (ug/m3)</b>	<b>LOD (ug/m3)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Trichloroethene	79-01-6	0.029	0.081	0.11	Not Detected

D: Analyte not within the DoD scope of accreditation.

<b>Surrogates</b>	<b>CAS#</b>	<b>Limits</b>	<b>%Recovery</b>
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	12/20/19 01:44 PM
<b>Lab ID:</b>	1912388-10C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14122010a
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.7	12	20	Not Detected
1,4-Dioxane	123-91-1	20	54	72	Not Detected
cis-1,2-Dichloroethene	156-59-2	6.1	12	20	Not Detected
Tetrachloroethene	127-18-4	12	20	34	Not Detected
trans-1,2-Dichloroethene	156-60-5	7.6	12	20	Not Detected
Trichloroethene	79-01-6	8.0	16	27	Not Detected
Vinyl Chloride	75-01-4	4.4	7.7	13	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	91
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	96

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	12/19/19 08:46 AM
<b>Lab ID:</b>	1912388-11A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121902
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	94
1,4-Dioxane	123-91-1	101
cis-1,2-Dichloroethene	156-59-2	95
Tetrachloroethene	127-18-4	91
trans-1,2-Dichloroethene	156-60-5	92
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	90

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	104

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	12/19/19 08:46 AM
<b>Lab ID:</b>	1912388-11B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121902sim
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
Trichloroethene	79-01-6	92

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	105

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	12/20/19 10:05 AM
<b>Lab ID:</b>	1912388-11C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14122003
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	94
1,4-Dioxane	123-91-1	100
cis-1,2-Dichloroethene	156-59-2	97
Tetrachloroethene	127-18-4	95
trans-1,2-Dichloroethene	156-60-5	93
Trichloroethene	79-01-6	91
Vinyl Chloride	75-01-4	70

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	87
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	95

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	12/19/19 09:30 AM
<b>Lab ID:</b>	1912388-12A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121903
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	103
1,4-Dioxane	123-91-1	117
cis-1,2-Dichloroethene	156-59-2	98
Tetrachloroethene	127-18-4	103
trans-1,2-Dichloroethene	156-60-5	112
Trichloroethene	79-01-6	106
Vinyl Chloride	75-01-4	105

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	104
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	100

\* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	12/19/19 10:12 AM
<b>Lab ID:</b>	1912388-12AA	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121904
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	105
1,4-Dioxane	123-91-1	117
cis-1,2-Dichloroethene	156-59-2	98
Tetrachloroethene	127-18-4	101
trans-1,2-Dichloroethene	156-60-5	114
Trichloroethene	79-01-6	105
Vinyl Chloride	75-01-4	103

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	103

\* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	12/19/19 09:30 AM
<b>Lab ID:</b>	1912388-12B	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121903sim
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
Trichloroethene	79-01-6	103

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	103

\* % Recovery is calculated using unrounded analytical results.



MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	12/19/19 10:12 AM
<b>Lab ID:</b>	1912388-12BB	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd21.i / 21121904sim
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
Trichloroethene	79-01-6	101

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	106

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	12/20/19 11:40 AM
<b>Lab ID:</b>	1912388-12C	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14122006
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	107
1,4-Dioxane	123-91-1	114
cis-1,2-Dichloroethene	156-59-2	102
Tetrachloroethene	127-18-4	107
trans-1,2-Dichloroethene	156-60-5	114
Trichloroethene	79-01-6	106
Vinyl Chloride	75-01-4	115

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	94

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	12/20/19 12:31 PM
<b>Lab ID:</b>	1912388-12CC	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd14.i / 14122008
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	104
1,4-Dioxane	123-91-1	106
cis-1,2-Dichloroethene	156-59-2	100
Tetrachloroethene	127-18-4	106
trans-1,2-Dichloroethene	156-60-5	114
Trichloroethene	79-01-6	106
Vinyl Chloride	75-01-4	119

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	95

\* % Recovery is calculated using unrounded analytical results.



December 23, 2019

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30016344.0001B  
Client project scope reference: Sample COC only was used to define project analytical requirements.  
Laboratory: Eurofins Air Toxics -Folsom  
Laboratory submittal: 1912388  
Sample date:2019-12-11  
Report received byCADENA: 2019-12-23  
Initial DataVerification completed: 2019-12-23  
9 Air samples were analyzed for TO-15 parameters.

No data qualifications or sample integrity issues were observed.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDG #1912388

CADENA Verification Report: 2019-12-23

Analyses Performed By:  
Eurofins Air Toxics  
Folsom, California

Report #35651R  
Review Level: Tier III  
Project: 30042006.0301.03



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 1912388 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1912388	IA-11701BELDEN-05_121119	1912388-01A	Air	12/11/2019		X		
	IA-11701BELDEN-06_121119	1912388-02A	Air	12/11/2019		X		
	IA-11701BELDEN-08_121119	1912388-03B	Air	12/11/2019		X	X	
	IA-11701BELDEN-07_121119	1912388-04B	Air	12/11/2019		X	X	
	AA-11701BELDEN-01_121119	1912388-05A	Air	12/11/2019		X		
	IA-11701BELDEN-01_121119	1912388-06A	Air	12/11/2019		X		
	IA-11701BELDEN-04_121119	1912388-07A	Air	12/11/2019		X		
	IA-11701BELDEN-02_121119	1912388-08A	Air	12/11/2019		X		
	IA-11701BELDEN-03_121119	1912388-09A	Air	12/11/2019		X		

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	



## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan) and TO-15-SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15 and USEPA TO-15-SIM	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

## **DATA REVIEW**

### **5. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

### **6. Field Duplicate Sample Analysis**

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of three times the RL is applied to the difference between the duplicate sample results.

A field duplicate was not performed on a sample location within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

**DATA REVIEW**

**DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: TO-15 ( Full Scan) and TO-15 SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Canister return pressure (<-2"Hg)		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD					X
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation


%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: January 31, 2020

PEER REVIEW: Dennis Capria

DATE: February 14, 2020



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-05_121119	<b>Date/Time Analyzed:</b>	12/19/19 06:51 PM
<b>Lab ID:</b>	1912388-01A	<b>Dilution Factor:</b>	1.71
<b>Date/Time Collected:</b>	12/11/19 01:29 PM	<b>Instrument/Filename:</b>	msd21.i / 21121918
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.25	0.64	0.68	Not Detected
1,4-Dioxane	123-91-1	0.10	0.58	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.24	0.64	0.68	Not Detected
Tetrachloroethene	127-18-4	0.62	1.1	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.35	0.64	0.68	Not Detected
Trichloroethene	79-01-6	0.21	0.87	0.92	Not Detected
Vinyl Chloride	75-01-4	0.18	0.42	0.44	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	103
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	97



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-06_121119	<b>Date/Time Analyzed:</b>	12/19/19 07:26 PM
<b>Lab ID:</b>	1912388-02A	<b>Dilution Factor:</b>	1.79
<b>Date/Time Collected:</b>	12/11/19 01:38 PM	<b>Instrument/Filename:</b>	msd21.i / 21121919
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.26	0.67	0.71	Not Detected
1,4-Dioxane	123-91-1	0.11	0.61	0.64	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.26	0.67	0.71	Not Detected
Tetrachloroethene	127-18-4	0.65	1.2	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.37	0.67	0.71	Not Detected
Trichloroethene	79-01-6	0.22	0.91	0.96	Not Detected
Vinyl Chloride	75-01-4	0.18	0.43	0.46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	89
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:02 PM
<b>Lab ID:</b>	1912388-03A	<b>Dilution Factor:</b>	3.36
<b>Date/Time Collected:</b>	12/11/19 01:31 PM	<b>Instrument/Filename:</b>	msd21.i / 21121920
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.49	1.3	1.3	Not Detected
1,4-Dioxane	123-91-1	0.20	1.2	1.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.48	1.3	1.3	Not Detected
Tetrachloroethene	127-18-4	1.2	2.2	2.3	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.69	1.3	1.3	Not Detected
Vinyl Chloride	75-01-4	0.34	0.82	0.86	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	104
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	94

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:02 PM
<b>Lab ID:</b>	1912388-03B	<b>Dilution Factor:</b>	3.36
<b>Date/Time Collected:</b>	12/11/19 01:31 PM	<b>Instrument/Filename:</b>	msd21.i / 21121920sim
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	79-01-6	0.097	0.27	0.36	0.12 J

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	93

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:37 PM
<b>Lab ID:</b>	1912388-04A	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 01:40 PM	<b>Instrument/Filename:</b>	msd21.i / 21121921
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.38	0.98	1.0	Not Detected
1,4-Dioxane	123-91-1	0.16	0.89	0.94	0.18 J
cis-1,2-Dichloroethene	156-59-2	0.37	0.98	1.0	Not Detected
Tetrachloroethene	127-18-4	0.95	1.7	1.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.54	0.98	1.0	Not Detected
Vinyl Chloride	75-01-4	0.27	0.63	0.67	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	106
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	98

MODIFIED EPA METHOD TO-15 GC/MS SIM  
Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:37 PM
<b>Lab ID:</b>	1912388-04B	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 01:40 PM	<b>Instrument/Filename:</b>	msd21.i / 21121921sim
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	79-01-6	0.076	0.21	0.28	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	98

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	AA-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:23 PM
<b>Lab ID:</b>	1912388-05A	<b>Dilution Factor:</b>	1.68
<b>Date/Time Collected:</b>	12/11/19 05:22 PM	<b>Instrument/Filename:</b>	msd21.i / 21121924
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.24	0.63	0.67	Not Detected
1,4-Dioxane	123-91-1	0.10	0.58	0.60	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.24	0.63	0.67	Not Detected
Tetrachloroethene	127-18-4	0.61	1.1	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.34	0.63	0.67	Not Detected
Trichloroethene	79-01-6	0.20	0.86	0.90	Not Detected
Vinyl Chloride	75-01-4	0.17	0.41	0.43	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	108
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	92

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:19 PM
<b>Lab ID:</b>	1912388-06A	<b>Dilution Factor:</b>	1.75
<b>Date/Time Collected:</b>	12/11/19 05:05 PM	<b>Instrument/Filename:</b>	msd14.i / 14122015
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	4.7	21	35	Not Detected
1,4-Dioxane	123-91-1	35	94	130	Not Detected
cis-1,2-Dichloroethene	156-59-2	11	21	35	Not Detected
Tetrachloroethene	127-18-4	21	36	59	Not Detected
trans-1,2-Dichloroethene	156-60-5	13	21	35	Not Detected
Trichloroethene	79-01-6	14	28	47	Not Detected
Vinyl Chloride	75-01-4	7.7	13	22	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-04_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:38 PM
<b>Lab ID:</b>	1912388-07A	<b>Dilution Factor:</b>	3.66
<b>Date/Time Collected:</b>	12/11/19 05:33 PM	<b>Instrument/Filename:</b>	msd14.i / 14122016
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.9	44	72	Not Detected
1,4-Dioxane	123-91-1	72	200	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	44	72	Not Detected
Tetrachloroethene	127-18-4	44	74	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	28	44	72	Not Detected
Trichloroethene	79-01-6	29	59	98	Not Detected
Vinyl Chloride	75-01-4	16	28	47	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95



EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-02_121119	<b>Date/Time Analyzed:</b>	12/20/19 03:58 PM
<b>Lab ID:</b>	1912388-08A	<b>Dilution Factor:</b>	1.79
<b>Date/Time Collected:</b>	12/11/19 04:59 PM	<b>Instrument/Filename:</b>	msd14.i / 14122014
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	4.8	21	35	Not Detected
1,4-Dioxane	123-91-1	35	97	130	Not Detected
cis-1,2-Dichloroethene	156-59-2	11	21	35	Not Detected
Tetrachloroethene	127-18-4	21	36	61	Not Detected
trans-1,2-Dichloroethene	156-60-5	14	21	35	Not Detected
Trichloroethene	79-01-6	14	29	48	Not Detected
Vinyl Chloride	75-01-4	7.9	14	23	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	101
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS  
 Ford LTP

<b>Client ID:</b>	IA-11701BELDEN-03_121119	<b>Date/Time Analyzed:</b>	12/20/19 04:58 PM
<b>Lab ID:</b>	1912388-09A	<b>Dilution Factor:</b>	3.58
<b>Date/Time Collected:</b>	12/11/19 05:03 PM	<b>Instrument/Filename:</b>	msd14.i / 14122017
<b>Media:</b>	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	9.6	42	71	Not Detected
1,4-Dioxane	123-91-1	71	190	260	Not Detected
cis-1,2-Dichloroethene	156-59-2	22	42	71	Not Detected
Tetrachloroethene	127-18-4	43	73	120	Not Detected
trans-1,2-Dichloroethene	156-60-5	27	42	71	Not Detected
Trichloroethene	79-01-6	28	58	96	Not Detected
Vinyl Chloride	75-01-4	16	27	46	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	94

# Analysis Request /Canister Chain of Custody

180 Blue Ravine Rd. Suite B, Folsom, CA 95630  
 Phone (800) 985-5955; Fax (916) 351-8279

For Laboratory Use Only  
 PID: \_\_\_\_\_ Workorder #: **1912388**

Click links below to view:  
[Canister Sampling Guide](#)  
[Helium Shroud Video](#)

Client: <u>Ford</u>	PID: <u>NA</u>	Special Instructions/Notes: Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	<b>Turnaround Time (Rush surcharges may apply)</b>							
Project Name: <u>Ford LTP</u>			5 Day Turnaround Time							
Project Manager: <u>Kris Hinskey</u>	P.O.# <u>30016344.0001B</u>		<b>Canister Vacuum/Pressure</b>		<b>Requested Analyses</b>					
Sampler: <u>Xenia Chan</u>			<b>Lab Use Only</b>							
Site Name: <u>11701 BELDEN</u>			Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)	Do Not Analyze		

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N <sub>2</sub> / He	TO-15 (See Special Instructions/Notes)	Do Not Analyze
				Date	Time	Date	Time						
01A	IA-11701BELDEN-05_121119	6L1227	23201	12/11/2019	6:06	12/11/2019	13:29	-29.5	-7			X	
02A	IA-11701BELDEN-06_121119	6L1634	24224	12/11/2019	6:08	12/11/2019	13:38	-29.5	-8			X	
03A	IA-11701BELDEN-08_121119	6L2006	23288	12/11/2019	6:11	12/11/2019	13:31	-29.5	-6.5			X	
04A	IA-11701BELDEN-07_121119	6L1967	23581	12/11/2019	6:13	12/11/2019	13:40	-29.5	-8.5			X	
05A	AA-11701BELDEN-01_121119	6L0246	23478	12/11/2019	6:21	12/11/2019	17:22	-29.5	-8.5			X	
06A	IA-11701BELDEN-01_121119	6L0298	1845	12/11/2019	6:29	12/11/2019	17:05	-29	-7.5			X	
07A	IA-11701BELDEN-04_121119	6L2410	23636	12/11/2019	6:32	12/11/2019	17:33	-29	-8.5			X	
08A	IA-11701BELDEN-02_121119	6L2348	23731	12/11/2019	6:35	12/11/2019	16:59	-29	-7.5			X	
09A	IA-11701BELDEN-03_121119	6L1333	23276	12/11/2019	6:38	12/11/2019	17:03	-29	-7.5			X	
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				
	--	--	--	--	--	--	--	--	--				

Relinquished by: (Signature/Affiliation) <u>[Signature]</u>	Date <u>12-12-19</u>	Time <u>1700</u>	Received by: (Signature/Affiliation) <u>[Signature]</u>	Date <u>12/14/19</u>	Time <u>0930</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Shipper Name: FEDIX      Custody Seals Intact?  Yes     No     None

**Sample Transportation Notice:** Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

12/20/2019  
Mr. Jim Tomalia  
Arcadis U.S., Inc.  
28550 Cabot Dr.  
Suite 500  
Novi MI 48377

Project Name: Ford LTP  
Project #:  
Workorder #: 1912390

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 12/14/2019 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott  
Project Manager

**WORK ORDER #: 1912390**

Work Order Summary

<b>CLIENT:</b>	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	<b>BILL TO:</b>	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
<b>PHONE:</b>	517-819-0356	<b>P.O. #</b>	30016344.0001B
<b>FAX:</b>		<b>PROJECT #</b>	Ford LTP
<b>DATE RECEIVED:</b>	12/14/2019	<b>CONTACT:</b>	Ausha Scott
<b>DATE COMPLETED:</b>	12/20/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SSMP-11701BELDEN-04_121119	TO-15	6.3 "Hg	15.1 psi
02A	DUP-11701BELDEN-01_121119	TO-15	6.1 "Hg	15.1 psi
03A	SSMP-11701BELDEN-01_121119	TO-15	6.5 "Hg	14.9 psi
04A	SSMP-11701BELDEN-02_121119	TO-15	6.1 "Hg	15.1 psi
05A	SSMP-11701BELDEN-03_121119	TO-15	7.1 "Hg	15.1 psi
06A	SSMP-11701BELDEN-05_121119	TO-15	7.8 "Hg	15.2 psi
07A	SSMP-11701BELDEN-06_121119	TO-15	5.9 "Hg	15 psi
08A	SSMP-11701BELDEN-07_121119	TO-15	6.1 "Hg	15 psi
09A	SSMP-11701BELDEN-08_121119	TO-15	5.9 "Hg	15 psi
10A	SSMP-11701BELDEN-09_121119	TO-15	6.7 "Hg	15.1 psi
11A	Lab Blank	TO-15	NA	NA
12A	CCV	TO-15	NA	NA
13A	LCS	TO-15	NA	NA
13AA	LCSD	TO-15	NA	NA

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 12/20/19

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP – CA009332019-11, VA NELAP - 460197, WA NELAP - C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
 Accreditation number: CA300005-011, Effective date: 10/18/2019, Expiration date: 10/17/2020.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279

**LABORATORY NARRATIVE**  
**EPA Method TO-15**  
**Arcadis U.S., Inc.**  
**Workorder# 1912390**

Ten 1 Liter Summa Canister (100% Certified) samples were received on December 14, 2019. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

**Definition of Data Qualifying Flags**

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-04_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:38 PM
<b>Lab ID:</b>	1912390-01A	<b>Dilution Factor:</b>	2.57
<b>Date/Time Collected:</b>	12/11/19 07:13 AM	<b>Instrument/Filename:</b>	msd17.i / 17121919
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.7	9.5
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.5	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	DUP-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 05:47 PM
<b>Lab ID:</b>	1912390-02A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 12:00 AM	<b>Instrument/Filename:</b>	msd17.i / 17121916
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	93



EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 06:15 PM
<b>Lab ID:</b>	1912390-03A	<b>Dilution Factor:</b>	2.57
<b>Date/Time Collected:</b>	12/11/19 07:41 AM	<b>Instrument/Filename:</b>	msd17.i / 17121917
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.7	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.5	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-02_121119	<b>Date/Time Analyzed:</b>	12/19/19 09:06 PM
<b>Lab ID:</b>	1912390-04A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 08:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17121920
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	5.6 J
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-03_121119	<b>Date/Time Analyzed:</b>	12/19/19 09:34 PM
<b>Lab ID:</b>	1912390-05A	<b>Dilution Factor:</b>	2.66
<b>Date/Time Collected:</b>	12/11/19 08:29 AM	<b>Instrument/Filename:</b>	msd17.i / 17121921
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	6.5 J
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	Not Detected
Trichloroethene	79-01-6	2.6	5.7	7.1	Not Detected
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-05_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:02 PM
<b>Lab ID:</b>	1912390-06A	<b>Dilution Factor:</b>	2.75
<b>Date/Time Collected:</b>	12/11/19 07:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17121922
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.4	5.4	Not Detected
1,4-Dioxane	123-91-1	10	15	20	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.4	5.4	Not Detected
Tetrachloroethene	127-18-4	3.7	7.5	9.3	5.6 J
trans-1,2-Dichloroethene	156-60-5	1.6	4.4	5.4	Not Detected
Trichloroethene	79-01-6	2.7	5.9	7.4	Not Detected
Vinyl Chloride	75-01-4	1.4	2.8	3.5	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-06_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:31 PM
<b>Lab ID:</b>	1912390-07A	<b>Dilution Factor:</b>	2.52
<b>Date/Time Collected:</b>	12/11/19 08:53 AM	<b>Instrument/Filename:</b>	msd17.i / 17121923
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.6	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.8	8.5	880
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:59 PM
<b>Lab ID:</b>	1912390-08A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 07:38 AM	<b>Instrument/Filename:</b>	msd17.i / 17121924
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	180
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 11:27 PM
<b>Lab ID:</b>	1912390-09A	<b>Dilution Factor:</b>	2.52
<b>Date/Time Collected:</b>	12/11/19 08:26 AM	<b>Instrument/Filename:</b>	msd17.i / 17121925
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.6	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.8	8.5	1500
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	5.0 J
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-09_121119	<b>Date/Time Analyzed:</b>	12/19/19 11:56 PM
<b>Lab ID:</b>	1912390-10A	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 07:59 AM	<b>Instrument/Filename:</b>	msd17.i / 17121926
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.1	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.2	Not Detected
Tetrachloroethene	127-18-4	3.5	7.1	8.8	36
trans-1,2-Dichloroethene	156-60-5	1.6	4.1	5.2	Not Detected
Trichloroethene	79-01-6	2.5	5.6	7.0	Not Detected
Vinyl Chloride	75-01-4	1.3	2.7	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	97



EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	Lab Blank	<b>Date/Time Analyzed:</b>	12/19/19 11:55 AM
<b>Lab ID:</b>	1912390-11A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17121906c
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.87	1.6	2.0	Not Detected
1,4-Dioxane	123-91-1	3.8	5.4	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.56	1.6	2.0	Not Detected
Tetrachloroethene	127-18-4	1.4	2.7	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.59	1.6	2.0	Not Detected
Trichloroethene	79-01-6	0.97	2.1	2.7	Not Detected
Vinyl Chloride	75-01-4	0.51	1.0	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
Ford LTP

<b>Client ID:</b>	CCV	<b>Date/Time Analyzed:</b>	12/19/19 09:45 AM
<b>Lab ID:</b>	1912390-12A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17121902
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	114
1,4-Dioxane	123-91-1	97
cis-1,2-Dichloroethene	156-59-2	110
Tetrachloroethene	127-18-4	100
trans-1,2-Dichloroethene	156-60-5	108
Trichloroethene	79-01-6	95
Vinyl Chloride	75-01-4	108

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	LCS	<b>Date/Time Analyzed:</b>	12/19/19 10:12 AM
<b>Lab ID:</b>	1912390-13A	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17121903
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	106
1,4-Dioxane	123-91-1	97
cis-1,2-Dichloroethene	156-59-2	96
Tetrachloroethene	127-18-4	95
trans-1,2-Dichloroethene	156-60-5	112
Trichloroethene	79-01-6	95
Vinyl Chloride	75-01-4	102

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	98

\* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	LCSD	<b>Date/Time Analyzed:</b>	12/19/19 10:39 AM
<b>Lab ID:</b>	1912390-13AA	<b>Dilution Factor:</b>	1.00
<b>Date/Time Collected:</b>	NA - Not Applicable	<b>Instrument/Filename:</b>	msd17.i / 17121904
<b>Media:</b>	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	106
1,4-Dioxane	123-91-1	94
cis-1,2-Dichloroethene	156-59-2	95
Tetrachloroethene	127-18-4	96
trans-1,2-Dichloroethene	156-60-5	114
Trichloroethene	79-01-6	93
Vinyl Chloride	75-01-4	105

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	97

\* % Recovery is calculated using unrounded analytical results.



December 20, 2019

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30016344.0001B  
Client project scope reference: Sample COC only was used to define project analytical requirements.  
Laboratory: Eurofins Air Toxics -Folsom  
Laboratory submittal: 1912390  
Sample date:2019-12-11  
Report received byCADENA: 2019-12-20  
Initial DataVerification completed: 2019-12-20  
10 Air samples were analyzed for TO-15 parameters.

No data qualifications or sample integrity issues were observed.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDG #1912390

CADENA Verification Report: 2019-12-20

Analyses Performed By:  
Eurofins Air Toxics  
Folsom, California

Report #35652R  
Review Level: Tier III  
Project: 30042006.0301.03



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 1912390 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1912390	SSMP-11701BELDEN-04_121119	1912390-01A	Air	12/11/2019		X		
	DUP-11701BELDEN-01_121119	1912390-02A	Air	12/11/2019	SSMP-11701BELDEN-01_121119	X		
	SSMP-11701BELDEN-01_121119	1912390-03A	Air	12/11/2019		X		
	SSMP-11701BELDEN-02_121119	1912390-04A	Air	12/11/2019		X		
	SSMP-11701BELDEN-03_121119	1912390-05A	Air	12/11/2019		X		
	SSMP-11701BELDEN-05_121119	1912390-06A	Air	12/11/2019		X		
	SSMP-11701BELDEN-06_121119	1912390-07A	Air	12/11/2019		X		
	SSMP-11701BELDEN-07_121119	1912390-08A	Air	12/11/2019		X		
	SSMP-11701BELDEN-08_121119	1912390-09A	Air	12/11/2019		X		
	SSMP-11701BELDEN-09_121119	1912390-10A	Air	12/11/2019		X		



## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

## DATA REVIEW

### 5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

### 6. Field Duplicate Sample Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of three times the RL is applied to the difference between the duplicate sample results.

Results (in  $\mu\text{g}/\text{m}^3$ ) for the field duplicate samples are summarized in the following table.

Sample ID / Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SSMP-11701BELDEN-01_121119/ DUP-11701BELDEN-01_121119	All compounds	U	U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

**DATA REVIEW**

**DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: TO-15 ( Full Scan)	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Canister return pressure (<-2"Hg)		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation


%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: January 31, 2020

PEER REVIEW: Dennis Capria

DATE: February 14, 2020



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**





EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-04_121119	<b>Date/Time Analyzed:</b>	12/19/19 08:38 PM
<b>Lab ID:</b>	1912390-01A	<b>Dilution Factor:</b>	2.57
<b>Date/Time Collected:</b>	12/11/19 07:13 AM	<b>Instrument/Filename:</b>	msd17.i / 17121919
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.7	9.5
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.5	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	DUP-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 05:47 PM
<b>Lab ID:</b>	1912390-02A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 12:00 AM	<b>Instrument/Filename:</b>	msd17.i / 17121916
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	93

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-01_121119	<b>Date/Time Analyzed:</b>	12/19/19 06:15 PM
<b>Lab ID:</b>	1912390-03A	<b>Dilution Factor:</b>	2.57
<b>Date/Time Collected:</b>	12/11/19 07:41 AM	<b>Instrument/Filename:</b>	msd17.i / 17121917
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	9.8	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	3.5	7.0	8.7	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.5	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.5	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	94

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-02_121119	<b>Date/Time Analyzed:</b>	12/19/19 09:06 PM
<b>Lab ID:</b>	1912390-04A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 08:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17121920
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	5.6 J
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	88
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-03_121119	<b>Date/Time Analyzed:</b>	12/19/19 09:34 PM
<b>Lab ID:</b>	1912390-05A	<b>Dilution Factor:</b>	2.66
<b>Date/Time Collected:</b>	12/11/19 08:29 AM	<b>Instrument/Filename:</b>	msd17.i / 17121921
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.2	5.3	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.2	5.3	Not Detected
Tetrachloroethene	127-18-4	3.6	7.2	9.0	6.5 J
trans-1,2-Dichloroethene	156-60-5	1.6	4.2	5.3	Not Detected
Trichloroethene	79-01-6	2.6	5.7	7.1	Not Detected
Vinyl Chloride	75-01-4	1.4	2.7	3.4	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	95

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-05_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:02 PM
<b>Lab ID:</b>	1912390-06A	<b>Dilution Factor:</b>	2.75
<b>Date/Time Collected:</b>	12/11/19 07:10 AM	<b>Instrument/Filename:</b>	msd17.i / 17121922
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.4	4.4	5.4	Not Detected
1,4-Dioxane	123-91-1	10	15	20	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.5	4.4	5.4	Not Detected
Tetrachloroethene	127-18-4	3.7	7.5	9.3	5.6 J
trans-1,2-Dichloroethene	156-60-5	1.6	4.4	5.4	Not Detected
Trichloroethene	79-01-6	2.7	5.9	7.4	Not Detected
Vinyl Chloride	75-01-4	1.4	2.8	3.5	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	90
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-06_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:31 PM
<b>Lab ID:</b>	1912390-07A	<b>Dilution Factor:</b>	2.52
<b>Date/Time Collected:</b>	12/11/19 08:53 AM	<b>Instrument/Filename:</b>	msd17.i / 17121923
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.6	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.8	8.5	880
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-07_121119	<b>Date/Time Analyzed:</b>	12/19/19 10:59 PM
<b>Lab ID:</b>	1912390-08A	<b>Dilution Factor:</b>	2.54
<b>Date/Time Collected:</b>	12/11/19 07:38 AM	<b>Instrument/Filename:</b>	msd17.i / 17121924
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.7	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.9	8.6	180
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	96



EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-08_121119	<b>Date/Time Analyzed:</b>	12/19/19 11:27 PM
<b>Lab ID:</b>	1912390-09A	<b>Dilution Factor:</b>	2.52
<b>Date/Time Collected:</b>	12/11/19 08:26 AM	<b>Instrument/Filename:</b>	msd17.i / 17121925
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.2	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	9.6	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	3.4	6.8	8.5	1500
trans-1,2-Dichloroethene	156-60-5	1.5	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.4	5.4	6.8	5.0 J
Vinyl Chloride	75-01-4	1.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	96

EPA METHOD TO-15 GC/MS FULL SCAN  
 Ford LTP

<b>Client ID:</b>	SSMP-11701BELDEN-09_121119	<b>Date/Time Analyzed:</b>	12/19/19 11:56 PM
<b>Lab ID:</b>	1912390-10A	<b>Dilution Factor:</b>	2.61
<b>Date/Time Collected:</b>	12/11/19 07:59 AM	<b>Instrument/Filename:</b>	msd17.i / 17121926
<b>Media:</b>	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.3	4.1	5.2	Not Detected
1,4-Dioxane	123-91-1	10	14	19	Not Detected
cis-1,2-Dichloroethene	156-59-2	1.4	4.1	5.2	Not Detected
Tetrachloroethene	127-18-4	3.5	7.1	8.8	36
trans-1,2-Dichloroethene	156-60-5	1.6	4.1	5.2	Not Detected
Trichloroethene	79-01-6	2.5	5.6	7.0	Not Detected
Vinyl Chloride	75-01-4	1.3	2.7	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	97
Toluene-d8	2037-26-5	70-130	97

# Analysis Request / Canister Chain of Custody

For Laboratory Use Only  
 PID: \_\_\_\_\_ Workorder #: **1912390**

180 Blue Ravine Rd. Suite B, Folsom, CA 95630  
 Phone (800) 985-5955; Fax (916) 351-8279

Click links below to view:  
[Canister Sampling Guide](#)  
[Helium Shroud Video](#)

Client: <u>Ford</u>	PID: <u>NA</u>	<b>Special Instructions/Notes:</b> Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	<b>Turnaround Time (Rush surcharges may apply)</b>	
Project Name: <u>Ford LTP</u>			5 Day Turnaround Time	
Project Manager: <u>Kris Hinskey</u>	P.O.# <u>30016344.0001B</u>		<b>Canister Vacuum/Pressure</b>	<b>Requested Analyses</b>
Sampler: <u>Patrick Labadie</u>				
Site Name: <u>11701 BELDEN</u>				

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Lab Use Only		TO-15 (See Special Instructions/Notes)	Do Not Analyze
				Date	Time	Date	Time			Receipt	Final (psig) Gas: N <sub>2</sub> / He		
01A	SSMP-11701BELDEN-04_121119	1L3203	23721	12/11/2019	7:02	12/11/2019	7:13	-29	-6.5			X	
02A	DUP-11701BELDEN-01_121119	1L2982	23543	12/11/2019	--	12/11/2019	--	-29	-6.5			X	
03A	SSMP-11701BELDEN-01_121119	1L1519	23824	12/11/2019	7:26	12/11/2019	7:41	-29	-6.5			X	
04A	SSMP-11701BELDEN-02_121119	1L2430	24555	12/11/2019	7:58	12/11/2019	8:10	-29	-6			X	
05A	SSMP-11701BELDEN-03_121119	40853	23821	12/11/2019	8:19	12/11/2019	8:29	-29	-7			X	
06A	SSMP-11701BELDEN-05_121119	1L3018	23109	12/11/2019	7:00	12/11/2019	7:10	-29	-7			X	
07A	SSMP-11701BELDEN-06_121119	1L2610	23591	12/11/2019	8:41	12/11/2019	8:53	-29	-6			X	
08A	SSMP-11701BELDEN-07_121119	1L3042	24105	12/11/2019	7:25	12/11/2019	7:38	-29	-6			X	
09A	SSMP-11701BELDEN-08_121119	1L2955	24534	12/11/2019	8:14	12/11/2019	8:26	-29	-6			X	
10A	SSMP-11701BELDEN-09_121119	1L2136	23403	12/11/2019	7:48	12/11/2019	7:59	-29	-7			X	
--	--	--	--	--	--	--	--	--	--				
--	--	--	--	--	--	--	--	--	--				
--	--	--	--	--	--	--	--	--	--				
--	--	--	--	--	--	--	--	--	--				
--	--	--	--	--	--	--	--	--	--				

Relinquished by: (Signature/Affiliation) <u>[Signature]</u> / Arcadis	Date <u>12-12-19</u>	Time <u>1700</u>	Received by: (Signature/Affiliation) <u>[Signature]</u> / BATV	Date <u>12/14/19</u>	Time <u>0930</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

**Lab Use Only**

Shipper Name: FEDEX Custody Seals Intact?  Yes  No  None

**Sample Transportation Notice:** Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922