# 🛟 eurofins

## Environment Testing TestAmerica

## **ANALYTICAL REPORT**

Eurofins TestAmerica, Edison 777 New Durham Road Edison, NJ 08817 Tel: (732)549-3900

#### Laboratory Job ID: 460-196847-1

Client Project/Site: Ford LTP Off-Site

#### For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mole Del your


Authorized for release by: 12/2/2019 6:20:40 PM

Michael DelMonico, Project Manager I (330)497-9396 michael.delmonico@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



## **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	19

3

#### Qualifiers

GC/MS VOA Qualifier	Qualifier Description	4
U	Indicates the analyte was analyzed for but not detected.	_
Х	Surrogate is outside control limits	5

#### Glossary

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

#### Job ID: 460-196847-1

#### Laboratory: Eurofins TestAmerica, Edison

Narrative

#### **CASE NARRATIVE**

#### Client: ARCADIS U.S., Inc.

#### **Project: Ford LTP Off-Site**

#### Report Number: 460-196847-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Edison attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

#### RECEIPT

The samples were received on 11/15/2019 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 1.6° C and 2.0° C.

#### VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples Trip Blank (460-196847-1) and MW-176S\_111319 (460-196847-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 11/23/2019 and 11/24/2019.

Toluene-d8 (Surr) failed the surrogate recovery criteria low for MW-176S\_111319 (460-196847-2). Refer to the QC report for details.

The continuing calibration verification (CCV) associated with batch 460-657905 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

Four surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: MW-176S\_111319 (460-196847-2). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOLATILE ORGANIC COMPOUNDS (GC/MS)

#### Job ID: 460-196847-1 (Continued)

#### Laboratory: Eurofins TestAmerica, Edison (Continued)

Samples MW-176S\_111319 (460-196847-2) were analyzed for Volatile organic compounds (GC/MS) in accordance with SW-846 Method 8260C SIM. The samples were analyzed on 11/22/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection	Summary
-----------	---------

#### Client Sample ID: Trip Blank

No Detections.

#### Client Sample ID: MW-176S\_111319

No Detections.

Job ID: 460-196847-1

Lab Sample ID: 460-196847-1

This Detection Summary does not include radiochemical test results.

#### **Client Sample Results**

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

4-Bromofluorobenzene

4-Bromofluorobenzene

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

Date Collected: 11/13/19 15:20

Date Received: 11/15/19 10:00

Client Sample ID: MW-176S 111319

#### Client Sample ID: Trip Blank Date Collected: 11/13/19 00:00 Date Received: 11/15/19 10:00

loh	ın	460-196847-1	
JOD	ID.	400-190047-1	

## Lab Sample ID: 460-196847-1

Analyzed

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

Analyzed

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

1

Dil Fac

## Lab Sample ID: 460-196847-2

Prepared

Prepared

Matrix: Water

Method: 8260C SIM - Vol	latile Organic Co	mpounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			11/22/19 15:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	89		72 - 133					11/22/19 15:19	1

#### Method: 8260C - Volatile Organic Compounds by GC/MS

Method: 8260C - Volatile Organic Compounds by GC/MS

**Result Qualifier** 

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

%Recovery Qualifier

103

109

109

107

81

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/23/19 23:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/23/19 23:09	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/23/19 23:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/23/19 23:09	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/23/19 23:09	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/23/19 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		74 - 132			-		11/23/19 23:09	1
Toluene-d8 (Surr)	79	X	80 - 120					11/23/19 23:09	1
Dibromofluoromethane (Surr)	77		72 - 131					11/23/19 23:09	1

77 - 124

11/23/19 23:09

#### **Surrogate Summary**

MB 460-657367/8

#### Method: 8260C - Volatile Organic Compounds by GC/MS Matrix: Water

Method Blank

atrix: Water						Prep Type: Total/NA
			Pe	ercent Surro	ogate Recovery (Ac	ceptance Limits)
		DCA	TOL	DBFM	BFB	
Lab Sample ID	Client Sample ID	(74-132)	(80-120)	(72-131)	(77-124)	
460-196847-1	Trip Blank	103	109	109	107	
460-196847-2	MW-176S_111319	77	79 X	77	81	
LCS 460-657765/15	Lab Control Sample	79	83	82	82	
LCS 460-657905/3	Lab Control Sample	96	102	103	99	
LCSD 460-657765/16	Lab Control Sample Dup	95	103	99	100	
LCSD 460-657905/4	Lab Control Sample Dup	79	86	88	85	
MB 460-657765/10	Method Blank	81	83	83	83	
MB 460-657905/8	Method Blank	98	105	107	99	
Surrogate Legend						
DCA = 1,2-Dichloroet						
TOL = Toluene-d8 (S	urr)					
DBFM = Dibromofluor	omethane (Surr)					
BFB = 4-Bromofluoro	benzene					
lethod: 8260C S	IM - Volatile Organic (	Compoun	ds (GC/	MS)		
latrix: Water				,		Prep Type: Total/NA
			Pe	ercent Surro	ogate Recovery (Ac	ceptance Limits)
		BFB				
l ah Campia ID	Client Sample ID	(72-133)				
Lab Sample ID						
Lab Sample ID 460-196847-2	MW-176S_111319	89				
	MW-176S_111319 Lab Control Sample	89 93				

BFB = 4-Bromofluorobenzene

Job ID: 460-196847-1

93

12/2/2019

8

#### Method: 8260C - Volatile Organic Compounds by GC/MS

## Lab Sample ID: MB 460-657765/10

#### **Client Sample ID: Method Blank** Prep Type: Total/NA

Matrix: Water Analysis Batch: 657765

-	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/23/19 19:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/23/19 19:40	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/23/19 19:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/23/19 19:40	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/23/19 19:40	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/23/19 19:40	1

	INID	IVID					
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	81		74 - 132		11/23/19 19:40	1	
Toluene-d8 (Surr)	83		80 - 120		11/23/19 19:40	1	
Dibromofluoromethane (Surr)	83		72 - 131		11/23/19 19:40	1	
4-Bromofluorobenzene	83		77 - 124		11/23/19 19:40	1	

#### Lab Sample ID: LCS 460-657765/15 Matrix: Water Analysis Batch: 657765

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	16.2		ug/L		81	74 - 123	
cis-1,2-Dichloroethene	20.0	18.7		ug/L		94	80 - 120	
Tetrachloroethene	20.0	17.4		ug/L		87	78 - 122	
trans-1,2-Dichloroethene	20.0	17.7		ug/L		88	79 - 120	
Trichloroethene	20.0	18.1		ug/L		90	77 - 120	
Vinyl chloride	20.0	16.7		ug/L		84	62 - 138	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		74 - 132
Toluene-d8 (Surr)	83		80 - 120
Dibromofluoromethane (Surr)	82		72 - 131
4-Bromofluorobenzene	82		77 - 124

#### Lab Sample ID: LCSD 460-657765/16 **Matrix: Water** Analysis Batch: 657765

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20.0	18.0		ug/L		90	74 - 123	11	30
cis-1,2-Dichloroethene	20.0	21.6		ug/L		108	80 - 120	14	30
Tetrachloroethene	20.0	21.2		ug/L		106	78 - 122	19	30
trans-1,2-Dichloroethene	20.0	20.2		ug/L		101	79 - 120	13	30
Trichloroethene	20.0	20.9		ug/L		104	77 _ 120	14	30
Vinyl chloride	20.0	18.7		ug/L		94	62 - 138	11	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		74 - 132
Toluene-d8 (Surr)	103		80 - 120
Dibromofluoromethane (Surr)	99		72 - 131

#### **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Olient Comula ID: La	
Client Sample ID: La	b Control Sample Dup Prep Type: Total/NA

#### Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460 Matrix: Water Analysis Batch: 657765	9-657765/16				Clie	ent Sam	ple ID: Lat	Control Samp Prep Type: To	
Surrogate 4-Bromofluorobenzene	LCSD LC %Recovery Qu 100		<b>Limits</b> 77 - 124						
Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 657905	57905/8 MB	MB					Client San	nple ID: Method Prep Type: To	
Analyte		Qualifier	R	I MDI	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene			1		ug/L			11/24/19 12:31	1
cis-1,2-Dichloroethene	1.0	) U	1.		ug/L			11/24/19 12:31	1
Tetrachloroethene	1.0	U	1.		ug/L			11/24/19 12:31	1
trans-1,2-Dichloroethene	1.0	) U	1.		ug/L			11/24/19 12:31	
Trichloroethene	1.0	U	1.	0 0.31	ug/L			11/24/19 12:31	1
Vinyl chloride	1.0	U	1.	0 0.17	ug/L			11/24/19 12:31	1
	МВ	MB							
Surrogate	%Recovery	v Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98	3	74 - 132					11/24/19 12:31	1
Toluene-d8 (Surr)	105	5	80 - 120					11/24/19 12:31	1
Dibromofluoromethane (Surr)	107	,	72 - 131					11/24/19 12:31	1
4-Bromofluorobenzene	99	)	77 - 124					11/24/19 12:31	1

#### Lab Sample ID: LCS 460-657905/3 Matrix: Water Analysis Batch: 657905

•	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	21.2		ug/L		106	74 - 123	
cis-1,2-Dichloroethene	20.0	18.9		ug/L		94	80 - 120	
Tetrachloroethene	20.0	21.0		ug/L		105	78 - 122	
trans-1,2-Dichloroethene	20.0	20.5		ug/L		102	79 <sub>-</sub> 120	
Trichloroethene	20.0	20.1		ug/L		100	77 - 120	
Vinyl chloride	20.0	26.4		ug/L		132	62 - 138	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		74 - 132
Toluene-d8 (Surr)	102		80 - 120
Dibromofluoromethane (Surr)	103		72 - 131
4-Bromofluorobenzene	99		77 - 124

#### Lab Sample ID: LCSD 460-657905/4 Matrix: Water Analysis Batch: 657905

#### Spike LCSD LCSD %Rec. RPD Added Result Qualifier Limits Limit Analyte Unit D %Rec RPD 1,1-Dichloroethene 20.0 20.4 ug/L 102 74 - 123 4 30 cis-1,2-Dichloroethene 20.0 19.8 99 80 - 120 30 ug/L 5 Tetrachloroethene 20.0 19.9 99 30 ug/L 78 - 122 5 trans-1,2-Dichloroethene 20.0 20.7 ug/L 103 79 - 120 1 30 Trichloroethene 20.0 20.1 ug/L 101 77 - 120 0 30

Eurofins TestAmerica, Edison

Prep Type: Total/NA

8

#### Client Sample ID: Lab Control Sample Prep Type: Total/NA

**Client Sample ID: Lab Control Sample Dup** 

8

#### Method: 8260C - Volatile Organic Compounds by GC/MS (Continued) Lab Sample ID: LCSD 460-657905/4 **Client Sample ID: Lab Control Sample Dup** Matrix: Water Prep Type: Total/NA Analysis Batch: 657905 LCSD LCSD Spike %Rec. RPD Added **Result Qualifier** Limits RPD Limit Analyte Unit D %Rec Vinyl chloride 20.0 27.3 137 62 - 138 3 30 ug/L LCSD LCSD %Recovery Surrogate Qualifier I imits 1,2-Dichloroethane-d4 (Surr) 79 74 - 132 Toluene-d8 (Surr) 86 80 - 120 Dibromofluoromethane (Surr) 88 72 - 131 4-Bromofluorobenzene 85 77 - 124 Method: 8260C SIM - Volatile Organic Compounds (GC/MS) Lab Sample ID: MB 460-657367/8 **Client Sample ID: Method Blank Matrix: Water Prep Type: Total/NA** Analysis Batch: 657367 MB MB Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed Dil Fac 1.4-Dioxane 2.0 U 2.0 0.33 ug/L 11/22/19 11:32 1 MB MB Surrogate Qualifier Limits Analyzed Dil Fac %Recovery Prepared 4-Bromofluorobenzene 93 72 - 133 11/22/19 11:32 Lab Sample ID: LCS 460-657367/3 **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA Analysis Batch: 657367 Spike LCS LCS %Rec. Added **Result Qualifier** Limits Analyte Unit D %Rec 1.4-Dioxane 5.00 4.16 ug/L 83 66 - 135 LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 72 - 133 93 Lab Sample ID: LCSD 460-657367/4 **Client Sample ID: Lab Control Sample Dup Matrix: Water** Prep Type: Total/NA Analysis Batch: 657367 LCSD LCSD RPD Spike %Rec. Added Result Qualifier Unit Limits RPD Limit Analyte D %Rec 1,4-Dioxane 5.00 4.21 ug/L 84 30 66 - 135 1 LCSD LCSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene 92 72 - 133

#### **QC** Association Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

# \_

#### Analysis Batch: 657367

**GC/MS VOA** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-196847-2	MW-176S_111319	Total/NA	Water	8260C SIM	_
MB 460-657367/8	Method Blank	Total/NA	Water	8260C SIM	
LCS 460-657367/3	Lab Control Sample	Total/NA	Water	8260C SIM	
LCSD 460-657367/4	Lab Control Sample Dup	Total/NA	Water	8260C SIM	
nalysis Batch: 6577	765				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
460-196847-2	MW-176S_111319	Total/NA	Water	8260C	
MB 460-657765/10	Method Blank	Total/NA	Water	8260C	
LCS 460-657765/15	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-657765/16	Lab Control Sample Dup	Total/NA	Water	8260C	
nalysis Batch: 6579	905				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
460-196847-1	Trip Blank	Total/NA	Water	8260C	_
MB 460-657905/8	Method Blank	Total/NA	Water	8260C	
LCS 460-657905/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-657905/4	Lab Control Sample Dup	Total/NA	Water	8260C	

#### Client Sample ID: Trip Blank Date Collected: 11/13/19 00:00 Date Received: 11/15/19 10:00

Lab Sample ID:	460-196847-1 Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	8260C		1	657905	11/24/19 14:22	VZD	TAL EDI	
liont Sam		4768 444240					Loh Co		460 406947
		-1/03 111313					Lay Ja	imple ID:	400-19004/
	d: 11/13/19 1	-176S_111319 5:20					Lan Ja	imple iD:	460-196847- Matrix: Wate
ate Collecte		5:20					Lan Sa	imple iD:	
ate Collecte	d: 11/13/19 1	5:20		Dilution	Batch	Prepared			
ate Collecte	d: 11/13/19 1 d: 11/15/19 1	5:20 0:00	Run	Dilution Factor	Batch Number		Analyst	Lab	
ate Collecte ate Receive	d: 11/13/19 1 d: 11/15/19 1 Batch	5:20 0:00 Batch	Run			Prepared	Analyst		

#### Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

#### Job ID: 460-196847-1

#### Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert no.=""></cert>	12-31-21
Georgia	State	12028 (NJ)	06-30-20
Massachusetts	State Program	M-NJ312	06-30-20
New Jersey	NELAP	12028	06-30-20
New York	NELAP	11452	04-01-20
Pennsylvania	NELAP	68-00522	02-28-20
Rhode Island	State	LAO00132	12-30-19
USDA	US Federal Programs	P330-18-00135	05-03-21

#### Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

Eurofins TestAmerica, Edison

#### **Method Summary**

#### Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8260C SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

#### **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

#### Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

b Sample ID Client Sample ID	Matrix	Collected	Received	Asset ID
0-196847-1 Trip Blank	Water	11/13/19 00:00	11/15/19 10:00	
0-196847-2 MW-176S_111319	Water	11/13/19 15:20	11/15/19 10:00	

			1		
1055303 12#11 01.3/0/-7/	stal-	× Viafeder	1-14-15- 171	L/J	and the second
W118/12 1000	Knordle ETA	11-14-12 IIII + KNara K	in there in		92008. Test/merica: Laboratories, Inc., All rights even ed. Test/America & Design <sup>16</sup> are trademarks of Test/America Laboratories, Inc.
1144-19 1340	Company: DTA	Received in Labor	11/14/19 1335	Company:	Reinquished by: WACHEL BIETAK Jul Joul Joulak
11/13/19/1800	all Horaye Company, Araulis	5	Date/Time: (1/)3/19/1800	Company: Archelis	and the ser
Date/1me:	Company: Arcauly	Received by:	11/13/19 17 H	Company: HCCODIS	Mathin Hu
				com. Cadena #E203631	Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.
					Special Instructions/QC Requirements & Comments:
	les are retained longer than 1 month) Archive For Months	Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)	∏Jnknown Samu	T Poison B	Possible Hazard Identification
	60-196847 Chain of Custody	460-196847			
B.0928 DOMEN SHON F	XXXXXX	X NOX	 	11/13/19/1520	P(E/11 _ 24 - 11 - WM
TCP		X N6 X	X	1	TRIP BLANK
Special Instructions:	Tran PCE TCE Vinyl	Con	Air Aqueo Sedimo Solid Other H2SO HNO:	Sample Date Sample Time	Sample Identification
Sample Specific Notes /	8260B 8260B 8260B Chlori	:s : red Sat	ent : :		
Job/SDG No:		nple (X Gy Gr	n and a standard of the standard and and and a standard of the standard of the standard of the standard of the	Shipping/Tracking No:	PO # 30016346.0002B
	60B	/ N)		Method of Shipment/Carrier	Project Number: 30016346.0002B
12ab samp ing	-	ceks	Werner	Christino	Project Name: Ford LTP Off-Site
Walk-inschent				Sampler Name:	Phone: 248-994-2240
For lab use only	Analyses	alysis (humaround) me	rcadis.com	Email: kristoffer.hinskey@arcadis.com	City/State/Zip: Novi, MI, 48377
	Telephone: 330-497-9396	Telephone: 248-946-6331	Telephc	Telephone: 248-994-2240	Address: 28550 Cabot Drive, Suite 500
COC No 200 NO 200	Lab Contact: Mike DelMonico	Site Contact: Rachel Bielak		Client Project Manager: Kris Hinskey	Company Name: Arcadis
•		NPDES CRCRA Cother	יי שער די אי	Regulatory program:	Client Contact
THE LEADER IN ENVIRONMENTAL TESTING	2763	448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116	merica Laboratory location	MICHIGAN 190 Test
TestAmerica		instady Daaard	Chain of C		)
-			1  2  3  4	8 9 10	1 2 3 5 7

------

EDS-WI-03 10/22/2019		-	<u>;</u>	تىرىنى ئىنىغ			 												
8, Re	Pre												וארס סמוויטים ואטוווסבי	TAI S Sam			Number of Coolers:	Job Number:	
Lot # of Preservative(s): 77 v 4.1	Sample No(s). adjusted: Preservative Name/Conc.:												pie womo	nle Numh		Cooler #1: Cooler #2: Cooler #3:	f Coolers:	ē.	i
reservati	o(s). adju e Name/C	: L :∃[										 			Am	<u></u> Cooler #1: <u>// 3</u> ℃ Cooler #2: <u>/ 7</u> ℃ Cooler #3:     ℃		46	
ive(s): The	Sonc.:	H adjust			_	_					 	_		(nH<2) (	Ammonia			46847	
approprie *Samp Initials:_		ments a					 				 •		()	(nH<2)	COD	соялесте <u>ь</u> / <b>%</b> с // с			
ite Projec les for M		re requir											(P /	(bH<2)	Nitrate Nitrite				
t Manage etal analy		ed recor											1911 -	(bH<2)	* Metals	0 0 0	IR Gun #		
ar and De sis which		d the info												(pH<2)	Hardness	Cooler #4: Cooler #5: Cooler #6		Euro Receij	
): Expiration Date: The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis. Initials: LLL Date: ////15///2		If pH adjustments are required record the information below:											1	(pH 5-9)	Pest	0. 0.	<u>77</u> Cooler Temperatures	Eurofins TestAmerica Edison Receipt Temperature and pH Log	
Manager f complia	Volume of Preservative used (ml):	below:												(pH<2)	EPH or QAM	CORRECTED C	- Tempe	stAmer erature	
should be nce must	reservati						 							(pH<2)	Phenois		rature	ica Edit	
Expiration Date: d be notified abo ust be acidified a Date:	/e used (I				-	-								!) (pH>9)	ls Sulfide		S	son H Log	
ate: about the s ed at least 1/15	m];				_		 					-		9) (pH<2)	de TKN	Cooler #74 Cooler #8: Cooler #9:			
samples st 24 hour				_						. 									
which we							 				 			(pH<2) (pł	TOC Cy	e Connection C C C C C C C C C C C C C C C C C C C			-
əre pH ac analysis							 	-						(pH>12) (	Total Cyanide				
ljusted.		-												(pH<2)	Total Phos				`
				-					- 						Other			Page	
					-										Other			  	

12/2/2019

Client: ARCADIS U.S., Inc.

#### Login Number: 196847 List Number: 1 Creator: DiGuardia, Joseph L

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Job Number: 460-196847-1

List Source: Eurofins TestAmerica, Edison

## **DATA VERIFICATION REPORT**



December 02, 2019

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631 Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater Project number: 30016346.0002B Event Specific Scope of Work References: Sample COC Laboratory: TestAmerica - Edison Laboratory submittal: 196847-1 Sample date: 2019-11-13 Report received by CADENA: 2019-12-02 Initial Data Verification completed by CADENA: 2019-12-02 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

SUR - GCMS VOC sample -002 surrogate recoveries were outliers biased low but greater than 10% for 1 out of 4 surrogates. These client sample results should be considered to be estimated and qualified with UJ flags if non-detect.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <u>http://clms.cadenaco.com/index.cfm</u>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

#### **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than $5x$ (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

#### SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631 Laboratory: TestAmerica-Edison Laboratory Submittal: 196847-1

		Collection Date	Collection Time			
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	GCMS VOC Volatiles	GCMS VOC SIM	Comment
4601968471	Trip Blank	11/13/2019	12:00:00	х		
4601968472	MW-176S_111319	11/13/2019	3:20:00	x	x	

## **Qualified Results Summary**

CADENA Project ID: E203631 Laboratory: TestAmerica - Edison Laboratory Submittal: 196847-1

		Sample Name: Lab Sample ID: Sample Date:	4601968	MW-176S_111319 4601968472 11/13/2019		
				Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier
GC/MS VOC OSW-8260	<u> </u>					
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	UJ
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	UJ
	Tetrachloroethene	127-18-4	ND	1.0	ug/l	UJ
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	UJ
	Trichloroethene	79-01-6	ND	1.0	ug/l	UJ
	Vinyl chloride	75-01-4	ND	1.0	ug/l	UJ

## Analytical Results Summary

**Reportable Results Only** 

CADENA Project ID: E203631 Laboratory: TestAmerica - Edison Laboratory Submittal: 196847-1

		Sample Name: Lab Sample ID: Sample Date:	Trip Blank 4601968471 11/13/2019 <b>Report Valid</b>		MW-176S_111319 4601968472 11/13/2019 Report					
				-				Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC										
<u>OSW-8260</u>				1.0	. //			4.0	. /1	
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	UJ
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	UJ
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	UJ
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	UJ
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	UJ
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	UJ
GC/MS SVOC										
OSW-8260	<u>DCSIM</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



## Ford Motor Company – Livonia Transmission Project

## **DATA REVIEW**

## Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG #460-196847-1 CADENA Verification Report: 2019-12-02

Analyses Performed By: TestAmerica Edison, New Jersey

Report #35054R Review Level: Tier III Project: 30016346.00002

#### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 460-196847-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
460-196847-1	Trip Blank	460-196847-1	Water	11/13/2019		Х		
	MW-176S_111319	460-196847-2	Water	11/13/2019		Х	Х	

#### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

	Rep	orted		rmance ptable	Not	
Items Reviewed	No	Yes	No	Yes	Required	
1. Sample receipt condition		Х		Х		
2. Requested analyses and sample results		Х		X		
3. Master tracking list		Х		Х		
4. Methods of analysis		Х		Х		
5. Reporting limits		Х		Х		
6. Sample collection date		Х		Х		
7. Laboratory sample received date		Х		Х		
8. Sample preservation verification (as applicable)		Х		Х		
9. Sample preparation/extraction/analysis dates		Х		Х		
10. Fully executed Chain-of-Custody (COC) form		Х		Х		
11. Narrative summary of Quality Assurance or sample problems provided		х		х		
12. Data Package Completeness and Compliance		Х		Х		

#### **ORGANIC ANALYSIS INTRODUCTION**

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

arcadis.com

#### **VOLATILE ORGANIC COMPOUND (VOC) ANALYSES**

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

#### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

#### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample Locations	Initial/Continuing	Compound	Criteria
Trip Blank	CCV %D	Vinyl chloride	+27.1%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

arcadis.com

\\arcadis-us.com\officedata\syracuse-ny\project\_data\project chemistry\data validation reports\2019\35001-35500\35054\35054r\_460-196847-1.docx

#### DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
	%D >20% (increase in sensitivity)	Non-detect	No Action
Continuing Calibration		Detect	J
		Non-detect	UJ
	%D >20% (decrease in sensitivity)	Detect	J
		Non-detect	R
	%D >90% (increase/decrease in sensitivity)	Detect	J

#### 4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

#### 6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

#### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Re	ported		ormance eptable	Not
	No	Yes	No	Yes	Requirec
GAS CHROMATOGRAPHY/MASS SPECTROMET	'RY (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation	!		!		1
System performance and column resolution		X		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х	Х		
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		Х	
B. Quantitation Reports		X		Х	
C. RT of sample compounds within the established RT windows		x		X	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

- %R Percent recovery
- RPD Relative percent difference

%D Percent difference

#### VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

a Kagt

DATE: December 9, 2019

PEER REVIEW: Dennis Capria

DATE: December 12, 2019

## CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



			1		
1055303 12#11 01.3/0/-7/	stal-	× Viafeder	1-14-15- 171	L/J	and the second sec
W118/12 1000	Knordle ETA	11-14-12 IIII + KNara K	in there in		92008. Teskinerica: Laboratories, Inc., Al joint evened. Teskinerica & Design <sup>16</sup> are trademarks of Teskinerica Laboratories, Inc.
1144-19 1340	Company: DTA	Received in Labor	11/14/19 1335	Company:	Reginquished by: WACHEL BIETAK Jul Joul Joulak
11/13/19/1800	all Horaye Company, Araulis	5	Date/Time: (1/)3/19/1800	Company: Archevis	and the ser
Date/1me:	Company: Arcauly	Received by:	11/13/19 17 H	Company: HCCODIS	Mathin Hu
				com. Cadena #E203631	Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.
					Special Instructions/QC Requirements & Comments:
	les are retained longer than 1 month) Archive For Months	Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)	∏Jnknown Samu	T Poison B	Possible Hazard Identification
	60-196847 Chain of Custody	460-196847			
B.0928 DOMEN SHON F	XXXXXX	X NOX	X	11/13/19/1520	MW-1765_ 11/319
TCP		X N6 X	X		TRIP BLANK
Special Instructions:	Tran PCE TCE	Con	Air Aqueo Sedim Solid Other H2SC	Sample Date Sample Time	Sample Identification
Sample Specific Notes /	s-1,2-C 8260B 8260B Chlori	:s : red/Sal	ent : :		
Job/SDG No:		nple (X Gy Gr	n and a standard of the standard and and and a standard of the standard of the standard of the standard of the	Shipping/Tracking No:	PO # 30016346.0002B
	60B	/ N)		Method of Shipment/Carrier	Project Number: 30016346.0002B
Data sampling	-	ceks	Werner	Christino	Project Name: Ford LTP Off-Site
Walk-inschent				Sampler Name:	Phone: 248-994-2240
For lab use only	Analyses	alysis (humaround) me	rcadis.com	Email: kristoffer.hinskey@arcadis.com	City/State/Zip: Novi, MI, 48377
	Telephone: 330-497-9396	Telephone: 248-946-6331	Telephc	Telephone: 248-994-2240	Address: 28550 Cabot Drive, Suite 500
COC No 200 NO 200	Lab Contact: Mike DelMonico	Site Contact: Rachel Bielak		Client Project Manager: Kris Hinskey	Company Name: Arcadis
•		NPDES CRCRA Cother	יי שער די אי	Regulatory program:	Client Contact
THE LEADER IN ENVIRONMENTAL TESTING	2763	448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116	merica Laboratory location	MICHIGAN 190 Test
TestAmerica		instady Daaard	Chain of C		)
-			1  2  3  4	8 9 10	1 2 3 5 7

------

#### **Client Sample Results**

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Prepared

Prepared

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

4-Bromofluorobenzene

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

Date Collected: 11/13/19 15:20

Date Received: 11/15/19 10:00

Client Sample ID: MW-176S\_111319

#### Client Sample ID: Trip Blank Date Collected: 11/13/19 00:00 Date Received: 11/15/19 10:00

loh	ıחי	460-196847-	1
JOD	ID:	400-190847-	- I

## Lab Sample ID: 460-196847-1

Analyzed

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

Analyzed

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

11/24/19 14:22

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

Dil Fac

### Lab Sample ID: 460-196847-2

Matrix: Water

Method: 8260C SIM - Vol	latile Organic Co	mpounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			11/22/19 15:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene			72 - 133					11/22/19 15:19	1

#### Method: 8260C - Volatile Organic Compounds by GC/MS

Method: 8260C - Volatile Organic Compounds by GC/MS

**Result Qualifier** 

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

%Recovery Qualifier

103

109

109

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U J	1.0	0.26	ug/L			11/23/19 23:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/23/19 23:09	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/23/19 23:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/23/19 23:09	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/23/19 23:09	1
Vinyl chloride	1.0	υ 🗸	1.0	0.17	ug/L			11/23/19 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		74 - 132			-		11/23/19 23:09	1
T = (	70	N/	00 100					44/00/40 00:00	

. ,				
Toluene-d8 (Surr)	79 X	80 - 120	11/23/19 23:09	1
Dibromofluoromethane (Surr)	77	72 - 131	11/23/19 23:09	1
4-Bromofluorobenzene	81	77 - 124	11/23/19 23:09	1