### **ANALYTICAL REPORT**

Eurofins TestAmerica, Edison 777 New Durham Road Edison, NJ 08817 Tel: (732)549-3900

Laboratory Job ID: 460-197010-1 Client Project/Site: Ford LTP Off-Site

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mode Del Your

Authorized for release by: 12/4/2019 4:12:32 PM

Michael DelMonico, Project Manager I (330)497-9396

michael.delmonico@testamericainc.com

·····LINKS ·······

Review your project results through

Total Access

**Have a Question?** 



Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

3

4

5

6

8

1 1

12

4 A

Client: ARCADIS U.S., Inc. Laboratory Job ID: 460-197010-1 Project/Site: Ford LTP Off-Site

### **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	19

### **Definitions/Glossary**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

### **Qualifiers**

### **GC/MS VOA**

Qualifier Qualifier Description

\* LCS or LCSD is outside acceptance limits.

U Indicates the analyte was analyzed for but not detected.

### **Glossary**

Abbreviation	These commonly used abbreviations may or may not be present in this report.

Eisted under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)
MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

4

5

\_

7

8

4.6

11

12

14

13

### **Case Narrative**

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 460-197010-1

Job ID: 460-197010-1

Laboratory: Eurofins TestAmerica, Edison

**Narrative** 

### **CASE NARRATIVE**

Client: ARCADIS U.S., Inc.

**Project: Ford LTP Off-Site** 

Report Number: 460-197010-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Edison attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### **RECEIPT**

The samples were received on 11/19/2019 9:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 3.4° C and 3.5° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples TRIP BLANK (460-197010-1) and MW-157S\_111519 (460-197010-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 11/26/2019 and 11/29/2019.

trans-1,2-Dichloroethene failed the recovery criteria low for LCS 460-658272/4. Refer to the QC report for details.

The laboratory control sample (LCS) for analytical batch 460-658272 recovered outside control limits for the following analyte: trans-1,2-Dichloroethene. The analyte was biased low in the LCS and was within control limits in the LCSD. This analyte was not detected in the associated samples.

The continuing calibration verification (CCV) associated with batch 460-658953 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GC/MS)**

Eurofins TestAmerica, Edison 12/4/2019

Page 4 of 19

### **Case Narrative**

Client: ARCADIS U.S., Inc.

Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

Job ID: 460-197010-1 (Continued)

### Laboratory: Eurofins TestAmerica, Edison (Continued)

Sample MW-157S\_111519 (460-197010-2) was analyzed for Volatile organic compounds (GC/MS) in accordance with SW-846 Method 8260C SIM. The sample was analyzed on 11/25/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

4

6

Q

9

11

16

14

15

### **Detection Summary**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1 Project/Site: Ford LTP Off-Site

**Client Sample ID: TRIP BLANK** Lab Sample ID: 460-197010-1

No Detections.

Client Sample ID: MW-157S\_111519 Lab Sample ID: 460-197010-2

No Detections.

5

### **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

**Client Sample ID: TRIP BLANK** 

Date Collected: 11/15/19 00:00 Date Received: 11/19/19 09:10 Lab Sample ID: 460-197010-1

**Matrix: Water** 

Method: 8260C - Volatile Orga	rganic Compounds by GC/l						
Analyte	Result	Qualifier					
1.1-Dichloroethene	1.0	U —					

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/29/19 15:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/29/19 15:09	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/29/19 15:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/29/19 15:09	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/29/19 15:09	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/29/19 15:09	1
Surrogate	%Recovery	Qualifier	l imits				Prepared	Analyzed	Dil Fac

Surrogate	%Recovery Qualifier	Limits	Pre	pared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95	74 - 132		-	11/29/19 15:09	1
Toluene-d8 (Surr)	98	80 - 120			11/29/19 15:09	1
Dibromofluoromethane (Surr)	94	72 - 131			11/29/19 15:09	1
4-Bromofluorobenzene	98	77 - 124			11/29/19 15:09	1

Client Sample ID: MW-157S\_111519

Date Collected: 11/15/19 11:00 Date Received: 11/19/19 09:10

4-Bromofluorobenzene

Lab Sample ID: 460-197010-2

**Matrix: Water** 

Method: 8260C SIM - Volati	ile Organic Compounds (GC/MS)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			11/25/19 14:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		72 - 133			_		11/25/19 14:49	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/26/19 05:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/26/19 05:39	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/26/19 05:39	1
trans-1,2-Dichloroethene	1.0	U *	1.0	0.24	ug/L			11/26/19 05:39	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/26/19 05:39	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/26/19 05:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		74 - 132			-		11/26/19 05:39	1
Toluene-d8 (Surr)	93		80 - 120					11/26/19 05:39	1
Dibromofluoromethane (Surr)	93		72 - 131					11/26/19 05:39	1

77 - 124

108

11/26/19 05:39

### **Surrogate Summary**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

Method: 8260C - Volatile Organic Compounds by GC/MS

**Matrix: Water** Prep Type: Total/NA

			Pe	ercent Surre	ogate Reco
		DCA	TOL	DBFM	BFB
Lab Sample ID	Client Sample ID	(74-132)	(80-120)	(72-131)	(77-124)
460-197010-1	TRIP BLANK	95	98	94	98
460-197010-2	MW-157S_111519	87	93	93	108
LCS 460-658272/4	Lab Control Sample	87	97	96	109
LCS 460-658953/19	Lab Control Sample	93	97	96	100
LCSD 460-658272/5	Lab Control Sample Dup	89	99	96	113
LCSD 460-658953/20	Lab Control Sample Dup	92	97	94	98
MB 460-658272/9	Method Blank	88	100	95	112
MB 460-658953/9	Method Blank	98	91	99	101

DCA = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

BFB = 4-Bromofluorobenzene

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

**Matrix: Water** Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		BFB	
Lab Sample ID	Client Sample ID	(72-133)	
460-197010-2	MW-157S_111519	88	
LCS 460-658048/3	Lab Control Sample	90	
LCSD 460-658048/4	Lab Control Sample Dup	88	
MB 460-658048/8	Method Blank	91	

Surrogate Legend

BFB = 4-Bromofluorobenzene

Eurofins TestAmerica, Edison

12/4/2019

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1 Project/Site: Ford LTP Off-Site

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-658272/9

**Matrix: Water** 

**Analysis Batch: 658272** 

**Client Sample ID: Method Blank** 

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/26/19 02:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/26/19 02:58	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/26/19 02:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/26/19 02:58	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/26/19 02:58	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/26/19 02:58	1

	IVID	IVID					
ogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
Dichloroethane-d4 (Surr)	88		74 - 132			11/26/19 02:58	1
ene-d8 (Surr)	100		80 - 120			11/26/19 02:58	1
omofluoromethane (Surr)	95		72 - 131			11/26/19 02:58	1
omofluorobenzene	112		77 - 124			11/26/19 02:58	1
	Dichloroethane-d4 (Surr) ene-d8 (Surr) omofluoromethane (Surr)	ogate         %Recovery           Dichloroethane-d4 (Surr)         88           ene-d8 (Surr)         100           omofluoromethane (Surr)         95	Dichloroethane-d4 (Surr) 88 ene-d8 (Surr) 100 omofluoromethane (Surr) 95	ogate         %Recovery         Qualifier         Limits           Dichloroethane-d4 (Surr)         88         74 - 132           ene-d8 (Surr)         100         80 - 120           omofluoromethane (Surr)         95         72 - 131	togate         %Recovery         Qualifier         Limits           Dichloroethane-d4 (Surr)         88         74 - 132           ene-d8 (Surr)         100         80 - 120           omofluoromethane (Surr)         95         72 - 131	ogate         %Recovery         Qualifier         Limits         Prepared           Dichloroethane-d4 (Surr)         88         74 - 132           ene-d8 (Surr)         100         80 - 120           omofluoromethane (Surr)         95         72 - 131	ogate         %Recovery         Qualifier         Limits         Prepared         Analyzed           Dichloroethane-d4 (Surr)         88         74 - 132         11/26/19 02:58           ene-d8 (Surr)         100         80 - 120         11/26/19 02:58           omofluoromethane (Surr)         95         72 - 131         11/26/19 02:58

Lab Sample ID: LCS 460-658272/4

**Matrix: Water** 

**Analysis Batch: 658272** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	16.2		ug/L		81	74 - 123	
cis-1,2-Dichloroethene	20.0	19.9		ug/L		99	80 - 120	
Tetrachloroethene	20.0	19.3		ug/L		97	78 - 122	
trans-1,2-Dichloroethene	20.0	15.7	*	ug/L		78	79 - 120	
Trichloroethene	20.0	21.3		ug/L		106	77 - 120	
Vinyl chloride	20.0	17.8		ug/L		89	62 - 138	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		74 - 132
Toluene-d8 (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	96		72 - 131
4-Bromofluorobenzene	109		77 - 124

Lab Sample ID: LCSD 460-658272/5

**Matrix: Water** 

**Analysis Batch: 658272** 

**Client Sample ID: Lab Control Sample Dup** Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20.0	16.2		ug/L		81	74 - 123	0	30
cis-1,2-Dichloroethene	20.0	20.0		ug/L		100	80 - 120	0	30
Tetrachloroethene	20.0	20.7		ug/L		104	78 - 122	7	30
trans-1,2-Dichloroethene	20.0	16.4		ug/L		82	79 - 120	4	30
Trichloroethene	20.0	21.1		ug/L		105	77 - 120	1	30
Vinyl chloride	20.0	17.8		ug/L		89	62 - 138	0	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		74 - 132
Toluene-d8 (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	96		72 - 131

Eurofins TestAmerica, Edison

Page 9 of 19

Job ID: 460-197010-1

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-658272/5

**Matrix: Water** 

**Analysis Batch: 658272** 

LCSD LCSD

Limits Surrogate %Recovery Qualifier 4-Bromofluorobenzene 77 - 124 113

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Lab Sample ID: MB 460-658953/9

**Matrix: Water** 

Analysis Batch: 658953

Client Sample ID: Method Blank

**Prep Type: Total/NA** 

MB MB Result Qualifier RL **MDL** Unit D Dil Fac Analyte Prepared Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.26 ug/L 11/29/19 09:32 cis-1,2-Dichloroethene 1.0 U 11/29/19 09:32 1.0 0.22 ug/L Tetrachloroethene 1.0 U 1.0 0.25 ug/L 11/29/19 09:32 trans-1,2-Dichloroethene 11/29/19 09:32 1.0 U 1.0 0.24 ug/L Trichloroethene 1.0 U 1.0 0.31 ug/L 11/29/19 09:32 Vinyl chloride 1.0 U 1.0 0.17 ug/L 11/29/19 09:32

MB MB Qualifier Limits Prepared Dil Fac Surrogate %Recovery Analyzed 98 74 - 132 11/29/19 09:32 1,2-Dichloroethane-d4 (Surr) Toluene-d8 (Surr) 91 80 - 120 11/29/19 09:32 Dibromofluoromethane (Surr) 99 72 - 131 11/29/19 09:32 4-Bromofluorobenzene 101 77 - 124 11/29/19 09:32

LCS LCS

19.7

19.4

19.1

19.2

17.2

22.1

LCSD LCSD

19.7

18.9

19.6

19.5

16.9

Result Qualifier

ug/L

ug/L

Spike

Added

20.0

20.0

20.0

20.0

20.0

20.0

Spike

Added

20.0

20.0

20.0

20.0

20.0

Lab Sample ID: LCS 460-658953/19

**Matrix: Water** 

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Vinyl chloride

cis-1,2-Dichloroethene

trans-1.2-Dichloroethene

Analyte

**Analysis Batch: 658953** 

**Client Sample ID: Lab Control Sample** Prep Type: Total/NA

62 - 138

%Rec. Result Qualifier Unit %Rec Limits ug/L 98 74 - 123 97 80 - 120 ug/L 96 78 - 122 ug/L 96 79 - 120 ug/L ug/L 86 77 - 120

111

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		74 - 132
Toluene-d8 (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	96		72 - 131
4-Bromofluorobenzene	100		77 - 124

Lab Sample ID: LCSD 460-658953/20

**Matrix: Water** 

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

Analyte

**Analysis Batch: 658953** 

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

%Rec. RPD Unit %Rec Limits RPD Limit ug/L 99 74 - 123 n 30 80 - 120 30 ug/L 94 30 ug/L 98 78 - 122 2 ug/L 97 79 - 120 30

85

Eurofins TestAmerica, Edison

77 \_ 120

Page 10 of 19

12/4/2019

30

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site Job ID: 460-197010-1

### Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-658953/20			Client Sample ID: La	b Control Sa	mple Dup
Matrix: Water				Prep Type	: Total/NA
Analysis Batch: 658953					
	Spike	LCSD LCSD		%Rec.	RPD

			Spike	LCSD	LCSD				%Rec.		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Vinyl chloride			20.0	22.5		ug/L		113	62 - 138	2	30
	LCSD	LCSD									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	92		74 - 132								
- , ,,,,,											

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		74 - 132
Toluene-d8 (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	94		72 - 131
4-Bromofluorobenzene	98		77 - 124

### Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-658048/8 **Client Sample ID: Method Blank** Matrix: Water Prep Type: Total/NA

Analysis Batch: 658048	MD	MD							
Analyte		MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			11/25/19 11:28	1
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		72 - 133			-		11/25/19 11:28	1

Lab Sample ID: LCS 460-658048/3 Matrix: Water			Client Sample ID: Lab Control Sample Prep Type: Total/NA
Analysis Batch: 658048	Spike	LCS LCS	%Rec.

	<b>Эріке</b>	LUS	LUS			%Rec.	
Analyte	Added	Result	Qualifier	Unit I	O %Rec	Limits	
1,4-Dioxane	5.00	4.57		ug/L	91	66 - 135	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	90		72 - 133

Lab Sample ID: LCSD 460-658048/4	Client Sample ID: Lab Control Sample Dup
Matrix: Water	Prep Type: Total/NA

Analysis Batch: 658048

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	5.00	3.89		ug/L		78	66 - 135	16	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	88		72 - 133

### **QC Association Summary**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1 Project/Site: Ford LTP Off-Site

**GC/MS VOA** 

Analysis Batch: 658048

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197010-2	MW-157S_111519	Total/NA	Water	8260C SIM	
MB 460-658048/8	Method Blank	Total/NA	Water	8260C SIM	
LCS 460-658048/3	Lab Control Sample	Total/NA	Water	8260C SIM	
LCSD 460-658048/4	Lab Control Sample Dup	Total/NA	Water	8260C SIM	

**Analysis Batch: 658272** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197010-2	MW-157S_111519	Total/NA	Water	8260C	
MB 460-658272/9	Method Blank	Total/NA	Water	8260C	
LCS 460-658272/4	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-658272/5	Lab Control Sample Dup	Total/NA	Water	8260C	

**Analysis Batch: 658953** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197010-1	TRIP BLANK	Total/NA	Water	8260C	
MB 460-658953/9	Method Blank	Total/NA	Water	8260C	
LCS 460-658953/19	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-658953/20	Lab Control Sample Dup	Total/NA	Water	8260C	

### **Lab Chronicle**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

**Client Sample ID: TRIP BLANK** Lab Sample ID: 460-197010-1

Date Collected: 11/15/19 00:00 **Matrix: Water** Date Received: 11/19/19 09:10

Batch **Batch** Dilution **Batch Prepared** Method Run **Factor** or Analyzed **Prep Type** Type Number Analyst Lab Total/NA Analysis 8260C 11/29/19 15:09 SZD TAL EDI 658953

Client Sample ID: MW-157S\_111519 Lab Sample ID: 460-197010-2

Date Collected: 11/15/19 11:00 Date Received: 11/19/19 09:10

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	658272	11/26/19 05:39	EMM	TAL EDI
Total/NA	Analysis	8260C SIM		1	658048	11/25/19 14:49	SZD	TAL EDI

**Laboratory References:** 

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

**Matrix: Water** 

### **Accreditation/Certification Summary**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1

Project/Site: Ford LTP Off-Site

### Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	<b>Expiration Date</b>	
Connecticut	State	PH-0200	09-30-20	
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert no.=""></cert>	12-31-21	
Georgia	State	12028 (NJ)	06-30-20	
Massachusetts	State Program	M-NJ312	06-30-20	
New Jersey	NELAP	12028	06-30-20	
New York	NELAP	11452	04-01-20	
Pennsylvania	NELAP	68-00522	02-28-20	
Rhode Island	State	LAO00132	12-30-19	
USDA	US Federal Programs	P330-18-00135	05-03-21	

### **Laboratory: Eurofins TestAmerica, Canton**

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

### **Method Summary**

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Job ID: 460-197010-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8260C SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

### **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

4

\_

6

9

11

12

1 /

15

### **Sample Summary**

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Job ID: 460-197010-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-197010-1	TRIP BLANK	Water	11/15/19 00:00	11/19/19 09:10	
460-197010-2	MW-157S_111519	Water	11/15/19 11:00	11/19/19 09:10	

3

4

9

10

12

13

14

15

M. HIGAN

# Chain of Custody Record

**TestAmerica** HE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

☐ RCRA

☐ NPDES

MQ ∟

Regulatory program:

3 VOAS for Salves 3/M2 46 TestAmerica Laboratories, Inc COC No: Sample Specific Notes / Special Instructions: 1 thip blank alk-in client VIRFILATX Company: ACOUS 4-Dioxane 8260B SIM Lab Contact: Mike DelMonico inyl Chloride 8260B Telephone: 330-497-9396 **CE 8500B** sus-1'5-DCE 8560B X S Received by: Hatti 2 Z Other: Site Contact: Rachel Bielak Unpres Felephone: 248-946-6331 \oAn\ HOav HORN ЮH EONH #OS7H 460-197010 Chain of Custody Date/Time: Cther: pilos Imail: kristoffer.hinskey@arcadis.com Jnknown × Client Project Manager: Kris Hinskey ηļΑ Sampler Name: Sample Time fethod of Shipment/Carrier: <u> ୧୯</u> Telephone: 248-994-2240 Company: Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested. hipping/Tracking No: t-Poison B 11/16/19 Sample Date cin Irritant 111519 pecial Instructions/QC Requirements & Comments: Sample Identification Address: 28550 Cabot Drive, Suite 500 Project Name: Ford LTP Off-Site roject Number: 30016346.0002B MW-1575 City/State/Zip: Novi, MI, 48377 ossible Hazard Identificatio ompany Name: Arcadis **TRIP BLANK** PO # 30016346.0002B hone: 248-994-2240 Page 17 of 19

(k#11-31/34 KYGřa Knordk ETA 6 E E 5501 / £5 E 5501 - 1 12 13 14 15

Date/Time: 5/19/16/5
Date/Time: 12/10/16/5

Company: ACAUS

Company:

Ceived in Laboratory by:

11/10/19 1240

Company: ARCANS

trind. 11/6/13

1/8/H 15/6

でちって

3116111

12/4/2019

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Expiration Date:

Volume of Preservative used (ml):

Preservative Name/Conc.:

Lot # of Preservative(s):

Sample No(s). adjusted:

If pH adjustments are required record the information below:

EDS-WI-038, Rev 4.1 10/22/2019

Initials:

						Other									
						Other									
						Total Phos C	(pH<2)								
							효								
		CORRECTED	Ş	6,6,655	ၞ	Total Cyanide	(pH>12)				:				
		RAW CORRECTED	3	پ	و	T0C	(pH<2)			ı					
-		•	Cooler #7;	Cooler#8: 🔭 ℃	Cooler#9:	TKN	(pH<2)								,
			<u></u>	ర	ŏ	Sulfide	(6 <hd)< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></hd)<>								
	Cooler Temperatures					Phenols Sulfide	(pH<2)						r.		
	emperal	RAW CORRECTED	Q		۵	EPH or QAM	(pH<2)								
,	Cooler Te	RAW	C	þ	ပ	Pest	(bH 5-9)								
			ooler#4:	Cooler #5; C	Cooler#6; c	Hardness	(pH<2)								
	IR Gun#		Ö	ŏ	8	* Metals Hardness	(pH<2)								
						Nitrate Nitrite	(pH<2)								
		CORRECTED	3,5°c	ુ મૃત્	او	COD	(pH<2)	•					,		
	Ŋ	RAW	Cooler #1: 3-6 c	Cooler #2: -5-  ℃	Cooler#3:	Ammonia	(pH<2)								
1			¥	#2	<b>\$</b>		Į.					<u> </u>			
	lers:		oole	oole	oolei		lumb								
ber:	<u>ک</u> و		J	U	O		nple N								
Job Number:	Number of Coolers:						TALS Sample Number								-
우	Ž						≱		L					L	

Page \_\_\_ of \_

Receipt Temperature and pH Log **Eurofins TestAmerica Edison** 

Job Number: 460-197010-1

Client: ARCADIS U.S., Inc.

Login Number: 197010

List Number: 1

Creator: Infante, Warleny M

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	CS#1055338,1055339
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
s the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

### DATA VERIFICATION REPORT



December 04, 2019

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30016346.0002B

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - Edison Laboratory submittal: 197010-1 Sample date: 2019-11-15

Report received by CADENA: 2019-12-04

Initial Data Verification completed by CADENA: 2019-12-04

Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC batch 658272 LCS or LCSD recoveries but not both or RPD only were outliers so for TRANS-1,2-DICHLOROETHENE so were not used to qualify client sample results based on this QC outliers alone.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <a href="http://clms.cadenaco.com/index.cfm">http://clms.cadenaco.com/index.cfm</a>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

### Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

### **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

### **SAMPLING AND ANALYSIS SUMMARY**

CADENA Project ID: E203631 Laboratory: TestAmerica-Edison Laboratory Submittal: 197010-1

		<b>Collection Date</b>	Collection Time			
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	GCMS VOC Volatiles	GCMS VOC SIM	Comment
4601970101	TRIP BLANK	11/15/2019	12:00:00	Х		
4601970102	MW-157S_111519	11/15/2019	11:00:00	Х	Х	

### **Analytical Results Summary**

**Reportable Results Only** 

CADENA Project ID: E203631 Laboratory: TestAmerica - Edison Laboratory Submittal: 197010-1

		Sample Name: Lab Sample ID: Sample Date:	Lab Sample ID:       4601970101         Sample Date:       11/15/2019				MW-157S_111519 4601970102 11/15/2019			
				Report		Valid	Valid Report			Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC	00									
<u>OSW-826</u>										
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
GC/MS SVOC										
OSW-826	<u>OCSIM</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



### Ford Motor Company – Livonia Transmission Project

### **DATA REVIEW**

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG #460-197010-1

CADENA Verification Report: 2019-12-04

Analyses Performed By:

TestAmerica

Edison, New Jersey

Report #35060R Review Level: Tier III Project: 30016346.00002

### **DATA REVIEW**

### **SUMMARY**

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 460-197010-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
	TRIP BLANK	460-197010-1	Water	11/15/2019		Х		
460-197010-1	MW-157S_111519	460-197010-2	Water	11/15/2019		Х	Х	

### **DATA REVIEW**

### **ANALYTICAL DATA PACKAGE DOCUMENTATION**

The table below is the evaluation of the data package completeness.

		Repo	orted	Performance Acceptable		Not	
Items	Reviewed	No	Yes	No	Yes	Required	
1. Sample receipt condition			Х		X		
2. Requested analyses and	sample results		Х	Х			
3. Master tracking list			Х		Х		
4. Methods of analysis			Х		Х		
5. Reporting limits			Х		Х		
6. Sample collection date			Х		Х		
7. Laboratory sample receiv	ed date		Х		Х		
8. Sample preservation veri	fication (as applicable)		Х		Х		
9. Sample preparation/extra	ction/analysis dates		Х		Х		
10. Fully executed Chain-of-0	Custody (COC) form		Х		Х		
Narrative summary of Qu problems provided	ality Assurance or sample		Х		Х		
12. Data Package Completer	ess and Compliance		Х		Х		

### **ORGANIC ANALYSIS INTRODUCTION**

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

### **VOLATILE ORGANIC COMPOUND (VOC) ANALYSES**

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock

System performance and column resolution were acceptable.

### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample Locations	Initial/Continuing	Compound	Criteria
TRIP BLANK	CCV %D	Vinyl chloride	+30.8%

### **DATA REVIEW**

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
	%D >20% (increase in sensitivity)	Non-detect	No Action
	70D >20 % (IIIClease III sensitivity)	Detect	J
Continuing Colibration	9/D > 209/ (degraded in consistivity)	Non-detect	UJ
Continuing Calibration	%D >20% (decrease in sensitivity)	Detect	J
	9/D > 009/ (increase/decrease in consitivity)	Non-detect	R
	%D >90% (increase/decrease in sensitivity)	Detect	J

### 4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

### **DATA REVIEW**

### **DATA VALIDATION CHECKLIST FOR VOCs**

VOCs: 8260B/8260B-SIM	Re	ported		ormance eptable	Not				
	No	Yes	No	Yes	Required				
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)									
Tier II Validation									
Holding times/Preservation		X		X					
Tier III Validation		·							
System performance and column resolution		X		X					
Initial calibration %RSDs		Х		X					
Continuing calibration RRFs		Х		Х					
Continuing calibration %Ds		Х	Х						
Instrument tune and performance check		Х		Х					
Ion abundance criteria for each instrument used		Х		X					
Internal standard		Х		Х					
Compound identification and quantitation									
A. Reconstructed ion chromatograms		Х		X					
B. Quantitation Reports		Х		Х					
C. RT of sample compounds within the established RT windows		Х		Х					
D. Transcription/calculation errors present		Х		Х					
E. Reporting limits adjusted to reflect sample dilutions		X		X					

### Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

DATE: December 9, 2019

a Kaza

PEER REVIEW: Dennis Capria

DATE: December 12, 2019

### CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

### NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

M. HIGAN

# Chain of Custody Record

**TestAmerica** HE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

☐ RCRA

☐ NPDES

MQ ∟

Regulatory program:

3 VOAS for Salves 3/M2 46 TestAmerica Laboratories, Inc COC No: Sample Specific Notes / Special Instructions: 1 thip blank alk-in client VIRFILATX Company: ACOUS 4-Dioxane 8260B SIM Lab Contact: Mike DelMonico inyl Chloride 8260B Telephone: 330-497-9396 **CE 8500B** sus-1'5-DCE 8560B X S Received by: Hatti 2 Z Other: Site Contact: Rachel Bielak Unpres Felephone: 248-946-6331 \oAn\ HOav HORN ЮH EONH #OS7H 460-197010 Chain of Custody Date/Time: Cther: pilos Imail: kristoffer.hinskey@arcadis.com Jnknown × Client Project Manager: Kris Hinskey ηļΑ Sampler Name: Sample Time fethod of Shipment/Carrier: <u> ୧୯</u> Telephone: 248-994-2240 Company: Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested. hipping/Tracking No: t-Poison B 11/16/19 Sample Date cin Irritant 111519 pecial Instructions/QC Requirements & Comments: Sample Identification Address: 28550 Cabot Drive, Suite 500 Project Name: Ford LTP Off-Site roject Number: 30016346.0002B MW-1575 City/State/Zip: Novi, MI, 48377 ossible Hazard Identificatio ompany Name: Arcadis **TRIP BLANK** PO # 30016346.0002B hone: 248-994-2240 Page 17 of 19

(k#11-31/34 KYGřa Knordk ETA 6 E E 5501 / £5 E 5501 - 1 12 13 14 15

Date/Time: 5/19/16/5
Date/Time: 12/10/16/5

Company: ACAUS

Company:

Ceived in Laboratory by:

11/10/19 1240

Company: ARCANS

trind. 11/6/13

1/8/H 15/6

でちって

3116111

12/4/2019

### **Client Sample Results**

Client: ARCADIS U.S., Inc. Job ID: 460-197010-1 Project/Site: Ford LTP Off-Site

**Client Sample ID: TRIP BLANK** Lab Sample ID: 460-197010-1

Date Collected: 11/15/19 00:00 **Matrix: Water** Date Received: 11/19/19 09:10

Method: 8260C - Volatile O	rganic Compo	unds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/29/19 15:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/29/19 15:09	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/29/19 15:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			11/29/19 15:09	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/29/19 15:09	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/29/19 15:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		74 - 132			•		11/29/19 15:09	1
Toluene-d8 (Surr)	98		80 - 120					11/29/19 15:09	1
Dibromofluoromethane (Surr)	94		72 - 131					11/29/19 15:09	1
4-Bromofluorobenzene	98		77 - 124					11/29/19 15:09	1

Client Sample ID: MW-157S\_111519 Lab Sample ID: 460-197010-2

Date Collected: 11/15/19 11:00 **Matrix: Water** 

Date Received: 11/19/19 09:10

Method: 8260C SIM - Vol	atile Organic Co	mpounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			11/25/19 14:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		72 - 133					11/25/19 14:49	1

Method: 8260C - Volatile	ethod: 8260C - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			11/26/19 05:39	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			11/26/19 05:39	1	
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			11/26/19 05:39	1	
trans-1,2-Dichloroethene	1.0	U *	1.0	0.24	ug/L			11/26/19 05:39	1	
Trichloroethene	1.0	U	1.0	0.31	ug/L			11/26/19 05:39	1	
Vinyl chloride	1.0	U	1.0	0.17	ug/L			11/26/19 05:39	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	

Surroyate	70Kecovery Qualifier	LIIIII	riepaieu	Allalyzeu	DII Fac	
1,2-Dichloroethane-d4 (Surr)	87	74 - 132		11/26/19 05:39	1	
Toluene-d8 (Surr)	93	80 - 120		11/26/19 05:39	1	
Dibromofluoromethane (Surr)	93	72 - 131		11/26/19 05:39	1	
4-Bromofluorobenzene	108	77 - 124		11/26/19 05:39	1	

12/4/2019