# 🛟 eurofins

## Environment Testing TestAmerica

## **ANALYTICAL REPORT**

Eurofins TestAmerica, Edison 777 New Durham Road Edison, NJ 08817 Tel: (732)549-3900

## Laboratory Job ID: 460-198340-1

Client Project/Site: Ford LTP Off-Site

## For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mole Del your

Authorized for release by: 12/19/2019 10:14:06 AM

Michael DelMonico, Project Manager I (330)497-9396 michael.delmonico@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



## **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Method Summary	14
Sample Summary	15
Chain of Custody	16
Receipt Checklists	18

3

## Qualifiers

GC/MS VOA		
Qualifier	Qualifier Description	
F1	MS and/or MSD Recovery is outside acceptance limits.	
U	Indicates the analyte was analyzed for but not detected.	5

## Glossary

Glussaly	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

### Job ID: 460-198340-1

#### Laboratory: Eurofins TestAmerica, Edison

Narrative

## **CASE NARRATIVE**

## Client: ARCADIS U.S., Inc.

## **Project: Ford LTP Off-Site**

## Report Number: 460-198340-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Edison attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

#### RECEIPT

The samples were received on 12/5/2019 9:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.0° C.

#### VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples Trip Blank (460-198340-1) and MW-143S\_112619 (460-198340-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 12/09/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample MW-143S\_112619 (460-198340-2) was analyzed for Volatile organic compounds (GC/MS) in accordance with SW-846 Method 8260C SIM. The sample was analyzed on 12/09/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection	Summary
-----------	---------

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

## Client Sample ID: Trip Blank

No Detections.

## Client Sample ID: MW-143S\_112619

No Detections.

Job ID: 460-198340-1

Lab Sample ID: 460-198340-1

Lab Sample ID: 460-198340-2

This Detection Summary does not include radiochemical test results.

## **Client Sample Results**

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Prepared

Prepared

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

Date Collected: 11/26/19 14:42

Date Received: 12/05/19 09:30

Client Sample ID: MW-143S 112619

4-Bromofluorobenzene

4-Bromofluorobenzene

## Client Sample ID: Trip Blank Date Collected: 11/26/19 14:42 Date Received: 12/05/19 09:30

loh	ın	460-198340-1
JOD	ID.	400-190340-1

## Lab Sample ID: 460-198340-1

Analyzed

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

Analyzed

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

1

Dil Fac

## Lab Sample ID: 460-198340-2

Matrix: Water

Method: 8260C SIM - Vol	atile Organic Cor	npounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			12/09/19 17:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	87		72 - 133					12/09/19 17:20	1

#### Method: 8260C - Volatile Organic Compounds by GC/MS

Method: 8260C - Volatile Organic Compounds by GC/MS

**Result Qualifier** 

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

%Recovery Qualifier

87

90

90

92

92

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/09/19 17:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/09/19 17:34	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/09/19 17:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/09/19 17:34	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/09/19 17:34	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/09/19 17:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		74 - 132			-		12/09/19 17:34	1
Toluene-d8 (Surr)	90		80 - 120					12/09/19 17:34	1
Dibromofluoromethane (Surr)	87		72 - 131					12/09/19 17:34	1

77 - 124

12/09/19 17:34

## Surrogate Summary

## Method: 8260C - Volatile Organic Compounds by GC/MS **Matrix: Water**

latrix: Water						Prep Type: Total/NA	
			Pe	ercent Surro	ogate Recovery (Ad	cceptance Limits)	
		DCA	TOL	DBFM	BFB		ï
_ab Sample ID	Client Sample ID	(74-132)	(80-120)	(72-131)	(77-124)		
460-198048-A-3 MS	Matrix Spike	85	91	87	92		ŝ
460-198048-A-3 MSD	Matrix Spike Duplicate	85	90	88	92		
60-198340-1	Trip Blank	87	90	90	92		ŝ
60-198340-2	MW-143S_112619	87	90	87	92		
CS 460-660920/4	Lab Control Sample	84	91	87	91		
IB 460-660920/7	Method Blank	87	91	88	91		
Surrogate Legend							í
DCA = 1,2-Dichloroeth	( )						
TOL = Toluene-d8 (Su	,						i
DBFM = Dibromofluoro							
BFB = 4-Bromofluorob	enzene						
ethod: 8260C S	IM - Volatile Organic	Compoun	ds (GC/	MS)			
atrix: Water	<b>.</b>		``	,		Prep Type: Total/NA	
			Pe	ercent Surro	ogate Recovery (Ad	cceptance Limits)	
		BFB					
Lab Sample ID	Client Sample ID	(72-133)					ŝ
460-198340-2	MW-143S 112619	87					

		BFB			
Lab Sample ID	Client Sample ID	(72-133)			
460-198340-2	MW-143S_112619	87	 	 	
LCS 460-660978/3	Lab Control Sample	87			
LCSD 460-660978/4	Lab Control Sample Dup	90			
MB 460-660978/7	Method Blank	86			
Surragata Lagand					

#### Surrogate Legend

BFB = 4-Bromofluorobenzene

8

## Method: 8260C - Volatile Organic Compounds by GC/MS

## Lab Sample ID: MB 460-660920/7

#### **Matrix: Water** Analysis Batch: 660920

## **Client Sample ID: Method Blank** Prep Type: Total/NA

	MB	МВ							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/09/19 11:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/09/19 11:33	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/09/19 11:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/09/19 11:33	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/09/19 11:33	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/09/19 11:33	1
	MR	MR							

	IVID					
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		74 - 132		12/09/19 11:33	1
Toluene-d8 (Surr)	91		80 - 120		12/09/19 11:33	1
Dibromofluoromethane (Surr)	88		72 - 131		12/09/19 11:33	1
4-Bromofluorobenzene	91		77 - 124		12/09/19 11:33	1

### Lab Sample ID: LCS 460-660920/4 Matrix: Water Analysis Batch: 660920

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	16.9		ug/L		85	74 - 123	
cis-1,2-Dichloroethene	20.0	17.4		ug/L		87	80 - 120	
Tetrachloroethene	20.0	18.8		ug/L		94	78 - 122	
trans-1,2-Dichloroethene	20.0	17.2		ug/L		86	79 - 120	
Trichloroethene	20.0	15.8		ug/L		79	77 - 120	
Vinyl chloride	20.0	17.7		ug/L		88	62 - 138	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		74 - 132
Toluene-d8 (Surr)	91		80 - 120
Dibromofluoromethane (Surr)	87		72 - 131
4-Bromofluorobenzene	91		77 - 124

87

#### Lab Sample ID: 460-198048-A-3 MS **Matrix: Water** Analysis Batch: 660920

Dibromofluoromethane (Surr)

Analysis Datch. 000320										
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1.0	U	200	162		ug/L		81	74 - 123	
cis-1,2-Dichloroethene	1.0	U	200	169		ug/L		85	80 - 120	
Tetrachloroethene	1.0	U	200	189		ug/L		94	78 - 122	
trans-1,2-Dichloroethene	1.0	U	200	168		ug/L		84	79 <sub>-</sub> 120	
Trichloroethene	1.0	U F1	200	150	F1	ug/L		75	77 - 120	
Vinyl chloride	1.0	U	200	192		ug/L		96	62 - 138	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	85		74 - 132							
Toluene-d8 (Surr)	91		80 - 120							

## **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

## **Client Sample ID: Matrix Spike** Prep Type: Total/NA

Eurofins TestAmerica, Edison

72 - 131

5

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Matrix: Water Analysis Batch: 660920	48-A-3 MS							CI	lient Sa	mple ID: N Prep Typ		
<b>Surrogate</b> 4-Bromofluorobenzene	MS %Recovery 92		ifier	<b>Limits</b> 77 - 124								
Lab Sample ID: 460-19804 Matrix: Water	48-A-3 MSD						Client S	Samp	le ID: N	latrix Spik Prep Typ		
Analysis Batch: 660920	Sample			Spike		MSD		_		%Rec.		RP
Analyte	Result		fier	Added		Qualifier	Unit	D	%Rec	Limits	RPD	Lim
1,1-Dichloroethene	1.0			200	180		ug/L		90	74 - 123	10	3
cis-1,2-Dichloroethene	1.0			200	189		ug/L		94	80 - 120	11	3
Tetrachloroethene	1.0			200	206		ug/L		103	78 - 122	9	3
trans-1,2-Dichloroethene	1.0			200	187		ug/L		93	79 - 120	10	3
Trichloroethene		U F1		200	165		ug/L		83	77 - 120	9	3
Vinyl chloride	1.0	U		200	213		ug/L		107	62 - 138	10	3
	MSD											
Surrogate	%Recovery	Quali	ifier	Limits								
1,2-Dichloroethane-d4 (Surr)	85			74 - 132								
Toluene-d8 (Surr)	90			80 - 120								
Dibromofluoromethane (Surr)	88			72 - 131								
	00			77 - 124								
4-Bromofluorobenzene Method: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water		gani	c Corr	pound	ls (GC/M	S)		Clie	ent Sam	nple ID: Me Prep Typ		
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water	/olatile Org	<mark>gani</mark> мв і		pound	ls (GC/M	S)		Clie	ent Sam	-		
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978	/olatile Org 60978/7	мві		pound	RL	MDL Unit			ent Sarr	-	e: Tot	tal/N
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6	/olatile Org 60978/7	мві	MB Qualifier	ipound	RL		[			Prep Typ	e: Tot	tal/N/ Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte	/olatile Org 60978/7 	MB I sult ( 2.0 ( MB )	MB Qualifier U	npound	RL	MDL Unit	[			Prep Typ	e: Tot	tal/N/ Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane	/olatile Org 60978/7 	MB I sult ( 2.0 ( MB )	MB Qualifier ∪	Limi	<b>RL</b> 2.0	MDL Unit	[	) P		Prep Typ	<b>e: Tot</b> ed 4:49	tal/N/ Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte	/olatile Org 60978/7 	MB I sult ( 2.0 ( MB )	MB Qualifier U		RL 2.0	MDL Unit	[	) P	repared	Prep Typ <u>Analyze</u> <u>12/09/19 1</u>	e: Tot ed 4:49	tal/N/ Dil Fa <i>Dil Fa</i>
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U	Limi	RL 2.0	MDL Unit		) P	repared Prepared	Prep Typ Analyze 12/09/19 1 Analyze	e: Tot ad 4:49 - ad 4:49 -	Dil Fa Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U	Limi	RL 2.0	MDL Unit		) P	repared Prepared	Analyze       12/09/19 1       Analyze       12/09/19 1	e: Tot ed 4:49 - ed 4:49 - trol Sa	tal/N/ Dil Fa <i>Dil Fa</i>
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-4	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U	Limi	RL 2.0	MDL Unit		) P	repared Prepared	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 : Lab Cont	e: Tot ed 4:49 - ed 4:49 - trol Sa	Dil Fa Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U	Limi	<b>RL</b> 2.0 <b>its</b> 133	MDL Unit		) P	repared Prepared	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 : Lab Cont	e: Tot ed 4:49 - ed 4:49 - trol Sa	tal/N/ Dil Fa <i>Dil Fa</i>
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U	Limi72 -	RL 2.0 133 LCS	MDL Unit 0.33 ug/L		) P	repared Prepared	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characterized Chara	e: Tot ed 4:49 - ed 4:49 - trol Sa	Dil Fac
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water Analysis Batch: 660978	/olatile Org 60978/7 Re: %Recov	MB I sult ( 2.0 i MB I very (	MB Qualifier U		RL 2.0 133 LCS	MDL Unit 0.33 ug/L	Clier	) P P nt Sai	repared Prepared	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characterized Characterized Prep Typ %Rec.	e: Tot ed 4:49 - ed 4:49 - trol Sa	Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-6 Matrix: Water Analysis Batch: 660978 Analyte	/olatile Org 60978/7 Re: %Recov	MB   sult ( 2.0 i MB / 86	MB Qualifier U	Limi 72 - Spike Added	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L	Clier	) P P nt Sai	repared repared mple ID	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characterized Characterized Analyze 12/09/19 1 Characterized	e: Tot ed 4:49 - ed 4:49 - trol Sa	Dil Fa Dil Fa
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-6 Matrix: Water Analysis Batch: 660978 Analyte	/olatile Org 60978/7 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limi 72 - Spike Added	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L	Clier	) P P nt Sai	repared repared mple ID	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characterized Characterized Analyze 12/09/19 1 Characterized	e: Tot ed 4:49 - ed 4:49 - trol Sa	Dil Fac
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane	/olatile Org 60978/7 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	<u>Limi</u> 72 - Spike Added 5.00	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L	Clier	) P P nt Sai	repared repared mple ID	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characterized Characterized Analyze 12/09/19 1 Characterized	e: Tot ed 4:49 - ed 4:49 - trol Sa	tal/N/ Dil Fa <i>Dil Fa</i>
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene	Volatile Org 60978/7 Recov 660978/3 LCS %Recovery 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limits	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L LCS Qualifier	Clier Unit ug/L	0 P P nt Sai	repared Prepared mple ID <u>%Rec</u> 88	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characteristics %Rec. Limits 66 - 135	e: Tot ad 4:49	tal/N/ Dil Fa Dil Fa ample tal/N/
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCSD 460	Volatile Org 60978/7 Recov 660978/3 LCS %Recovery 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limits	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L LCS Qualifier	Clier Unit ug/L	0 P P nt Sai	repared Prepared mple ID <u>%Rec</u> 88	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Control S	e: Tot ad 4:49	tal/N/ Dil Fa Dil Fa ample tal/N/
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-1 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCSD 460 Matrix: Water	Volatile Org 60978/7 Recov 660978/3 LCS %Recovery 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limits	RL 2.0 its 133 LCS Result	MDL Unit 0.33 ug/L LCS Qualifier	Clier Unit ug/L	0 P P nt Sai	repared Prepared mple ID <u>%Rec</u> 88	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Characteristics %Rec. Limits 66 - 135	e: Tot ad 4:49	tal/N/ Dil Fa Dil Fa ample tal/N/
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCS 460-4 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane <i>Surrogate</i> 4-Bromofluorobenzene Lab Sample ID: LCSD 460	Volatile Org 60978/7 Recov 660978/3 LCS %Recovery 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limi 72 - Spike Added 5.00 Limits 72 - 133	RL       2.0       its       133       LCS       Result       4.40	MDL Unit 0.33 ug/L LCS Qualifier	Clier Unit ug/L	0 P P nt Sai	repared Prepared mple ID <u>%Rec</u> 88	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Control S	e: Tot ad 4:49	e Dup tal/NA
Aethod: 8260C SIM - V Lab Sample ID: MB 460-6 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCS 460-1 Matrix: Water Analysis Batch: 660978 Analyte 1,4-Dioxane Surrogate 4-Bromofluorobenzene Lab Sample ID: LCSD 460 Matrix: Water	Volatile Org 60978/7 	MB I sult ( 2.0 i MB / 86	MB Qualifier U MB Qualifier	Limits	RL       2.0       its       133       LCS       Result       4.40	MDL Unit 0.33 ug/L LCS Qualifier	Clier Unit ug/L	0 P P nt Sai	repared Prepared mple ID <u>%Rec</u> 88	Prep Typ Analyze 12/09/19 1 Analyze 12/09/19 1 Control S Prep Typ	e: Tot ad 4:49	e Dup

Eurofins TestAmerica, Edison

## **QC Sample Results**

Job ID: 460-198340-1

## Method: 8260C SIM - Volatile Organic Compounds (GC/MS) (Continued)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	90		72 - 133

Eurofins TestAmerica, Edison

## GC/MS VOA

LCSD 460-660978/4

Lab Control Sample Dup

### Analysis Batch: 660920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-198340-1	Trip Blank	Total/NA	Water	8260C	
460-198340-2	MW-143S_112619	Total/NA	Water	8260C	
MB 460-660920/7	Method Blank	Total/NA	Water	8260C	
LCS 460-660920/4	Lab Control Sample	Total/NA	Water	8260C	
460-198048-A-3 MS	Matrix Spike	Total/NA	Water	8260C	
460-198048-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260C	
Analysis Batch: 6609	978				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-198340-2	MW-143S_112619	Total/NA	Water	8260C SIM	
MB 460-660978/7	Method Blank	Total/NA	Water	8260C SIM	
LCS 460-660978/3	Lab Control Sample	Total/NA	Water	8260C SIM	

Total/NA

Water

8260C SIM

## Client Sample ID: Trip Blank Date Collected: 11/26/19 14:42 Date Received: 12/05/19 09:30

Lab Sample ID: 460-198340-1
Matrix: Water

Prep Type Total/NA	Batch Type Analysis	Batch Method 8260C	Run	Dilution  	Batch Number 660920	Prepared or Analyzed 12/09/19 15:34	Analyst SZD	Lab TAL EDI	
	•	-143S_112619					Lab Sa	mple ID:	460-198340-2
Date Collecte	d: 11/26/19 1 d: 12/05/19 0								Matrix: Wate
			Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab	Matrix: Wate

#### Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

### Job ID: 460-198340-1

## Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert no.=""></cert>	12-31-21
Georgia	State	12028 (NJ)	06-30-20
Massachusetts	State	M-NJ312	06-30-20
Massachusetts	State Program	M-NJ312	06-30-20
New Jersey	NELAP	12028	06-30-20
New York	NELAP	11452	04-01-20
Pennsylvania	NELAP	68-00522	02-28-20
Rhode Island	State	LAO00132	12-30-19
USDA	US Federal Programs	P330-18-00135	05-03-21

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
lowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

## **Method Summary**

### Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8260C SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

#### **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

## Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-198340-1	Trip Blank	Water	11/26/19 14:42	12/05/19 09:30	
460-198340-2	MW-143S_112619	Water	11/26/19 14:42	12/05/19 09:30	

TestAr Comtact Commany Name: Arcadis	Chain of Custody Record     TestAmerica Laboratory location:   Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763     Regulatory program:   DW   NPDES   RcRA	Chain of Custody Record 48 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229- w $\  \                                $	MICHIGAN 190	
Cumpany Name: At caus 1431-000 Osbod Dietos Suito 600	Client Project Manager: Kris Hinskey	Site Contact: Rachel Bielak	Lab Contact: Mike DelMonico	COC No:
Aut css. 2030 Caput Dire; out coo	Telephone: 248-994-2240	Telephone: 248-946-6331	Telephone: 330-497-9396	- of - COCs
City/State/Zip: Novi, MI, 48377	Email: kristoffer.hinskey@arcadis.com		Analyses	addy 14
		nt from		Walkingetient
	any - Cathenne Gal	10 day		Lab samples
Project Number: 30016346.0002B		□ 1 week □ 2 days	809	Curver 1
PO# 30016346.0002B	Shipping/Tracking No:	(15) ())))(	9 8260 8 8260	North Port of the second secon
	Matrix.	1. CONTRACT Preservative	Djoxsue 82608 82608 1-1, 2-DCE 82508 1-2-DCE 1	Sample Specific Notes /
Sample Identification	Sample Date Sample Time A A 55 011d	ų į	Tran PCE PCE	Special Instructions:
TRIP BLANK	Ķ — —		X X X X X X X	1 Trip Blank
MWI-1 435-1)26 9	1/3k/14 1 442 >	x 9 M X		3 VIAS VURBLEDB
16 of				
18				
	Construction of Custody.			
460-15				
Possible Hazard Identification [√ Non-Hazard □ 7 <sup>3</sup> lammable	Г. Роізоп В Г. Јикпоwn	Sample Disposal ( A fee may be assessed if samples are retained longer than 1	les are retained longer than 1 month) T Archive For Months	
Special Instructions/QC Requirements & Comments:				
Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.	.om. Cadena #E203631			
Relinque by Cotherine is Faur	$(\alpha d_i \leq \frac{D_{ate/Time:}}{(1/2.6)}$	5.00 Beceived by LANLEN L	2 Ch Company: Ancad 3	Date/Time: 11/26/19 5CÚ
	Date/Time:	Received NG	5 (ARCAD)	Date/Time; N/77/19, CJr.
Rein optication (M. M. C.	Lis [11.03/11 /	12:35 Receiped in Aboratory by:		11/37/17/1234
1. A Constant of the second se	BTAL-MI IZI4/19/1614		TA Rols	12/5/19 0930
maninhr (manihr 2019		/	110+ /911	wirteday
		12 13 14 15		1 2 3 4 5

Induct Optional Induct Optional   Induct Optional Induct Optional   Constraint Constraint	(IR Gun ##: <u>  1,#1: 内. 7 (1) (1)</u> 1,#2: <u>1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (</u>	- SANG			SAME ATTAKANAN ATTAK		Contraction of the second seco			
And the strength of	Cooler #1: $\frac{1}{1+7} = \frac{1}{2} \cdot \frac$	Cooler Tempe	<u>-</u> ratures							
Immeter		4. Revenue Consecta 6. C		<u> </u>	oler #7: oler #8: _ oler #9: _	y y y	CORRECTED			
Number (pH<2)	Nitrate * COD Nitrite Metals			Sulfide	TKN	TOC	Total Cyanide	Total Phos	Other	Other
ple No(s). adjustee	(pH<2) (pH<2) (pH<2)	(pH 5-9)	(pH<2)	-	(pH<2)	(pH<2)	(pH>12)	(pH<2)		
Ple No(s). adjuste # of Preservative(s							·			
ple No(s). adjustee										
If pH active Name/Conc										
ple No(s). adjustec										
f pH ac If pH ac ple No(s). adjustec vative Name/Conc ¢ of Preservative(s										
If pH ac										
If pH ac If pH ac vative Name/Conc										
If pH ac If pH ac vative Name/Conc										
If pH ac If pH ac vative Name/Conc										
If pH ac If pH ac vative Name/Conc										
If pH ac lf pH ac ple No(s). adjusted vative Name/Conc										
If pH ac If pH ac ple No(s). adjustee vative Name/Conc										
If pH ac ple No(s). adjustee vative Name/Conc # of Preservative(s							-			
ple No(s). adjustet vative Name/Conc ♯ of Preservative(s	If pH adjustments are required record the in	formation below:							-	
vative Name/Conc ♯ of Preservative(s	Sample No(s). adjusted:									
⊭ of Preservative(s	Preservative Name/Conc.:	Volume of P	reservative us	sed (ml): _						
	Lot # of Preservative(s): The appropriate Project Manager and D		Expirati should be not	on Date:	t the samp	oles which	were pH	adjusted.		
Initials: Date:	Samples for Metal analysis which	ch are out of complia	nce must be a	icidified at	least 24 h	ours prio	to analys	is.		
	EDS-WI-038, Rev 4.1		Ďate:	$\sim$ $\sim$	$\geq$				j	

· ~

Page\_\_\_\_

Page 17 of 18

12/19/2019

4

#### Client: ARCADIS U.S., Inc.

#### Login Number: 198340 List Number: 1 Creator: Rivera, Kenneth

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	False	Refer to Job Narrative for details.
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

List Source: Eurofins TestAmerica, Edison

## **DATA VERIFICATION REPORT**



December 19, 2019

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631 Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater Project number: 30016346.0002B Event Specific Scope of Work References: Sample COC Laboratory: TestAmerica - Edison Laboratory submittal: 198340-1 Sample date: 2019-11-26 Report received by CADENA: 2019-12-19 Initial Data Verification completed by CADENA: 2019-12-19 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <u>http://clms.cadenaco.com/index.cfm</u>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631 Laboratory: TestAmerica-Edison Laboratory Submittal: 198340-1

		Collection Date	Collection Time			
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	GCMS VOC Volatiles	GCMS VOC SIM	Comment
4601983401	Trip Blank	11/26/2019	2:42:00	х		
4601983402	MW-143S_112619	11/26/2019	2:42:00	х	х	

## Analytical Results Summary

**Reportable Results Only** 

CADENA Project ID: E203631 Laboratory: TestAmerica - Edison Laboratory Submittal: 198340-1

		Sample Name: Lab Sample ID: Sample Date:	Trip Blar 4601983 11/26/2	3401 019			MW-143 4601983 11/26/2	3402 019	19	
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC										
<u>OSW-826</u>	<u>0C</u>									
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
GC/MS SVOC										
<u>OSW-826</u>	<u>OCSIM</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



## Ford Motor Company – Livonia Transmission Project

## **DATA REVIEW**

## Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 460-198340-1 CADENA Verification Report: 2019-12-19

Analyses Performed By: TestAmerica Edison, New Jersey

Report #35306R Review Level: Tier III Project: 30016346.00002

## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 460-198340-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
	Trip Blank	460-198340-1	Water	11/26/2019		х		
460-198340-1	MW-143S_112619	460-198340-2	Water	11/26/2019		Х	Х	

## ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

		Rep	orted		mance ptable	Not
	Items Reviewed	No	Yes	No	Yes	Required
1. 5	Sample receipt condition		Х		Х	
2. F	Requested analyses and sample results		Х		Х	
3. N	Master tracking list		Х		Х	
4. N	Methods of analysis		Х		Х	
5. F	Reporting limits		Х		Х	
6. 5	Sample collection date		Х		Х	
7. L	_aboratory sample received date		Х		Х	
8. 5	Sample preservation verification (as applicable)		Х		Х	
9. 8	Sample preparation/extraction/analysis dates		Х		Х	
10. F	Fully executed Chain-of-Custody (COC) form		Х		Х	
	Narrative summary of Quality Assurance or sample problems provided		х		Х	
12. E	Data Package Completeness and Compliance		Х		Х	

#### **ORGANIC ANALYSIS INTRODUCTION**

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

arcadis.com

### **VOLATILE ORGANIC COMPOUND (VOC) ANALYSES**

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### DATA REVIEW

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not performed on a sample within this SDG.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Re	ported		ormance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMET	RY (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		Х	
Continuing calibration RRFs		X		Х	
Continuing calibration %Ds		X		Х	
Instrument tune and performance check		X		Х	
Ion abundance criteria for each instrument used		X		Х	
Field Duplicate RPD		X		Х	
Internal standard		X		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		Х	
B. Quantitation Reports		X		Х	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

## VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

a Kagt

DATE: December 27, 2019

PEER REVIEW: Dennis Capria

DATE: January 3, 2020

# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



# NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS



MICHIGAN Testamerica	TestAmerica I ahoratories. Inc.	COC No:		Boot Bootstee out 1	Walkingeret		(Arac	Severing Notice Severing Sever		Sample Specific Notes / Special Instructions:	1 Trip Blank	3 Virds Vur 826013										Date/Time: $\frac{1}{11/261/9}$   $5c(0)$	NG 6	fezi/11/16/11	125/19 0930	wirredar	1 2 3 4 5
		Lab Contact: Mike DelMonico	Telephone: 330-497-9396	Analyses			80	E 826	101196 208 208 508	cis-1,2-1 Trans-1, PCE 826 TCE 826 1,4-Diox		X X X X X X							es are retained longer than 1 month) Archive For Months			C Company: Hrad 3	,	U Company-TH	TARdo	1124 - 1011	
Chain of Custody Record 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	CRA CRA Other	Site Contact: Rachel Bielak	Telephone: 248-946-6331	Analog setumeround time my set and		T 3 weeks ▼ 2 weeks	□ 1 week	(115) (A.) (1	S≡ni	1 <sup>1</sup> 1-DCE <b>Ε</b> <b>Ε</b> <b>Ε</b> <b>Ε</b> <b>Ε</b> <b>Ε</b> <b>Ε</b> <b>Ε</b>	X N S	X 9 M X							Sample Disposal ( A fee may be assessed if samples are retained longer than I		00	5.00 Received by	CACO NON CON SEAMS	12:35 NOUN WINKOU	H CON		12 13 14 15
<b>Chain C</b> TestAmerica Laboratory location: <u>Brighton 10448 Citation</u>	Regulatory program: 🗂 DW	Client Project Manager: Kris Hinskey	Telephone: 248-994-2240	Email: kristoffer.hinskey@arcadis.com		any - Cathenre Gald	Method of Shipment/Carrier:	Shipping/Tracking No:		Sample Date Sample Time Air Othor:		1,124 1 442 ×	·			coston Chain of Custody			Г. Poison В Г. Ликпоwп			$(\alpha d_i \leq \frac{Date/Time}{11/26}$	Company Company (Company)	dis 11.03/11/	ETAL-MI IZIANG 1614		
TestAme	Client Contact		uite 500	MI, 48377			Project Number: 30016346.0002B	PO # 30016346.0002B		Sample Identification	TRIP BLANK	MWI-1 435- 1)26 9	DETRY REAL	age 1	18		460-196		Possible Hazard Identification	Special Instructions/QC Requirements & Comments:	Submit all results trrougn cateria at jim.tomana@cateria.com. Cateria #Ltubuol Level IV Reporting requested.	Relinquipped by Contractione in Lanna Co	$\mathcal{A}$	Religion of the second and the second s		mannh hank 219	

12/19/2019

## **Client Sample Results**

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Prepared

Prepared

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

Date Collected: 11/26/19 14:42

Date Received: 12/05/19 09:30

Client Sample ID: MW-143S 112619

4-Bromofluorobenzene

4-Bromofluorobenzene

## Client Sample ID: Trip Blank Date Collected: 11/26/19 14:42 Date Received: 12/05/19 09:30

loh	ın	460-198340-1
JOD	ID.	400-190340-1

## Lab Sample ID: 460-198340-1

Analyzed

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

Analyzed

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

12/09/19 15:34

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

1

Dil Fac

## Lab Sample ID: 460-198340-2

Matrix: Water

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			12/09/19 17:20	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	87		72 - 133					12/09/19 17:20	1	

#### Method: 8260C - Volatile Organic Compounds by GC/MS

Method: 8260C - Volatile Organic Compounds by GC/MS

**Result Qualifier** 

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

1.0 U

%Recovery Qualifier

87

90

90

92

92

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/09/19 17:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/09/19 17:34	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/09/19 17:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/09/19 17:34	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/09/19 17:34	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/09/19 17:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		74 - 132			-		12/09/19 17:34	1
Toluene-d8 (Surr)	90		80 - 120					12/09/19 17:34	1
Dibromofluoromethane (Surr)	87		72 - 131					12/09/19 17:34	1

77 - 124

12/09/19 17:34