

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Canton

4101 Shuffel Street NW

North Canton, OH 44720

Tel: (330)497-9396

TestAmerica Job ID: 240-106463-1

Client Project/Site: Ford LTP Livonia MI - E203631

Revision: 1

For:

ARCADIS U.S., Inc.

28550 Cabot Drive

Suite 500

Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:

1/17/2019 11:10:35 AM

Michael DelMonico, Project Manager I

(330)497-9396

michael.delmonico@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Job ID: 240-106463-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-106463-1

Revision

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Revised 1/17/2019 - Report was revised to report samples separately.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 1/3/2019 8:35 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-123S_122818 (240-106463-1) and DUP-05_122818 (240-106463-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 01/08/2019 and 01/09/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-123S_122818 (240-106463-1) and DUP-05_122818 (240-106463-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 01/08/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-106463-1	MW-123S_122818	Water	12/28/18 10:23	01/03/19 08:35
240-106463-3	DUP-05_122818	Water	12/28/18 00:00	01/03/19 08:35

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Client Sample ID: MW-123S_122818

Lab Sample ID: 240-106463-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	4.6		1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: DUP-05_122818

Lab Sample ID: 240-106463-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	3.2		1.0	0.20	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Client Sample ID: MW-123S_122818

Lab Sample ID: 240-106463-1

Date Collected: 12/28/18 10:23

Matrix: Water

Date Received: 01/03/19 08:35

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			01/08/19 22:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		63 - 125					01/08/19 22:17	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/08/19 17:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			01/08/19 17:30	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			01/08/19 17:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/08/19 17:30	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			01/08/19 17:30	1
Vinyl chloride	4.6		1.0	0.20	ug/L			01/08/19 17:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 121					01/08/19 17:30	1
4-Bromofluorobenzene (Surr)	60		59 - 120					01/08/19 17:30	1
Toluene-d8 (Surr)	78		70 - 123					01/08/19 17:30	1
Dibromofluoromethane (Surr)	108		75 - 128					01/08/19 17:30	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Client Sample ID: DUP-05_122818

Lab Sample ID: 240-106463-3

Date Collected: 12/28/18 00:00

Matrix: Water

Date Received: 01/03/19 08:35

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			01/08/19 23:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		63 - 125					01/08/19 23:08	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/09/19 12:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			01/09/19 12:38	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			01/09/19 12:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/09/19 12:38	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			01/09/19 12:38	1
Vinyl chloride	3.2		1.0	0.20	ug/L			01/09/19 12:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		70 - 121					01/09/19 12:38	1
4-Bromofluorobenzene (Surr)	75		59 - 120					01/09/19 12:38	1
Toluene-d8 (Surr)	75		70 - 123					01/09/19 12:38	1
Dibromofluoromethane (Surr)	121		75 - 128					01/09/19 12:38	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-106456-E-1 MS	Matrix Spike	83	85	93	88
240-106456-H-1 MSD	Matrix Spike Duplicate	79	85	94	88
240-106463-1	MW-123S_122818	101	60	78	108
240-106463-3	DUP-05_122818	112	75	75	121
LCS 240-363153/4	Lab Control Sample	73	76	84	81
MB 240-363153/6	Method Blank	86	59	78	92

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (63-125)
240-106463-1	MW-123S_122818	87
240-106463-3	DUP-05_122818	85
500-156985-D-2 MS	Matrix Spike	92
500-156985-D-2 MSD	Matrix Spike Duplicate	88
LCS 240-363200/12	Lab Control Sample	85
MB 240-363200/13	Method Blank	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (10-150)
MRL 240-363200/14	Lab Control Sample	87

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-363153/6

Matrix: Water

Analysis Batch: 363153

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/08/19 10:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			01/08/19 10:03	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			01/08/19 10:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			01/08/19 10:03	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			01/08/19 10:03	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			01/08/19 10:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		70 - 121		01/08/19 10:03	1
4-Bromofluorobenzene (Surr)	59		59 - 120		01/08/19 10:03	1
Toluene-d8 (Surr)	78		70 - 123		01/08/19 10:03	1
Dibromofluoromethane (Surr)	92		75 - 128		01/08/19 10:03	1

Lab Sample ID: LCS 240-363153/4

Matrix: Water

Analysis Batch: 363153

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.92		ug/L		99	65 - 139
cis-1,2-Dichloroethene	10.0	9.49		ug/L		95	76 - 128
Tetrachloroethene	10.0	9.56		ug/L		96	74 - 130
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	78 - 133
Trichloroethene	10.0	8.39		ug/L		84	76 - 125
Vinyl chloride	10.0	10.0		ug/L		100	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	73		70 - 121
4-Bromofluorobenzene (Surr)	76		59 - 120
Toluene-d8 (Surr)	84		70 - 123
Dibromofluoromethane (Surr)	81		75 - 128

Lab Sample ID: 240-106456-E-1 MS

Matrix: Water

Analysis Batch: 363153

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.56		ug/L		86	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	8.72		ug/L		87	64 - 130
Tetrachloroethene	1.0	U	10.0	9.43		ug/L		94	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	9.48		ug/L		95	68 - 133
Trichloroethene	0.23	J	10.0	7.83		ug/L		76	55 - 131
Vinyl chloride	1.0	U	10.0	10.3		ug/L		103	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 121
4-Bromofluorobenzene (Surr)	85		59 - 120
Toluene-d8 (Surr)	93		70 - 123

TestAmerica Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-106456-E-1 MS
Matrix: Water
Analysis Batch: 363153

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	88		75 - 128

Lab Sample ID: 240-106456-H-1 MSD
Matrix: Water
Analysis Batch: 363153

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	8.67		ug/L		87	53 - 140	1	35
cis-1,2-Dichloroethene	1.0	U	10.0	8.95		ug/L		90	64 - 130	3	21
Tetrachloroethene	1.0	U	10.0	9.43		ug/L		94	51 - 136	0	23
trans-1,2-Dichloroethene	1.0	U	10.0	9.58		ug/L		96	68 - 133	1	24
Trichloroethene	0.23	J	10.0	7.97		ug/L		77	55 - 131	2	23
Vinyl chloride	1.0	U	10.0	10.1		ug/L		101	43 - 154	2	29

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		70 - 121
4-Bromofluorobenzene (Surr)	85		59 - 120
Toluene-d8 (Surr)	94		70 - 123
Dibromofluoromethane (Surr)	88		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-363200/13
Matrix: Water
Analysis Batch: 363200

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			01/08/19 16:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		63 - 125		01/08/19 16:23	1

Lab Sample ID: LCS 240-363200/12
Matrix: Water
Analysis Batch: 363200

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	11.8		ug/L		118	59 - 131

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		63 - 125

TestAmerica Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 240-363200/14
Matrix: Water
Analysis Batch: 363200

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	0.00100	0.00105	J	ng/uL		105	10 - 150
Surrogate	%Recovery	MRL Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	87		10 - 150				

Lab Sample ID: 500-156985-D-2 MS
Matrix: Water
Analysis Batch: 363200

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	12.5		ug/L		125	52 - 129
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	92		63 - 125						

Lab Sample ID: 500-156985-D-2 MSD
Matrix: Water
Analysis Batch: 363200

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.7		ug/L		117	52 - 129	7	13
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	88		63 - 125								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

GC/MS VOA

Analysis Batch: 363153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-106463-1	MW-123S_122818	Total/NA	Water	8260B	
MB 240-363153/6	Method Blank	Total/NA	Water	8260B	
LCS 240-363153/4	Lab Control Sample	Total/NA	Water	8260B	
240-106456-E-1 MS	Matrix Spike	Total/NA	Water	8260B	
240-106456-H-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 363200

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-106463-1	MW-123S_122818	Total/NA	Water	8260B SIM	
240-106463-3	DUP-05_122818	Total/NA	Water	8260B SIM	
MB 240-363200/13	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-363200/12	Lab Control Sample	Total/NA	Water	8260B SIM	
MRL 240-363200/14	Lab Control Sample	Total/NA	Water	8260B SIM	
500-156985-D-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
500-156985-D-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 363362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-106463-3	DUP-05_122818	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Client Sample ID: MW-123S_122818

Date Collected: 12/28/18 10:23

Date Received: 01/03/19 08:35

Lab Sample ID: 240-106463-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	363153	01/08/19 17:30	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	363200	01/08/19 22:17	SAM	TAL CAN

Client Sample ID: DUP-05_122818

Date Collected: 12/28/18 00:00

Date Received: 01/03/19 08:35

Lab Sample ID: 240-106463-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	363362	01/09/19 12:38	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	363200	01/08/19 23:08	SAM	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-106463-1

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-19 *
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19
Illinois	NELAP	5	200004	07-31-19
Kansas	NELAP	7	E-10336	04-30-19
Kentucky (UST)	State Program	4	58	02-23-19 *
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19
New York	NELAP	2	10975	03-31-19 *
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-19 *
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Client Information Client Contact: Angela DeGrandis Company: ARCADIS U.S., Inc. Address: 28550 Cabot Drive Suite 500 City: Novi State, Zip: MI, 48377 Phone: _____ Email: angela.degrandis@arcadis-us.com Project Name: Ford LTP Livonia MI - E203631 Site: FORD CTP		Lab PM: DelMonico, Michael E-Mail: michael.delmonico@testamericainc.com Carrier Tracking No(s): _____ COC No: 240-56713-24439.1 Page 1 of 2 Job #: _____	
Due Date Requested: TAT Requested (days): Standard PO #: MI001454.0003 WO #: _____ Cadena #: E203631 Project #: 24015353 SSOW#: _____		Analysis Requested Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> A 8260B - VOCs (Short List) <input checked="" type="checkbox"/> A 8260B - SIM - Local Method <input checked="" type="checkbox"/> A	
Sample Identification Sample Date: 12/28/18 Sample Time: 10:23 Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=oil, B=BISS, A=Air): Water		Preservation Codes: A - HCL B - NaOH M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify) _____ Other: _____	
Sample Date: 12/28/18 Sample Time: 12:18 Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=oil, B=BISS, A=Air): Water		Special Instructions/Note: _____	
Sample Date: 12/28/18 Sample Time: _____ Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=oil, B=BISS, A=Air): Water		Total Number of containers: _____	
Sample Date: _____ Sample Time: _____ Sample Type (C=Comp, G=grab): _____ Matrix (W=water, S=solid, O=oil, B=BISS, A=Air): Water		Barcode: 240-106463 Chain of Custody	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) _____			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements: _____			
Relinquished by: Christina Weaver/Christina Date/Time: 12/28/18 1435 Company: Arcadis			
Relinquished by: Novi Cold Storage/Christina Weaver Date/Time: 1/2/19 1138 Company: Arcadis			
Relinquished by: _____ Date/Time: 1/2/19 1320 Company: TAL			
Custody Seals Intact: Custody Seal No.: _____ <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			

TestAmerica Canton Sample Receipt Form/Narrative

Login # : 1064025

Canton Facility

Client Arcadis Site Name
Cooler Received on 1/3/19 Opened on 1/3/19
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by: [Signature]

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # [TA] Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC854592
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: [Signature]

18. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.
Time preserved: Preservative(s) added/Lot number(s):

This got on by →

TestAmerica Multiple Cooler Receipt Form/Narrative				Login #: <u>106463</u>	
Canton Facility					
Cooler #	IR Gun #	Observed Temp °C	Corrected Temp °C	Coolant	
TA 1	36 1	1.4 3.2	1.4 3.2	ICE 1	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

X:\X-Drive Document Control\SOPs\Work Instructions\Word Version Work Instructions\WI-NC-099H-071615 Cooler Receipt Form_page 2 - Multiple Coolers.doc rls



January 18, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: TestAmerica - North Canton
Laboratory submittal: 106463-1
Sample date: 2018-12-28
Report received by CADENA: 2019-01-17
Initial Data Verification completed by CADENA: 2019-01-18

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

2 Water sample(s) were analyzed for GCMS VOC parameter(s).

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 106463-1

Sample Name:	MW-123S_122818	DUP-05_122818
Lab Sample ID:	2401064631	2401064633
Sample Date:	12/28/2018	12/28/2018

Analyte	Cas No.	Report		Units	Valid		Report		Valid	
		Result	Limit		Qualifier	Result	Limit	Qualifier		
GC/MS VOC										
<u>OSW-8260B</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	4.6	1.0	ug/l	---	3.2	1.0	ug/l	---	
<u>OSW-8260BBSim</u>										
1,4-Dioxane	123-91-1	ND	2.0	ug/l	---	ND	2.0	ug/l	---	