

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-108504-1

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/27/2019 2:41:37 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Method Summary | 5 |
| Sample Summary | 6 |
| Detection Summary | 7 |
| Client Sample Results | 8 |
| Surrogate Summary | 10 |
| QC Sample Results | 11 |
| QC Association Summary | 14 |
| Lab Chronicle | 15 |
| Certification Summary | 16 |
| Chain of Custody | 17 |

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| U | Indicates the analyte was analyzed for but not detected. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Job ID: 240-108504-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-108504-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 2/26/2019 8:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-148S-022319 (240-108504-1) and TRIP BLANK (240-108504-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/26/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-148S-022319 (240-108504-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 02/26/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

| Method | Method Description | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 5030B | Purge and Trap | SW846 | TAL CAN |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 240-108504-1 | MW-148S-022319 | Water | 02/23/19 10:00 | 02/26/19 08:20 |
| 240-108504-2 | TRIP BLANK | Water | 02/23/19 00:00 | 02/26/19 08:20 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: MW-148S-022319

Lab Sample ID: 240-108504-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Vinyl chloride | 0.94 | J | 1.0 | 0.20 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-108504-2

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Canton



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: MW-148S-022319

Lab Sample ID: 240-108504-1

Date Collected: 02/23/19 10:00

Matrix: Water

Date Received: 02/26/19 08:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 02/26/19 15:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 86 | | 63 - 125 | | | | | 02/26/19 15:02 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-------------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:03 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 02/26/19 15:03 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 02/26/19 15:03 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:03 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 02/26/19 15:03 | 1 |
| Vinyl chloride | 0.94 | J | 1.0 | 0.20 | ug/L | | | 02/26/19 15:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 70 - 121 | | | | | 02/26/19 15:03 | 1 |
| 4-Bromofluorobenzene (Surr) | 91 | | 59 - 120 | | | | | 02/26/19 15:03 | 1 |
| Toluene-d8 (Surr) | 98 | | 70 - 123 | | | | | 02/26/19 15:03 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 75 - 128 | | | | | 02/26/19 15:03 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-108504-2

Date Collected: 02/23/19 00:00

Matrix: Water

Date Received: 02/26/19 08:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:25 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 02/26/19 15:25 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 02/26/19 15:25 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:25 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 02/26/19 15:25 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 02/26/19 15:25 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 70 - 121 | | 02/26/19 15:25 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 59 - 120 | | 02/26/19 15:25 | 1 |
| Toluene-d8 (Surr) | 98 | | 70 - 123 | | 02/26/19 15:25 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 75 - 128 | | 02/26/19 15:25 | 1 |

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | DCA (70-121) | BFB (59-120) | TOL (70-123) | DBFM (75-128) |
|--------------------|------------------------|-----------------|-----------------|-----------------|------------------|
| 240-108467-B-1 MS | Matrix Spike | 100 | 100 | 104 | 104 |
| 240-108467-E-1 MSD | Matrix Spike Duplicate | 103 | 102 | 107 | 103 |
| 240-108504-1 | MW-148S-022319 | 111 | 91 | 98 | 109 |
| 240-108504-2 | TRIP BLANK | 109 | 101 | 98 | 109 |
| LCS 240-369424/4 | Lab Control Sample | 104 | 102 | 109 | 103 |
| MB 240-369424/6 | Method Blank | 108 | 93 | 97 | 103 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | DCA (63-125) |
|---------------------|------------------------|-----------------|
| 240-108473-A-15 MS | Matrix Spike | 88 |
| 240-108473-A-15 MSD | Matrix Spike Duplicate | 88 |
| 240-108504-1 | MW-148S-022319 | 86 |
| LCS 240-369452/4 | Lab Control Sample | 85 |
| MB 240-369452/5 | Method Blank | 88 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-369424/6

Matrix: Water

Analysis Batch: 369424

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 11:44 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 02/26/19 11:44 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 02/26/19 11:44 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 11:44 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 02/26/19 11:44 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 02/26/19 11:44 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 70 - 121 | | 02/26/19 11:44 | 1 |
| 4-Bromofluorobenzene (Surr) | 93 | | 59 - 120 | | 02/26/19 11:44 | 1 |
| Toluene-d8 (Surr) | 97 | | 70 - 123 | | 02/26/19 11:44 | 1 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 128 | | 02/26/19 11:44 | 1 |

Lab Sample ID: LCS 240-369424/4

Matrix: Water

Analysis Batch: 369424

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,1-Dichloroethene | 10.0 | 10.1 | | ug/L | | 101 | 65 - 139 |
| cis-1,2-Dichloroethene | 10.0 | 10.8 | | ug/L | | 108 | 76 - 128 |
| Tetrachloroethene | 10.0 | 10.7 | | ug/L | | 107 | 74 - 130 |
| trans-1,2-Dichloroethene | 10.0 | 10.9 | | ug/L | | 109 | 78 - 133 |
| Trichloroethene | 10.0 | 10.2 | | ug/L | | 102 | 76 - 125 |
| Vinyl chloride | 10.0 | 10.6 | | ug/L | | 106 | 58 - 143 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 102 | | 59 - 120 |
| Toluene-d8 (Surr) | 109 | | 70 - 123 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 128 |

Lab Sample ID: 240-108467-B-1 MS

Matrix: Water

Analysis Batch: 369424

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| 1,1-Dichloroethene | 1.0 | U | 10.0 | 9.12 | | ug/L | | 91 | 53 - 140 |
| cis-1,2-Dichloroethene | 1.0 | U | 10.0 | 9.94 | | ug/L | | 99 | 64 - 130 |
| Tetrachloroethene | 1.0 | U | 10.0 | 8.89 | | ug/L | | 89 | 51 - 136 |
| trans-1,2-Dichloroethene | 1.0 | U | 10.0 | 10.0 | | ug/L | | 100 | 68 - 133 |
| Trichloroethene | 1.0 | U | 10.0 | 9.22 | | ug/L | | 92 | 55 - 131 |
| Vinyl chloride | 1.0 | U | 10.0 | 9.73 | | ug/L | | 97 | 43 - 154 |

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|------------------------------|--------------|--------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 100 | | 59 - 120 |
| Toluene-d8 (Surr) | 104 | | 70 - 123 |

TestAmerica Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-108467-B-1 MS
Matrix: Water
Analysis Batch: 369424

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| Surrogate | MS %Recovery | MS Qualifier | Limits |
|-----------------------------|-----------------|-----------------|----------|
| Dibromofluoromethane (Surr) | 104 | | 75 - 128 |

Lab Sample ID: 240-108467-E-1 MSD
Matrix: Water
Analysis Batch: 369424

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------------------|------------------|---------------------|----------------|---------------|------------------|------|---|------|-----------------|-----|--------------|
| 1,1-Dichloroethene | 1.0 | U | 10.0 | 9.99 | | ug/L | | 100 | 53 - 140 | 9 | 35 |
| cis-1,2-Dichloroethene | 1.0 | U | 10.0 | 10.3 | | ug/L | | 103 | 64 - 130 | 4 | 21 |
| Tetrachloroethene | 1.0 | U | 10.0 | 9.70 | | ug/L | | 97 | 51 - 136 | 9 | 23 |
| trans-1,2-Dichloroethene | 1.0 | U | 10.0 | 10.0 | | ug/L | | 100 | 68 - 133 | 0 | 24 |
| Trichloroethene | 1.0 | U | 10.0 | 9.86 | | ug/L | | 99 | 55 - 131 | 7 | 23 |
| Vinyl chloride | 1.0 | U | 10.0 | 9.97 | | ug/L | | 100 | 43 - 154 | 2 | 29 |

| Surrogate | MSD %Recovery | MSD Qualifier | Limits |
|------------------------------|------------------|------------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 102 | | 59 - 120 |
| Toluene-d8 (Surr) | 107 | | 70 - 123 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 128 |

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-369452/5
Matrix: Water
Analysis Batch: 369452

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------------|-----------------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 02/26/19 12:56 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------------|-----------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 88 | | 63 - 125 | | 02/26/19 12:56 | 1 |

Lab Sample ID: LCS 240-369452/4
Matrix: Water
Analysis Batch: 369452

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|----------------|---------------|------------------|------|---|------|-----------------|
| 1,4-Dioxane | 10.0 | 11.2 | | ug/L | | 112 | 59 - 131 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|------------------|------------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 85 | | 63 - 125 |

TestAmerica Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-108473-A-15 MS
Matrix: Water
Analysis Batch: 369452

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|------------------|------------------|---------------|-----------|--------------|------|---|------|--------------|
| 1,4-Dioxane | 2.7 | | 10.0 | 14.5 | | ug/L | | 117 | 52 - 129 |
| MS MS | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 88 | | 63 - 125 | | | | | | |

Lab Sample ID: 240-108473-A-15 MSD
Matrix: Water
Analysis Batch: 369452

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|------------------|------------------|---------------|------------|---------------|------|---|------|--------------|-----|-----------|
| 1,4-Dioxane | 2.7 | | 10.0 | 13.6 | | ug/L | | 109 | 52 - 129 | 6 | 13 |
| MSD MSD | | | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 88 | | 63 - 125 | | | | | | | | |

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

GC/MS VOA

Analysis Batch: 369424

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-108504-1 | MW-148S-022319 | Total/NA | Water | 8260B | |
| 240-108504-2 | TRIP BLANK | Total/NA | Water | 8260B | |
| MB 240-369424/6 | Method Blank | Total/NA | Water | 8260B | |
| LCS 240-369424/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| 240-108467-B-1 MS | Matrix Spike | Total/NA | Water | 8260B | |
| 240-108467-E-1 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B | |

Analysis Batch: 369452

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|-----------|------------|
| 240-108504-1 | MW-148S-022319 | Total/NA | Water | 8260B SIM | |
| MB 240-369452/5 | Method Blank | Total/NA | Water | 8260B SIM | |
| LCS 240-369452/4 | Lab Control Sample | Total/NA | Water | 8260B SIM | |
| 240-108473-A-15 MS | Matrix Spike | Total/NA | Water | 8260B SIM | |
| 240-108473-A-15 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B SIM | |

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: MW-148S-022319

Lab Sample ID: 240-108504-1

Date Collected: 02/23/19 10:00

Matrix: Water

Date Received: 02/26/19 08:20

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 369424 | 02/26/19 15:03 | LEE | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 369452 | 02/26/19 15:02 | SAM | TAL CAN |

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-108504-2

Date Collected: 02/23/19 00:00

Matrix: Water

Date Received: 02/26/19 08:20

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 369424 | 02/26/19 15:25 | LEE | TAL CAN |

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | EPA Region | Identification Number | Expiration Date |
|-----------------------|---------------|------------|-----------------------|-----------------|
| California | State Program | 9 | 2927 | 02-23-19 * |
| Connecticut | State Program | 1 | PH-0590 | 12-31-19 |
| Florida | NELAP | 4 | E87225 | 06-30-19 |
| Illinois | NELAP | 5 | 200004 | 07-31-19 |
| Kansas | NELAP | 7 | E-10336 | 04-30-19 |
| Kentucky (UST) | State Program | 4 | 58 | 02-23-20 |
| Kentucky (WW) | State Program | 4 | 98016 | 12-31-19 |
| Minnesota | NELAP | 5 | 039-999-348 | 12-31-19 * |
| Minnesota (Petrofund) | State Program | 1 | 3506 | 07-31-19 |
| Nevada | State Program | 9 | OH00048 | 07-31-19 |
| New Jersey | NELAP | 2 | OH001 | 06-30-19 |
| New York | NELAP | 2 | 10975 | 03-31-19 * |
| Ohio VAP | State Program | 5 | CL0024 | 09-06-19 |
| Oregon | NELAP | 10 | 4062 | 02-23-20 |
| Pennsylvania | NELAP | 3 | 68-00340 | 08-31-19 * |
| Texas | NELAP | 6 | T104704517-18-10 | 08-31-19 |
| USDA | Federal | | P330-16-00404 | 12-28-19 |
| Virginia | NELAP | 3 | 460175 | 09-14-19 |
| Washington | State Program | 10 | C971 | 01-12-20 * |
| West Virginia DEP | State Program | 3 | 210 | 12-31-19 |

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

| Client Information | | Lab PM: DelMonico, Michael | | Carrier Tracking No(s): | | | | | |
|--|-------------|--|------------------------------|---|-----------------------------------|----------------------------|---------------------------|---------------------------|---|
| Client Contact: Angela DeGrandis | | E-Mail: michael.delmonico@testamericainc.com | | COC No: 240-58422-24977.13 | | | | | |
| Company: ARCADIS U.S., Inc. | | Due Date Requested: | | Page: 19 of 43 | | | | | |
| Address: 28550 Cabot Drive Suite 500 | | TAT Requested (days): 1 DAY / 24-HR | | Job #: | | | | | |
| City: Novi | | PO #: MI001454.0003.00002 | | Preservation Codes: | | | | | |
| State/Zip: MI, 48377 | | WO #: Cadena #: E203631 | | M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (Specify) | | | | | |
| Email: angela.degrandis@arcadis-us.com | | Project Name: Ford LTP Livonia MI - E203631 | | Other: | | | | | |
| Site: SSOW#: | | SSOW#: MI004454.0003 | | Total Number of containers: | | | | | |
| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, G=wastefliq, BT=tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 8260B - VOCs (Short List) | 8260B - SIM - 1,4-Dioxane | Special Instructions/Note: |
| MW-1485-022319 TRIP BLANK | 2/23/19 | 1000 | G | Water | XX | AA | | | 6 X SUBMIT ALL RESULTS THROUGH CADENA (S.M. TOMALIA @ CADENA.COM) CADENA #: E203631 |
| | | | | Water | | | | | |
| | | | | Water | | | | | |
| | | | | Water | | | | | |
| | | | | Water | | | | | |
| | | | | Water | | | | | |
| | | | | Water | | | | | |
| 240-108504 Chain of Custody | | | | | | | | | |
| Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) | | | | | | | | | |
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | | | | | | | | | |
| Special Instructions/OC Requirements: Empty Kit Relinquished by: _____ Date: _____ Relinquished by: _____ Date/Time: _____ Relinquished by: _____ Date/Time: _____ Custody Seals Intact: _____ Custody Seal No.: _____ Cooler Temperature(s): °C and Other Remarks: _____ | | | | | | | | | |

TestAmerica Canton Sample Receipt Form/Narrative

Login # : 188564

Canton Facility

Client Angela Degrandis / Arcadia Site Name _____

Cooler unpacked by:

Cooler Received on 2-26-19 Opened on 2-26-19 820

Ryan Cribler

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box _____ Client Cooler _____ Box _____ Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None _____ Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 3.4 °C RAC 2-26-19
IR GUN #36 (CF +0.7°C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 3.4 °C
- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels be reconciled with the COC? Yes No
- 9. Were correct bottle(s) used for the test(s) indicated? Yes No
- 10. Sufficient quantity received to perform indicated analyses? Yes No
- 11. Are these work share samples? Yes No
If yes, Questions 12-16 have been checked at the originating laboratory.
- 12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC861525
- 13. Were VOAs on the COC? Yes No
- 14. Were air bubbles >6 mm in any VOA vials? Yes No Larger than this. NA
- 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # B831701 VB Yes No
- 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

RC

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____



February 27, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: TestAmerica - North Canton
Laboratory submittal: 108504-1
Sample date: 2019-02-23
Report received by CADENA: 2019-02-27
Initial Data Verification completed by CADENA: 2019-02-27

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

2 Water sample(s) were analyzed for GCMS VOC parameter(s).

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

| Valid Qualifiers | Description |
|------------------|--|
| < | Less than the reported concentration. |
| > | Greater than the reported concentration. |
| B | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E | The analyte / Compound reported exceeds the calibration range and is considered estimated. |
| EMPC | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only. |
| J | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies. |
| J- | The result is an estimated quantity, but the result may be biased low. |
| JB | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED |
| JH | The sample result is considered estimated and is potentially biased high. |
| JL | The sample result is considered estimated and is potentially biased low. |
| JUB | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED |
| NJ | Tentatively identified compound with approximated concentration. |
| R | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.) |
| TNTC | Too Numerous to Count - Asbestos and Microbiological Results. |
| U | Indicates that the analyte / compound was analyzed for, but not detected. |
| UB | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL. |
| UJ | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample. |

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 108504-1

| Lab Sample ID | Sample ID | Collection Date (mm/yy/dd) | Collection Time (hh:mm:ss) | Volatile Organics by GCMS | 8260B with Single Ion Monitoring | Comment |
|---------------|----------------|-------------------------------|-------------------------------|------------------------------|-------------------------------------|---------|
| 2401085041 | MW-148S-022319 | 2/23/2019 | 10:00:00 | X | X | |
| 2401085042 | TRIP BLANK | 2/23/2019 | 12:00:00 | X | | |

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 108504-1

Sample Name: MW-148S-022319 TRIP BLANK
Lab Sample ID: 2401085041 2401085042
Sample Date: 2/23/2019 2/23/2019

| Analyte | Cas No. | Report | | Units | Valid Qualifier | Report | | Units | Valid Qualifier | |
|--------------------------|----------|--------|-------|-------|--------------------|--------|-------|-------|--------------------|--|
| | | Result | Limit | | | Result | Limit | | | |
| GC/MS VOC | | | | | | | | | | |
| <u>OSW-8260B</u> | | | | | | | | | | |
| 1,1-Dichloroethene | 75-35-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| cis-1,2-Dichloroethene | 156-59-2 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Tetrachloroethene | 127-18-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| trans-1,2-Dichloroethene | 156-60-5 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Trichloroethene | 79-01-6 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Vinyl chloride | 75-01-4 | 0.94 | 1.0 | ug/l | J | ND | 1.0 | ug/l | --- | |
| <u>OSW-8260BBSim</u> | | | | | | | | | | |
| 1,4-Dioxane | 123-91-1 | ND | 2.0 | ug/l | --- | | | | | |

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG #240-108504-1

CADENA Verification Report: 2019-02-27

Analyses Performed By:

TestAmerica
Canton, Ohio

Report #31927R

Review Level: Tier II/Plus

Project: MI001454.0003.00002



DATA REVIEW

SUMMARY

This data quality assessment/verification summarizes the confirmation of detected compounds (if applicable), review of the verification/Tier II validation review performed by CADENA Inc. and review of level II laboratory data package completeness for Sample Delivery Group (SDG) # 240-108504-1 for samples collected in association with the Ford – Livonia, Michigan site. Only detected compound confirmations and omitted deviations from the CADENA verification/Tier II report are documented in this report. The Tier II/Plus validation is performed in the instance when a sample location has a detection at a concentration of 5 ppb or less. The detection and the concentration are reviewed and verified based on the instrument calibration and laboratory raw data. Only analytical data associated with constituents of concern were reviewed for this verification. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

| SDG | Sample ID | Lab ID | Matrix | Sample Collection Date | Parent Sample | Analysis | | |
|--------------|----------------|--------------|--------|------------------------|---------------|----------|-----------|------|
| | | | | | | VOC | VOC (SIM) | MISC |
| 240-108504-1 | MW-148S-022319 | 240-108504-1 | Water | 2/23/2019 | | X | X | |
| | TRIP BLANK | 240-108504-2 | Water | 2/23/2019 | | X | | |

Notes:

VOC = volatile organic compound

SIM = selective ion monitoring

MISC = miscellaneous

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

| Items Reviewed | Reported | | Performance Acceptable | | Not Required |
|--|----------|-----|------------------------|-----|--------------|
| | No | Yes | No | Yes | |
| 1. Sample receipt condition | | X | | X | |
| 2. Requested analyses and sample results | | X | | X | |
| 3. Master tracking list | | X | | X | |
| 4. Methods of analysis | | X | | X | |
| 5. Reporting limits | | X | | X | |
| 6. Sample collection date | | X | | X | |
| 7. Laboratory sample received date | | X | | X | |
| 8. Sample preservation verification (as applicable) | | X | | X | |
| 9. Sample preparation/extraction/analysis dates | | X | | X | |
| 10. Fully executed Chain-of-Custody (COC) form | | X | | X | |
| 11. Narrative summary of Quality Assurance or sample problems provided | | X | | X | |
| 12. Data Package Completeness and Compliance | | X | | X | |

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

1.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (15%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

1.2 Continuing Calibration

All target compounds associated with the continuing calibration verification (CCV) standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

2. Compound Identification

Compounds are identified on the GC/MS by using the analyte's relative retention time, ion spectra, and concentration.

All identified compounds met the criteria defined in the analytical method.

3. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in the CADENA Inc. review and this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

| VOCs: 8260B/8260B-SIM | Reported | | Performance Acceptable | | Not Required |
|---|----------|-----|------------------------|-----|--------------|
| | No | Yes | No | Yes | |
| GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS) | | | | | |
| Tier II+ Validation | | | | | |
| System performance and column resolution | | X | | X | |
| Initial calibration %RSDs | | X | | X | |
| Continuing calibration RRFs | | X | | X | |
| Continuing calibration %Ds | | X | | X | |
| Compound identification and quantitation | | | | | |
| A. Reconstructed ion chromatograms | | X | | X | |
| B. Quantitation Reports | | X | | X | |
| C. RT of sample compounds within the established RT windows | | X | | X | |

Notes:

RT retention time

VERIFICATION/VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:



DATE: March 6, 2019

PEER REVIEW: Dennis Capria

DATE: March 6, 2019



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



| Client Information Client Contact: Angela DeGrandis Company: ARCADIS U.S., Inc. Address: 28550 Cabot Drive Suite 500 City: Novi State/Zip: MI, 48377 Phone: _____ Email: angela.degrandis@arcadis-us.com Project Name: Ford LTP Livonia MI - E203631 Site: _____ | | Lab PM: DelMonico, Michael E-Mail: michael.delmonico@testamericainc.com Carrier Tracking No(s): _____ COC No: 240-58422-24977.13 Page: 19 of 43 Job #: 111 | | | | | | | | | |
|--|-------------|---|------------------------------|--|-------------------|-----------------------------------|----------------------------|---------------------------|---------------------------|----------------------------|---|
| Due Date Requested: _____ TAT Requested (days): 1 DAY / 24-HR PO #: M1001454.0003.00002 WO #: _____ Cadena #: E203631 Project #: 24015353 MI001454.0003 SSOW#: _____ | | | | | | | | | | | |
| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=Water, S=solid, O=wastefliq, BT=tissue, A=Air) | Preservation Code | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 8260B - VOCs (Short List) | 8260B - SIM - 1,4-Dioxane | Total Number of Containers | Special Instructions/Note: |
| MW-1485-022319 TRIP BLANK | 2/23/19 | 1000 | G | Water | | XX | XX | XX | XX | 6 | X SUBMIT ALL RESULTS THROUGH CADENA (S.M. TOMALIA @ CADENA.COM) CADENA #: E203631 |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| | | | | Water | | | | | | | |
| 240-108504 Chain of Custody | | | | | | | | | | | |
| Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) _____ | | | | | | | | | | | |
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/OC Requirements: _____ | | | | | | | | | | | |
| Empty Kit Relinquished by: _____ Date: _____ Relinquished by: _____ Relinquished by: _____ Custody Seal No.: _____ Custody Seal Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | | | | |
| Received by: NOVA COLD STORAGE Date/Time: 2/23/19 1730 Company: AERADIS Received by: _____ Date/Time: 2/25/19 1410 Company: TAL Received by: _____ Date/Time: 2-26-19 0820 Company: TA Cooler Temperature(s): °C and Other Remarks: _____ | | | | | | | | | | | |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: MW-148S-022319

Lab Sample ID: 240-108504-1

Date Collected: 02/23/19 10:00

Matrix: Water

Date Received: 02/26/19 08:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 02/26/19 15:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 86 | | 63 - 125 | | | | | 02/26/19 15:02 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-------------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:03 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 02/26/19 15:03 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 02/26/19 15:03 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:03 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 02/26/19 15:03 | 1 |
| Vinyl chloride | 0.94 | J | 1.0 | 0.20 | ug/L | | | 02/26/19 15:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 70 - 121 | | | | | 02/26/19 15:03 | 1 |
| 4-Bromofluorobenzene (Surr) | 91 | | 59 - 120 | | | | | 02/26/19 15:03 | 1 |
| Toluene-d8 (Surr) | 98 | | 70 - 123 | | | | | 02/26/19 15:03 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 75 - 128 | | | | | 02/26/19 15:03 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-108504-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-108504-2

Date Collected: 02/23/19 00:00

Matrix: Water

Date Received: 02/26/19 08:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:25 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 02/26/19 15:25 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 02/26/19 15:25 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 02/26/19 15:25 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 02/26/19 15:25 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 02/26/19 15:25 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 70 - 121 | | 02/26/19 15:25 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 59 - 120 | | 02/26/19 15:25 | 1 |
| Toluene-d8 (Surr) | 98 | | 70 - 123 | | 02/26/19 15:25 | 1 |
| Dibromofluoromethane (Surr) | 109 | | 75 - 128 | | 02/26/19 15:25 | 1 |