

Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Canton 4101 Shuffel Street NW North Canton, OH 44720 Tel: (330)497-9396

Laboratory Job ID: 240-135577-1 Client Project/Site: Ford LTP Off-Site

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mode Del Your

Authorized for release by: 9/10/2020 8:40:15 AM

Michael DelMonico, Project Manager I

(330)497-9396

Michael.DelMonico@Eurofinset.com

·····LINKS ······

Review your project results through Total Access

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Laboratory Job ID: 240-135577-1

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

6

8

10

40

13

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Qualifiers

GC/MS VOA

Qualifier **Qualifier Description**

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.	

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery **CFL** Contains Free Liquid CFU Colony Forming Unit CNF Contains No Free Liquid

Duplicate Error Ratio (normalized absolute difference) **DER**

Dil Fac **Dilution Factor**

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

Estimated Detection Limit (Dioxin) **EDL** LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit MLMinimum Level (Dioxin) MPN Most Probable Number Method Quantitation Limit MQL

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive QC **Quality Control**

Relative Error Ratio (Radiochemistry) **RER**

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count **TNTC**

9/10/2020

Page 3 of 18

Case Narrative

Client: ARCADIS U.S., Inc.

Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Job ID: 240-135577-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off-Site

Report Number: 240-135577-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 8/26/2020 9:20 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.5° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-135577-1) and MW-151S_082420 (240-135577-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 09/04/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-151S_082420 (240-135577-2) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 08/31/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

4

5

7

8

10

12

13

Method Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Job ID: 240-135577-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

4

5

7

0

10

11

13

Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Job ID: 240-135577-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-135577-1	TRIP BLANK	Water	08/24/20 00:00	08/26/20 09:20	
240-135577-2	MW-151S_082420	Water	08/24/20 15:15	08/26/20 09:20	

-

6

R

9

11

Detection Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Client Sample ID: TRIP BLANK Lab Sample ID: 240-135577-1

No Detections.

Analyte	Result Qualifier	RL	MDL Unit	Dil Fac D	Method	Prep Type
Vinyl chloride	1.4	1.0	0.50 ug/L	1	8260B	Total/NA

4

5

6

1

9

10

12

13

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135577-1 Date Collected: 08/24/20 00:00

Matrix: Water

Date Received: 08/26/20 09:20

Method: 8260B - Volatile O Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			09/04/20 14:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			09/04/20 14:04	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			09/04/20 14:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			09/04/20 14:04	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			09/04/20 14:04	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			09/04/20 14:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 130					09/04/20 14:04	1
4-Bromofluorobenzene (Surr)	89		47 - 134					09/04/20 14:04	1
Toluene-d8 (Surr)	93		69 - 122					09/04/20 14:04	1
Dibromofluoromethane (Surr)	88		78 - 129					09/04/20 14:04	1

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Client Sample ID: MW-151S_082420

Date Collected: 08/24/20 15:15 Date Received: 08/26/20 09:20 Lab Sample ID: 240-135577-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/31/20 19:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133					08/31/20 19:59	1
Method: 8260B - Volatile O	rganic Compo	unds (GC/I	MS)						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			09/04/20 14:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			09/04/20 14:26	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			09/04/20 14:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			09/04/20 14:26	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			09/04/20 14:26	1
Vinyl chloride	1.4		1.0	0.50	ug/L			09/04/20 14:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					09/04/20 14:26	1
4-Bromofluorobenzene (Surr)	87		47 - 134					09/04/20 14:26	1
Toluene-d8 (Surr)	93		69 - 122					09/04/20 14:26	1
Dibromofluoromethane (Surr)	85		78 - 129					09/04/20 14:26	1

9/10/2020

3

5

7

9

10

12

13

Surrogate Summary

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate					
		DCA	BFB	TOL	DBFM			
Lab Sample ID	Client Sample ID	(75-130)	(47-134)	(69-122)	(78-129)			
240-135577-1	TRIP BLANK	94	89	93	88			
240-135577-2	MW-151S_082420	92	87	93	85			
240-135581-H-2 MS	Matrix Spike	87	99	98	87			
240-135581-K-2 MSD	Matrix Spike Duplicate	84	98	97	87			
LCS 240-450091/4	Lab Control Sample	86	101	98	87			
MB 240-450091/7	Method Blank	94	84	91	88			

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
		DCA							
Lab Sample ID	Client Sample ID	(70-133)							
240-135520-D-3 MS	Matrix Spike	91							
240-135520-D-3 MSD	Matrix Spike Duplicate	88							
240-135577-2	MW-151S_082420	85							
LCS 240-449401/4	Lab Control Sample	92							
MB 240-449401/5	Method Blank	86							
Surrogate Legend									

DCA = 1,2-Dichloroethane-d4 (Surr)

Page 10 of 18

Client: ARCADIS U.S., Inc.

Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-450091/7

Matrix: Water

Analysis Batch: 450091

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB Result Qualifier RL **MDL** Unit Dil Fac Analyte D Prepared Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.46 ug/L 09/04/20 12:17 cis-1,2-Dichloroethene 1.0 U 1.0 0.38 ug/L 09/04/20 12:17 1.0 U Tetrachloroethene 1.0 0.33 ug/L 09/04/20 12:17 0.43 ug/L trans-1,2-Dichloroethene 1.0 U 1.0 09/04/20 12:17 Trichloroethene 10 U 1.0 0.36 ug/L 09/04/20 12:17 Vinyl chloride 1.0 U 1.0 0.50 ug/L 09/04/20 12:17

MB MB Surrogate %Recovery Qualifier Limits Prepared Dil Fac Analyzed 75 - 130 1,2-Dichloroethane-d4 (Surr) 94 09/04/20 12:17 4-Bromofluorobenzene (Surr) 84 47 - 134 09/04/20 12:17 91 69 - 122 09/04/20 12:17 Toluene-d8 (Surr) Dibromofluoromethane (Surr) 88 78 - 129 09/04/20 12:17

Lab Sample ID: LCS 240-450091/4

Matrix: Water

Analysis Batch: 450091

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Spike LCS LCS %Rec. Added Analyte Result Qualifier Unit %Rec Limits 1,1-Dichloroethene 10.0 94 73 - 129 9.41 ug/L cis-1,2-Dichloroethene 10.0 11.4 ug/L 114 75 - 124 Tetrachloroethene 10.0 70 - 125 11.8 ug/L 118 109 trans-1.2-Dichloroethene 10.0 10.9 ug/L 74 - 130 Trichloroethene 10.0 10.1 ug/L 101 71 - 121 Vinyl chloride 10.0 8.60 ug/L 86 61 - 134

LCS LCS Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 86 75 - 130 4-Bromofluorobenzene (Surr) 101 47 - 134 69 - 122 Toluene-d8 (Surr) 98 78 - 129 Dibromofluoromethane (Surr) 87

Lab Sample ID: 240-135581-H-2 MS

Matrix: Water

Analysis Batch: 450091

Client Sample ID: Matrix Spike Prep Type: Total/NA

-	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1.0	U	10.0	7.94		ug/L		79	64 - 132	_
cis-1,2-Dichloroethene	1.0	U	10.0	9.30		ug/L		93	68 - 121	
Tetrachloroethene	1.0	U	10.0	9.45		ug/L		94	52 - 129	
trans-1,2-Dichloroethene	1.0	U	10.0	9.15		ug/L		91	69 - 126	
Trichloroethene	1.0	U	10.0	8.37		ug/L		84	56 - 124	
Vinyl chloride	1.0	U	10.0	8.71		ug/L		87	49 - 136	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		75 - 130
4-Bromofluorobenzene (Surr)	99		47 - 134
Toluene-d8 (Surr)	98		69 - 122

Eurofins TestAmerica, Canton

9/10/2020

Page 11 of 18

2

3

<u>:</u>

6

8

10

40

13

4 /

Job ID: 240-135577-1

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Off-Site

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-135581-H-2 MS Client Sample ID: Matrix Spike **Prep Type: Total/NA**

Matrix: Water

Analysis Batch: 450091

MS MS

%Recovery Qualifier Limits Surrogate Dibromofluoromethane (Surr) 87 78 - 129

Lab Sample ID: 240-135581-K-2 MSD

Matrix: Water

Analysis Batch: 450091

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	10.0	8.07		ug/L		81	64 - 132	2	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.51		ug/L		95	68 - 121	2	35
Tetrachloroethene	1.0	U	10.0	9.69		ug/L		97	52 - 129	3	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.19		ug/L		92	69 - 126	0	35
Trichloroethene	1.0	U	10.0	8.31		ug/L		83	56 - 124	1	35
Vinyl chloride	1.0	U	10.0	7.95		ug/L		80	49 - 136	9	35
The state of the s											

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		75 - 130
4-Bromofluorobenzene (Surr)	98		47 - 134
Toluene-d8 (Surr)	97		69 - 122
Dibromofluoromethane (Surr)	87		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-449401/5

Matrix: Water

Analysis Batch: 449401

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB **Analyte** Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 1,4-Dioxane 2.0 U 2.0 08/31/20 12:55 0.86 ug/L

MB MB %Recovery Qualifier Surrogate Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 08/31/20 12:55 86 70 - 133

Lab Sample ID: LCS 240-449401/4

Analysis Batch: 449401

Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Spike LCS LCS %Rec. Added Result Qualifier Limits Analyte Unit D %Rec 1,4-Dioxane 10.0 11.4 ug/L 114 80 - 135

LCS LCS

Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 92 70 - 133

Lab Sample ID: 240-135520-D-3 MS

Matrix: Water

Analysis Batch: 449401

Client Sample ID: Matrix Spike Prep Type: Total/NA

Sample Sample Spike MS MS %Rec. Result Qualifier Added Result Qualifier Unit Limits Analyte %Rec 1,4-Dioxane 1.4 J 10.0 12.3 ug/L 108 46 - 170

Eurofins TestAmerica, Canton

Page 12 of 18

9/10/2020

QC Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1 Project/Site: Ford LTP Off-Site

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

%Recovery Qualifier

88

Surrogate

1,2-Dichloroethane-d4 (Surr)

	MS	MS									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	91		70 - 133								
Lab Sample ID: 240-135	520-D-3 MSD					Client	Samp	le ID: N	latrix Spil	•	
Matrix: Water									Prep Ty	pe. ioi	allin
Analysis Batch: 449401	Cample	Cample	Cmileo	Med	Med					pe. Tot	
Analysis Batch: 449401	•	Sample	Spike	_	MSD				%Rec.		RPD
	•	Sample Qualifier	Spike Added	_	MSD Qualifier	Unit	D	%Rec		RPD	
Analysis Batch: 449401	•	Qualifier	•	_	_	Unit ug/L	<u>D</u>	%Rec 101	%Rec.		RPD

Limits

70 - 133

QC Association Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Off-Site

Job ID: 240-135577-1

GC/MS VOA

Analysis Batch: 449401

Lab Sample ID 240-135577-2	Client Sample ID MW-151S 082420	Prep Type Total/NA	Matrix Water	Method 8260B SIM	Prep Batch
MB 240-449401/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-449401/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-135520-D-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-135520-D-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 450091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135577-1	TRIP BLANK	Total/NA	Water	8260B	_ <u> </u>
240-135577-2	MW-151S_082420	Total/NA	Water	8260B	
MB 240-450091/7	Method Blank	Total/NA	Water	8260B	
LCS 240-450091/4	Lab Control Sample	Total/NA	Water	8260B	
240-135581-H-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-135581-K-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

2

4

6

0

9

11

12

<u> 13</u>

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1 Project/Site: Ford LTP Off-Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135577-1 Date Collected: 08/24/20 00:00

Matrix: Water

Date Received: 08/26/20 09:20

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	450091	09/04/20 14:04	LEE	TAL CAN

Client Sample ID: MW-151S_082420

Lab Sample ID: 240-135577-2

Matrix: Water

Date Collected: 08/24/20 15:15 Date Received: 08/26/20 09:20

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	450091	09/04/20 14:26	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	449401	08/31/20 19:59	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1 Project/Site: Ford LTP Off-Site

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-20 *
lowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

 $^{^{\}star} \ \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

The Contact Alia M Claffery	190	TestAmerica Laboratory Iocation: Brighton	y location: Bri	1	ain of C	Chain of Custody Record 448 Citation Drive, Suite 200 / Brighton, MI	Chain of Custody Record 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	116 /810-	229-2763				HELEADER IN ENVIRONMENTAL TESTING	CTESTING
Treplace 2 State 2 S	Client Contact	Regulatory	program:	L	N		- RCRA	☐ Other	L					1
A. M. A. S. T. Train before 2 to 94 2 to 9 Train before 2 to 94	Company vame: Accausa	Client Project Man	ager: Kris Hins	key	Site C	ontact: Julia N	1cClafferty		Lab	ontact: N	ike DelM	onice	COC No:	ies, inc
Sample identification	Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994	1-2240		Telepl	ione: 734-644	5131		Telep	hone: 330	497-9396			
Manual Supplication	City/State/Zip: Novi, MI, 48377		The state of the s			mives lurnar	ound Time		-		V	lyene		S
	Phone: 248-994-2240	Email: Kristofler.h	mskey(a)arend	жож		and one or carried	Annua Pilano			-		li à ses	For iab use only	
Table Simple Headfacture Simple Date Simple Freeday Simple Headfacture Table Simple Headf	Project Name: Ford LTP Off-Site	Sampler Name:	WATER	13000r	TALIC	different from belon	weeks weeks						Walk-in client	
Stage Stag	Project Number: 30050315,402.04	Method of Shipmen	t/Carrier:	P	:	LL	week			8			Structures over	
Sumple thereficials	PO#30050315.402.04	Shipping/Tracking	No:		T	- L	day			8560			Job/SDG No:	
S - 0 9 2 4 2 0	Sample Identification			Aqueous insulation insulation	HOSZE	HORN SON	HOAR STREET				.CE 8500B		Sample Specific Not Special Instruction	/ 53
S_O \$2420	TRIP BLANK	2/24/20	4	×		>		-	7	5	×	X	11	37
Heteriffection Hete			10/6	×	F	<×		_	3	1> 1>	2	? ? ? , ,	Deag For	Sooks
1 Hentifeation 1 Therefore Team that There is a stronger of the stronger of t														
Totantification Totant														
Identification					+		1	240-13	35577 C	nain of (Sustody			
Identification Company														
Identification					+									
sthrough Cadena at Jonnalia@cadenaco.com. Cadena #E203831 19 Trough Cadena at Jonnalia@cadenaco.com. Cadena #E203831 20 Trough Cadena at Jonnalia@cadenaco.com. Cadena #E203831 20 Trough Cadena at Jonnalia@cadenaco.com. Cadena #E203831 20 Trough Cadena at Jonnalia #E203831 20 Trough Cadena at Jonnalia #E203831 21 Trough Cadena at Jonnalia #E203831 22 Trough Cadena at Jonnalia #E203831 23 Trough Cadena at Jonnalia #E203831 24 Trough Cadena at Jonnalia #E203831 25 Trough Cadena at Jonnalia #E203831 26 Trough Cadena at Jonnalia #E203831 27 Trough Cadena at Jonnalia #E203831 27 Trough Cadena #E203831 27 Trou	Possible Hazard Identification F Non-Hazard 'Janumable cm Irrit			кномп	San	nple Disposal (A fee may be a	isposal By I	amples are	retained	onger th	n I month)		
EAR JULY Speces Company Date Time: A cody of the company of the	Special Instructions/QC Requirements & Comments: Submit all results through Cadena at Itomalia@cadena	co.com. Cadena #E20												
WHEN DUE TO THE Company Company Date I me. Company Company Date I me. Start Description of the Due Time. Start Date I me. Company Date I me. Start Date I me. Company Date I me. Start Date I me. Start Date I me. Start Date I me. Company Date I me. The Company Date I me. Start Date I me. Start Date I me. Date	Level IV Reporting requested.				-					1				
Existing Company: Company: Date/Igne Brecived in Laboratory by Company: Date/Igne Bricklined S-26-20 9	Reinquished by 11 the Speech	Company. Company.	8				~	30	54010	3	Compa	(madis	3	700
	SIETH AND O	Company	71	3 -6	0		ed in Laborate	Se long	10		Compa	# The	150 92	
				9	1	$\frac{1}{1}$	1000	7				67		9

Canton Facility Client	°C
Cooler Received on 8-76-70 Opened on 9-76 Opened on 8-76-70 Opened on 8-76-70 Opened on 9-76 Ope	°C
GedEx: 1st Gro Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other Receipt After-hours: Drop-off Date/Time Storage Location TestAmerica Cooler # Foam Box Client Cooler Box Other Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Ice Blue Ice Dry Ice Water None Cooler temperature upon receipt See Multiple Cooler Form IR GUN# IR-10 (CF +0.7°C) Observed Cooler Temp. °C Corrected Cooler Temp. IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. 5.6 °C Corrected Cooler Temp. 4.5 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No -Were the seals on the outside of the cooler(s) signed & dated? -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were tamper/custody seals intact and uncompromised? Shippers' packing slip attached to the cooler(s)? Did custody papers accompany the sample(s)?	°C
Receipt After-hours: Drop-off Date/Time Storage Location Set America Cooler # Foam Box Client Cooler Box Other Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Ice Blue Ice Dry Ice Water None Cooler temperature upon receipt IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. °C Corrected Cooler Temp. IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 41.5 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No -Were the seals on the outside of the cooler(s) signed & dated? -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were tamper/custody seals intact and uncompromised? Storage Location Sto	°C
Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Ice Blue Ice Dry Ice Water None Cooler temperature upon receipt See Multiple Cooler Form IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. °C Corrected Cooler Temp. IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. 3.6 °C Corrected Cooler Temp. 41.5 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No -Were the seals on the outside of the cooler(s) signed & dated? -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were tamper/custody seals intact and uncompromised? Shippers' packing slip attached to the cooler(s)? Did custody papers accompany the sample(s)?	°C
Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Ice Blue Ice Dry Ice Water None Cooler temperature upon receipt See Multiple Cooler Form IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. °C Corrected Cooler Temp. IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. 5.6 °C Corrected Cooler Temp. 41.5 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No -Were the seals on the outside of the cooler(s) signed & dated? -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? -Were tamper/custody seals intact and uncompromised? Shippers' packing slip attached to the cooler(s)? Did custody papers accompany the sample(s)?	°C
3. Were VOAs on the COC? 4. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No Yes No NA	Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC
5. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #	
ontacted PM Date by via Verbal Voice Mail Oth	her
oncerning	
7. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples	s processed by:
B. SAMPLE CONDITION ample(s) were received after the recommended holding time had example(s) were received in a broken control of the property o	
ample(s) were received with bubble >6 mm in diameter. (N	Notify PM)
). SAMPLE PRESERVATION	
P. SAMPLE PRESERVATION ample(s) were further preserved: Preservative(s) added/Lot number(s):	

WI-NC-099

DATA VERIFICATION REPORT



September 10, 2020

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30050315.0402.04 off site

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 135577-1 Sample date: 2020-08-24

Report received by CADENA: 2020-09-10

Initial Data Verification completed by CADENA: 2020-09-10

Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 135577-1

		Sample Name: Lab Sample ID: Sample Date:	TRIP BLA 2401355 8/24/20	5771			MW-151S_082420 2401355772 8/24/2020			
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC	O.D.									
<u>OSW-8260</u>		75.05.4	ND	4.0	<i>n</i>		NID	4.0	/1	
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		1.4	1.0	ug/l	
OSW-8260	<u>OBBSim</u>									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-135577-1

CADENA Verification Report: 2020-09-10

Analyses Performed By:

TestAmerica

Edison, New Jersey

Report #38412R Review Level: Tier III Project: 30050315.402.02

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-135577-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
	TRIP BLANK	240-135577-1	Water	8/24/2020		Х		
240-135577-1	MW-151S_082420	240-135577-2	Water	8/24/2020		Х	Х	

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

	Rep	orted	Performance Acceptable		Not
Items Reviewed	No	Yes	No	Yes	Required
Sample receipt condition		Х		X	
2. Requested analyses and sample results		Х		Х	
Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		X	
9. Sample preparation/extraction/analysis dates		Х		X	
10. Fully executed Chain-of-Custody (COC) form		Х		X	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		Х	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample Locations	Initial/Continuing	Compound	Criteria
TRIP BLANK MW-151S_082420	CCV %D	Tetrachloroethene	+20.1%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

Initial/Continuing	Criteria	Sample Result	Qualification
	RRF <0.05	Non-detect	R
	KKI <0.03	Detect	J
Initial and Continuing	RRF <0.01 ¹	Non-detect	R
Calibration	KKI 30.01	Detect	J
	RRF >0.05 or RRF >0.01 ¹	Non-detect	No Action
	KKF >0.05 01 KKF >0.01	Detect	NO ACTION
Initial Calibration	%RSD > 15% or a correlation coefficient <0.99	Non-detect	UJ
	70KSD > 15% of a correlation coefficient <0.99	Detect	J
	%RSD >90%	Non-detect	R
	70K3D >90%	Detect	J
	0/D - 200/ (increase in consistingly)	Non-detect	No Action
	%D >20% (increase in sensitivity)	Detect	J
	0/D 200/ (dearance in consistivity)	Non-detect	UJ
Continuing Calibration	%D >20% (decrease in sensitivity)	Detect	J
	Non-detect		R
	%D >90% (increase/decrease in sensitivity)	Detect	J

Note:

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not performed on a sample within this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

¹ RRF of 0.01 only applies to compounds which are typically poor responding compounds (i.e., ketones, 1,4-dioxane, etc.)

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM		ported		ormance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETI	RY (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation	·	·	·		
System performance and column resolution		X		X	
Initial calibration %RSDs		Х		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	Х		
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		X	
Field Duplicate RPD	Х				Х
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		Х		X	
E. Reporting limits adjusted to reflect sample dilutions		Х		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

DATE: September 25, 2020

a Kaz

PEER REVIEW: Joseph C. Houser

DATE: September 28, 2020

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

190	TestAmerica Laboratory Iocation: Brighton	location; Brig	1	in of Cu ation Drive, S	Chain of Custody Record 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	ord , MI 48116 / 8	10-229-276				IESTAMENICO
Commune Names Arcadia	Regulatory program:	program:	wd □	□ NPDES	ES RCRA	tA Other	her				
Company vame: Accausa	Client Project Manager: Kris Hins	ger: Kris Hins	key	Site Cont	Site Contact: Julia McClafferty	erty	Lai	Lab Contact: Mike DelMonice	Hike DelN	onice	COC No:
Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240	2240		Telephor	Telephone: 734-644-5131		Tel	Telephone: 330-497-9396	0-497-939	9	
City/State/Zip: Novi, MI, 48377				Ann	Analysis [urnaround] ime	me	1		V	Ang year	of COCs
Phone: 248-994-2240	Email: Kristofler, hinskey gareadis, com	nskey(a/arcadis	сош		The same that the second		F			all year	For iab use only
Project Name: Ford LTP Off-Site	Sampler Name:	WHY	WHEROCA	TAT if differ	TAT if different from below 3 weeks 10 day 7 2 weeks		-				Walk-in client
Project Number: 30050315,402.04	Method of Shipment/Carrier:	/Carrier:	P		LL			8			Brudine or
PO#30050315.402.04	Shipping/Tracking No:	10:		_	☐ 1 day		8				Job/SDG No;
Sample Identification	Sample Date San	Sample Time	sucoup/ inscriment Solid Friedrich	FONE	Containers & Preservatives (and House Hous	Other:	1-DCE 8260	Tans-1,2-DCE	.CE 8500B	Angyl Chloride	Sample Specific Notes / Special Instructions:
TRIP BLANK		4		+		J.	4	5	Ž	×	1 Trip blank
027280 S SI - EMM	8/04/70/5	10/	×		<×	2	7	1	15	'X	Y e
						240	240-135577 Chain of Custody	Chain of	Custod		
							+				
Possible Hazard Identification F Non-Hazard 'lanmable cm Irritant	ant Poison B	□ Unknown	помп	Samp	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Return to Client Disposal By Lab Achive For	nay be assessed if samp	if samples a	re retained	ained longer th	an I month) Months	
ments & Comment dena at jtomalia(co.com. Cadena #E20										
Refinanshed by:	Company		Date/Time. /	_	Received by				Come		DotalTime
and of the Spee	Company		S/24/20 DateTime	1900	Rec	15 Cold	Storage	Je Starter	Company	1 cadis	100/
Relinquishedby	Company	2	Date/Time	975	Received in Laboratory by	aborator by	0		Company	inn:	
polities, Inc., All rights reserved			3	3	0					- Ay	3
THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PARTY AND A											

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135577-1 Date Collected: 08/24/20 00:00

Matrix: Water

Date Received: 08/26/20 09:20

Method: 8260B - Volatile O Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			09/04/20 14:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			09/04/20 14:04	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			09/04/20 14:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			09/04/20 14:04	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			09/04/20 14:04	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			09/04/20 14:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 130					09/04/20 14:04	1
4-Bromofluorobenzene (Surr)	89		47 - 134					09/04/20 14:04	1
Toluene-d8 (Surr)	93		69 - 122					09/04/20 14:04	1
Dibromofluoromethane (Surr)	88		78 - 129					09/04/20 14:04	1

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-135577-1

Project/Site: Ford LTP Off-Site

Client Sample ID: MW-151S_082420

Date Collected: 08/24/20 15:15 Date Received: 08/26/20 09:20 Lab Sample ID: 240-135577-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/31/20 19:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133					08/31/20 19:59	1
Method: 8260B - Volatile O	rganic Compo	unds (GC/I	MS)						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			09/04/20 14:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			09/04/20 14:26	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			09/04/20 14:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			09/04/20 14:26	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			09/04/20 14:26	1
Vinyl chloride	1.4		1.0	0.50	ug/L			09/04/20 14:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					09/04/20 14:26	1
4-Bromofluorobenzene (Surr)	87		47 - 134					09/04/20 14:26	1
Toluene-d8 (Surr)	93		69 - 122					09/04/20 14:26	1
Dibromofluoromethane (Surr)	85		78 - 129					09/04/20 14:26	1

9/10/2020

3

5

7

9

10

12

13