

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-126241-1
Client Project/Site: Ford LTP Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/27/2020 10:09:03 AM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Job ID: 240-126241-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off Site

Report Number: 240-126241-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 2/13/2020 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-126241-1) and MW-156S_021120 (240-126241-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/18/2020.

1,2-Dichloroethane-d4 (Surr) and Dibromofluoromethane (Surr) failed the surrogate recovery criteria low for MW-156S_021120MS (240-126241-2MS). Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-156S_021120 (240-126241-2) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 02/19/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-126241-1	TRIP BLANK	Water	02/11/20 00:00	02/13/20 08:40	
240-126241-2	MW-156S_021120	Water	02/11/20 13:20	02/13/20 08:40	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126241-1

No Detections.

Client Sample ID: MW-156S_021120

Lab Sample ID: 240-126241-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126241-1

Date Collected: 02/11/20 00:00

Matrix: Water

Date Received: 02/13/20 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 18:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/18/20 18:51	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/18/20 18:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 18:51	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/18/20 18:51	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/18/20 18:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130		02/18/20 18:51	1
4-Bromofluorobenzene (Surr)	66		47 - 134		02/18/20 18:51	1
Toluene-d8 (Surr)	82		69 - 122		02/18/20 18:51	1
Dibromofluoromethane (Surr)	85		78 - 129		02/18/20 18:51	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: MW-156S_021120

Lab Sample ID: 240-126241-2

Date Collected: 02/11/20 13:20

Matrix: Water

Date Received: 02/13/20 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/19/20 12:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 133		02/19/20 12:39	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 19:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/18/20 19:13	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/18/20 19:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 19:13	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/18/20 19:13	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/18/20 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130		02/18/20 19:13	1
4-Bromofluorobenzene (Surr)	65		47 - 134		02/18/20 19:13	1
Toluene-d8 (Surr)	83		69 - 122		02/18/20 19:13	1
Dibromofluoromethane (Surr)	81		78 - 129		02/18/20 19:13	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-126241-1	TRIP BLANK	85	66	82	85
240-126241-2	MW-156S_021120	85	65	83	81
240-126241-2 MS	MW-156S_021120	66 X	67	74	69 X
240-126241-2 MSD	MW-156S_021120	80	83	90	87
LCS 240-423204/4	Lab Control Sample	80	84	93	86
MB 240-423204/7	Method Blank	87	72	89	86

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-133)
240-126241-2	MW-156S_021120	102
240-126250-C-3 MS	Matrix Spike	100
240-126250-C-3 MSD	Matrix Spike Duplicate	101
LCS 240-423320/4	Lab Control Sample	104
MB 240-423320/5	Method Blank	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-423204/7
Matrix: Water
Analysis Batch: 423204

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 11:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/18/20 11:48	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/18/20 11:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 11:48	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/18/20 11:48	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/18/20 11:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		75 - 130		02/18/20 11:48	1
4-Bromofluorobenzene (Surr)	72		47 - 134		02/18/20 11:48	1
Toluene-d8 (Surr)	89		69 - 122		02/18/20 11:48	1
Dibromofluoromethane (Surr)	86		78 - 129		02/18/20 11:48	1

Lab Sample ID: LCS 240-423204/4
Matrix: Water
Analysis Batch: 423204

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.2		ug/L		102	73 - 129
cis-1,2-Dichloroethene	10.0	9.75		ug/L		98	75 - 124
Tetrachloroethene	10.0	11.4		ug/L		114	70 - 125
trans-1,2-Dichloroethene	10.0	9.64		ug/L		96	74 - 130
Trichloroethene	10.0	9.99		ug/L		100	71 - 121
Vinyl chloride	10.0	6.38		ug/L		64	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		75 - 130
4-Bromofluorobenzene (Surr)	84		47 - 134
Toluene-d8 (Surr)	93		69 - 122
Dibromofluoromethane (Surr)	86		78 - 129

Lab Sample ID: 240-126241-2 MS
Matrix: Water
Analysis Batch: 423204

Client Sample ID: MW-156S_021120
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.36		ug/L		84	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	8.10		ug/L		81	68 - 121
Tetrachloroethene	1.0	U	10.0	9.31		ug/L		93	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	7.98		ug/L		80	69 - 126
Trichloroethene	1.0	U	10.0	7.94		ug/L		79	56 - 124
Vinyl chloride	1.0	U	10.0	5.87		ug/L		59	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	66	X	75 - 130
4-Bromofluorobenzene (Surr)	67		47 - 134
Toluene-d8 (Surr)	74		69 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-126241-2 MS
Matrix: Water
Analysis Batch: 423204

Client Sample ID: MW-156S_021120
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	69	X	78 - 129

Lab Sample ID: 240-126241-2 MSD
Matrix: Water
Analysis Batch: 423204

Client Sample ID: MW-156S_021120
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	10.0	8.41		ug/L		84	64 - 132	1	35	
cis-1,2-Dichloroethene	1.0	U	10.0	8.34		ug/L		83	68 - 121	3	35	
Tetrachloroethene	1.0	U	10.0	9.22		ug/L		92	52 - 129	1	35	
trans-1,2-Dichloroethene	1.0	U	10.0	8.40		ug/L		84	69 - 126	5	35	
Trichloroethene	1.0	U	10.0	8.27		ug/L		83	56 - 124	4	35	
Vinyl chloride	1.0	U	10.0	6.52		ug/L		65	49 - 136	11	35	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	80		75 - 130
4-Bromofluorobenzene (Surr)	83		47 - 134
Toluene-d8 (Surr)	90		69 - 122
Dibromofluoromethane (Surr)	87		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-423320/5
Matrix: Water
Analysis Batch: 423320

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/19/20 05:48	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	97		70 - 133		02/19/20 05:48	1

Lab Sample ID: LCS 240-423320/4
Matrix: Water
Analysis Batch: 423320

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS LCS		Unit	D	%Rec	%Rec.
		Result	Qualifier				
1,4-Dioxane	10.0	8.53		ug/L		85	80 - 135

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		70 - 133

Lab Sample ID: 240-126250-C-3 MS
Matrix: Water
Analysis Batch: 423320

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS MS		Unit	D	%Rec	%Rec.
	Result	Qualifier		Result	Qualifier				
1,4-Dioxane	2.0	U	10.0	10.9		ug/L		109	46 - 170

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	100		70 - 133

Lab Sample ID: 240-126250-C-3 MSD
Matrix: Water
Analysis Batch: 423320

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.4		ug/L		104	46 - 170	5	26

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	101		70 - 133

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

GC/MS VOA

Analysis Batch: 423204

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126241-1	TRIP BLANK	Total/NA	Water	8260B	
240-126241-2	MW-156S_021120	Total/NA	Water	8260B	
MB 240-423204/7	Method Blank	Total/NA	Water	8260B	
LCS 240-423204/4	Lab Control Sample	Total/NA	Water	8260B	
240-126241-2 MS	MW-156S_021120	Total/NA	Water	8260B	
240-126241-2 MSD	MW-156S_021120	Total/NA	Water	8260B	

Analysis Batch: 423320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126241-2	MW-156S_021120	Total/NA	Water	8260B SIM	
MB 240-423320/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-423320/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-126250-C-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-126250-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126241-1

Date Collected: 02/11/20 00:00

Matrix: Water

Date Received: 02/13/20 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423204	02/18/20 18:51	LEE	TAL CAN

Client Sample ID: MW-156S_021120

Lab Sample ID: 240-126241-2

Date Collected: 02/11/20 13:20

Matrix: Water

Date Received: 02/13/20 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423204	02/18/20 19:13	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	423320	02/19/20 12:39	TJL2	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20 *
Connecticut	State	PH-0590	12-31-19 *
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20 *
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20 *
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19 *
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

TestAmerica Laboratories, Inc.
COC No: _____

Client Contact: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Client Project Manager: Kris Hinsley
Telephone: 248-994-2240
Email: kris@arcadis.com

Lab Contact: Mike DeMontico
Telephone: 330-497-9396

Project Name: Ford LTP Off-Site
Project Number: 30042006.0402.02
PO # 30042006.0402.02

Sampler Name: S. JOHNSON
Method of Shipment/Carrier: _____
Shipping/Tracking No: _____

Analysis Turnaround Time
TAT if different from below:
10 day 3 weeks
1 week 2 weeks
2 days 1 week
1 day 2 days

Filtered Sample (Y/N) Composite-C/Grab-G

Containers & Preservatives
H2SO4 HNO3 HCl NaOH ZnAc Upters Other: _____

Matrix
Air Sediment Solid Other: _____

Sample Date Sample Time

Sample Identification

Sample Specific Notes / Special Instructions

For lab use only
Walk-in client
Lab sampling
Job/SDG No:
Sample Specific Notes / Special Instructions

Analyses
1,1-DCE 8260B
cis-1,2-DCE 8260B
Trans-1,2-DCE 8260B
PCE 8260B
TCE 8260B
Vinyl Chloride 8260B
1,4-Dioxane 8260B SIM

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Relinquished by: _____
Relinquished by: _____
Relinquished by: _____

Company: ARCADIS
Date/Time: 2/12/20 1530
Company: Arcadis
Date/Time: 2/11/20 1700
Company: Arcadis
Date/Time: 2/11/20 1800

Received by: _____
Received by: _____
Received in Laboratory by: _____

Company: ARCADIS
Date/Time: 2/12/20 1530
Company: Arcadis
Date/Time: 2/11/20 1700
Company: Arcadis
Date/Time: 2/11/20 1800

Company: ETAL-M
Date/Time: 2/12/20 1221
Company: ETA
Date/Time: 2-13-20 840

Company: Arcadis
Date/Time: 2/12/20 12:15
Company: ETAL-M
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35

Company: Molly Huson
Date/Time: 2/12/20 16:35




Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 126241

Client Arcadis Site Name _____ Cooler unpacked by: Ryan
 Cooler Received on 2-13-20 Opened on 2-15-20 840
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # TA Foam Box _____ Client Cooler _____ Box _____ Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None _____ Other _____
 COOLANT: Wet Ice Blue Ice _____ Dry Ice _____ Water _____ None _____

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. 4.7 °C Corrected Cooler Temp. 5.4 °C
 IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes/No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes/No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes/No No
 -Were tamper/custody seals intact and uncompromised? Yes/No NA
3. Shippers' packing slip attached to the cooler(s)? Yes/No No
4. Did custody papers accompany the sample(s)? Yes/No No
5. Were the custody papers relinquished & signed in the appropriate place? Yes/No No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes/No No
7. Did all bottles arrive in good condition (Unbroken)? Yes/No No
8. Could all bottle labels be reconciled with the COC? Yes/No No
9. Were correct bottle(s) used for the test(s) indicated? Yes/No No
10. Sufficient quantity received to perform indicated analyses? Yes/No No
11. Are these work share samples? Yes/No No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes/No NA pH Strip Lot# HC995364
13. Were VOAs on the COC? Yes/No No
14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes/No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes/No No
16. Was a LL Hg or Me Hg trip blank present? _____ Yes/No No

Tests that are not checked for pH by Receiving:

 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: AG

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



February 27, 2020

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30042006.0402.02 off site
Event Specific Scope of Work References: Sample COC
Laboratory: TestAmerica - North Canton
Laboratory submittal: 126241-1
Sample date: 2020-02-11
Report received by CADENA: 2020-02-27
Initial Data Verification completed by CADENA: 2020-02-27
Number of Samples:2
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC sample -002MS surrogate recovery outliers did not result in qualification of client sample data.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 126241-1

Lab Sample ID	Sample ID	Collection Date (mm/yy/dd)	Collection Time (hh:mm:ss)	Volatile Organics by GCMS	8260B with Single Ion Monitoring	Comment
2401262411	TRIP BLANK	2/11/2020	12:00:00	X		
2401262412	MW-156S_021120	2/11/2020	1:20:00	X	X	

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 126241-1

Sample Name: TRIP BLANK MW-156S_021120
Lab Sample ID: 2401262411 2401262412
Sample Date: 2/11/2020 2/11/2020

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier	
		Result	Limit			Result	Limit			
GC/MS VOC										
<u>OSW-8260B</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
<u>OSW-8260BBSim</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-126241-1

CADENA Verification Report: 2020-02-27

Analyses Performed By:

TestAmerica

Edison, New Jersey

Report #36017R

Review Level: Tier III

Project: 30042006.0402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-126241-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						VOC (Full Scan)	VOC (SIM)	MISC
240-126241-1	TRIP BLANK	240-126241-1	Water	2/11/2020		X		
	MW-156S_021120	240-126241-2	Water	2/11/2020		X	X	

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

DATA REVIEW

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not performed on a sample within this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:



DATE: March 4, 2020

PEER REVIEW: Dennis Capria

DATE: March 9, 2020



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



**NO CORRECTIONS/QUALIFIERS ADDED
TO SAMPLE ANALYSIS DATA SHEETS**



Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Client Project Manager: Kris Hinsley
Telephone: 248-994-2240
Email: kris@hinsley.com

Lab Contact: Mike DeMonico
Telephone: 330-497-9396

Project Name: Ford LTP Off-Site
Project Number: 30042006.0402.02
PO # 30042006.0402.02

Sampler Name: S. JOHNSON
Method of Shipment/Carrier:
Shipping/Tracking No:

Analysis Turnaround Time
TAT if different from below:
10 day 3 weeks
1 week 2 weeks
2 days 1 week
1 day 2 days

Filtered Sample (Y/N)
Composite C/Grab G

Matrix
Air Sediment Solid Other:

Containers & Preservatives
H2SO4 HNO3 HCl NaOH ZnAc Unpres Other:

Sample Identification	Sample Date	Sample Time	1-1-DCE 8260B	Chl-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Analyses
TRIP BLANK			X	X	X	X	X	X	X	
MW-156S-0212c	2/12/20	1320	X	X	X	X	X	X	X	1 TRIP BLANK 3 Vials, 8260B 3 Vials, 8260B SIM



Possible Hazard Identification
 Non-Hazard Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
Level IV Reporting requested.

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
[Signature]	ARCADIS	2/12/20 1530	ARCADIS TRAILER	ARCADIS	2/12/20 1530
[Signature]	Arcadis Trailer	2/11/20 1700	[Signature]	Arcadis	2/11/20 1700
[Signature]	Arcadis	2/11/20 1800	[Signature]	Arcadis	2/11/20 1800
[Signature]	Arcadis	2/12/20 12:15	Novi Cold Storage	ETA-M	2/12/20 1221
[Signature]	ETA-M	2/12/20 1635	Molly Huson	ETA	2-13-20 840

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126241-1

Date Collected: 02/11/20 00:00

Matrix: Water

Date Received: 02/13/20 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 18:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/18/20 18:51	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/18/20 18:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 18:51	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/18/20 18:51	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/18/20 18:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130		02/18/20 18:51	1
4-Bromofluorobenzene (Surr)	66		47 - 134		02/18/20 18:51	1
Toluene-d8 (Surr)	82		69 - 122		02/18/20 18:51	1
Dibromofluoromethane (Surr)	85		78 - 129		02/18/20 18:51	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126241-1

Client Sample ID: MW-156S_021120

Lab Sample ID: 240-126241-2

Date Collected: 02/11/20 13:20

Matrix: Water

Date Received: 02/13/20 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/19/20 12:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 133		02/19/20 12:39	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 19:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/18/20 19:13	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/18/20 19:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/18/20 19:13	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/18/20 19:13	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/18/20 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130		02/18/20 19:13	1
4-Bromofluorobenzene (Surr)	65		47 - 134		02/18/20 19:13	1
Toluene-d8 (Surr)	83		69 - 122		02/18/20 19:13	1
Dibromofluoromethane (Surr)	81		78 - 129		02/18/20 19:13	1