

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-140257-1
Client Project/Site: Ford LTP - Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
11/30/2020 9:11:26 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Method Summary | 5 |
| Sample Summary | 6 |
| Detection Summary | 7 |
| Client Sample Results | 8 |
| Surrogate Summary | 10 |
| QC Sample Results | 11 |
| QC Association Summary | 14 |
| Lab Chronicle | 15 |
| Certification Summary | 16 |
| Chain of Custody | 17 |

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Job ID: 240-140257-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP - Off Site

Report Number: 240-140257-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 11/14/2020 9:25 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.4° C, 1.5° C, 2.3° C and 3.6° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-140257-1) and MW-118S_111120 (240-140257-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/23/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-118S_111120 (240-140257-2) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 11/19/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

| Method | Method Description | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 5030B | Purge and Trap | SW846 | TAL CAN |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 240-140257-1 | TRIP BLANK | Water | 11/11/20 00:00 | 11/14/20 09:25 | |
| 240-140257-2 | MW-118S_111120 | Water | 11/11/20 09:05 | 11/14/20 09:25 | |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140257-1

No Detections.

Client Sample ID: MW-118S_111120

Lab Sample ID: 240-140257-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|----------------|--------|-----------|-----|------|------|---------|---|-----------|-----------|
| 1,4-Dioxane | 0.92 | J | 2.0 | 0.86 | ug/L | 1 | | 8260B SIM | Total/NA |
| Vinyl chloride | 0.65 | J | 1.0 | 0.20 | ug/L | 1 | | 8260B | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140257-1

Date Collected: 11/11/20 00:00

Matrix: Water

Date Received: 11/14/20 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:19 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 11/23/20 17:19 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 11/23/20 17:19 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:19 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 11/23/20 17:19 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 11/23/20 17:19 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 75 - 130 | | 11/23/20 17:19 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 47 - 134 | | 11/23/20 17:19 | 1 |
| Toluene-d8 (Surr) | 99 | | 69 - 122 | | 11/23/20 17:19 | 1 |
| Dibromofluoromethane (Surr) | 91 | | 78 - 129 | | 11/23/20 17:19 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Client Sample ID: MW-118S_111120

Lab Sample ID: 240-140257-2

Date Collected: 11/11/20 09:05

Matrix: Water

Date Received: 11/14/20 09:25

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 0.92 | J | 2.0 | 0.86 | ug/L | | | 11/19/20 19:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 125 | | 70 - 133 | | | | | 11/19/20 19:21 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:44 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 11/23/20 17:44 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 11/23/20 17:44 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:44 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 11/23/20 17:44 | 1 |
| Vinyl chloride | 0.65 | J | 1.0 | 0.20 | ug/L | | | 11/23/20 17:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 113 | | 75 - 130 | | | | | 11/23/20 17:44 | 1 |
| 4-Bromofluorobenzene (Surr) | 102 | | 47 - 134 | | | | | 11/23/20 17:44 | 1 |
| Toluene-d8 (Surr) | 99 | | 69 - 122 | | | | | 11/23/20 17:44 | 1 |
| Dibromofluoromethane (Surr) | 91 | | 78 - 129 | | | | | 11/23/20 17:44 | 1 |

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|-----------------|------------------|
| | | DCA (75-130) | BFB (47-134) | TOL (69-122) | DBFM (78-129) |
| 240-140257-1 | TRIP BLANK | 109 | 101 | 99 | 91 |
| 240-140257-2 | MW-118S_111120 | 113 | 102 | 99 | 91 |
| 240-140259-F-3 MS | Matrix Spike | 102 | 109 | 101 | 83 |
| 240-140259-I-3 MSD | Matrix Spike Duplicate | 100 | 108 | 101 | 82 |
| LCS 240-462350/5 | Lab Control Sample | 101 | 110 | 104 | 85 |
| MB 240-462350/8 | Method Blank | 110 | 103 | 100 | 89 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | DCA |
|--------------------|------------------------|----------|
| | | (70-133) |
| 240-140106-C-3 MS | Matrix Spike | 130 |
| 240-140106-C-3 MSD | Matrix Spike Duplicate | 127 |
| 240-140257-2 | MW-118S_111120 | 125 |
| LCS 240-461848/4 | Lab Control Sample | 124 |
| MB 240-461848/5 | Method Blank | 124 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-462350/8
Matrix: Water
Analysis Batch: 462350

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB | MB | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | | |
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 11:57 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 11/23/20 11:57 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 11/23/20 11:57 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 11:57 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 11/23/20 11:57 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 11/23/20 11:57 | 1 |

| Surrogate | MB | MB | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 110 | | 75 - 130 | | 11/23/20 11:57 | 1 |
| 4-Bromofluorobenzene (Surr) | 103 | | 47 - 134 | | 11/23/20 11:57 | 1 |
| Toluene-d8 (Surr) | 100 | | 69 - 122 | | 11/23/20 11:57 | 1 |
| Dibromofluoromethane (Surr) | 89 | | 78 - 129 | | 11/23/20 11:57 | 1 |

Lab Sample ID: LCS 240-462350/5
Matrix: Water
Analysis Batch: 462350

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS | LCS | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|--------|-----------|------|---|------|--------------|
| | | Result | Qualifier | | | | |
| 1,1-Dichloroethene | 20.0 | 19.4 | | ug/L | | 97 | 73 - 129 |
| cis-1,2-Dichloroethene | 20.0 | 19.8 | | ug/L | | 99 | 75 - 124 |
| Tetrachloroethene | 20.0 | 18.2 | | ug/L | | 91 | 70 - 125 |
| trans-1,2-Dichloroethene | 20.0 | 19.5 | | ug/L | | 97 | 74 - 130 |
| Trichloroethene | 20.0 | 16.5 | | ug/L | | 82 | 71 - 121 |
| Vinyl chloride | 20.0 | 23.4 | | ug/L | | 117 | 61 - 134 |

| Surrogate | LCS | LCS | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 75 - 130 |
| 4-Bromofluorobenzene (Surr) | 110 | | 47 - 134 |
| Toluene-d8 (Surr) | 104 | | 69 - 122 |
| Dibromofluoromethane (Surr) | 85 | | 78 - 129 |

Lab Sample ID: 240-140259-F-3 MS
Matrix: Water
Analysis Batch: 462350

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| Analyte | Sample | Sample | Spike Added | MS | MS | Unit | D | %Rec | %Rec. Limits |
|--------------------------|--------|-----------|-------------|--------|-----------|------|---|------|--------------|
| | Result | Qualifier | | Result | Qualifier | | | | |
| 1,1-Dichloroethene | 1.0 | U | 20.0 | 18.0 | | ug/L | | 90 | 64 - 132 |
| cis-1,2-Dichloroethene | 1.0 | U | 20.0 | 18.5 | | ug/L | | 92 | 68 - 121 |
| Tetrachloroethene | 1.0 | U | 20.0 | 15.5 | | ug/L | | 78 | 52 - 129 |
| trans-1,2-Dichloroethene | 1.0 | U | 20.0 | 18.0 | | ug/L | | 90 | 69 - 126 |
| Trichloroethene | 1.0 | U | 20.0 | 14.8 | | ug/L | | 74 | 56 - 124 |
| Vinyl chloride | 1.0 | U | 20.0 | 23.4 | | ug/L | | 117 | 49 - 136 |

| Surrogate | MS | MS | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 75 - 130 |
| 4-Bromofluorobenzene (Surr) | 109 | | 47 - 134 |
| Toluene-d8 (Surr) | 101 | | 69 - 122 |

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-140259-F-3 MS
Matrix: Water
Analysis Batch: 462350

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| | MS | MS | |
|-----------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| Dibromofluoromethane (Surr) | 83 | | 78 - 129 |

Lab Sample ID: 240-140259-I-3 MSD
Matrix: Water
Analysis Batch: 462350

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| 1,1-Dichloroethene | 1.0 | U | 20.0 | 19.7 | | ug/L | | 98 | 64 - 132 | 9 | 35 |
| cis-1,2-Dichloroethene | 1.0 | U | 20.0 | 19.6 | | ug/L | | 98 | 68 - 121 | 6 | 35 |
| Tetrachloroethene | 1.0 | U | 20.0 | 17.8 | | ug/L | | 89 | 52 - 129 | 14 | 35 |
| trans-1,2-Dichloroethene | 1.0 | U | 20.0 | 19.6 | | ug/L | | 98 | 69 - 126 | 9 | 35 |
| Trichloroethene | 1.0 | U | 20.0 | 16.5 | | ug/L | | 83 | 56 - 124 | 11 | 35 |
| Vinyl chloride | 1.0 | U | 20.0 | 22.4 | | ug/L | | 112 | 49 - 136 | 4 | 35 |

| | MSD | MSD | |
|------------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 75 - 130 |
| 4-Bromofluorobenzene (Surr) | 108 | | 47 - 134 |
| Toluene-d8 (Surr) | 101 | | 69 - 122 |
| Dibromofluoromethane (Surr) | 82 | | 78 - 129 |

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-461848/5
Matrix: Water
Analysis Batch: 461848

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 11/19/20 13:34 | 1 |

| | MB | MB | | | | | | | |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|--|--|--|
| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac | | | |
| 1,2-Dichloroethane-d4 (Surr) | 124 | | 70 - 133 | | 11/19/20 13:34 | 1 | | | |

Lab Sample ID: LCS 240-461848/4
Matrix: Water
Analysis Batch: 461848

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|-------------|------------|---------------|------|---|------|--------------|
| 1,4-Dioxane | 10.0 | 10.4 | | ug/L | | 104 | 80 - 135 |

| | LCS | LCS | |
|------------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1,2-Dichloroethane-d4 (Surr) | 124 | | 70 - 133 |

Lab Sample ID: 240-140106-C-3 MS
Matrix: Water
Analysis Batch: 461848

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| 1,4-Dioxane | 2.0 | U | 10.0 | 10.6 | | ug/L | | 106 | 46 - 170 |

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

| <i>Surrogate</i> | <i>MS</i> <i>%Recovery</i> | <i>MS</i> <i>Qualifier</i> | <i>Limits</i> |
|------------------------------|-------------------------------|-------------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 130 | | 70 - 133 |

Lab Sample ID: 240-140106-C-3 MSD
Matrix: Water
Analysis Batch: 461848

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| <i>Analyte</i> | <i>Sample</i> <i>Result</i> | <i>Sample</i> <i>Qualifier</i> | <i>Spike</i> <i>Added</i> | <i>MSD</i> <i>Result</i> | <i>MSD</i> <i>Qualifier</i> | <i>Unit</i> | <i>D</i> | <i>%Rec</i> | <i>%Rec.</i> <i>Limits</i> | <i>RPD</i> | <i>RPD</i> <i>Limit</i> |
|----------------|--------------------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------------|-------------|----------|-------------|-------------------------------|------------|----------------------------|
| 1,4-Dioxane | 2.0 | U | 10.0 | 10.5 | | ug/L | | 105 | 46 - 170 | 1 | 26 |

| <i>Surrogate</i> | <i>MSD</i> <i>%Recovery</i> | <i>MSD</i> <i>Qualifier</i> | <i>Limits</i> |
|------------------------------|--------------------------------|--------------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 127 | | 70 - 133 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

GC/MS VOA

Analysis Batch: 461848

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-140257-2 | MW-118S_111120 | Total/NA | Water | 8260B SIM | |
| MB 240-461848/5 | Method Blank | Total/NA | Water | 8260B SIM | |
| LCS 240-461848/4 | Lab Control Sample | Total/NA | Water | 8260B SIM | |
| 240-140106-C-3 MS | Matrix Spike | Total/NA | Water | 8260B SIM | |
| 240-140106-C-3 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B SIM | |

Analysis Batch: 462350

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-140257-1 | TRIP BLANK | Total/NA | Water | 8260B | |
| 240-140257-2 | MW-118S_111120 | Total/NA | Water | 8260B | |
| MB 240-462350/8 | Method Blank | Total/NA | Water | 8260B | |
| LCS 240-462350/5 | Lab Control Sample | Total/NA | Water | 8260B | |
| 240-140259-F-3 MS | Matrix Spike | Total/NA | Water | 8260B | |
| 240-140259-I-3 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B | |

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140257-1

Date Collected: 11/11/20 00:00

Matrix: Water

Date Received: 11/14/20 09:25

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 462350 | 11/23/20 17:19 | HMB | TAL CAN |

Client Sample ID: MW-118S_111120

Lab Sample ID: 240-140257-2

Date Collected: 11/11/20 09:05

Matrix: Water

Date Received: 11/14/20 09:25

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 462350 | 11/23/20 17:44 | HMB | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 461848 | 11/19/20 19:21 | SAM | TAL CAN |

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-----------------------|---------------------|-----------------------|-----------------|
| California | State | 2927 | 02-23-21 |
| Connecticut | State | PH-0590 | 12-31-21 |
| Florida | NELAP | E87225 | 06-30-21 |
| Georgia | State | 4062 | 02-23-21 |
| Illinois | NELAP | 004498 | 07-31-21 |
| Iowa | State | 421 | 06-01-21 |
| Kansas | NELAP | E-10336 | 04-30-21 |
| Kentucky (UST) | State | 112225 | 02-23-21 |
| Kentucky (WW) | State | KY98016 | 12-31-20 |
| Minnesota | NELAP | OH00048 | 12-31-20 |
| Minnesota (Petrofund) | State | 3506 | 08-01-21 |
| New Jersey | NELAP | OH001 | 06-30-21 |
| New York | NELAP | 10975 | 03-31-21 |
| Ohio VAP | State | CL0024 | 06-05-21 |
| Oregon | NELAP | 4062 | 02-24-21 |
| Pennsylvania | NELAP | 68-00340 | 08-31-21 |
| Texas | NELAP | T104704517-18-10 | 08-31-21 |
| USDA | US Federal Programs | P330-18-00281 | 09-17-21 |
| Virginia | NELAP | 010101 | 09-14-21 |
| Washington | State | C971 | 01-12-21 |
| West Virginia DEP | State | 210 | 12-31-20 |




Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

MICHIGAN
190

| Client Contact | | | Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other | | | | | | | | | | | | | | | TestAmerica Laboratories, Inc. | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|--------------------|---------------|---|---------------------|-----------|-----------|----------------------|---|-------|----------------------------|------|-----|--|------|----------|--------|-------|--------------------------------|--------------------|---------------|---|---------------------|---------------|-------------------|----------------------|-----------------------|------------------------------------|----------------------|-----------------------|--|--|--|--|--|--|--|--|--|--|----------------|--|--|
| Company Name: Arcadis | | | Client Project Manager: Kris Hinskey | | | | | Site Contact: Julia McClafferty | | | | | Lab Contact: Mike DelMonico | | | | | COC No: | | | | | | | | | | | | | | | | | | | | | | | | |
| Address: 28550 Cabot Drive, Suite 500 | | | Telephone: 248-994-2240 | | | | | Telephone: 734-644-5131 | | | | | Telephone: 330-497-9396 | | | | | of COCs | | | | | | | | | | | | | | | | | | | | | | | | |
| City/State/Zip: Novi, MI, 48377 | | | Email: kristoffer.hinskey@arcadis.com | | | | | Analysis Turnaround Time | | | | | Analyses | | | | | | | | For lab use only | | | | | | | | | | | | | | | | | | | | | |
| Phone: 248-994-2240 | | | Sampler Name: <i>Ellen Redner</i> | | | | | TAT if different from below | | | | | <table border="1" style="width: 100%; text-align: center;"> <tr> <td>Filtered Sample (Y/N)</td> <td>Composite=C/Grab=G</td> <td>1,1-DCE 8260B</td> <td>cis-1,2-DCE 8260B</td> <td>Trans-1,2-DCE 8260B</td> <td>PCE 8260B</td> <td>TCE 8260B</td> <td>Vinyl Chloride 8260B</td> <td>1,4-Dioxane 8260B SIM</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | Filtered Sample (Y/N) | Composite=C/Grab=G | 1,1-DCE 8260B | cis-1,2-DCE 8260B | Trans-1,2-DCE 8260B | PCE 8260B | TCE 8260B | Vinyl Chloride 8260B | 1,4-Dioxane 8260B SIM | | | | | | | | | | | Walk-in client | | |
| Filtered Sample (Y/N) | Composite=C/Grab=G | 1,1-DCE 8260B | cis-1,2-DCE 8260B | Trans-1,2-DCE 8260B | PCE 8260B | TCE 8260B | Vinyl Chloride 8260B | 1,4-Dioxane 8260B SIM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Project Name: Ford LTP Off-Site | | | Method of Shipment/Carrier: | | | | | 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input checked="" type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <input type="checkbox"/> | | | | | | | | | | | | | Lab sampling | | | | | | | | | | | | | | | | | | | | | |
| Project Number: 30050315.402.04 | | | Shipping/Tracking No: | | | | | | | | | | | | | | | | | | Job/SDG No: | | | | | | | | | | | | | | | | | | | | | |
| PO # 30050315.402.04 | | | | | | | | | | | | | | | | | | | | | Sample Specific Notes / Special Instructions: | | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | | | Sample Date | Sample Time | Matrix | | | | | Containers & Preservatives | | | | | Analyses | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | Air | Aqueous | Sediment | Solid | Other | H2SO4 | HNO3 | HCl | NaOH | ZnAc | NaOH | Unpres | Other | Filtered Sample (Y/N) | Composite=C/Grab=G | 1,1-DCE 8260B | cis-1,2-DCE 8260B | Trans-1,2-DCE 8260B | PCE 8260B | TCE 8260B | Vinyl Chloride 8260B | 1,4-Dioxane 8260B SIM | | | | | | | | | | | | | | | | |
| TRIP BLANK | | | — | — | | | | | | | | | | | | | | | | | X | X | X | X | X | X | X | 1 Trip Blank | | | | | | | | | | | | | | |
| MW-1185-111120 | | | 11/11/20 | 0905 | | | | | | | | | | | | | | | | X | X | X | X | X | X | X | 3 VOA's 8260B 3 VOA's 8260B SIM | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



240-140257 Chain of Custody

Possible Hazard Identification: Non-Hazard Flammable Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return to Client Disposal By Lab Archive For Months

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
 Level IV Reporting requested.

| | | | | | |
|-------------------------------------|------------------|--------------------------|---|------------------|--------------------------|
| Relinquished by: <i>[Signature]</i> | Company: Arcadis | Date/Time: 11/11/20 1900 | Received by: <i>[Signature]</i> | Company: Arcadis | Date/Time: 11/11/20 1900 |
| Relinquished by: <i>[Signature]</i> | Company: Arcadis | Date/Time: 11/12/20 1300 | Received by: <i>[Signature]</i> | Company: ETA | Date/Time: 11/12/20 1300 |
| Relinquished by: <i>[Signature]</i> | Company: ETA | Date/Time: 11/12/20 1700 | Received in Laboratory by: <i>[Signature]</i> | Company: ETA | Date/Time: 11-13-20 |

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 140257
Canton Facility

Client Arcadis Site Name _____ Cooler unpacked by: Matt Snyder
Cooler Received on 11-13-20 Opened on 11-14-20
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # 11-13-20 Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-12 (CF +0.5°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14

DATA VERIFICATION REPORT



November 30, 2020

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30050315.402.04 off site

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 140257-1

Sample date: 2020-11-11

Report received by CADENA: 2020-11-30

Initial Data Verification completed by CADENA: 2020-11-30

Number of Samples: 1 Water and 1 trip blank

Sample Matrices: Water

Test Categories: GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

| Valid Qualifiers | Description |
|------------------|--|
| < | Less than the reported concentration. |
| > | Greater than the reported concentration. |
| B | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E | The analyte / Compound reported exceeds the calibration range and is considered estimated. |
| EMPC | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only. |
| J | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies. |
| J- | The result is an estimated quantity, but the result may be biased low. |
| JB | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED |
| JH | The sample result is considered estimated and is potentially biased high. |
| JL | The sample result is considered estimated and is potentially biased low. |
| JUB | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED |
| NJ | Tentatively identified compound with approximated concentration. |
| R | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.) |
| TNTC | Too Numerous to Count - Asbestos and Microbiological Results. |
| U | Indicates that the analyte / compound was analyzed for, but not detected. |
| UB | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL. |
| UJ | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample. |

Analytical Results Summary

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 140257-1

Sample Name: TRIP BLANK MW-118S_111120
 Lab Sample ID: 2401402571 2401402572
 Sample Date: 11/11/2020 11/11/2020

| Analyte | Cas No. | Report | | Units | Valid | | Report | | Valid | |
|--------------------------|----------|--------|-------|-------|-----------|--------|--------|-------|-----------|--|
| | | Result | Limit | | Qualifier | Result | Limit | Units | Qualifier | |
| GC/MS VOC | | | | | | | | | | |
| <u>OSW-8260B</u> | | | | | | | | | | |
| 1,1-Dichloroethene | 75-35-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| cis-1,2-Dichloroethene | 156-59-2 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Tetrachloroethene | 127-18-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| trans-1,2-Dichloroethene | 156-60-5 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Trichloroethene | 79-01-6 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | |
| Vinyl chloride | 75-01-4 | ND | 1.0 | ug/l | --- | 0.65 | 1.0 | ug/l | J | |
| <u>OSW-8260BBSim</u> | | | | | | | | | | |
| 1,4-Dioxane | 123-91-1 | | | | | 0.92 | 2.0 | ug/l | J | |

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan


Volatile Organic Compounds (VOC) Analysis

SDG # 240-140257-1

CADENA Verification Report: 2020-11-30

Analyses Performed By:
TestAmerica
North Canton, Ohio

Report #39476R
Review Level: Tier III
Project: 30050315.402.02



DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-140257-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

| Sample ID | Lab ID | Matrix | Sample Collection Date | Parent Sample | Analysis | |
|----------------|--------------|--------|------------------------|---------------|-----------------|-----------|
| | | | | | VOC (Full Scan) | VOC (SIM) |
| TRIP BLANK | 240-140257-1 | Water | 11/11/20 | | X | |
| MW-118S_111120 | 240-140257-2 | Water | 11/11/20 | | X | X |

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

| Items Reviewed | Reported | | Performance Acceptable | | Not Required |
|--|----------|-----|------------------------|-----|--------------|
| | No | Yes | No | Yes | |
| 1. Sample receipt condition | | X | | X | |
| 2. Requested analyses and sample results | | X | | X | |
| 3. Master tracking list | | X | | X | |
| 4. Methods of analysis | | X | | X | |
| 5. Reporting limits | | X | | X | |
| 6. Sample collection date | | X | | X | |
| 7. Laboratory sample received date | | X | | X | |
| 8. Sample preservation verification (as applicable) | | X | | X | |
| 9. Sample preparation/extraction/analysis dates | | X | | X | |
| 10. Fully executed Chain-of-Custody (COC) form | | X | | X | |
| 11. Narrative summary of Quality Assurance or sample problems provided | | X | | X | |
| 12. Data Package Completeness and Compliance | | X | | X | |

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

| Method | Matrix | Holding Time | Preservation |
|------------------------|--------|-------------------------------------|------------------------------------|
| SW-846 8260B/8260B-SIM | Water | 14 days from collection to analysis | Cool to < 6 °C; pH < 2 with HCl |

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent

DATA REVIEW

sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

| VOCs: 8260B/8260B-SIM | Reported | | Performance Acceptable | | Not Required |
|---|----------|-----|------------------------|-----|--------------|
| | No | Yes | No | Yes | |
| GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS) | | | | | |
| Tier II Validation | | | | | |
| Holding times/Preservation | | X | | X | |
| Tier III Validation | | | | | |
| System performance and column resolution | | X | | X | |
| Initial calibration %RSDs | | X | | X | |
| Continuing calibration RRFs | | X | | X | |
| Continuing calibration %Ds | | X | | X | |
| Instrument tune and performance check | | X | | X | |
| Ion abundance criteria for each instrument used | | X | | X | |
| Field Duplicate RPD | X | | | | X |
| Internal standard | | X | | X | |
| Compound identification and quantitation | | | | | |
| A. Reconstructed ion chromatograms | | X | | X | |
| B. Quantitation Reports | | X | | X | |
| C. RT of sample compounds within the established RT windows | | X | | X | |
| D. Transcription/calculation errors present | | X | | X | |
| E. Reporting limits adjusted to reflect sample dilutions | | X | | X | |

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

DATE: December 10, 2020

PEER REVIEW: Andrew Korycinski

DATE: December 13, 2020

NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**




Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

MICHIGAN
190

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|---------------|--|---|---------|----------|-------|---|-------|--------------------------------|-----|------------------|-----------|--------|--------|------------------------------------|--------|--|--|--|--|----------------------------|--|--|--|--|--|--|
| Client Contact | | Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other <input type="checkbox"/> | | | | | | | | | | TestAmerica Laboratories, Inc. | | | | | | | | | | | | | | | | | | |
| Company Name: Arcadis | | Client Project Manager: Kris Hinskey | | | | Site Contact: Julia McClaflerty | | | | Lab Contact: Mike DelMonico | | | | COC No: | | | | | | | | | | | | | | | | |
| Address: 28550 Cabot Drive, Suite 500 | | Telephone: 248-994-2240 | | | | Telephone: 734-644-5131 | | | | Telephone: 330-497-9396 | | | | of COCs | | | | | | | | | | | | | | | | |
| City/State/Zip: Novi, MI, 48377 | | Email: kristoffer.hinskey@arcadis.com | | | | Analysis Turnaround Time | | | | Analyses | | | | For lab use only | | | | | | | | | | | | | | | | |
| Phone: 248-994-2240 | | Sampler Name: <i>Ellen Redner</i> | | | | TAT if different from below 10 day <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day | | | | Filtered Sample (Y/N) Composite-C / Grab-G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM | | | | Walk-in client | | | | | | | | | | | | | | | | |
| Project Name: Ford LTP Off-Site | | | | | | | | | | | | | | Lab sampling | | | | | | | | | | | | | | | | |
| Project Number: 30050315.402.04 | | | | | | | | | | | | | | Job/SDG No: | | | | | | | | | | | | | | | | |
| PO # 30050315.402.04 | | Shipping/Tracking No: | | | | Sample Specific Notes / Special Instructions: | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample Identification | | Sample Date | | Sample Time | | | | | | | | | | | | | | | Matrix | | | | | Containers & Preservatives | | | | | | |
| | | | | | | Air | Aqueous | Sediment | Solid | Other: | H2SO4 | HNO3 | HCl | NaOH | ZnAc/NaOH | Unpres | Other: | | | | | | | | | | | | | |
| TRIP BLANK | | — | | — | | | | | | | | | | | | | | 1 Trip Blank | | | | | | | | | | | | |
| MW-1185-111120 | | 11/11/20 | | 0905 | | | | | | | | | | | | | | 3 VOA's 8260B 3 VOA's 8260B SIM | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Possible Hazard Identification | | | | | | | | | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | | | | | | | | | | | | | | | | | | | | |
| <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | | | | | | | | <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | | | | | | | | | | | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Level IV Reporting requested. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished by: | | Company: | | Date/Time: | | Received by: | | Company: | | Date/Time: | | | | | | | | | | | | | | | | | | | | |
| <i>Julia McClaflerty</i> | | Arcadis | | 11/11/20 1900 | | Novi, cold storage | | Arcadis | | 11/11/20 1900 | | | | | | | | | | | | | | | | | | | | |
| <i>Julia McClaflerty</i> | | Arcadis | | 11/12/20 1320 | | <i>Yael Can</i> | | ETA | | 11/12/20 1320 | | | | | | | | | | | | | | | | | | | | |
| <i>Yael Can</i> | | ETA | | 11/12/20 1700 | | <i>Adampenny</i> | | ETA | | 11-13-20 | | | | | | | | | | | | | | | | | | | | |



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off Site

Job ID: 240-140257-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140257-1

Date Collected: 11/11/20 00:00

Matrix: Water

Date Received: 11/14/20 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:19 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 11/23/20 17:19 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 11/23/20 17:19 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:19 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 11/23/20 17:19 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 11/23/20 17:19 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 75 - 130 | | 11/23/20 17:19 | 1 |
| 4-Bromofluorobenzene (Surr) | 101 | | 47 - 134 | | 11/23/20 17:19 | 1 |
| Toluene-d8 (Surr) | 99 | | 69 - 122 | | 11/23/20 17:19 | 1 |
| Dibromofluoromethane (Surr) | 91 | | 78 - 129 | | 11/23/20 17:19 | 1 |

Client Sample ID: MW-118S_111120

Lab Sample ID: 240-140257-2

Date Collected: 11/11/20 09:05

Matrix: Water

Date Received: 11/14/20 09:25

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 0.92 | J | 2.0 | 0.86 | ug/L | | | 11/19/20 19:21 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 125 | | 70 - 133 | | 11/19/20 19:21 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:44 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 11/23/20 17:44 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 11/23/20 17:44 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 11/23/20 17:44 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 11/23/20 17:44 | 1 |
| Vinyl chloride | 0.65 | J | 1.0 | 0.20 | ug/L | | | 11/23/20 17:44 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 113 | | 75 - 130 | | 11/23/20 17:44 | 1 |
| 4-Bromofluorobenzene (Surr) | 102 | | 47 - 134 | | 11/23/20 17:44 | 1 |
| Toluene-d8 (Surr) | 99 | | 69 - 122 | | 11/23/20 17:44 | 1 |
| Dibromofluoromethane (Surr) | 91 | | 78 - 129 | | 11/23/20 17:44 | 1 |