ANALYTICAL REPORT

Eurofins TestAmerica, Canton 4101 Shuffel Street NW North Canton, OH 44720 Tel: (330)497-9396

Laboratory Job ID: 240-112919-1

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mole Del Your

Authorized for release by: 5/31/2019 2:54:22 PM

Michael DelMonico, Project Manager I (330)497-9396

michael.delmonico@testamericainc.com

·····LINKS ······

Review your project results through

Total Access

Have a Question?



Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

3

4

5

6

R

9

10

13

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Qualifiers

GC/MS VOA

Qualifier Qualifier Description

U Indicates the analyte was analyzed for but not detected.

X Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
--------------	---

Eisted under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)
MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

2

4

5

8

10

11

12

13

Case Narrative

Client: ARCADIS U.S., Inc.

Job ID: 240-112919-1 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112919-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-112919-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The sample was received on 5/18/2019 10:15 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.2° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Sample MW-95S 051619 (240-112919-1) was analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The sample was analyzed on 05/26/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for MW-95S 051619 (240-112919-1). Refer to the QC report for details.

Surrogate recovery for the following sample was outside the upper control limit: MW-95S_051619 (240-112919-1). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-95S_051619 (240-112919-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 05/21/2019.

Case Narrative

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112919-1

Job ID: 240-112919-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

6

8

9

4 4

12

13

Method Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Method **Method Description** Protocol Laboratory 8260B Volatile Organic Compounds (GC/MS) SW846 TAL CAN 8260B SIM Volatile Organic Compounds (GC/MS) SW846 TAL CAN 5030B Purge and Trap SW846 TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Job ID: 240-112919-1

4

5

7

8

10

11

13

Sample Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112919-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-112919-1	MW-95S_051619	Water	05/16/19 11:10	05/18/19 10:15	

3

4

6

0

9

10

19

13

Detection Summary

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

No Detections.

3

4

6

-

9

11

12

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Client Sample ID: MW-95S_051619

Lab Sample ID: 240-112919-1 Date Collected: 05/16/19 11:10

Matrix: Water

Date	Conected.	03/10/13 11.10
Date	Received:	05/18/19 10:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/19 17:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		63 - 125					05/21/19 17:25	
Mothod: 8260B - Volatilo C	rganic Compo	unde (GC/	MS)					00/2///01//	•
Method: 8260B - Volatile C Analyte	•	unds (GC/ Qualifier	MS)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	•	Qualifier	•		Unit ug/L	<u>D</u>	Prepared		Dil Fac
Analyte 1,1-Dichloroethene	Result	Qualifier U	RL	0.19		<u>D</u>	Prepared	Analyzed	Dil Fac
Analyte	Result 1.0	Qualifier U U	1.0 —	0.19 0.16	ug/L	<u> </u>	Prepared	Analyzed 05/26/19 23:17	Dil Fac 1 1 1

I to the state of					•			
Trichloroethene	1.0	U	1.0	0.10	ug/L		05/26/19 23:17	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L		05/26/19 23:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	128	X	70 - 121				05/26/19 23:17	1
4-Bromofluorobenzene (Surr)	71		59 - 120				05/26/19 23:17	1
Toluene-d8 (Surr)	78		70 - 123				05/26/19 23:17	1
Dibromofluoromethane (Surr)	123		75 - 128				05/26/19 23:17	1

Surrogate Summary

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance						
		DCA	BFB	TOL	DBFM			
Lab Sample ID	Client Sample ID	(70-121)	(59-120)	(70-123)	(75-128)			
240-112823-C-6 MS	Matrix Spike	121	96	88	108			
240-112823-E-6 MSD	Matrix Spike Duplicate	108	86	82	102			
240-112919-1	MW-95S_051619	128 X	71	78	123			
LCS 240-383175/4	Lab Control Sample	112	109	96	113			
MB 240-383175/6	Method Blank	118	72	78	114			

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

		DCA	
Lab Sample ID	Client Sample ID	(63-125)	
240-112919-1	MW-95S_051619	103	
240-112950-A-1 MS	Matrix Spike	114	
240-112950-A-1 MSD	Matrix Spike Duplicate	111	
LCS 240-382402/4	Lab Control Sample	109	
MB 240-382402/5	Method Blank	105	

DCA = 1,2-Dichloroethane-d4 (Surr)

Eurofins TestAmerica, Canton

5/31/2019

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-383175/6

Project/Site: Ford LTP Livonia MI - E203631

Matrix: Water

Analysis Batch: 383175

Client Sample ID: Method Blank **Prep Type: Total/NA**

MR MR Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 1,1-Dichloroethene 1.0 U 1.0 0.19 ug/L 05/26/19 17:20 cis-1,2-Dichloroethene 1.0 U 1.0 0.16 ug/L 05/26/19 17:20 Tetrachloroethene 1.0 U 1.0 0.15 ug/L 05/26/19 17:20 trans-1,2-Dichloroethene 1.0 U 1.0 0.19 ug/L 05/26/19 17:20 Trichloroethene 1.0 U 1.0 0.10 ug/L 05/26/19 17:20 Vinyl chloride 1.0 U 1.0 0.20 ug/L 05/26/19 17:20

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 118 70 - 121 05/26/19 17:20 4-Bromofluorobenzene (Surr) 72 59 - 120 05/26/19 17:20 Toluene-d8 (Surr) 78 70 - 123 05/26/19 17:20 Dibromofluoromethane (Surr) 114 75 - 128 05/26/19 17:20

Lab Sample ID: LCS 240-383175/4

Matrix: Water

Analysis Batch: 383175

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Spike LCS LCS %Rec. Added Unit **Analyte** Result Qualifier D %Rec Limits 1,1-Dichloroethene 10.0 9.84 ug/L 98 65 - 139 cis-1,2-Dichloroethene 10.0 9.62 ug/L 96 76 - 128Tetrachloroethene 10.0 11.9 ug/L 119 74 - 130 trans-1.2-Dichloroethene 10.0 10.3 ug/L 103 78 - 133Trichloroethene 10.0 10.8 ug/L 108 76 - 125 Vinyl chloride 10.0 9.16 ug/L 92 58 - 143

LCS LCS Limits Surrogate %Recovery Qualifier 1,2-Dichloroethane-d4 (Surr) 112 70 - 121 59 - 120 4-Bromofluorobenzene (Surr) 109 Toluene-d8 (Surr) 70 - 123 96 Dibromofluoromethane (Surr) 113 75 - 128

Lab Sample ID: 240-112823-C-6 MS

Matrix: Water

Analysis Batch: 383175

Client Sample ID: Matrix Spike Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethene	1.0	U	10.0	9.91		ug/L		99	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	9.56		ug/L		96	64 - 130
Tetrachloroethene	1.0	U	10.0	11.5		ug/L		115	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	10.0		ug/L		100	68 - 133
Trichloroethene	1.0	U	10.0	10.4		ug/L		104	55 - 131
Vinyl chloride	1.0	U	10.0	8.51		ug/L		85	43 - 154

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	121		70 - 121
4-Bromofluorobenzene (Surr)	96		59 - 120
Toluene-d8 (Surr)	88		70 - 123

Eurofins TestAmerica, Canton

Page 11 of 18

Job ID: 240-112919-1

Prep Type: Total/NA

Client Sample ID: Matrix Spike

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-112823-C-6 MS

Matrix: Water

Analysis Batch: 383175

MS MS

Limits Surrogate %Recovery Qualifier Dibromofluoromethane (Surr) 75 - 128 108

Lab Sample ID: 240-112823-E-6 MSD

Matrix: Water

Analysis Batch: 383175

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	10.0	9.89		ug/L		99	53 - 140	0	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.68		ug/L		97	64 - 130	1	21
Tetrachloroethene	1.0	U	10.0	11.0		ug/L		110	51 - 136	4	23
trans-1,2-Dichloroethene	1.0	Ü	10.0	9.65		ug/L		97	68 - 133	4	24
Trichloroethene	1.0	U	10.0	10.2		ug/L		102	55 - 131	2	23
Vinyl chloride	1.0	U	10.0	9.10		ug/L		91	43 - 154	7	29

MSD MSD Limits Surrogate %Recovery Qualifier 1,2-Dichloroethane-d4 (Surr) 108 70 - 121 4-Bromofluorobenzene (Surr) 86 59 - 120 Toluene-d8 (Surr) 82 70 - 123 102 Dibromofluoromethane (Surr) 75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-382402/5

Lab Sample ID: LCS 240-382402/4

Matrix: Water

Analysis Batch: 382402

MB MB

MDL Unit Dil Fac Analyte Result Qualifier RI Prepared Analyzed 2.0 1,4-Dioxane 2.0 U 0.86 ug/L 05/21/19 16:35

MB MB Surrogate %Recovery

Qualifier Limits 63 - 125 1,2-Dichloroethane-d4 (Surr) 105

Client Sample ID: Lab Control Sample

Prepared

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Type: Total/NA

Analyzed

05/21/19 16:35

Dil Fac

Analysis Batch: 382402

LCS LCS Spike %Rec. Added Analyte Result Qualifier Unit D %Rec Limits 1,4-Dioxane 10.0 11.2 ug/L 112 59 - 131

LCS LCS

Surrogate %Recovery Qualifier Limits 63 - 125 1,2-Dichloroethane-d4 (Surr) 109

Lab Sample ID: 240-112950-A-1 MS

Matrix: Water

Matrix: Water

Analysis Batch: 382402

Analysis Baton: 002402	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0	U	10.0	10.5		ug/L		105	52 - 129	

Eurofins TestAmerica, Canton

Client Sample ID: Matrix Spike

Prep Type: Total/NA

QC Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

MSD MSD

10.7

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	114		63 - 125

Lab Sample ID: 240-112950	D-A-1 MSD

Matrix: Water

Analysis Batch: 382402

	Sample	Sample	Spike
Analyte	Result	Qualifier	Added
1,4-Dioxane	2.0	U	10.0
	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)			63 - 125

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

RPD %Rec.

Result Qualifier Unit Limits RPD Limit D %Rec ug/L 107 52 - 129 1

QC Association Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112919-1

GC/MS VOA

Analysis Batch: 382402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112919-1	MW-95S_051619	Total/NA	Water	8260B SIM	
MB 240-382402/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-382402/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-112950-A-1 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-112950-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 383175

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112919-1	MW-95S_051619	Total/NA	Water	8260B	
MB 240-383175/6	Method Blank	Total/NA	Water	8260B	
LCS 240-383175/4	Lab Control Sample	Total/NA	Water	8260B	
240-112823-C-6 MS	Matrix Spike	Total/NA	Water	8260B	
240-112823-E-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

112919-1

3

4

9

10

۳

13

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Date Collected: 05/16/19 11:10 Matrix: Water Date Received: 05/18/19 10:15

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	383175	05/26/19 23:17	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	382402	05/21/19 17:25	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

6

8

9

11

12

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Illinois	NELAP	5	200004	07-31-19 *
Iowa	State Program	7	421	06-01-21
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

^{*} Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

4101 Shuffel Street NW

. eurofins

0 - Ashrooz P - Nozous 0 - Nozous 0 - Nozous S - Hzsou T - TSP Doderahyd(ste Special Instructions/Note: Z - other (specify) U - Acetone V - MCAA W - pH 4-5 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Monte COC No. 240-60548-25803.8 reservation Codes: Page 8 of 13. A - HCL B - NaOH C - Zn Aceiale D - Nitric Acid E - NaHSO4 F - MeOH I - Ice J - DI Water K - EDTA L - EDA Total Number of containers Wethod of Shipment. Carrier Tracking No(s): Analysis Requested Cooler Temperature(s) 'C and Other Remarks Special Instructions/QC Requirements STORA michael.delmonico@testamericainc.com Return To Client Received by: Lab PM: DelMonico, Michael E-Mail: 240-112919 Chain of Custody 8360B - VOCs (Short List) 8260B, 8260B SIM Perform MS/MSD (Yes or No) Siches A Field Filtered Sample (Yes or No) SCANO STANO Company G=grab) | BTrTtestie, Arkar Water Preservation Code: Water Water Water Water MIDDITSTR. UDG2:00002 MICE; - N. H. COLL (P. C.C.) Matrix Water Water Radiological Sample (C=comp. Type 0 1930 125 530 CHISON Sample wo#: Cadena#: E203631 TAT Requested (days) Unknown Due Date Requested: 51-61-8 S/T/19 Sample Date S-16-19 Project ≠: 24015353 SSOW#: Poison B 1945th Skin Irritant beliverable Requested: I. II. III. NV. Diher (specify Chstody Seal No.: North Canton, OH 44720 Phone (330) 497-9396 Fax (330) 497-0772 -051619 Possible Hazard Identification
Non-Hazard Flammable Project Name: Ford LTP Livonia MI - E203631 28550 Cabot Drive Suite 500 Caitlin.ONeill@arcadis.com Empty Kit Relinquished Custody Seals Infact: Client Information Sample Identification A Yes A No 5 ARCADIS U.S. Inc MJ-95S uished by: Caitlin ONeill Client Contact State, Zip: MI, 48377 Novi

Canton Facility	n#: 112919
Client Areadis Site Name	Cooler unpacked by:
	1
Cooler received on	3 - 3
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier	Other
Receipt After-hours: Drop-off Date/Time Storage Location	The same of the sa
Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Wet Co Blue Ice Dry Ice Water None 1. Cooler temperature upon receipt	mp. 2.2 °C np °C No
16. Was a LL Hg or Me Hg trip blank present? Yes Contacted PM Date by via Verbal Vo	Dice Mail Other
Concerning	
17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES	Samples processed by:
10. CAMPLE CONDITION	
	no time had expired
Sample(s) were received after the recommended holding	ng time had expired.
Sample(s) were received after the recommended holding Sample(s) were received	in a broken container.
Sample(s) were received after the recommended holding Sample(s) were received were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s) were received with bubble >6 mm in the sample(s)	in a broken container.
18. SAMPLE CONDITION Sample(s) were received after the recommended holding sample(s) were received with bubble >6 mm in the sample(s) were further than the sample(s)	in a broken container. n diameter. (Notify PM)

DATA VERIFICATION REPORT



May 31, 2019

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: MI001454.0002/3/4.00002/2B/3B Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 112919-1 Sample date: 2019-05-15

Report received by CADENA: 2019-05-31

Initial Data Verification completed by CADENA: 2019-05-31

Number of Samples:1 Sample Matrices: Water Test Categories: GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC sample -001 SURROGATE recoveries were outliers biased high for at least 1 surrogate. Associated client sample results were non-detect so qualification was not required based on these high bias OC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 112919-1

		Collection Date	Collection Time	Volatile Organics	8260B with Single	
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	by GCMS	Ion Monitoring	Comment
2401129191	MW-95S_051619	5/16/2019	11:10:00	Х	Х	

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 112919-1

 Sample Name:
 MW-95S_051619

 Lab Sample ID:
 2401129191

 Sample Date:
 5/16/2019

		Sample Date:	5/16/2019					
				Report		Valid		
	Analyte	Cas No.	Result	Limit	Units	Qualifier		
GC/MS VOC								
OSW-826	<u>0B</u>							
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l			
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l			
	Tetrachloroethene	127-18-4	ND	1.0	ug/l			
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l			
	Trichloroethene	79-01-6	ND	1.0	ug/l			
	Vinyl chloride	75-01-4	ND	1.0	ug/l			
OSW-826	<u>OBBSim</u>							
	1,4-Dioxane	123-91-1	ND	2.0	ug/l			



Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG #240-112919-1

CADENA Verification Report: 2019-05-31

Analyses Performed By:

TestAmerica Canton, Ohio

Report #33088R Review Level: Tier III

Project: MI001454.0004.00002

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-112919-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

				Sample		Analysis		
SDG	Sample ID	Lab ID	Matrix	Collection Date	Parent Sample	VOC (Full	VOC (SIM)	MISC
						Scan)		
240-112919-1	MW-95S_051619	240-112919-1	Water	5/16/2019		Х	Χ	

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

	Rep	orted		rmance ptable	Not
Items Reviewed	No	Yes	No	Yes	Required
Sample receipt condition		Х		X	
2. Requested analyses and sample results		Х		Х	
Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
9. Sample preparation/extraction/analysis dates		Х		Х	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		X	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample Locations	Initial/Continuing	Compound	Criteria
MW-95S_051619	CCV %D	Tetrachloroethene	+24.7%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
	%D >20% (increase in sensitivity)	Non-detect	No Action
	76D >20% (Increase in Sensitivity)	Detect	J
Continuing Calibration	%D >20% (decrease in sensitivity)	Non-detect	UJ
Continuing Calibration	70D >20 /0 (decrease in sensitivity)	Detect	J
	0/D - 000/ (increase/decrease in consitiuity)	Non-detect	R
	%D >90% (increase/decrease in sensitivity)	Detect	J

4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Re	ported		ormance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMETE	RY (GC/N	/IS)			
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation	·				
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х	Х		
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		Х		Х	
D. Transcription/calculation errors present		X		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

DATE: June 13, 2019

a Kays

PEER REVIEW: Dennis Capria

DATE: June 20, 2019

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Eurofins TestAmerica, Canton

4101 Shuffel Street NW

. eurofins

0 - Ashrooz P - Nozous 0 - Nozous 0 - Nozous S - Hzsou T - TSP Doderahyd(ste Special Instructions/Note: Z - other (specify) U - Acetone V - MCAA W - pH 4-5 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Monte COC No. 240-60548-25803.8 reservation Codes: Page 8 of 13. A - HCL B - NaOH C - Zn Aceiale D - Nitric Acid E - NaHSO4 F - MeOH I - Ice J - DI Water K - EDTA L - EDA Total Number of containers Wethod of Shipment. Carrier Tracking No(s): Analysis Requested Cooler Temperature(s) 'C and Other Remarks Special Instructions/QC Requirements STORA michael.delmonico@testamericainc.com Return To Client Received by: Lab PM: DelMonico, Michael E-Mail: 240-112919 Chain of Custody 8360B - VOCs (Short List) 8260B, 8260B SIM Perform MS/MSD (Yes or No) Siches A Field Filtered Sample (Yes or No) SCANO STANO Company G=grab) | BTrTtestie, Arkar Water Preservation Code: Water Water Water Water MIDDITSTR. UDG2:00002 MICE; - N. H. COLL (P. C.C.) Matrix Water Water Radiological Sample (C=comp. Type 0 1930 125 530 CHISON Sample wo#: Cadena#: E203631 TAT Requested (days) Unknown Due Date Requested: 51-61-8 S/T/19 Sample Date S-16-19 Project ≠: 24015353 SSOW#: Poison B 1945th Skin Irritant beliverable Requested: I. II. III. NV. Diher (specify Chstody Seal No.: North Canton, OH 44720 Phone (330) 497-9396 Fax (330) 497-0772 -051619 Possible Hazard Identification
Non-Hazard Flammable Project Name: Ford LTP Livonia MI - E203631 28550 Cabot Drive Suite 500 Caitlin.ONeill@arcadis.com Empty Kit Relinquished Custody Seals Infact: Client Information Sample Identification A Yes A No 5 ARCADIS U.S. Inc MJ-95S uished by: Caitlin ONeill Client Contact State, Zip: MI, 48377 Novi

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-112919-1

Project/Site: Ford LTP Livonia MI - E203631

Client Sample ID: MW-95S_051619

Lab Sample ID: 240-112919-1 Date Collected: 05/16/19 11:10

Matrix: Water

Date	Conected.	03/10/13 11.10
Date	Received:	05/18/19 10:15

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/19 17:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		63 - 125					05/21/19 17:25	
Mothod: 9260P Volatile (Organia Compo	unds (GCI	Me)					00/2///01//	•
Method: 8260B - Volatile C Analyte	•	unds (GC/ Qualifier	MS)	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	•	Qualifier	•		Unit ug/L	<u>D</u>	Prepared		Dil Fac
Analyte 1,1-Dichloroethene	Result	Qualifier U	RL	0.19		<u>D</u>	Prepared	Analyzed	Dil Fac
Analyte	1.0	Qualifier U U	1.0 —	0.19 0.16	ug/L	<u> </u>	Prepared	Analyzed 05/26/19 23:17	Dil Fac 1 1 1

I to the second							
Trichloroethene	1.0	U	1.0	0.10 ug/L		05/26/19 23:17	1
Vinyl chloride	1.0	U	1.0	0.20 ug/L		05/26/19 23:17	1
Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	128	X	70 - 121			05/26/19 23:17	1
4-Bromofluorobenzene (Surr)	71		59 - 120			05/26/19 23:17	1
Toluene-d8 (Surr)	78		70 - 123			05/26/19 23:17	1
Dibromofluoromethane (Surr)	123		75 - 128			05/26/19 23:17	1