

4/29/2019
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #: MI001454.0003
Workorder #: 1904512

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 4/23/2019 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1904512

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0004.0001B
FAX:		PROJECT #	MI001454.0003 Ford LTP
DATE RECEIVED:	04/23/2019	CONTACT:	Ausha Scott
DATE COMPLETED:	04/29/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	AA-12555BELDEN-01_041619	Modified TO-15	6.9 "Hg	5.1 psi
02A	IAF-12555BELDEN-01_041619	Modified TO-15	6.5 "Hg	5.2 psi
03A	IAF-12555BELDEN-02_041619	Modified TO-15	5.3 "Hg	4.9 psi
04A	IAF-12555BELDEN-03_041619	Modified TO-15	6.9 "Hg	4.8 psi
05A	IAF-12555BELDEN-04_041619	Modified TO-15	6.3 "Hg	4.9 psi
06A	IAF-12555BELDEN-05_041619	Modified TO-15	2.8 "Hg	5.2 psi
07A	DUP-12555Belden-01_041619	Modified TO-15	6.3 "Hg	5.2 psi
08A	Lab Blank	Modified TO-15	NA	NA
09A	CCV	Modified TO-15	NA	NA
10A	LCS	Modified TO-15	NA	NA
10AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 04/29/19

Certification numbers: AZ Licensure AZ0775, FL NELAP - E8 , LA NELAP - 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP CA009332018-10, VA NELAP - 9505, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-011, Effective date: 10/18/2018, Expiration date: 10/17/2019.

Eurofins Air Toxics LLC. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15
Arcadis U.S., Inc.
Workorder# 1904512

Seven 6 Liter Summa Canister (100% Cert Ambient) samples were received on April 23, 2019. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	AA-12555BELDEN-01_041619	Date/Time Analyzed:	4/24/19 03:48 PM
Lab ID:	1904512-01A	Dilution Factor:	1.75
Date/Time Collected:	4/16/19 06:03 PM	Instrument/Filename:	msd20.i / 20042410
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.17	0.62	0.69	Not Detected
1,4-Dioxane	123-91-1	0.51	0.57	0.63	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.62	0.69	Not Detected
Tetrachloroethene	127-18-4	0.74	1.1	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.39	0.62	0.69	Not Detected
Trichloroethene	79-01-6	0.46	0.85	0.94	Not Detected
Vinyl Chloride	75-01-4	0.14	0.40	0.45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-01_041619	Date/Time Analyzed:	4/24/19 04:27 PM
Lab ID:	1904512-02A	Dilution Factor:	1.73
Date/Time Collected:	4/16/19 06:11 PM	Instrument/Filename:	msd20.i / 20042411
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.62	0.68	Not Detected
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.62	0.68	Not Detected
Tetrachloroethene	127-18-4	0.73	1.0	1.2	2.6
trans-1,2-Dichloroethene	156-60-5	0.38	0.62	0.68	Not Detected
Trichloroethene	79-01-6	0.46	0.84	0.93	0.85 J
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	116
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	93

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-02_041619	Date/Time Analyzed:	4/24/19 05:06 PM
Lab ID:	1904512-03A	Dilution Factor:	1.62
Date/Time Collected:	4/16/19 06:13 PM	Instrument/Filename:	msd20.i / 20042412
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.15	0.58	0.64	Not Detected
1,4-Dioxane	123-91-1	0.47	0.52	0.58	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.35	0.58	0.64	Not Detected
Tetrachloroethene	127-18-4	0.68	0.99	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.36	0.58	0.64	0.61 J
Trichloroethene	79-01-6	0.43	0.78	0.87	0.92
Vinyl Chloride	75-01-4	0.13	0.37	0.41	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	111
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	96

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	IAF-12555BELDEN-03_041619	Date/Time Analyzed:	4/24/19 05:45 PM
Lab ID:	1904512-04A	Dilution Factor:	1.72
Date/Time Collected:	4/16/19 06:08 PM	Instrument/Filename:	msd20.i / 20042413
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.61	0.68	9.2
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.61	0.68	Not Detected
Tetrachloroethene	127-18-4	0.72	1.0	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.61	0.68	0.48 J
Trichloroethene	79-01-6	0.45	0.83	0.92	0.95
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	107
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-04_041619	Date/Time Analyzed:	4/24/19 06:24 PM
Lab ID:	1904512-05A	Dilution Factor:	1.69
Date/Time Collected:	4/16/19 06:06 PM	Instrument/Filename:	msd20.i / 20042414
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.60	0.67	Not Detected
1,4-Dioxane	123-91-1	0.49	0.55	0.61	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.36	0.60	0.67	Not Detected
Tetrachloroethene	127-18-4	0.71	1.0	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.60	0.67	Not Detected
Trichloroethene	79-01-6	0.44	0.82	0.91	0.56 J
Vinyl Chloride	75-01-4	0.14	0.39	0.43	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-05_041619	Date/Time Analyzed:	4/24/19 07:04 PM
Lab ID:	1904512-06A	Dilution Factor:	1.50
Date/Time Collected:	4/16/19 06:15 PM	Instrument/Filename:	msd20.i / 20042415
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.14	0.54	0.59	Not Detected
1,4-Dioxane	123-91-1	0.44	0.49	0.54	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.32	0.54	0.59	Not Detected
Tetrachloroethene	127-18-4	0.63	0.92	1.0	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.33	0.54	0.59	Not Detected
Trichloroethene	79-01-6	0.40	0.72	0.81	0.76 J
Vinyl Chloride	75-01-4	0.12	0.34	0.38	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	DUP-12555Belden-01_041619	Date/Time Analyzed:	4/24/19 07:43 PM
Lab ID:	1904512-07A	Dilution Factor:	1.72
Date/Time Collected:	4/16/19 12:00 AM	Instrument/Filename:	msd20.i / 20042416
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.61	0.68	Not Detected
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.61	0.68	Not Detected
Tetrachloroethene	127-18-4	0.72	1.0	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.61	0.68	0.52 J
Trichloroethene	79-01-6	0.45	0.83	0.92	1.1
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	108
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	4/24/19 02:25 PM
Lab ID:	1904512-08A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd20.i / 20042409c
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.095	0.36	0.40	Not Detected
1,4-Dioxane	123-91-1	0.29	0.32	0.36	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.21	0.36	0.40	Not Detected
Tetrachloroethene	127-18-4	0.42	0.61	0.68	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.22	0.36	0.40	Not Detected
Trichloroethene	79-01-6	0.26	0.48	0.54	Not Detected
Vinyl Chloride	75-01-4	0.082	0.23	0.26	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	112
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	CCV	Date/Time Analyzed:	4/24/19 08:19 AM
Lab ID:	1904512-09A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd20.i / 20042403
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	99
1,4-Dioxane	123-91-1	116
cis-1,2-Dichloroethene	156-59-2	103
Tetrachloroethene	127-18-4	110
trans-1,2-Dichloroethene	156-60-5	104
Trichloroethene	79-01-6	104
Vinyl Chloride	75-01-4	100

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	92
4-Bromofluorobenzene	460-00-4	70-130	106
Toluene-d8	2037-26-5	70-130	104

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCS	Date/Time Analyzed:	4/24/19 12:25 PM
Lab ID:	1904512-10A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd20.i / 20042407
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	106
1,4-Dioxane	123-91-1	92
cis-1,2-Dichloroethene	156-59-2	108
Tetrachloroethene	127-18-4	103
trans-1,2-Dichloroethene	156-60-5	93
Trichloroethene	79-01-6	99
Vinyl Chloride	75-01-4	101

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	95
Toluene-d8	2037-26-5	70-130	99

* % Recovery is calculated using unrounded analytical results.

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	4/24/19 01:28 PM
Lab ID:	1904512-10AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd20.i / 20042408
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	106
1,4-Dioxane	123-91-1	88
cis-1,2-Dichloroethene	156-59-2	112
Tetrachloroethene	127-18-4	106
trans-1,2-Dichloroethene	156-60-5	88
Trichloroethene	79-01-6	99
Vinyl Chloride	75-01-4	102

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	102

* % Recovery is calculated using unrounded analytical results.



April 30, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1904512
Sample date: 2019-04-16
Report received by CADENA: 2019-04-29
Initial Data Verification completed by CADENA: 2019-04-30

7 Air sample were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDG #1904512

CADENA Verification Report: 2019-04-30

Analyses Performed By:
Eurofins Air Toxics
Folsom, California

Report #32710R
Review Level: Tier III
Project: MI001454.0003.00001



DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 1904512 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1904512	AA-12555BELDEN-01_041619	1904512-01A	Air	4/16/2019		X		
	IAF-12555BELDEN-01_041619	1904512-02A	Air	4/16/2019		X		
	IAF-12555BELDEN-02_041619	1904512-03A	Air	4/16/2019		X		
	IAF-12555BELDEN-03_041619	1904512-04A	Air	4/16/2019		X		
	IAF-12555BELDEN-04_041619	1904512-05A	Air	4/16/2019		X		
	IAF-12555BELDEN-05_041619	1904512-06A	Air	4/16/2019		X		
	DUP-12555BELDEN-01_041619	1904512-07A	Air	4/16/2019	IAF-12555BELDEN-03_041619	X		

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

DATA REVIEW

5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

6. Field Duplicate Sample Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of one times the RL is applied to the difference between the duplicate sample results.

Results (in $\mu\text{g}/\text{m}^3$) for the field duplicate samples are summarized in the following table.

Sample ID / Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
IAF-12555BELDEN-03_041619/ DUP-12555BELDEN-01_041619	1,1-Dichloroethene	9.2	0.68 U	NC
	trans-1,2-Dichloroethene	0.48 J	0.52 J	AC
	Trichloroethene	0.95	1.1	AC

AC Acceptable

NC Not Compliant

The compound 1,1-Dichloroethene associated with sample locations IAF-12555BELDEN-03_041619 and DUP-12555BELDEN-01_041619 exhibited a field duplicate RPD greater than the control limit. The associated sample results from sample locations for the listed compound were qualified as estimated.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: TO-15 (Full Scan)	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Canister return pressure (<-2"Hg)		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD		X	X		
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: May 9, 2019

PEER REVIEW: Dennis Capria

DATE: May 10, 2019



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	AA-12555BELDEN-01_041619	Date/Time Analyzed:	4/24/19 03:48 PM
Lab ID:	1904512-01A	Dilution Factor:	1.75
Date/Time Collected:	4/16/19 06:03 PM	Instrument/Filename:	msd20.i / 20042410
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.17	0.62	0.69	Not Detected
1,4-Dioxane	123-91-1	0.51	0.57	0.63	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.62	0.69	Not Detected
Tetrachloroethene	127-18-4	0.74	1.1	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.39	0.62	0.69	Not Detected
Trichloroethene	79-01-6	0.46	0.85	0.94	Not Detected
Vinyl Chloride	75-01-4	0.14	0.40	0.45	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	99
Toluene-d8	2037-26-5	70-130	101

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-01_041619	Date/Time Analyzed:	4/24/19 04:27 PM
Lab ID:	1904512-02A	Dilution Factor:	1.73
Date/Time Collected:	4/16/19 06:11 PM	Instrument/Filename:	msd20.i / 20042411
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.62	0.68	Not Detected
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.62	0.68	Not Detected
Tetrachloroethene	127-18-4	0.73	1.0	1.2	2.6
trans-1,2-Dichloroethene	156-60-5	0.38	0.62	0.68	Not Detected
Trichloroethene	79-01-6	0.46	0.84	0.93	0.85 J
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	116
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	93

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-02_041619	Date/Time Analyzed:	4/24/19 05:06 PM
Lab ID:	1904512-03A	Dilution Factor:	1.62
Date/Time Collected:	4/16/19 06:13 PM	Instrument/Filename:	msd20.i / 20042412
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.15	0.58	0.64	Not Detected
1,4-Dioxane	123-91-1	0.47	0.52	0.58	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.35	0.58	0.64	Not Detected
Tetrachloroethene	127-18-4	0.68	0.99	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.36	0.58	0.64	0.61 J
Trichloroethene	79-01-6	0.43	0.78	0.87	0.92
Vinyl Chloride	75-01-4	0.13	0.37	0.41	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	111
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	96

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-03_041619	Date/Time Analyzed:	4/24/19 05:45 PM
Lab ID:	1904512-04A	Dilution Factor:	1.72
Date/Time Collected:	4/16/19 06:08 PM	Instrument/Filename:	msd20.i / 20042413
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.61	0.68	9.2 J
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.61	0.68	Not Detected
Tetrachloroethene	127-18-4	0.72	1.0	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.61	0.68	0.48 J
Trichloroethene	79-01-6	0.45	0.83	0.92	0.95
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	107
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	95

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-04_041619	Date/Time Analyzed:	4/24/19 06:24 PM
Lab ID:	1904512-05A	Dilution Factor:	1.69
Date/Time Collected:	4/16/19 06:06 PM	Instrument/Filename:	msd20.i / 20042414
Media:	6 Liter Summa Canister (100% Cert Ambier)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.60	0.67	Not Detected
1,4-Dioxane	123-91-1	0.49	0.55	0.61	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.36	0.60	0.67	Not Detected
Tetrachloroethene	127-18-4	0.71	1.0	1.1	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.60	0.67	Not Detected
Trichloroethene	79-01-6	0.44	0.82	0.91	0.56 J
Vinyl Chloride	75-01-4	0.14	0.39	0.43	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	113
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	IAF-12555BELDEN-05_041619	Date/Time Analyzed:	4/24/19 07:04 PM
Lab ID:	1904512-06A	Dilution Factor:	1.50
Date/Time Collected:	4/16/19 06:15 PM	Instrument/Filename:	msd20.i / 20042415
Media:	6 Liter Summa Canister (100% Cert Ambier		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.14	0.54	0.59	Not Detected
1,4-Dioxane	123-91-1	0.44	0.49	0.54	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.32	0.54	0.59	Not Detected
Tetrachloroethene	127-18-4	0.63	0.92	1.0	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.33	0.54	0.59	Not Detected
Trichloroethene	79-01-6	0.40	0.72	0.81	0.76 J
Vinyl Chloride	75-01-4	0.12	0.34	0.38	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	105
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	97

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	DUP-12555Belden-01_041619	Date/Time Analyzed:	4/24/19 07:43 PM
Lab ID:	1904512-07A	Dilution Factor:	1.72
Date/Time Collected:	4/16/19 12:00 AM	Instrument/Filename:	msd20.i / 20042416
Media:	6 Liter Summa Canister (100% Cert Ambier		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.16	0.61	0.68	Not Detected UJ
1,4-Dioxane	123-91-1	0.50	0.56	0.62	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.37	0.61	0.68	Not Detected
Tetrachloroethene	127-18-4	0.72	1.0	1.2	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.38	0.61	0.68	0.52 J
Trichloroethene	79-01-6	0.45	0.83	0.92	1.1
Vinyl Chloride	75-01-4	0.14	0.40	0.44	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	108
4-Bromofluorobenzene	460-00-4	70-130	100
Toluene-d8	2037-26-5	70-130	97

Analysis Request / Canister Chain of Custody

For Laboratory Use Only

PID: _____ Workorder #: 1904512

180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

Click links below to view:

[Canister Sampling Guide](#)
[Helium Shroud Video](#)

Client: <u>Ford</u>		PID: <u>NA</u>		Special Instructions/Notes: Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting				Turnaround Time (Rush surcharges may apply)								
Project Name: <u>Ford LTP</u>		P.O.# <u>MI001454.0003</u>						5 Day Turnaround Time								
Project Manager: <u>Kris Hinskey</u>								Canister Vacuum/Pressure		Requested Analyses						
Sampler: <u>E. Redner / S. Johnson</u>								Initial (in Hg)	Final (in Hg)	Lab Use Only		TO-15 (See Special Instructions/Notes)	DO NOT ANALYZE			
Site Name: <u>12555 Belden</u>										Receipt	Final (psig) Gas: N ₂ / He					
Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N ₂ / He	TO-15 (See Special Instructions/Notes)	DO NOT ANALYZE			
				Date	Time	Date	Time									
01A	AA-12555BELDEN-01_041619	6L0750	23395	4/16/19	0935	4/16/19	1803	-29	-7.5			X				
02A	IAF-12555BELDEN-01_041619	6L0617	23632	4/16/19	0930	4/16/19	1811	-29	-7			X				
03A	IAF-12555BELDEN-02_041619	6L0215	23775	4/16/19	0927	4/16/19	1813	-29	-5			X				
04A	IAF-12555BELDEN-03_041619	6L1967	24203	4/16/19	0923	4/16/19	1808	-29	-7			X				
05A	IAF-12555BELDEN-04_041619	6L0425	23104	4/16/19	0919	4/16/19	1806	-29	-6			X				
06A	IAF-12555BELDEN-05_041619	6L1138	23628	4/16/19	0922	4/16/19	1815	-29	-3			X				
07A	DVP-12555Belden-01_041619	6L1285	23138	4/16/19	-	4/16/19	-	-29	-6.5			X				
	DVP-12555Belden-02_041619	6L0436	23470	4/16/19	-	4/16/19	-	-29	0			X	X			
Relinquished by: (Signature/Affiliation)				Date	Time	Received by: (Signature/Affiliation)				Date	Time					
				4-19-19	1600					4/23/19	0950					
Relinquished by: (Signature/Affiliation)				Date	Time	Received by: (Signature/Affiliation)				Date	Time					
Relinquished by: (Signature/Affiliation)				Date	Time	Received by: (Signature/Affiliation)				Date	Time					
Lab Use Only																
Shipper Name: <u>Fed Ex</u>		Custody Seals Intact? <u>Yes</u> No None <u>GOOD</u>														
<p>Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922</p>																

4/30/2019
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #: MI001454.0003
Workorder #: 1904518

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 4/23/2019 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1904518

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0004.0001B
FAX:		PROJECT #	MI001454.0003 Ford LTP
DATE RECEIVED:	04/23/2019	CONTACT:	Ausha Scott
DATE COMPLETED:	04/30/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SSMP-12555BELDEN-01_041619	TO-15	6.5 "Hg	15 psi
02A	SSMP-12555BELDEN-02_041619	TO-15	6.0 "Hg	15 psi
03A	SSMP-12555BELDEN-03_041619	TO-15	6.0 "Hg	15 psi
04A	SSMP-12555BELDEN-04_041619	TO-15	6.0 "Hg	15 psi
05A	SSMP-12555BELDEN-05_041619	TO-15	6.0 "Hg	15 psi
06A	SSMP-12555BELDEN-06_041619	TO-15	6.0 "Hg	15 psi
07A	SSMP-12555BELDEN-07_041619	TO-15	6.0 "Hg	15 psi
08A	SSMP-12555BELDEN-08_041619	TO-15	6.0 "Hg	15 psi
09A	SSMP-12555BELDEN-09_041619	TO-15	6.0 "Hg	15 psi
10A	SSMP-12555BELDEN-10_041619	TO-15	6.0 "Hg	15 psi
11A	Lab Blank	TO-15	NA	NA
12A	CCV	TO-15	NA	NA
13A	LCS	TO-15	NA	NA
13AA	LCSD	TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 04/30/19

Certification numbers: AZ Licensure AZ0775, FL NELAP - E8 , LA NELAP - 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP CA009332018-10, VA NELAP - 9505, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005-011, Effective date: 10/18/2018, Expiration date: 10/17/2019.

Eurofins Air Toxics LLC. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
EPA Method TO-15
Arcadis U.S., Inc.
Workorder# 1904518

Ten 1 Liter Summa Canister (100% Certified) samples were received on April 23, 2019. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-01_041619	Date/Time Analyzed:	4/26/19 03:07 PM
Lab ID:	1904518-01A	Dilution Factor:	2.58
Date/Time Collected:	4/16/19 10:19 AM	Instrument/Filename:	msdj.i / j042610
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	4.0	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	2.4	7.0	8.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.6	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	2.4	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-02_041619	Date/Time Analyzed:	4/26/19 03:34 PM
Lab ID:	1904518-02A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 10:45 AM	Instrument/Filename:	msdj.i / j042611
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-03_041619	Date/Time Analyzed:	4/26/19 04:00 PM
Lab ID:	1904518-03A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:05 AM	Instrument/Filename:	msdj.i / j042612
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	2.9 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-04_041619	Date/Time Analyzed:	4/26/19 04:26 PM
Lab ID:	1904518-04A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:28 AM	Instrument/Filename:	msdj.i / j042613
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	2.7 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	107
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-05_041619	Date/Time Analyzed:	4/26/19 04:53 PM
Lab ID:	1904518-05A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:51 AM	Instrument/Filename:	msdj.i / j042614
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	3.6 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-06_041619	Date/Time Analyzed:	4/26/19 05:19 PM
Lab ID:	1904518-06A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 10:45 AM	Instrument/Filename:	msdj.i / j042615
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	102

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-07_041619	Date/Time Analyzed:	4/26/19 08:21 PM
Lab ID:	1904518-07A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:15 AM	Instrument/Filename:	msdj.i / j042616
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-08_041619	Date/Time Analyzed:	4/26/19 08:47 PM
Lab ID:	1904518-08A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:45 AM	Instrument/Filename:	msdj.i / j042617
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-09_041619	Date/Time Analyzed:	4/26/19 09:13 PM
Lab ID:	1904518-09A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 12:15 PM	Instrument/Filename:	msdj.i / j042618
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	SSMP-12555BELDEN-10_041619	Date/Time Analyzed:	4/26/19 09:40 PM
Lab ID:	1904518-10A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 12:13 PM	Instrument/Filename:	msdj.i / j042619
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	102

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	4/26/19 10:46 AM
Lab ID:	1904518-11A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042605a
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.59	1.6	2.0	Not Detected
1,4-Dioxane	123-91-1	1.6	5.4	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.90	1.6	2.0	Not Detected
Tetrachloroethene	127-18-4	0.91	2.7	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.1	1.6	2.0	Not Detected
Trichloroethene	79-01-6	1.0	2.1	2.7	Not Detected
Vinyl Chloride	75-01-4	0.91	1.0	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	101
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	103

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	CCV	Date/Time Analyzed:	4/26/19 09:25 AM
Lab ID:	1904518-12A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042602
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	96
1,4-Dioxane	123-91-1	95
cis-1,2-Dichloroethene	156-59-2	101
Tetrachloroethene	127-18-4	97
trans-1,2-Dichloroethene	156-60-5	100
Trichloroethene	79-01-6	98
Vinyl Chloride	75-01-4	93

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCS	Date/Time Analyzed:	4/26/19 09:51 AM
Lab ID:	1904518-13A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042603
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	109
cis-1,2-Dichloroethene	156-59-2	113
Tetrachloroethene	127-18-4	103
trans-1,2-Dichloroethene	156-60-5	89
Trichloroethene	79-01-6	101
Vinyl Chloride	75-01-4	97

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	100

* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN
Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	4/26/19 10:18 AM
Lab ID:	1904518-13AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042604
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	101
1,4-Dioxane	123-91-1	109
cis-1,2-Dichloroethene	156-59-2	110
Tetrachloroethene	127-18-4	101
trans-1,2-Dichloroethene	156-60-5	92
Trichloroethene	79-01-6	100
Vinyl Chloride	75-01-4	96

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	99

* % Recovery is calculated using unrounded analytical results.



April 30, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1904518
Sample date: 2019-04-16
Report received by CADENA: 2019-04-30
Initial Data Verification completed by CADENA: 2019-04-30

10 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

4/29/2019

Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #: MI001454.0003
Workorder #: 1904517

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 4/23/2019 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1904517

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0004.0001B
FAX:		PROJECT #	MI001454.0003 Ford LTP
DATE RECEIVED:	04/23/2019	CONTACT:	Ausha Scott
DATE COMPLETED:	04/29/2019		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	DUP-12555BELDEN-03_041619	TO-15	6.1 "Hg	15.3 psi
02A	Lab Blank	TO-15	NA	NA
03A	CCV	TO-15	NA	NA
04A	LCS	TO-15	NA	NA
04AA	LCSD	TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 04/29/19

Certification numbers: AZ Licensure AZ0775, FL NELAP - E8 , LA NELAP - 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP CA009332018-10, VA NELAP - 9505, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-011, Effective date: 10/18/2018, Expiration date: 10/17/2019.

Eurofins Air Toxics LLC. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
EPA Method TO-15
Arcadis U.S., Inc.
Workorder# 1904517

One 1 Liter Summa Canister (100% Certified) sample was received on April 23, 2019. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified may be false positives.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	DUP-12555BELDEN-03_041619	Date/Time Analyzed:	4/27/19 10:11 PM
Lab ID:	1904517-01A	Dilution Factor:	2.56
Date/Time Collected:	4/16/19 12:00 AM	Instrument/Filename:	msdj.i / j042717
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	4.0	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.1	Not Detected
Tetrachloroethene	127-18-4	2.3	6.9	8.7	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.0	5.1	Not Detected
Trichloroethene	79-01-6	2.6	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	4/27/19 12:45 PM
Lab ID:	1904517-02A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042705d
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.59	1.6	2.0	Not Detected
1,4-Dioxane	123-91-1	1.6	5.4	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.90	1.6	2.0	Not Detected
Tetrachloroethene	127-18-4	0.91	2.7	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	1.1	1.6	2.0	Not Detected
Trichloroethene	79-01-6	1.0	2.1	2.7	Not Detected
Vinyl Chloride	75-01-4	0.91	1.0	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	CCV	Date/Time Analyzed:	4/27/19 10:39 AM
Lab ID:	1904517-03A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042702
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	98
1,4-Dioxane	123-91-1	95
cis-1,2-Dichloroethene	156-59-2	101
Tetrachloroethene	127-18-4	99
trans-1,2-Dichloroethene	156-60-5	104
Trichloroethene	79-01-6	96
Vinyl Chloride	75-01-4	94

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	LCS	Date/Time Analyzed:	4/27/19 11:16 AM
Lab ID:	1904517-04A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042703
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	112
cis-1,2-Dichloroethene	156-59-2	110
Tetrachloroethene	127-18-4	105
trans-1,2-Dichloroethene	156-60-5	88
Trichloroethene	79-01-6	102
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	102

* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	4/27/19 11:44 AM
Lab ID:	1904517-04AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msdj.i / j042704
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	100
1,4-Dioxane	123-91-1	108
cis-1,2-Dichloroethene	156-59-2	115
Tetrachloroethene	127-18-4	105
trans-1,2-Dichloroethene	156-60-5	90
Trichloroethene	79-01-6	100
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	106
Toluene-d8	2037-26-5	70-130	100

* % Recovery is calculated using unrounded analytical results.



April 30, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1904517
Sample date: 2019-04-16
Report received by CADENA: 2019-04-29
Initial Data Verification completed by CADENA: 2019-04-30

1 Air sample was analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) TO-15 Analysis

SDGs #1904517 and 1904518

CADENA Verification Report: 2019-04-30

Analyses Performed By:
Eurofins Air Toxics
Folsom, California

Report #32711R
Review Level: Tier III
Project: MI001454.0003.00001



DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # 1904517 and 1904518 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
1904517 And 1904518	SSMP-12555BELDEN-01_041619	1904518-01A	Air	4/16/2019		X		
	SSMP-12555BELDEN-02_041619	1904518-02A	Air	4/16/2019		X		
	SSMP-12555BELDEN-03_041619	1904518-03A	Air	4/16/2019		X		
	SSMP-12555BELDEN-04_041619	1904518-04A	Air	4/16/2019		X		
	SSMP-12555BELDEN-05_041619	1904518-05A	Air	4/16/2019		X		
	SSMP-12555BELDEN-06_041619	1904518-06A	Air	4/16/2019		X		
	SSMP-12555BELDEN-07_041619	1904518-07A	Air	4/16/2019		X		
	SSMP-12555BELDEN-08_041619	1904518-08A	Air	4/16/2019		X		
	SSMP-12555BELDEN-09_041619	1904518-09A	Air	4/16/2019		X		

DATA REVIEW

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						TO-15 (Full Scan)	TO-15 (SIM)	MISC
	SSMP-12555BELDEN-10_041619	1904518-10A	Air	4/16/2019		X		
	DUP-12555BELDEN-03_041619	1904517-01A	Air	4/16/2019	SSMP-12555BELDEN-01_041619	X		

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) Method TO-15 (Full Scan). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation	Return Canister Pressure
USEPA TO-15	Air	30 days from collection to analysis (Canister)	Ambient Temperature	< -2" Hg

All samples were analyzed within the specified holding time and canister return pressure / vacuum criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (30%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (30%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC exhibit area counts that are not greater than 140% or less than 60% of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

DATA REVIEW

5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra. All identified compounds met the specified criteria.

6. Field Duplicate Sample Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 35% for air matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are not greater than five times the RL, a control limit of one times the RL is applied to the difference between the duplicate sample results.

Results (in $\mu\text{g}/\text{m}^3$) for the field duplicate samples are summarized in the following table.

Sample ID / Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SSMP-12555BELDEN-01_041619/ DUP-12555BELDEN-03_041619	All compounds	U	U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: TO-15 (Full Scan)	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Canister return pressure (<-2"Hg)		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Field Duplicate Sample RPD		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Joseph C. Houser

SIGNATURE:



DATE: May 9, 2019

PEER REVIEW: Dennis Capria

DATE: May 10, 2019



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-01_041619	Date/Time Analyzed:	4/26/19 03:07 PM
Lab ID:	1904518-01A	Dilution Factor:	2.58
Date/Time Collected:	4/16/19 10:19 AM	Instrument/Filename:	msdj.i / j042610
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	4.0	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.1	5.1	Not Detected
Tetrachloroethene	127-18-4	2.4	7.0	8.8	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.1	5.1	Not Detected
Trichloroethene	79-01-6	2.6	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	2.4	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	101
Toluene-d8	2037-26-5	70-130	97

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-02_041619	Date/Time Analyzed:	4/26/19 03:34 PM
Lab ID:	1904518-02A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 10:45 AM	Instrument/Filename:	msdj.i / j042611
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	103
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-03_041619	Date/Time Analyzed:	4/26/19 04:00 PM
Lab ID:	1904518-03A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:05 AM	Instrument/Filename:	msdj.i / j042612
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	2.9 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	98

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-04_041619	Date/Time Analyzed:	4/26/19 04:26 PM
Lab ID:	1904518-04A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:28 AM	Instrument/Filename:	msdj.i / j042613
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	2.7 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	107
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-05_041619	Date/Time Analyzed:	4/26/19 04:53 PM
Lab ID:	1904518-05A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:51 AM	Instrument/Filename:	msdj.i / j042614
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	3.6 J
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	100

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-06_041619	Date/Time Analyzed:	4/26/19 05:19 PM
Lab ID:	1904518-06A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 10:45 AM	Instrument/Filename:	msdj.i / j042615
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	96
Toluene-d8	2037-26-5	70-130	102

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-07_041619	Date/Time Analyzed:	4/26/19 08:21 PM
Lab ID:	1904518-07A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:15 AM	Instrument/Filename:	msdj.i / j042616
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	104
Toluene-d8	2037-26-5	70-130	101

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-08_041619	Date/Time Analyzed:	4/26/19 08:47 PM
Lab ID:	1904518-08A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 11:45 AM	Instrument/Filename:	msdj.i / j042617
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	98
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-09_041619	Date/Time Analyzed:	4/26/19 09:13 PM
Lab ID:	1904518-09A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 12:15 PM	Instrument/Filename:	msdj.i / j042618
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	90
Toluene-d8	2037-26-5	70-130	99

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-12555BELDEN-10_041619	Date/Time Analyzed:	4/26/19 09:40 PM
Lab ID:	1904518-10A	Dilution Factor:	2.52
Date/Time Collected:	4/16/19 12:13 PM	Instrument/Filename:	msdj.i / j042619
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.0	5.0	Not Detected
1,4-Dioxane	123-91-1	3.9	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.0	Not Detected
Tetrachloroethene	127-18-4	2.3	6.8	8.5	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.8	4.0	5.0	Not Detected
Trichloroethene	79-01-6	2.5	5.4	6.8	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.2	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	100
4-Bromofluorobenzene	460-00-4	70-130	105
Toluene-d8	2037-26-5	70-130	102

Analysis Request / Canister Chain of Custody

For Laboratory Use Only

180 Blue Ravine Rd. Suite B, Folsom, CA 95630
 Phone (800) 985-5955; Fax (916) 351-8279

PID: _____ Workorder #: **1904516**

Click links below to view:

- [Canister Sampling Guide](#)
- [Helium Shroud Video](#)

Client: <u>Ford</u>	PID: <u>NA</u>	Special Instructions/Notes: Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	Turnaround Time (Rush surcharges may apply)							
Project Name: <u>Ford LTP</u>	P.O.# <u>MI001454.0003</u>		5 Day Turnaround Time							
Project Manager: <u>Kris Hinskey</u>			Canister Vacuum/Pressure		Requested Analyses					
Sampler: <u>E. REYER, S. JOHNSON</u>			Lab Use Only							
Site Name: <u>12555 Belden</u>			Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N ₂ / He	TO-15 (See Special Instructions/Notes)			

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N ₂ / He	TO-15 (See Special Instructions/Notes)			
				Date	Time	Date	Time								
01A	SSMP-12555BELDEN-01_041619	12917	23696	4-16-19	1006	4-16-19	1019	-29	-6			X			
02A	SSMP-12555BELDEN-02_041619	14521	23208	4-16-19	1033	4-16-19	1045	-29	-6			X			
03A	SSMP-12555BELDEN-03_041619	12753	23310	4-16-19	1054	4-16-19	1105	-29	-6.5			X			
04A	SSMP-12555BELDEN-04_041619	16391	23474	4-16-19	1117	4-16-19	1128	-29	-6			X			
05A	SSMP-12555BELDEN-05_041619	12476	23245	4-16-19	1138	4-16-19	1151	-29	-6			X			
06A	SSMP-12555BELDEN-06_041619	113022	23350	4-16-19	1033	4-16-19	1045	-29	-6			X			
07A	SSMP-12555BELDEN-07_041619	14208	23135	4-16-19	1101	4-16-19	1115	-29	-6			X			
08A	SSMP-12555BELDEN-08_041619	14692	23344	4-16-19	1133	4-16-19	1145	-29	-6			X			
09A	SSMP-12555BELDEN-09_041619	12545	23624	4-16-19	1203	4-16-19	1215	-29	-6			X			
10A	SSMP-12555BELDEN-10_041619	11549	23345	4-16-19	1201	4-16-19	1213	-29	-6			X			

Relinquished by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4-19-19</u>	Time <u>1600</u>	Received by: (Signature/Affiliation) <i>[Signature]</i>	Date <u>4/23/19</u>	Time <u>0950</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Lab Use Only			
Shipper Name: <u>Fed Ex</u>	Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> None		<u>Good</u>

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	DUP-12555BELDEN-03_041619	Date/Time Analyzed:	4/27/19 10:11 PM
Lab ID:	1904517-01A	Dilution Factor:	2.56
Date/Time Collected:	4/16/19 12:00 AM	Instrument/Filename:	msdj.i / j042717
Media:	1 Liter Summa Canister (100% Certified)		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	1.5	4.1	5.1	Not Detected
1,4-Dioxane	123-91-1	4.0	14	18	Not Detected
cis-1,2-Dichloroethene	156-59-2	2.3	4.0	5.1	Not Detected
Tetrachloroethene	127-18-4	2.3	6.9	8.7	Not Detected
trans-1,2-Dichloroethene	156-60-5	2.9	4.0	5.1	Not Detected
Trichloroethene	79-01-6	2.6	5.5	6.9	Not Detected
Vinyl Chloride	75-01-4	2.3	2.6	3.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	102
Toluene-d8	2037-26-5	70-130	101



Air Toxics

Analysis Request /Canister Chain of Custody

1 of 2

180 Blue Ravine Rd. Suite B, Folsom, CA 95630
Phone (800) 985-5955; Fax (916) 351-8279

For Laboratory Use Only

PID: _____

Workorder #: 1904517

Click links below to view:

[Canister Sampling Guide](#)

[Helium Shroud Video](#)

Client: <u>Ford</u> PID: _____	Special Instructions/Notes: Report ONLY: 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,4-Dioxane, PCE, TCE and VC. Submit results through Cadena at jim.tomalia@cadena.com. Cadena #E203631. Level IV Reporting	Turnaround Time (Rush surcharges may apply) 5 day
Project Name: <u>Ford LTP</u>		Canister Vacuum/Pressure Requested Analyses
Project Manager: <u>Kris Hinskey</u> P.O.# <u>MI001454.0003</u>		
Sampler: <u>E. REDNER, S. JAMES</u>		Lab Use Only Receipt Final (psig) Gas: N ₂ / He TO-15 (See Special Instructions/Notes)
Site Name: <u>12555 BELDEN</u>		

Lab ID	Sample Identification	Can #	Flow Controller #	Start Sampling Information		Stop Sampling Information		Initial (in Hg)	Final (in Hg)	Receipt	Final (psig) Gas: N ₂ / He	TO-15 (See Special Instructions/Notes)	Requested Analyses			
				Date	Time	Date	Time									
01A	<u>12555 BELDEN - 03-04-19</u>	<u>162918</u>	<u>24256</u>	<u>4-16-19</u>	<u>---</u>	<u>4-16-19</u>	<u>---</u>	<u>-29</u>	<u>-6</u>			X				

Relinquished by: (Signature/Affiliation) <u>[Signature]</u>	Date <u>4-19-19</u>	Time <u>1600</u>	Received by: (Signature/Affiliation) <u>[Signature]</u>	Date <u>4/23/19</u>	Time <u>0950</u>
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature/Affiliation)	Date	Time	Received by: (Signature/Affiliation)	Date	Time

Lab Use Only

Shipper Name: POB Custody Seals Intact? Yes No None GOOD

Sample Transportation Notice: Relinquishing signature on this document indicates that samples are shipped in compliance with all applicable local, State, Federal, and international laws, regulations, and ordinances of any kind. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Eurofins Air Toxics against any claim, demand, or action, of any kind, related to the collection, handling, of shipping of samples. D.O.T Hotline (800) 467-4922