🛟 eurofins

Environment Testing TestAmerica

ANALYTICAL REPORT

Eurofins TestAmerica, Edison 777 New Durham Road Edison, NJ 08817 Tel: (732)549-3900

Laboratory Job ID: 460-197779-1

Client Project/Site: Ford LTP Off-Site

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mole Del your

Authorized for release by: 12/12/2019 4:06:33 PM

Michael DelMonico, Project Manager I (330)497-9396 michael.delmonico@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Method Summary	14
Sample Summary	15
Chain of Custody	16
Receipt Checklists	18

Definitions/Glossary

3

5

Qualifiers

G	C/MS	VOA
-		

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Giussaiy	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
a	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
ſEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Job ID: 460-197779-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off-Site

Report Number: 460-197779-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Edison attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 11/27/2019 10:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples Trip Blank (460-197779-1) and MW-146S_112519 (460-197779-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 12/07/2019 and 12/08/2019.

1,1-Dichloroethene and trans-1,2-Dichloroethene failed the recovery criteria high for LCSD 460-660692/4. Refer to the QC report for details.

The laboratory control sample duplicate (LCSD) for analytical batch 460-660692 recovered outside control limits for the following analytes: 1,1-Dichloroethene and trans-1,2-Dichloroethene. These analytes were biased high in the LCSD and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample MW-146S_112519 (460-197779-2) was analyzed for Volatile organic compounds (GC/MS) in accordance with SW-846 Method 8260C SIM. The samples were analyzed on 12/06/2019.

Job ID: 460-197779-1 (Continued)

Laboratory: Eurofins TestAmerica, Edison (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Client Sample ID: Trip Blank

No Detections.

Client Sample ID: MW	Lab Sample ID: 4	60-197779-2			
Analyte	Result Qualifier	RL	MDL Unit	Dil Fac D Method	Prep Type
Vinyl chloride	0.39 J	1.0	0.17 ug/L	1 8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Job ID: 460-197779-1

Lab Sample ID: 460-197779-1

Client Sample Results

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Prepared

Prepared

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

4-Bromofluorobenzene

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

Date Collected: 11/25/19 11:37

Date Received: 11/27/19 10:30

Client Sample ID: MW-146S 112519

Client Sample ID: Trip Blank Date Collected: 11/25/19 11:37 Date Received: 11/27/19 10:30

loh	ın	460-	197	77	′ 9 _1
200	ID.	400-	191	11	9-1

Lab Sample ID: 460-197779-1

Analyzed

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

Analyzed

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

Dil Fac

Lab Sample ID: 460-197779-2

Matrix: Water

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			12/06/19 20:37	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	91		72 - 133					12/06/19 20:37	1	

Method: 8260C - Volatile Organic Compounds by GC/MS

Method: 8260C - Volatile Organic Compounds by GC/MS

Result Qualifier

1.0 U*

1.0 U

1.0 U

1.0 U*

1.0 U

1.0 U

%Recovery Qualifier

100

102

107

109

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U *	1.0	0.26	ug/L			12/08/19 02:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/08/19 02:36	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/08/19 02:36	1
trans-1,2-Dichloroethene	1.0	U *	1.0	0.24	ug/L			12/08/19 02:36	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/08/19 02:36	1
Vinyl chloride	0.39	J	1.0	0.17	ug/L			12/08/19 02:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		74 - 132			-		12/08/19 02:36	1
Toluene-d8 (Surr)	103		80 - 120					12/08/19 02:36	1
Dibromofluoromethane (Surr)	110		72 - 131					12/08/19 02:36	1
4-Bromofluorobenzene	108		77 - 124					12/08/19 02:36	1

Surrogate Summary

LCSD 460-660399/5

MB 460-660399/9

Method: 8260C - Volatile Organic Compounds by GC/MS Matrix: Water

Lab Control Sample Dup

Method Blank

91

92

latrix: Water			-			Prep Type: Total/NA	
			Pe	ercent Surro	gate Recovery	(Acceptance Limits)	
		DCA	TOL	DBFM	BFB		-
Lab Sample ID	Client Sample ID	(74-132)	(80-120)	(72-131)	(77-124)		
460-197779-1	Trip Blank	100	102	107	109		
460-197779-2	MW-146S_112519	98	103	110	108		
LCS 460-660692/3	Lab Control Sample	103	104	107	109		-
LCSD 460-660692/4	Lab Control Sample Dup	104	106	108	114		
MB 460-660692/7	Method Blank	101	103	108	110		
Surrogate Legend							
DCA = 1,2-Dichloroe	()						
TOL = Toluene-d8 (S	,						
DBFM = Dibromofluc	()						
BFB = 4-Bromofluoro	obenzene						
lethod: 8260C	SIM - Volatile Organic	Compoun	ds (GC/	MS)			
latrix: Water						Prep Type: Total/NA	
			Pe	ercent Surro	gate Recovery	(Acceptance Limits)	
		BFB					5
Lab Sample ID	Client Sample ID	(72-133)					
	-						
460-197779-2	MW-146S_112519	91					

Surrogate Legend

BFB = 4-Bromofluorobenzene

Job ID: 460-197779-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-660692/7

Matrix: Water Analysis Batch: 660692

MB MB Analyte **Result Qualifier** RL MDL Unit Prepared Analyzed Dil Fac D 1.0 U 1,1-Dichloroethene 1.0 0.26 ug/L 12/07/19 19:52 1 cis-1,2-Dichloroethene 1.0 U 1.0 0.22 ug/L 12/07/19 19:52 1 Tetrachloroethene 1.0 U 1.0 0.25 ug/L 12/07/19 19:52 1 trans-1,2-Dichloroethene 0.24 ug/L 1.0 U 1.0 12/07/19 19:52 1 Trichloroethene 1.0 0.31 ug/L 1.0 U 12/07/19 19:52 1 Vinyl chloride 1.0 U 1.0 0.17 ug/L 12/07/19 19:52 1

	MB I	МВ				
Surrogate	%Recovery (Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		74 - 132		12/07/19 19:52	1
Toluene-d8 (Surr)	103		80 - 120		12/07/19 19:52	1
Dibromofluoromethane (Surr)	108		72 - 131		12/07/19 19:52	1
4-Bromofluorobenzene	110		77 - 124		12/07/19 19:52	1

Lab Sample ID: LCS 460-660692/3 **Matrix: Water** Analysis Batch: 660692

	Spike	LCS LCS			%Rec.	
Analyte	Added	Result Qualifi	er Unit	D %Rec	Limits	
1,1-Dichloroethene		24.5	ug/L	122	74 - 123	
cis-1,2-Dichloroethene	20.0	19.9	ug/L	100	80 - 120	
Tetrachloroethene	20.0	20.9	ug/L	104	78 - 122	
trans-1,2-Dichloroethene	20.0	23.4	ug/L	117	79 ₋ 120	
Trichloroethene	20.0	21.6	ug/L	108	77 - 120	
Vinyl chloride	20.0	19.4	ug/L	97	62 - 138	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		74 - 132
Toluene-d8 (Surr)	104		80 - 120
Dibromofluoromethane (Surr)	107		72 - 131
4-Bromofluorobenzene	109		77 - 124

Lab Sample ID: LCSD 460-660692/4 **Matrix: Water** Analysis Batch: 660692

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	20.0	25.2	*	ug/L		126	74 - 123	3	30
cis-1,2-Dichloroethene	20.0	20.7		ug/L		103	80 - 120	4	30
Tetrachloroethene	20.0	21.7		ug/L		109	78 - 122	4	30
trans-1,2-Dichloroethene	20.0	24.6	*	ug/L		123	79 - 120	5	30
Trichloroethene	20.0	22.3		ug/L		111	77 _ 120	3	30
Vinyl chloride	20.0	19.9		ug/L		100	62 - 138	3	30

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		74 - 132
Toluene-d8 (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	108		72 - 131

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Client Sample ID: Lab	Control Sample Due
Chefft Sample ID. Lat	Control Sample Dup

Eurofins TestAmerica, Edison

Method: 8260C - Volati	ile Organic O	Compou	inds by GO	C/MS	(Con	tin	ued)							
Lab Sample ID: LCSD 460 Matrix: Water	-660692/4					C	lient S	amp	ole	ID: Lab	Control Prep Ty			
Analysis Batch: 660692														
	LCSD LC	SD												
Surrogate	%Recovery Qu	alifier	Limits											
4-Bromofluorobenzene	114		77 - 124											
Method: 8260C SIM - V	olatile Orga	nic Con	npounds (GC/M	S)									
Lab Sample ID: MB 460-6	60399/9							c	Clie	nt Sam	ple ID: M	lethod	Blan	k
Matrix: Water											Prep Ty	pe: To	otal/N/	A
Analysis Batch: 660399														
	ME	B MB												
Analyte		t Qualifier			MDL (D	Pı	repared	Analy		Dil Fa	С
1,4-Dioxane	2.0	Ū	2.0		0.33 i	ug/L					12/06/19	14:21		1
	МЕ	3 MB												
Surrogate	%Recovery	/ Qualifier	Limits						PI	repared	Analy	zed	Dil Fa	с
4-Bromofluorobenzene	92		72 - 133					-		•	12/06/19	14:21		1
Lab Sample ID: LCS 460-6	60399/4						Cli	ent S	Sar	nple ID	: Lab Co			
Matrix: Water											Prep Ty	pe: To	otal/N/	A
Analysis Batch: 660399														
			Spike	-	LCS	-			_		%Rec.			
Analyte			Added	Result	Quali	fier	Unit		D	%Rec	Limits			- 1
1,4-Dioxane			5.00	4.59			ug/L			92	66 - 135			
	LCS LC	s												
Surrogate	%Recovery Qu	alifier	Limits											
4-Bromofluorobenzene	88		72 - 133											
						~	liant C				Control	C	I. D	
Lab Sample ID: LCSD 460 Matrix: Water	-000399/5					C	ment S	bamp	ле	ID: Lab	Control Prep Ty			
Analysis Batch: 660399											Fiepiy	pe. It		•
Analysis Batch. 000399			Spike	LCSD	LCSE	,					%Rec.		RP	п
Analyte			Added	Result			Unit		D	%Rec	Limits	RPD		
1,4-Dioxane			5.00	5.02			ug/L		_	100	66 - 135			
							5					-	-	
	LCSD LC													
Surrogate	%Recovery Qu	alifier	Limits											
4-Bromofluorobenzene	91		72 - 133											

QC Association Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

GC/MS VOA

MB 460-660692/7

LCS 460-660692/3

LCSD 460-660692/4

Method Blank

Lab Control Sample

Lab Control Sample Dup

Analysis Batch: 660399

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197779-2	MW-146S_112519	Total/NA	Water	8260C SIM	
MB 460-660399/9	Method Blank	Total/NA	Water	8260C SIM	
LCS 460-660399/4	Lab Control Sample	Total/NA	Water	8260C SIM	
LCSD 460-660399/5	Lab Control Sample Dup	Total/NA	Water	8260C SIM	
nalysis Batch: 660	692				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197779-1	Trip Blank	Total/NA	Water	8260C	
460-197779-2	MW-146S_112519	Total/NA	Water	8260C	

Total/NA

Total/NA

Total/NA

Water

Water

Water

8260C

8260C

8260C

Dilution

Factor

Dilution

Factor

1

1

1

Run

Run

Batch

Number

660692

Batch

Number

660692

Prepared

or Analyzed

12/07/19 22:38

Prepared

12/08/19 02:36

660399 12/06/19 20:37 MZS

or Analyzed

Client Sample ID: Trip Blank Date Collected: 11/25/19 11:37 Date Received: 11/27/19 10:30

Date Collected: 11/25/19 11:37

Date Received: 11/27/19 10:30

Batch

Туре

Analysis

Client Sample ID: MW-146S_112519

Batch

Туре

Analysis

Batch

8260C

Batch

Method

8260C SIM

8260C

Method

Lab Sample ID: 460-197779-1 Matrix: Water

Lab Sample ID: 460-197779-1 Matrix: Water							
Analyst KLB	Lab TAL EDI	5					
	mple ID: 460-197779-2						
	Matrix: Water						
		8					
Analyst KLB	TAL EDI	9					
MZS	TAL EDI	10					
		13					

Total/NA Analysis

Laboratory References:

Prep Type

Prep Type

Total/NA

Total/NA

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Job ID: 460-197779-1

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert no.=""></cert>	12-31-21
Georgia	State	12028 (NJ)	06-30-20
Massachusetts	State	M-NJ312	06-30-20
Massachusetts	State Program	M-NJ312	06-30-20
New Jersey	NELAP	12028	06-30-20
New York	NELAP	11452	04-01-20
Pennsylvania	NELAP	68-00522	02-28-20
Rhode Island	State	LAO00132	12-30-19
USDA	US Federal Programs	P330-18-00135	05-03-21

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
lowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

4 5 6

Eurofins TestAmerica, Edison

Method Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8260C SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off-Site

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-197779-1	Trip Blank	Water	11/25/19 11:37	11/27/19 10:30	
460-197779-2	MW-146S_112519	Water	11/25/19 11:37	11/27/19 10:30	

12/12/2019

1 2 3 4 5 6 7 8	9 10 11 12 13	14 15		
HIGAN		Chain of Custody Record		TestAmerica
I YV TestAr	TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	ion Drive, Suite 200 / Brighton, MI 48116 / 810-229-27		THE LEADER IN ENVIRONMENTAL TESTING
Client Contact	Regulatory program: 🗂 DW	T NPDES T RCRA T Other	 	TectAmerica Laboratories, Inc.
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Rachel Bielak	Lab Contact: Mike DelMonico	COC No:
Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240		Telephone: 330-497-9396	
City/State/Zip: Novi, MI, 48377	Email. Irichtfar hinebau@arcadie.com		Analyses	for labeling only COCs
Phone: 248-994-2240	Email: Kristoller.ninskey@arcadis.com	TAT if different from below		Walk-in chent
Project Name: Ford LTP Off-Site	Man- athenine Calley	10 day F 2 weeks		Sundantes of same
Project Number: 30016346.0002B	Method of Shpment/Carrier:	T 1 week	В	P00000
PO # 30016346.0002B	Shipping/Tracking No:	le (Y /Gra) B	E 826	iobysbig No.
		tè=C∕ 8260I	DB DB DB	
	A and a second s	I2SO4 INO3 ICI NaOH mAc/ Jopres Other: Composit ,1-DCE	iis-1,2-D rans-1,2 PCE 8260 /Inyl Chlo I,4-Dioxa	Sample Specific Notes / Special Instructions:
TRIP BLANK	X X	y Y		1 TripBlank
MW1-14/2 112519	1/25/19 127 ×	X 9 M	XXXXXX	3 VOAS for \$260B
		460-197779	-197779 Chain of Custody	
Possible Hazard Identification ✓ Non-Hazard [^] lammable [^] sin Irritant	「Poison B」「Jakaowa	Sample Disposal (A fee may be assessed if samples	are retained longer than 1 month) Archive For Months	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at iim.tomalia@cadena.com. Cadena #E203631				
Level IV Reporting requested.			-	
Relinquished by: Mary - Contheir Company Arcadis		à	more company. And ulis	11/25/14/5:30
Relinquished by: RHCHEL BIELAN Grad Dialah]	1100 Holly Hazow		W26/19 1100
Relinguished by Aluxow		loratory-by:	Rule Company TAG	1. 12719 1080
910h bli 4 57	3,5/3.8°C 2011			

EDS-\ 10/22											·					N. 1		
EDS-WI-038, Rev 4.1 10/22/2019		P											TALS Sa			Number	Job Number:	
w 4.1	Lot # of Preservative(s): T	Preservative Name/Conc.:	Sample No(s). adjusted:										TALS Sample Number			Number of Coolers:	ıber:	
	Preserva	ve Name	Vo(s). ad	[Cooler #1		2	
	tive(s):_ Th	/Conc.:	ljusted:	pH adju									(pH<2)	Ammonia	ි <mark>වි</mark> ර	-	6 <i>ttt</i> 5	
Initials:	e appropi Sarr			stments									(pH<2)	COD	3.8°C		ه	
	iate Proje ples for N			are requ									(pH<2)	Nitrate Nitrite				
P P	ect Manag Metal ana			ired reco									(pH<2)	* Metals		IR Gun #		
	s): Expiration Date: The appropriate Project Manager and Department Manager should be notified about the samples which were pH aq Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.			If pH adjustments are required record the information below:									 (pH<2)	Hardness	Cooler #4 Cooler #5 Cooler #6		Eu Rece	1
Ι	<u>–</u> epartmen h are out	<		formatio) (pH 5-9)	s Pest		Cooler Temperatures	Eurofins TestAmerica Edison Receipt Temperature and pH Log	1
	t Manage of compli	Volume of Preservative used (ml):		n below:									 .9) (pH<2)	EPH or QAM	<u>a a a</u>		estAmo	
	E r should iance mu	Preserva					 			 				or M Phenols	ດ 占 占	eratur	erica Ec re and	
Date:	Expiration Date: d be notified abo ust be acidified a	itive used								 			(pH<2) (p			8	dison pH Log	
11	Date: d about t lified at le	l (ml):					 						 (pH>9) (I	Sulfide	Coole Coole Coole			
127/19	he sampli east 24 hc												 (pH<2)	TKN	Cooler #7: Cooler #8: Cooler #9:			
	es which ours prio				 	· · · · ·			·	 		 	 (pH<2)	TOC	ප් ප් ප්	Pow		
	were pH to analy				 		 			 		 	 (pH>12)	Total Cyanide	ದ <u>ರ</u> ಿ ರ	CORRECTED		
	samples which were pH adjusted. st 24 hours prior to analysis.												(pH<2)	Total Phos				
	·													Other			Page	
										 				Other				
								Ļ				 		•			역	

Page 17 of 18

12/12/2019

4

Client: ARCADIS U.S., Inc.

Login Number: 197779 List Number: 1 Creator: DiGuardia, Joseph L

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td>	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Job Number: 460-197779-1

List Source: Eurofins TestAmerica, Edison

DATA VERIFICATION REPORT



December 12, 2019

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631 Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater Project number: 30016346.0002B Event Specific Scope of Work References: Sample COC Laboratory: TestAmerica - Edison Laboratory submittal: 197779-1 Sample date: 2019-11-25 Report received by CADENA: 2019-12-12 Initial Data Verification completed by CADENA: 2019-12-12 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch 660692 LCS recoveries were outliers biased high for the following analytes: 1,1-DICHLOROETHENE and TRANS-1,2-DICHLOROETHENE. Associated client sample results were nondetect so qualification was not required based on these high bias QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <u>http://clms.cadenaco.com/index.cfm</u>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631 Laboratory: TestAmerica-Edison Laboratory Submittal: 197779-1

		Collection Date	Collection Time			
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	GCMS VOC Volatiles	GCMS VOC SIM	Comment
4601977791	Trip Blank	11/25/2019	11:37:00	х		
4601977792	MW-146S_112519	11/25/2019	11:37:00	х	х	

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631 Laboratory: TestAmerica - Edison Laboratory Submittal: 197779-1

		Sample Name: Lab Sample ID: Sample Date:	Trip Blar 4601977 11/25/2	7791			MW-146 4601977 11/25/2		19	
				Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC OSW-826	50C									
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		0.39	1.0	ug/l	J
GC/MS SVOC OSW-826	50CSIM									
	1,4-Dioxane	123-91-1					ND	2.0	ug/l	



Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 460-197779-1 CADENA Verification Report: 2019-12-12

Analyses Performed By: TestAmerica Edison, New Jersey

Report #35164R Review Level: Tier III Project: 30016346.00002

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 460-197779-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

				Sample		ļ	Analysis	
SDG	Sample ID	Lab ID	Matrix	Collection Date	Parent Sample	VOC (Full Scan)	VOC (SIM)	MISC
400 407770 4	TRIP BLANK	460-197779-1	Water	11/25/2019		Х		
460-197779-1	MW-146S_112519	460-197779-2	Water	11/25/2019		х	Х	

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

	Rep	Reported		rmance ptable	Not
Items Reviewed	No	Yes	No	Yes	Required
1. Sample receipt condition		Х		Х	
2. Requested analyses and sample results		Х		X	
3. Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
9. Sample preparation/extraction/analysis dates		Х		Х	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
11. Narrative summary of Quality Assurance or sample problems provided		х		х	
12. Data Package Completeness and Compliance		Х		Х	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

arcadis.com

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

DATA REVIEW

All detected compounds were within the specified criteria.

6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Re	eported		ormance eptable	Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMET	rry (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation					
System performance and column resolution		X		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		Х	
B. Quantitation Reports		X		Х	
C. RT of sample compounds within the established RT windows		x		X	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

- %R Percent recovery
- RPD Relative percent difference
- %D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

a Kagt

DATE: December 17, 2019


PEER REVIEW: Dennis Capria

DATE: December 31, 2019

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS



1 2 3 4 5 6 7 8	9 10 11 12 13	14 15		
HIGAN		Chain of Custody Record		TestAmerica
I YV TestAr	TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	ion Drive, Suite 200 / Brighton, MI 48116 / 810-229-27		THE LEADER IN ENVIRONMENTAL TESTING
Client Contact	Regulatory program: 🗂 DW	T NPDES T RCRA T Other	 	TectAmerica Laboratories, Inc.
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Rachel Bielak	Lab Contact: Mike DelMonico	COC No:
Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240		Telephone: 330-497-9396	
City/State/Zip: Novi, MI, 48377	Email. Irichtfar hinebau@arcadie.com		Analyses	for labeling only COCs
Phone: 248-994-2240	Email: Kristoller.ninskey@arcadis.com	TAT if different from below		Walk-in chent
Project Name: Ford LTP Off-Site	Man- athenine Calley	10 day F 2 weeks		Sundantes of same
Project Number: 30016346.0002B	Method of Shpment/Carrier:	T 1 week	В	P00000
PO # 30016346.0002B	Shipping/Tracking No:	le (Y /Gra) B	E 826	iobysbig No.
		tè=C∕ 8260I	DB DB DB	
	A completion of the completion	I2SO4 INO3 ICI NaOH mAc/ aoH Japres Other: Composit ,1-DCE	iis-1,2-D rans-1,2 PCE 8260 /Inyl Chlo I,4-Dioxa	Sample Specific Notes / Special Instructions:
TRIP BLANK	X X	y Y		1 TripBlank
MW1-14/2 112519	1/25/19 127 ×	X 9 M	XXXXXX	3 VOAS for \$260B
		460-197779	-197779 Chain of Custody	
Possible Hazard Identification ✓ Non-Hazard [^] lammable [^] sin Irritant	「Poison B」「Jakaowa	Sample Disposal (A fee may be assessed if samples	are retained longer than 1 month)	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at iim.tomalia@cadena.com. Cadena #E203631				
Level IV Reporting requested.			-	
Relinquished by: Mary - Contheir Company Arcadis		à	more company. And ulis	11/25/14/5:30
Relinquished by: RHCHEL BIELAN Grad Dialah]	1100 Holly Hazow		W26/19 1100
Relinguished by Aluxow		loratory-by:	Rule Company TAG	1. 12719 1080
910h bli 4 57	3,5/3.8°C 2011			

Client Sample Results

RL

1.0

1.0

1.0

1.0

1.0

1.0

Limits

74 - 132

80 - 120

72 - 131

77 - 124

MDL Unit

0.26 ug/L

0.22 ug/L

0.25 ug/L

0.24 ug/L

0.31 ug/L

0.17 ug/L

D

Prepared

Prepared

Analyte

1,1-Dichloroethene

Tetrachloroethene

Trichloroethene

Toluene-d8 (Surr)

Vinyl chloride

Surrogate

cis-1,2-Dichloroethene

trans-1,2-Dichloroethene

1,2-Dichloroethane-d4 (Surr)

Dibromofluoromethane (Surr)

4-Bromofluorobenzene

Client Sample ID: Trip Blank Date Collected: 11/25/19 11:37 Date Received: 11/27/19 10:30

loh	ın	460-	197	77	′ 9 _1
200	ID.	400-	191	11	9-1

Lab Sample ID: 460-197779-1

Analyzed

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

Analyzed

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

12/07/19 22:38

Lab Sample ID: 460-197779-2

Matrix: Water

Dil Fac

1

1

1

1

1

1

1

1

1

1

Dil Fac

Matrix: Water

Client Sample ID: MW-146S_112519 Date Collected: 11/25/19 11:37 Date Received: 11/27/19 10:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Result Qualifier

1.0 U*

1.0 U

1.0 U

1.0 U*

1.0 U

1.0 U

%Recovery Qualifier

100

102

107

109

Date Received. 11/2//13 1	0.50								
	atile Organic Co	mpounds	(GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			12/06/19 20:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		72 - 133					12/06/19 20:37	1

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U *	1.0	0.26	ug/L			12/08/19 02:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/08/19 02:36	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/08/19 02:36	1
trans-1,2-Dichloroethene	1.0	U *	1.0	0.24	ug/L			12/08/19 02:36	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/08/19 02:36	1
Vinyl chloride	0.39	J	1.0	0.17	ug/L			12/08/19 02:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		74 - 132			-		12/08/19 02:36	1
Toluene-d8 (Surr)	103		80 - 120					12/08/19 02:36	1
Dibromofluoromethane (Surr)	110		72 - 131					12/08/19 02:36	1
4-Bromofluorobenzene	108		77 - 124					12/08/19 02:36	1