

11/7/2018
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #:
Workorder #: 1810682A

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 10/31/2018 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1810682A

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0003
FAX:		PROJECT #	Ford LTP
DATE RECEIVED:	10/31/2018	CONTACT:	Ausha Scott
DATE COMPLETED:	11/06/2018		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SSMP-34418ROSATIAV-05_102618	TO-15	4.3 "Hg	14.9 psi
02A	SSMP-34418ROSATIAV-01_102618	TO-15	3.1 "Hg	15 psi
03A	SSMP-34418ROSATIAV-02_102618	TO-15	3.9 "Hg	14.6 psi
04A	SSMP-34418ROSATIAV-03_102618	TO-15	3.9 "Hg	14.8 psi
05A	SSMP-34418ROSATIAV-04_102618	TO-15	3.3 "Hg	15.4 psi
06A	Lab Blank	TO-15	NA	NA
07A	CCV	TO-15	NA	NA
08A	LCS	TO-15	NA	NA
08AA	LCSD	TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 11/06/18

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704434-15-9, UT NELAP CA0093332015-6, VA NELAP - 8113, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2015, Expiration date: 10/17/2016.

Eurofins Air Toxics Inc.. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
EPA Method TO-15
Arcadis U.S., Inc.
Workorder# 1810682A

Five 1 Liter Summa Canister samples were received on October 31, 2018. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per client project requirements, the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. Concentrations that are below the level at which the canister was certified (0.2 ppbv for compounds reported at 0.5 ppbv and 0.8 ppbv for compounds reported at 2.0 ppbv) may be false positives.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-34418ROSATIAV-05_102618	Date/Time Analyzed:	11/2/18 01:35 AM
Lab ID:	1810682A-01A	Dilution Factor:	2.35
Date/Time Collected:	10/26/18 09:55 AM	Instrument/Filename:	msd17.i / 17110120
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.7	4.6	Not Detected
1,4-Dioxane	123-91-1	3.7	13	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.74	3.7	4.6	Not Detected
Tetrachloroethene	127-18-4	1.1	6.4	8.0	2.8 J
trans-1,2-Dichloroethene	156-60-5	1.4	3.7	4.6	Not Detected
Trichloroethene	79-01-6	2.4	5.0	6.3	Not Detected
Vinyl Chloride	75-01-4	0.72	2.4	3.0	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	107

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-34418ROSATIAV-01_102618	Date/Time Analyzed:	11/2/18 02:03 AM
Lab ID:	1810682A-02A	Dilution Factor:	2.25
Date/Time Collected:	10/26/18 10:28 AM	Instrument/Filename:	msd17.i / 17110121
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.6	4.5	Not Detected
1,4-Dioxane	123-91-1	3.6	12	16	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.71	3.6	4.5	Not Detected
Tetrachloroethene	127-18-4	1.1	6.1	7.6	2.9 J
trans-1,2-Dichloroethene	156-60-5	1.3	3.6	4.5	Not Detected
Trichloroethene	79-01-6	2.3	4.8	6.0	Not Detected
Vinyl Chloride	75-01-4	0.69	2.3	2.9	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	104

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-34418ROSATIAV-02_102618	Date/Time Analyzed:	11/2/18 02:31 AM
Lab ID:	1810682A-03A	Dilution Factor:	2.29
Date/Time Collected:	10/26/18 11:01 AM	Instrument/Filename:	msd17.i / 17110122
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.6	4.5	Not Detected
1,4-Dioxane	123-91-1	3.6	12	16	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.73	3.6	4.5	Not Detected
Tetrachloroethene	127-18-4	1.1	6.2	7.8	4.0 J
trans-1,2-Dichloroethene	156-60-5	1.4	3.6	4.5	Not Detected
Trichloroethene	79-01-6	2.3	4.9	6.2	2.4 J
Vinyl Chloride	75-01-4	0.70	2.3	2.9	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	96
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	105

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-34418ROSATIAV-03_102618	Date/Time Analyzed:	11/2/18 02:59 AM
Lab ID:	1810682A-04A	Dilution Factor:	2.31
Date/Time Collected:	10/26/18 11:30 AM	Instrument/Filename:	msd17.i / 17110123
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.7	4.6	Not Detected
1,4-Dioxane	123-91-1	3.7	12	17	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.73	3.7	4.6	1.1 J
Tetrachloroethene	127-18-4	1.1	6.3	7.8	2.2 J
trans-1,2-Dichloroethene	156-60-5	1.4	3.7	4.6	Not Detected
Trichloroethene	79-01-6	2.4	5.0	6.2	3.6 J
Vinyl Chloride	75-01-4	0.71	2.4	3.0	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	99
4-Bromofluorobenzene	460-00-4	70-130	94
Toluene-d8	2037-26-5	70-130	107

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	SSMP-34418ROSATIAV-04_102618	Date/Time Analyzed:	11/2/18 03:27 AM
Lab ID:	1810682A-05A	Dilution Factor:	2.30
Date/Time Collected:	10/26/18 12:07 PM	Instrument/Filename:	msd17.i / 17110124
Media:	1 Liter Summa Canister		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	2.0	3.6	4.6	Not Detected
1,4-Dioxane	123-91-1	3.6	12	16	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.73	3.6	4.6	Not Detected
Tetrachloroethene	127-18-4	1.1	6.2	7.8	1.3 J
trans-1,2-Dichloroethene	156-60-5	1.4	3.6	4.6	Not Detected
Trichloroethene	79-01-6	2.3	4.9	6.2	4.3 J
Vinyl Chloride	75-01-4	0.70	2.4	2.9	Not Detected

J = Estimated value.

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	107

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	Lab Blank	Date/Time Analyzed:	11/1/18 03:20 PM
Lab ID:	1810682A-06A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd17.i / 17110105a
Media:	NA - Not Applicable		

Compound	CAS#	MDL (ug/m3)	LOD (ug/m3)	Rpt. Limit (ug/m3)	Amount (ug/m3)
1,1-Dichloroethene	75-35-4	0.87	1.6	2.0	Not Detected
1,4-Dioxane	123-91-1	1.6	5.4	7.2	Not Detected
cis-1,2-Dichloroethene	156-59-2	0.32	1.6	2.0	Not Detected
Tetrachloroethene	127-18-4	0.47	2.7	3.4	Not Detected
trans-1,2-Dichloroethene	156-60-5	0.59	1.6	2.0	Not Detected
Trichloroethene	79-01-6	1.0	2.1	2.7	Not Detected
Vinyl Chloride	75-01-4	0.31	1.0	1.3	Not Detected

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	95
4-Bromofluorobenzene	460-00-4	70-130	89
Toluene-d8	2037-26-5	70-130	106

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	CCV	Date/Time Analyzed:	11/1/18 01:26 PM
Lab ID:	1810682A-07A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd17.i / 17110102
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	91
1,4-Dioxane	123-91-1	103
cis-1,2-Dichloroethene	156-59-2	90
Tetrachloroethene	127-18-4	95
trans-1,2-Dichloroethene	156-60-5	91
Trichloroethene	79-01-6	103
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	98
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	108

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	LCS	Date/Time Analyzed:	11/1/18 02:05 PM
Lab ID:	1810682A-08A	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd17.i / 17110103
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	86
1,4-Dioxane	123-91-1	108
cis-1,2-Dichloroethene	156-59-2	83
Tetrachloroethene	127-18-4	96
trans-1,2-Dichloroethene	156-60-5	99
Trichloroethene	79-01-6	103
Vinyl Chloride	75-01-4	98

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	94
4-Bromofluorobenzene	460-00-4	70-130	93
Toluene-d8	2037-26-5	70-130	106

* % Recovery is calculated using unrounded analytical results.

EPA METHOD TO-15 GC/MS FULL SCAN
 Ford LTP

Client ID:	LCSD	Date/Time Analyzed:	11/1/18 02:32 PM
Lab ID:	1810682A-08AA	Dilution Factor:	1.00
Date/Time Collected:	NA - Not Applicable	Instrument/Filename:	msd17.i / 17110104
Media:	NA - Not Applicable		

Compound	CAS#	%Recovery
1,1-Dichloroethene	75-35-4	91
1,4-Dioxane	123-91-1	110
cis-1,2-Dichloroethene	156-59-2	84
Tetrachloroethene	127-18-4	98
trans-1,2-Dichloroethene	156-60-5	101
Trichloroethene	79-01-6	106
Vinyl Chloride	75-01-4	101

D: Analyte not within the DoD scope of accreditation.

Surrogates	CAS#	Limits	%Recovery
1,2-Dichloroethane-d4	17060-07-0	70-130	97
4-Bromofluorobenzene	460-00-4	70-130	92
Toluene-d8	2037-26-5	70-130	108

* % Recovery is calculated using unrounded analytical results.



November 07, 2018

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1810682A
Sample date: 2018-10-26
Report received by CADENA: 2018-11-07
Initial Data Verification completed by CADENA: 2018-11-07

5 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

11/6/2018
Mr. Jim Tomalia
Arcadis U.S., Inc.
28550 Cabot Dr.
Suite 500
Novi MI 48377

Project Name: Ford LTP
Project #:
Workorder #: 1810682B

Dear Mr. Jim Tomalia

The following report includes the data for the above referenced project for sample(s) received on 10/31/2018 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Ausha Scott at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Ausha Scott
Project Manager

WORK ORDER #: 1810682B

Work Order Summary

CLIENT:	Mr. Jim Tomalia Arcadis U.S., Inc. 28550 Cabot Dr. Suite 500 Novi, MI 48377	BILL TO:	Accounts Payable Arcadis U.S., Inc. 630 Plaza Drive Suite 600 Highlands Ranch, CO 80129
PHONE:	517-819-0356	P.O. #	MI001454.0003
FAX:		PROJECT #	Ford LTP
DATE RECEIVED:	10/31/2018	CONTACT:	Ausha Scott
DATE COMPLETED:	11/06/2018		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
06A	AA-34418ROSATIAV-01_102618	Modified TO-15	5.1 "Hg	5.2 psi
07A	IA-34418ROSATIAV-01_102618	Modified TO-15	6.3 "Hg	5 psi
08A	IA-34418ROSATIAV-02_102618	Modified TO-15	5.1 "Hg	5.1 psi
09A	IA-34418ROSATIAV-03_102618	Modified TO-15	3.5 "Hg	5.3 psi
10A	DUP-01	Modified TO-15	6.9 "Hg	5 psi
11A	IA-34418ROSATIAV-04_102618	Modified TO-15	5.7 "Hg	5.1 psi
12A	IA-34418ROSATIAV-05_102618	Modified TO-15	5.1 "Hg	5.3 psi
13A	Lab Blank	Modified TO-15	NA	NA
14A	CCV	Modified TO-15	NA	NA
15A	LCS	Modified TO-15	NA	NA
15AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 11/06/18

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704434-15-9, UT NELAP CA0093332015-6, VA NELAP - 8113, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2015, Expiration date: 10/17/2016.

Eurofins Air Toxics Inc.. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15
Arcadis U.S., Inc.
Workorder# 1810682B

Seven 6 Liter Summa Canister (100% Certified) samples were received on October 31, 2018. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

As per project specific client request the laboratory has reported estimated values for target compound hits that are below the Reporting Limit but greater than the Method Detection Limit. All The canisters used for this project have been certified to the Reporting Limit for the target analytes included in this workorder. Concentrations that are below the level at which the canister was certified may be false positives.

Dilution was performed on samples IA-34418ROSATIAV-01_102618, IA-34418ROSATIAV-02_102618, IA-34418ROSATIAV-03_102618 and DUP-01 due to the presence of high level non-target species.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See

data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: AA-34418ROSATIAV-01_102618

Lab ID#: 1810682B-06A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Tetrachloroethene	0.16	0.059 J	1.1	0.40 J

Client Sample ID: IA-34418ROSATIAV-01_102618

Lab ID#: 1810682B-07A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	0.34	4.0	1.8	22

Client Sample ID: IA-34418ROSATIAV-02_102618

Lab ID#: 1810682B-08A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	0.32	3.5	1.7	19

Client Sample ID: IA-34418ROSATIAV-03_102618

Lab ID#: 1810682B-09A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	1.5	3.6	8.3	19
Tetrachloroethene	1.5	0.61 J	10	4.1 J

Client Sample ID: DUP-01

Lab ID#: 1810682B-10A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Trichloroethene	0.87	3.5	4.7	19

Client Sample ID: IA-34418ROSATIAV-04_102618

Lab ID#: 1810682B-11A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
trans-1,2-Dichloroethene	0.17	0.033 J	0.66	0.13 J

**Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

Client Sample ID: IA-34418ROSATIAV-04_102618

Lab ID#: 1810682B-11A

Trichloroethene	0.17	2.8	0.89	15
Tetrachloroethene	0.17	0.052 J	1.1	0.36 J

Client Sample ID: IA-34418ROSATIAV-05_102618

Lab ID#: 1810682B-12A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
trans-1,2-Dichloroethene	0.16	0.034 J	0.65	0.13 J
Trichloroethene	0.16	2.8	0.88	15
1,4-Dioxane	0.16	0.073 J	0.59	0.26 J
Tetrachloroethene	0.16	0.067 J	1.1	0.45 J



Air Toxics

Client Sample ID: AA-34418ROSATIAV-01_102618

Lab ID#: 1810682B-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110107	Date of Collection:	10/26/18 4:42:00 PM
Dil. Factor:	1.63	Date of Analysis:	11/1/18 12:44 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.16	Not Detected	0.42	Not Detected
1,1-Dichloroethene	0.16	Not Detected	0.65	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
cis-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Trichloroethene	0.16	Not Detected	0.88	Not Detected
1,4-Dioxane	0.16	Not Detected	0.59	Not Detected
Tetrachloroethene	0.16	0.059 J	1.1	0.40 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	126	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	93	70-130



Air Toxics

Client Sample ID: IA-34418ROSATIAV-01_102618

Lab ID#: 1810682B-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110108	Date of Collection:	10/26/18 4:17:00 PM
Dil. Factor:	3.40	Date of Analysis:	11/1/18 01:21 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.34	Not Detected	0.87	Not Detected
1,1-Dichloroethene	0.34	Not Detected	1.3	Not Detected
trans-1,2-Dichloroethene	0.34	Not Detected	1.3	Not Detected
cis-1,2-Dichloroethene	0.34	Not Detected	1.3	Not Detected
Trichloroethene	0.34	4.0	1.8	22
1,4-Dioxane	0.34	Not Detected	1.2	Not Detected
Tetrachloroethene	0.34	Not Detected	2.3	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	121	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	86	70-130



Air Toxics

Client Sample ID: IA-34418ROSATIAV-02_102618

Lab ID#: 1810682B-08A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110109	Date of Collection:	10/26/18 4:20:00 PM
Dil. Factor:	3.24	Date of Analysis:	11/1/18 02:43 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.32	Not Detected	0.83	Not Detected
1,1-Dichloroethene	0.32	Not Detected	1.3	Not Detected
trans-1,2-Dichloroethene	0.32	Not Detected	1.3	Not Detected
cis-1,2-Dichloroethene	0.32	Not Detected	1.3	Not Detected
Trichloroethene	0.32	3.5	1.7	19
1,4-Dioxane	0.32	Not Detected	1.2	Not Detected
Tetrachloroethene	0.32	Not Detected	2.2	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	120	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	86	70-130



Air Toxics

Client Sample ID: IA-34418ROSATIAV-03_102618

Lab ID#: 1810682B-09A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110110	Date of Collection:	10/26/18 4:24:00 PM
Dil. Factor:	15.4	Date of Analysis:	11/1/18 03:22 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	1.5	Not Detected	3.9	Not Detected
1,1-Dichloroethene	1.5	Not Detected	6.1	Not Detected
trans-1,2-Dichloroethene	1.5	Not Detected	6.1	Not Detected
cis-1,2-Dichloroethene	1.5	Not Detected	6.1	Not Detected
Trichloroethene	1.5	3.6	8.3	19
1,4-Dioxane	1.5	Not Detected	5.5	Not Detected
Tetrachloroethene	1.5	0.61 J	10	4.1 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	124	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	87	70-130



Air Toxics

Client Sample ID: DUP-01

Lab ID#: 1810682B-10A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110111	Date of Collection:	10/26/18 4:24:00 PM
Dil. Factor:	8.70	Date of Analysis:	11/1/18 04:00 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.87	Not Detected	2.2	Not Detected
1,1-Dichloroethene	0.87	Not Detected	3.4	Not Detected
trans-1,2-Dichloroethene	0.87	Not Detected	3.4	Not Detected
cis-1,2-Dichloroethene	0.87	Not Detected	3.4	Not Detected
Trichloroethene	0.87	3.5	4.7	19
1,4-Dioxane	0.87	Not Detected	3.1	Not Detected
Tetrachloroethene	0.87	Not Detected	5.9	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	126	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	88	70-130



Air Toxics

Client Sample ID: IA-34418ROSATIAV-04_102618

Lab ID#: 1810682B-11A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110115	Date of Collection:	10/26/18 4:31:00 PM
Dil. Factor:	1.66	Date of Analysis:	11/1/18 06:59 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.17	Not Detected	0.42	Not Detected
1,1-Dichloroethene	0.17	Not Detected	0.66	Not Detected
trans-1,2-Dichloroethene	0.17	0.033 J	0.66	0.13 J
cis-1,2-Dichloroethene	0.17	Not Detected	0.66	Not Detected
Trichloroethene	0.17	2.8	0.89	15
1,4-Dioxane	0.17	Not Detected	0.60	Not Detected
Tetrachloroethene	0.17	0.052 J	1.1	0.36 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	125	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	86	70-130



Air Toxics

Client Sample ID: IA-34418ROSATIAV-05_102618

Lab ID#: 1810682B-12A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110113	Date of Collection:	10/26/18 4:33:00 PM
Dil. Factor:	1.64	Date of Analysis:	11/1/18 05:14 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.16	Not Detected	0.42	Not Detected
1,1-Dichloroethene	0.16	Not Detected	0.65	Not Detected
trans-1,2-Dichloroethene	0.16	0.034 J	0.65	0.13 J
cis-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Trichloroethene	0.16	2.8	0.88	15
1,4-Dioxane	0.16	0.073 J	0.59	0.26 J
Tetrachloroethene	0.16	0.067 J	1.1	0.45 J

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	125	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	88	70-130

Client Sample ID: Lab Blank

Lab ID#: 1810682B-13A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110106a	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	11/1/18 11:22 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Vinyl Chloride	0.10	Not Detected	0.26	Not Detected
1,1-Dichloroethene	0.10	Not Detected	0.40	Not Detected
trans-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
cis-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Trichloroethene	0.10	Not Detected	0.54	Not Detected
1,4-Dioxane	0.10	Not Detected	0.36	Not Detected
Tetrachloroethene	0.10	Not Detected	0.68	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	126	70-130
Toluene-d8	97	70-130
4-Bromofluorobenzene	89	70-130

Client Sample ID: CCV

Lab ID#: 1810682B-14A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110102	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/1/18 08:38 AM

Compound	%Recovery
Vinyl Chloride	101
1,1-Dichloroethene	96
trans-1,2-Dichloroethene	97
cis-1,2-Dichloroethene	98
Trichloroethene	97
1,4-Dioxane	102
Tetrachloroethene	98

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	105	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	97	70-130

Client Sample ID: LCS

Lab ID#: 1810682B-15A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110103	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/1/18 09:22 AM

Compound	%Recovery	Method Limits
Vinyl Chloride	95	70-130
1,1-Dichloroethene	93	70-130
trans-1,2-Dichloroethene	102	70-130
cis-1,2-Dichloroethene	87	70-130
Trichloroethene	97	70-130
1,4-Dioxane	105	70-130
Tetrachloroethene	90	70-130

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	107	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	93	70-130

Client Sample ID: LCSD

Lab ID#: 1810682B-15AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	21110104	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/1/18 10:09 AM

Compound	%Recovery	Method Limits
Vinyl Chloride	102	70-130
1,1-Dichloroethene	92	70-130
trans-1,2-Dichloroethene	103	70-130
cis-1,2-Dichloroethene	88	70-130
Trichloroethene	95	70-130
1,4-Dioxane	100	70-130
Tetrachloroethene	94	70-130

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	115	70-130
Toluene-d8	103	70-130
4-Bromofluorobenzene	98	70-130



November 07, 2018

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: MI001454.0002/3/4.00002/2B/3B
Client project scope reference: Sample COC only was used to define project analytical requirements.
Laboratory: Eurofins Air Toxics - Folsom
Laboratory submittal: 1810682B
Sample date: 2018-10-26
Report received by CADENA: 2018-11-06
Initial Data Verification completed by CADENA: 2018-11-07

7 Air samples were analyzed for TO-15 parameters.

There were no significant QC anomalies or exceptions to report.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.