Environment Testing TestAmerica

ANALYTICAL REPORT

Eurofins TestAmerica, Canton 4101 Shuffel Street NW North Canton, OH 44720 Tel: (330)497-9396

Laboratory Job ID: 240-126336-1 Client Project/Site: Ford LTP Off Site

For:

eurofins 🗱

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mode Del Your

Authorized for release by: 2/28/2020 10:32:10 AM

Michael DelMonico, Project Manager I (330)497-9396

michael.delmonico@testamericainc.com

·····LINKS ······

Review your project results through Total Access

Have a Question?



Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site

Laboratory Job ID: 240-126336-1

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

5

7

10

11

13

Definitions/Glossary

Client: ARCADIS U.S., Inc.

Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Qualifiers

GC/MS VOA
Qualifier Qualifier Description

U Indicates the analyte was analyzed for but not detected.

X Surrogate is outside control limits

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Eisted under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)
MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

3

4

5

_

8

10

11

13

Case Narrative

Client: ARCADIS U.S., Inc.

Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Job ID: 240-126336-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off Site

Report Number: 240-126336-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 2/14/2020 8:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 3.6° C, 4.4° C and 4.6° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-126336-1) and MW-104S_021220 (240-126336-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/19/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-104S_021220 (240-126336-2) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 02/24/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

3

4

_

8

10

11

13

Method Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site

Job ID: 240-126336-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

А

7

8

40

11

13

Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site

Job ID: 240-126336-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-126336-1	TRIP BLANK	Water	02/12/20 00:00	02/14/20 08:50	
240-126336-2	MW-104S_021220	Water	02/12/20 14:30	02/14/20 08:50	

3

4

_

9

10

12

13

Detection Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Off Site

Job ID: 240-126336-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126336-1

No Detections.

No Detections.

3

4

5

6

8

9

4 4

12

13

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126336-1 Date Collected: 02/12/20 00:00

Matrix: Water

Date Received: 02/14/20 08:50

Method: 8260B - Volatile Org	ganic Compo	unds (GC/	MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/19/20 17:18	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/19/20 17:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:18	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/19/20 17:18	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/19/20 17:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		75 - 130					02/19/20 17:18	1
4-Bromofluorobenzene (Surr)	63		47 - 134					02/19/20 17:18	1
Toluene-d8 (Surr)	83		69 - 122					02/19/20 17:18	1
Dibromofluoromethane (Surr)	82		78 - 129					02/19/20 17:18	1

2/28/2020

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Client Sample ID: MW-104S_021220

Date Collected: 02/12/20 14:30 Date Received: 02/14/20 08:50

Dibromofluoromethane (Surr)

Lab Sample ID: 240-126336-2

02/19/20 17:39

Matrix: Water

Method: 8260B SIM - Volat	ile Organic Co	mpounds ((GC/MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/20 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 133					02/24/20 19:22	1
Method: 8260B - Volatile O	rganic Compo	unds (GC/	MS)						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/19/20 17:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/19/20 17:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/19/20 17:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/19/20 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130					02/19/20 17:39	1
4-Bromofluorobenzene (Surr)	66		47 - 134					02/19/20 17:39	1
Toluene-d8 (Surr)	82		69 - 122					02/19/20 17:39	1

78 - 129

85

2/28/2020

S

4

5

7

ð

10

11

Surrogate Summary

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Pe	ercent Surre	ogate Reco
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(75-130)	(47-134)	(69-122)	(78-129)
240-126336-1	TRIP BLANK	83	63	83	82
240-126336-2	MW-104S_021220	85	66	82	85
240-126339-E-4 MSD	Matrix Spike Duplicate	72 X	76	83	77 X
240-126339-F-4 MS	Matrix Spike	72 X	76	83	81
LCS 240-423393/4	Lab Control Sample	75	80	87	79
MB 240-423393/7	Method Blank	81	67	80	80
Surrogate Legend					

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(70-133)	
240-126336-2	MW-104S_021220	102	
240-126349-G-5 MS	Matrix Spike	103	
240-126349-G-5 MSD	Matrix Spike Duplicate	105	
LCS 240-423939/4	Lab Control Sample	101	
MB 240-423939/5	Method Blank	102	
Surrogate Legend			
DCA = 1,2-Dichloroeth	ane-d4 (Surr)		

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-423393/7

Matrix: Water

Analysis Batch: 423393

Project/Site: Ford LTP Off Site

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 1,1-Dichloroethene 1.0 U 1.0 0.19 ug/L 02/19/20 13:17 cis-1,2-Dichloroethene 1.0 U 1.0 0.16 ug/L 02/19/20 13:17 Tetrachloroethene 1.0 U 1.0 0.15 ug/L 02/19/20 13:17 trans-1,2-Dichloroethene 1.0 U 1.0 0.19 ug/L 02/19/20 13:17 0.10 ug/L Trichloroethene 1.0 U 1.0 02/19/20 13:17 Vinyl chloride 1.0 U 1.0 0.20 ug/L 02/19/20 13:17

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 81 75 - 130 02/19/20 13:17 4-Bromofluorobenzene (Surr) 67 47 - 134 02/19/20 13:17 Toluene-d8 (Surr) 80 69 - 122 02/19/20 13:17 78 - 129 Dibromofluoromethane (Surr) 80 02/19/20 13:17

Lab Sample ID: LCS 240-423393/4

Matrix: Water

Analysis Batch: 423393

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS			%Rec.	
Analyte	Added	Result	Qualifier U	nit C	%Rec	Limits	
1,1-Dichloroethene	10.0	9.59	uç	g/L	96	73 - 129	
cis-1,2-Dichloroethene	10.0	9.33	uç	g/L	93	75 - 124	
Tetrachloroethene	10.0	11.3	uç	g/L	113	70 - 125	
trans-1,2-Dichloroethene	10.0	9.21	uç	g/L	92	74 - 130	
Trichloroethene	10.0	9.51	uç	g/L	95	71 - 121	
Vinyl chloride	10.0	6.48	uç	g/L	65	61 - 134	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	75		75 - 130
4-Bromofluorobenzene (Surr)	80		47 - 134
Toluene-d8 (Surr)	87		69 - 122
Dibromofluoromethane (Surr)	79		78 - 129

Lab Sample ID: 240-126339-E-4 MSD

Matrix: Water

Analysis Batch: 423393

Client Sample ID:	Matrix Spike Duplicate
	Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,1-Dichloroethene	1.0	U	10.0	8.45		ug/L		85	64 - 132	7	35
cis-1,2-Dichloroethene	1.0	U	10.0	8.70		ug/L		87	68 - 121	1	35
Tetrachloroethene	1.0	U	10.0	9.65		ug/L		97	52 - 129	1	35
trans-1,2-Dichloroethene	1.0	U	10.0	8.48		ug/L		85	69 - 126	1	35
Trichloroethene	1.0	U	10.0	8.39		ug/L		84	56 - 124	2	35
Vinyl chloride	0.32	J	10.0	6.51		ug/L		62	49 - 136	12	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	72	X	75 - 130
4-Bromofluorobenzene (Surr)	76		47 - 134
Toluene-d8 (Surr)	83		69 - 122

Eurofins TestAmerica, Canton

Page 11 of 19

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site Job ID: 240-126336-1

Prep Type: Total/NA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-126339-E-4 MSD

Matrix: Water

Analysis Batch: 423393

MSD MSD

Limits Surrogate %Recovery Qualifier Dibromofluoromethane (Surr) 77 X 78 - 129

Lab Sample ID: 240-126339-F-4 MS

Matrix: Water

Analysis Batch: 423393

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Client Sample ID: Method Blank

Client Sample ID: Matrix Spike Duplicate

Sample Sample Spike MS MS %Rec. Analyte Result Qualifier Added Result Qualifier %Rec Limits Unit D 1.0 U 1,1-Dichloroethene 10.0 9.09 64 - 132 ug/L 91 cis-1,2-Dichloroethene 1.0 U 10.0 88 68 - 121 8.76 ug/L 1.0 U Tetrachloroethene 10.0 9.57 ug/L 96 52 - 129 trans-1,2-Dichloroethene 1.0 U 10.0 8.57 86 69 - 126 ug/L Trichloroethene 1.0 U 10.0 8.19 ug/L 82 56 - 124 Vinyl chloride 0.32 J 10.0 7.34 ug/L 70 49 - 136

MS MS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	72	X	75 - 130
4-Bromofluorobenzene (Surr)	76		47 - 134
Toluene-d8 (Surr)	83		69 - 122
Dibromofluoromethane (Surr)	81		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-423939/5

Matrix: Water

Analysis Batch: 423939

MB MB

MDL Unit Analyte Result Qualifier RI ח Prepared Analyzed Dil Fac 1,4-Dioxane 2.0 U 2.0 0.86 ug/L 02/24/20 11:11

MB MB

Qualifier Limits Surrogate %Recovery Prepared Analyzed Dil Fac 70 - 133 02/24/20 11:11 1,2-Dichloroethane-d4 (Surr) 102

Lab Sample ID: LCS 240-423939/4

Matrix: Water

Analysis Batch: 423939

LCS LCS Spike %Rec. Analyte Added Result Qualifier Unit D %Rec Limits 1,4-Dioxane 10.0 9.41 ug/L 80 - 135

LCS LCS

Surrogate %Recovery Qualifier Limits 70 - 133 1,2-Dichloroethane-d4 (Surr) 101

Lab Sample ID: 240-126349-G-5 MS

Matrix: Water

Analysis Batch: 423939

Analysis Buton: 42000	Sample Sample	Spike	MS MS				%Rec.	
Analyte	Result Qualifier	r Added R	esult Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0 U	10.0	9.98	ug/L		100	46 - 170	_

Eurofins TestAmerica, Canton

Client Sample ID: Matrix Spike

Page 12 of 19

10

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

2/28/2020

QC Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1 Project/Site: Ford LTP Off Site

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 133

Surrogate	%Recovery Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103	70 - 133

Lab Sample ID: 240-126349-G-5 MSD Client Sample ID: Matrix Spike Duplicate **Matrix: Water Prep Type: Total/NA Analysis Batch: 423939**

MSD MSD RPD Sample Sample Spike %Rec. Analyte Result Qualifier Added Result Qualifier Limits RPD Limit Unit D %Rec 1,4-Dioxane 2.0 U 10.0 10.2 ug/L 102 46 - 170 2

MSD MSD Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 105 70 - 133

Eurofins TestAmerica, Canton

QC Association Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Off Site

Job ID: 240-126336-1

GC/MS VOA

Analysis Batch: 423393

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126336-1	TRIP BLANK	Total/NA	Water	8260B	_
240-126336-2	MW-104S_021220	Total/NA	Water	8260B	
MB 240-423393/7	Method Blank	Total/NA	Water	8260B	
LCS 240-423393/4	Lab Control Sample	Total/NA	Water	8260B	
240-126339-E-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
240-126339-F-4 MS	Matrix Spike	Total/NA	Water	8260B	

Analysis Batch: 423939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126336-2	MW-104S_021220	Total/NA	Water	8260B SIM	
MB 240-423939/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-423939/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-126349-G-5 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-126349-G-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Δ

6

0

9

10

Ш

13

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1 Project/Site: Ford LTP Off Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126336-1 Date Collected: 02/12/20 00:00

Matrix: Water

Date Received: 02/14/20 08:50

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423393	02/19/20 17:18	LEE	TAL CAN

Client Sample ID: MW-104S_021220 Lab Sample ID: 240-126336-2

Date Collected: 02/12/20 14:30 **Matrix: Water**

Date Received: 02/14/20 08:50

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423393	02/19/20 17:39	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	423939	02/24/20 19:22	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1 Project/Site: Ford LTP Off Site

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20 *
Connecticut	State	PH-0590	12-31-19 *
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20 *
Illinois	NELAP	004498	07-31-20
lowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20 *
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19 *
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

^{*} Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record

MICHIGAN TestAmerica TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

213120 1545 88 THE SECTION 1730 TestAmerica Laboratories, Inc Sample Specific Notes / Special Instructions: TRPRACK 2/12/20 Valk-in client ab sampling Job/SDG No: COC No: なケーダー CAMPANY: 0415 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Return to Client
Disposal By Lab
Archive For Mon X ARCADIS MIS 80628 enexold-9, Lab Contact: Mike DelMonico linyl Chloride 8260B Telephone: 330-497-9396 X CE 8580B CE 8500B X rans-1,2-DCE 82608 Margan s-1,2-DCE 8260B GX 1-DCE 82608 O-dard / O-sileeqmoD Received in Laboratory by: (K \ Y) alqmed baratili 240-126336 Chain of Custody Site Contact: Julia McClafferty Analysis Turnaround Time Отрет: RCRA 2 weeks 1 week 2 days 1 day Unpres Telephone: 734-644-5131 11O*N HOEN SADES HCI 213120 1640 TAT if different 10 day 41312 15.45 50 EONII HOSZII Other: DW pilos Sampler Names JOHNSON Unknown Email: kristoffer.hinskey@arcadis.com Client Project Manager: Kris Hinskey 411 Regulatory program: Sample Time 14:30 Method of Shipment/Carrier: Telephone: 248-994-2240 Submit all results through Cadena at itomalia@cadenaco.com, Cadena #E203631 公在一人 Shipping/Tracking No: Company Odis Company Adi ARCADIS よるころ Poison B 2/1/20 Sample Date cin Irritani pecial Instructions/QC Requirements & Comments: Address: 28550 Cabot Drive, Suite 500 roject Number: 30942006,0402,02 roject Name: Ford LTP Off-Site Possible Hazard Identification evel IV Reporting requested Sty/State/Zip: Novi, MI, 48377 MINI-IOIS TRIP BLANK PO# 30042606.0402.02 ione: 248-994-2240 5

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Canton Facility	Login #: 12 4 334
	Cooler unpacked by:
Client Arcadis Site Name 0 14 20	MALL
Cooler Received on $2-19-20$ Opened on $2-19-30$	1/1/4//
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier	Other
Receipt After-hours: Drop-off Date/Time Storage Location	
COOLANT: Wet Ice Blue Ice Dry Ice Water None	
1. Cooler temperature upon receipt IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. See Multiple Cooler For °C Corrected Cooler	Temp. °C
IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp°C Corrected Cooler	Temp°C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes	ş No
-Were the seals on the outside of the cooler(s) signed & dated?	No NA ,
	S NO
	No NA
	85 No
1. Did custod pupers accompany and sample (-)	No Tests that are not
	No checked for pH by
	No Receiving:
/ · · · · · · · · · · · · · · · · · · ·	No VOAs
o. Could all cottle moon of internation	Oil and Crosss
y. West bosses bosses(b) about the state of	NO TOC
	No No
11. The these west of the control of	s Mo
If yes, Questions 12-16 have been checked at the originating laboratory.	s No NA pH Strip Lot# HC995364
	No No
	s No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #	s No
	s No
Contacted PM by via Verbal V	Voice Mail Other
Concerning	
17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES	Samples processed by:
	A 6
18. SAMPLE CONDITION	
18. SAMPLE CONDITION Sample(s) were received after the recommended hole	ling time had expired.
18. SAMPLE CONDITION Sample(s) were received after the recommended hole sample(s) were received	ding time had expired. d in a broken container.
18. SAMPLE CONDITION Sample(s) were received after the recommended hole Sample(s) were received with bubble >6 mm	ding time had expired. d in a broken container.
18. SAMPLE CONDITION Sample(s) were received after the recommended hole sample(s) were received	ding time had expired. d in a broken container.
18. SAMPLE CONDITION Sample(s) were received after the recommended hole Sample(s) were received with bubble >6 mm 19. SAMPLE PRESERVATION	ding time had expired. d in a broken container, in diameter. (Notify PM)
18. SAMPLE CONDITION Sample(s) were received after the recommended hole Sample(s) were received with bubble >6 mm 19. SAMPLE PRESERVATION	ding time had expired. d in a broken container, in diameter. (Notify PM)
18. SAMPLE CONDITION Sample(s) were received after the recommended hole Sample(s) were received Sample(s) were received with bubble >6 mm 19. SAMPLE PRESERVATION	ding time had expired. d in a broken container. in diameter. (Notify PM)

Login #: 126336

		Observed	ipt Multiple Cooler Fo Corrected	Coolant
Cooler Description (Circle)	IR Gun # (Circle)	Temp °C	Temp °C	(Circle)
(A) Client Box Other	JR-10 JR-11	2.9	3.6	Wet toe Blue Ice Dry Ic Water None
Client Box Other	#R-10 IR-11	3.7	4.4	Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	JR-10 IR-11	3.9	9.6	Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11		201.00	Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue Ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue Ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet ice Blue Ice Dry ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None
TA Client Box Other	IR-10 IR-11			Wet Ice Blue Ice Dry Ic Water None emperature Excursion Form

DATA VERIFICATION REPORT



February 28, 2020

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30042006.0402.02 off site

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 126336-1 Sample date: 2020-02-12

Report received by CADENA: 2020-02-28

Initial Data Verification completed by CADENA: 2020-02-28

Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch MS/MSD surrogate recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 126336-1

		Collection Date	Collection Time	Volatile Organics	8260B with Single	
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	by GCMS	Ion Monitoring	Comment
2401263361	TRIP BLANK	2/12/2020	12:00:00	Х		
2401263362	MW-104S_021220	2/12/2020	2:30:00	Х	Х	

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 126336-1

		Sample Name: TRIP BLANK Lab Sample ID: 2401263361 Sample Date: 2/12/2020				MW-104S_021220 2401263362 2/12/2020					
				Report		Valid		Report		Valid	
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	
GC/MS VOC											
OSW-8260	<u>B</u>										
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l		
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		ND	1.0	ug/l		
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l		
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l		
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l		
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l		
OSW-8260	<u>BBSim</u>										
	1,4-Dioxane	123-91-1					ND	2.0	ug/l		



Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-126336-1

CADENA Verification Report: 2020-02-28

Analyses Performed By:

TestAmerica

Edison, New Jersey

Report #36108R Review Level: Tier III Project: 30042006.0402.02

DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-126336-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
	TRIP BLANK	240-126336-1	Water	2/12/2020		Х		
240-126336-1	MW-104S_021220	240-126336-2	Water	2/12/2020		Х	Х	

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

	Rep	orted	Performance Acceptable		Not
Items Reviewed	No	Yes	No	Yes	Required
Sample receipt condition		Х		Х	
2. Requested analyses and sample results		Х		X	
Master tracking list		Х		Х	
4. Methods of analysis		Х		Х	
5. Reporting limits		Х		Х	
6. Sample collection date		Х		Х	
7. Laboratory sample received date		Х		Х	
8. Sample preservation verification (as applicable)		Х		Х	
9. Sample preparation/extraction/analysis dates		Х		Х	
10. Fully executed Chain-of-Custody (COC) form		Х		Х	
Narrative summary of Quality Assurance or sample problems provided		Х		Х	
12. Data Package Completeness and Compliance		Х		Х	

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

DATA REVIEW

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not performed on a sample within this SDG.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Re	ported	Performance Acceptable		Not
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMET	RY (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		Х		Х	
Tier III Validation	'	'	'		
System performance and column resolution		Х		Х	
Initial calibration %RSDs		Х		Х	
Continuing calibration RRFs		Х		Х	
Continuing calibration %Ds		Х		Х	
Instrument tune and performance check		Х		Х	
Ion abundance criteria for each instrument used		Х		Х	
Field Duplicate RPD		Х		Х	
Internal standard		Х		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		Х		Х	
B. Quantitation Reports		Х		Х	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

DATE: March 10, 2020

a Kaz

PEER REVIEW: Joseph C. Houser

DATE: March 12, 2020

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS

Chain of Custody Record

MICHIGAN TestAmerica TestAmerica Laboratory location: Brighton -- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

213120 1545 88 THE SECTION 1730 TestAmerica Laboratories, Inc Sample Specific Notes / Special Instructions: TRPRACK 2/12/20 Valk-in client ab sampling Job/SDG No: COC No: なケーダー CAMPANY: 0415 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Return to Client
Disposal By Lab
Archive For Mon X ARCADIS MIS 80628 enexold-9, Lab Contact: Mike DelMonico linyl Chloride 8260B Telephone: 330-497-9396 X CE 8580B CE 8500B X rans-1,2-DCE 82608 Margan s-1,2-DCE 8260B GX 1-DCE 82608 O-dard / O-sileeqmoD Received in Laboratory by: (K \ Y) alqmed baratili 240-126336 Chain of Custody Site Contact: Julia McClafferty Analysis Turnaround Time Отрет: RCRA 2 weeks 1 week 2 days 1 day Unpres Telephone: 734-644-5131 11O*N HOEN SADES HCI 213120 1640 TAT if different 10 day 41312 15.45 50 EONII HOSZII Other: DW pilos Sampler Names JOHNSON Unknown Email: kristoffer.hinskey@arcadis.com Client Project Manager: Kris Hinskey 411 Regulatory program: Sample Time 14:30 Method of Shipment/Carrier: Telephone: 248-994-2240 Submit all results through Cadena at itomalia@cadenaco.com, Cadena #E203631 公在一人 Shipping/Tracking No: Company Odis Company Adi ARCADIS よるころ Poison B 2/1/20 Sample Date cin Irritani pecial Instructions/QC Requirements & Comments: Address: 28550 Cabot Drive, Suite 500 roject Number: 30942006,0402,02 roject Name: Ford LTP Off-Site Possible Hazard Identification evel IV Reporting requested Sty/State/Zip: Novi, MI, 48377 MINI-IOIS TRIP BLANK PO# 30042606.0402.02 ione: 248-994-2240 5

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126336-1 Date Collected: 02/12/20 00:00

Matrix: Water

Date Received: 02/14/20 08:50

Method: 8260B - Volatile Org	ganic Compo	unds (GC/	MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/19/20 17:18	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/19/20 17:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:18	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/19/20 17:18	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/19/20 17:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		75 - 130					02/19/20 17:18	1
4-Bromofluorobenzene (Surr)	63		47 - 134					02/19/20 17:18	1
Toluene-d8 (Surr)	83		69 - 122					02/19/20 17:18	1
Dibromofluoromethane (Surr)	82		78 - 129					02/19/20 17:18	1

2/28/2020

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-126336-1

Project/Site: Ford LTP Off Site

Date Received: 02/14/20 08:50

Client Sample ID: MW-104S_021220

Date Collected: 02/12/20 14:30

Lab Sample ID: 240-126336-2

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/24/20 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 133					02/24/20 19:22	1
Method: 8260B - Volatile O	rganic Compo	unds (GC/	MS)						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/19/20 17:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/19/20 17:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/19/20 17:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/19/20 17:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/19/20 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130					02/19/20 17:39	1
4-Bromofluorobenzene (Surr)	66		47 - 134					02/19/20 17:39	1
Toluene-d8 (Surr)	82		69 - 122					02/19/20 17:39	1
Dibromofluoromethane (Surr)	85		78 - 129					02/19/20 17:39	1

3

5

7

8

10

11