# 🛟 eurofins

## Environment Testing TestAmerica

## **ANALYTICAL REPORT**

Eurofins TestAmerica, Canton 4101 Shuffel Street NW North Canton, OH 44720 Tel: (330)497-9396

### Laboratory Job ID: 240-126685-1

Client Project/Site: Ford LTP Off Site

#### For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mole Del your

Authorized for release by: 3/6/2020 2:03:09 PM

Michael DelMonico, Project Manager I (330)497-9396 michael.delmonico@testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



## **Table of Contents**

Cover Page 1	Í
Table of Contents   2	2
Definitions/Glossary 3	3
Case Narrative 4	ł
Method Summary 5	5
Sample Summary 6	3
Detection Summary 7	7
Client Sample Results 8	3
Surrogate Summary 1	0
QC Sample Results 1	1
QC Association Summary 1	4
Lab Chronicle 1	15
Certification Summary 1	6
Chain of Custody 1	17

### Qualifiers

<b>GC/MS VOA</b>	
Qualifier	Qualifier Description

-	 	•
11		

Qualifiers		3
GC/MS VOA		
Qualifier	Qualifier Description	4
U	Indicates the analyte was analyzed for but not detected.	
Glossary		5
Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CFL	Contains Free Liquid	
CNF	Contains No Free Liquid	0
DER	Duplicate Error Ratio (normalized absolute difference)	0
Dil Fac	Dilution Factor	
DL	Detection Limit (DoD/DOE)	9
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision Level Concentration (Radiochemistry)	
EDL	Estimated Detection Limit (Dioxin)	
LOD	Limit of Detection (DoD/DOE)	
LOQ	Limit of Quantitation (DoD/DOE)	
MDA	Minimum Detectable Activity (Radiochemistry)	
MDC	Minimum Detectable Concentration (Radiochemistry)	
MDL	Method Detection Limit	13
ML	Minimum Level (Dioxin)	
NC	Not Calculated	
ND	Not Detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RER	Relative Error Ratio (Radiochemistry)	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	

TEQ Toxicity Equivalent Quotient (Dioxin)

#### Job ID: 240-126685-1

#### Laboratory: Eurofins TestAmerica, Canton

Narrative

#### CASE NARRATIVE

#### Client: ARCADIS U.S., Inc.

#### **Project: Ford LTP Off Site**

#### Report Number: 240-126685-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

#### RECEIPT

The samples were received on 2/22/2020 9:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.5° C.

#### VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-126685-1) and MW-170S\_022020 (240-126685-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/26/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-170S\_022020 (240-126685-2) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 02/28/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **Method Summary**

#### Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

#### **Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

### Sample Summary

Client: ARCADIS U.S., Inc. Project/Site: Ford LTP Off Site

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-126685-1	TRIP BLANK	Water	02/20/20 00:00	02/22/20 09:20	
240-126685-2	MW-170S_022020	Water	02/20/20 13:00	02/22/20 09:20	

Detection	Summary
-----------	---------

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

#### Client Sample ID: TRIP BLANK

No Detections.

#### Client Sample ID: MW-170S\_022020

No Detections.

Job ID: 240-126685-1

Lab Sample ID: 240-126685-1

Lab Sample ID: 240-126685-2

This Detection Summary does not include radiochemical test results.

#### Client Sample ID: TRIP BLANK Date Collected: 02/20/20 00:00 Date Received: 02/22/20 09:20

## Lab Sample ID: 240-126685-1

Matrix: Water

5 6

Method: 8260B - Volatile O	rganic Compo	unds (GC/	MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/20 17:20	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/20 17:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:20	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/20 17:20	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/20 17:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		75 - 130			-		02/26/20 17:20	1
4-Bromofluorobenzene (Surr)	61		47 - 134					02/26/20 17:20	1
Toluene-d8 (Surr)	83		69 - 122					02/26/20 17:20	1
Dibromofluoromethane (Surr)	94		78 - 129					02/26/20 17:20	1

#### Client Sample ID: MW-170S\_022020 Date Collected: 02/20/20 13:00 Date Received: 02/22/20 09:20

La	b Sample ID: 240-126685-2
	Matrix: Water

Matrix: Water

Job ID: 240-126685-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
I,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/28/20 18:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 133					02/28/20 18:28	1
Method: 8260B - Volatile O	rganic Compo	unds (GC/	MS)						
Analyte	-	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/20 17:42	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/20 17:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:42	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/20 17:42	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/20 17:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130					02/26/20 17:42	1
4-Bromofluorobenzene (Surr)	63		47 - 134					02/26/20 17:42	1
Toluene-d8 (Surr)	83		69 - 122					02/26/20 17:42	1
Dibromofluoromethane (Surr)	93		78 - 129					02/26/20 17:42	1

### **Surrogate Summary**

#### Method: 8260B - Volatile Organic Compounds (GC/MS) **Matrix: Water**

latrix: Water						Prep Type: Total/NA
			Pe	ercent Surro	ogate Recovery (Ac	ceptance Limits)
		DCA	BFB	TOL	DBFM	
ab Sample ID	Client Sample ID	(75-130)	(47-134)	(69-122)	(78-129)	
40-126571-F-4 MSD	Matrix Spike Duplicate	79	81	89	89	
40-126571-H-4 MS	Matrix Spike	78	78	88	88	
40-126685-1	TRIP BLANK	87	61	83	94	
40-126685-2	MW-170S_022020	88	63	83	93	
CS 240-424351/4	Lab Control Sample	77	80	91	89	
/IB 240-424351/7	Method Blank	90	70	88	95	
Surrogate Legend						
DCA = 1,2-Dichloroeth	nane-d4 (Surr)					
BFB = 4-Bromofluorob	enzene (Surr)					
TOL = Toluene-d8 (Su	ırr)					
DBFM = Dibromofluor	omethane (Surr)					
ethod: 8260B S	IM - Volatile Organic	Compoun	ds (GC/	MS)		
atrix: Water		Compoun				Prep Type: Total/NA

Г				
		DCA	Percent Surrogate Recovery (Acceptance Limits)	13
Lab Sample ID	Client Sample ID	(70-133)		
240-126552-O-2 MS	Matrix Spike	92		
240-126552-O-2 MSD	Matrix Spike Duplicate	93		
240-126685-2	MW-170S_022020	97		
LCS 240-424746/4	Lab Control Sample	90		
MB 240-424746/5	Method Blank	91		
Surrogate Legend				

DCA = 1,2-Dichloroethane-d4 (Surr)

Job ID: 240-126685-1

### Method: 8260B - Volatile Organic Compounds (GC/MS)

#### Lab Sample ID: MB 240-424351/7 Matrix: Water

#### Client Sample ID: Method Blank Prep Type: Total/NA

**Client Sample ID: Lab Control Sample** 

**Client Sample ID: Matrix Spike Duplicate** 

Prep Type: Total/NA

Prep Type: Total/NA

Analysis Batch: 424351 MB MB Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.19 ug/L 02/26/20 12:59 cis-1,2-Dichloroethene 1.0 0.16 ug/L 1.0 U

	MB MB				
Vinyl chloride	1.0 U	1.0	0.20 ug/L	02/26/20 12:59	1
Trichloroethene	1.0 U	1.0	0.10 ug/L	02/26/20 12:59	1
trans-1,2-Dichloroethene	1.0 U	1.0	0.19 ug/L	02/26/20 12:59	1
Tetrachloroethene	1.0 U	1.0	0.15 ug/L	02/26/20 12:59	1
cis-1,2-Dichloroethene	1.0 U	1.0	0.16 ug/L	02/26/20 12:59	1

	INIB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		75 - 130		02/26/20 12:59	1
4-Bromofluorobenzene (Surr)	70		47 - 134		02/26/20 12:59	1
Toluene-d8 (Surr)	88		69 - 122		02/26/20 12:59	1
Dibromofluoromethane (Surr)	95		78 - 129		02/26/20 12:59	1

#### Lab Sample ID: LCS 240-424351/4 Matrix: Water Analysis Batch: 424351

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	10.0	9.69		ug/L		97	73 - 129	
cis-1,2-Dichloroethene	10.0	10.2		ug/L		102	75 - 124	
Tetrachloroethene	10.0	12.0		ug/L		120	70 - 125	
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	74 - 130	
Trichloroethene	10.0	10.1		ug/L		101	71 - 121	
Vinyl chloride	10.0	8.21		ug/L		82	61 - 134	

	LCS LCS	
Surrogate	%Recovery Qualit	ier Limits
1,2-Dichloroethane-d4 (Surr)	77	75 - 130
4-Bromofluorobenzene (Surr)	80	47 - 134
Toluene-d8 (Surr)	91	69 - 122
Dibromofluoromethane (Surr)	89	78 - 129

#### Lab Sample ID: 240-126571-F-4 MSD Matrix: Water Analysis Batch: 424351

· · · · · · · · · · · · · · · · · · ·	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
cis-1,2-Dichloroethene	1.0	U	10.0	9.03		ug/L		90	68 - 121	2	35
Tetrachloroethene	1.0	U	10.0	10.6		ug/L		106	52 - 129	9	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.24		ug/L		92	69 - 126	3	35
Trichloroethene	1.0	U	10.0	8.63		ug/L		86	56 - 124	1	35
Vinyl chloride	1.0	U	10.0	8.41		ug/L		84	49 - 136	19	35
	MSD	MSD									

WISD	10/30	
%Recovery	Qualifier	Limits
79		75 - 130
81		47 - 134
89		69 - 122
89		78 - 129
	%Recovery 79 81 89	79 81 89

#### Eurofins TestAmerica, Canton

Dil Fac

1

MS MS

8.82

9.66

8.97

8.58

6.92

Result Qualifier Unit

ug/L

ug/L

ug/L

ug/L

ug/L

#### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-126571 Matrix: Water Analysis Batch: 424351	n: 424351						
-	Sample	Sample	Spike				
Analyte	Result	Qualifier	Added				
cis-1,2-Dichloroethene	1.0	U	10.0				
Tetrachloroethene	1.0	U	10.0				
trans-1,2-Dichloroethene	1.0	U	10.0				

Trichloroethene	1.0	U	10.0
Vinyl chloride	1.0	U	10.0
	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	78		75 - 130
4-Bromofluorobenzene (Surr)	78		47 - 134
Toluene-d8 (Surr)	88		69 - 122
Dibromofluoromethane (Surr)	88		78 - 129

#### Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-42 Matrix: Water	24746/5								С	lie	ent Sam	ple ID: Metho Prep Type: T	
Analysis Batch: 424746													
		ΜВ	МВ										
Analyte	Re	sult	Qualifier	RL	I	MDL	Unit		D	P	repared	Analyzed	Dil Fac
1,4-Dioxane		2.0	U	2.0		0.86	ug/L					02/28/20 12:24	1
		ΜВ	МВ										
Surrogate	%Recov	very	Qualifier	Limits						P	repared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)		91		70 - 133							· ·	02/28/20 12:24	1
Lab Sample ID: LCS 240-4 Matrix: Water Analysis Batch: 424746	24746/4							Cli	ent S	ar	nple ID:	Lab Control	
				Spike	LCS	LCS						%Rec.	
Analyte				Added	Result	Qua	lifier	Unit		D	%Rec	Limits	
1,4-Dioxane				10.0	10.2			ug/L			102	80 - 135	
	LCS	LCS											
Surrogate	%Recovery	Qua	lifier	Limits									
1,2-Dichloroethane-d4 (Surr)	90			70 - 133									
– Lab Sample ID: 240-12655 Matrix: Water	2-0-2 MS									CI	ient Sar	mple ID: Matri Prep Type: T	
Analysis Batch: 424746													
-	Sample	Sam	ple	Spike	MS	MS						%Rec.	
Analyte	Result	Qua	lifier	Added	Result	Qua	lifier	Unit		D	%Rec	Limits	
1,4-Dioxane	2.0	U		10.0	9.86			ug/L			99	46 - 170	
	MS	мs											
Surrogate	%Recovery	Qua	lifier	Limits									

Surrogate%RecoveryQualifierLimits1,2-Dichloroethane-d4 (Surr)9270 - 133

%Rec.

Limits 68 - 121

52 - 129

69 - 126

56 - 124

49 - 136

D %Rec

88

97

90

86

69

Eurofins TestAmerica, Canton

5 6 7

10

#### Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-12655 Matrix: Water Analysis Batch: 424746	2-0-2 MSD					Client	Samp	le ID: N	latrix Spil Prep Ty		
· · · · · <b>,</b> · · · · · · · · · · · · · · · · · · ·	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.91		ug/L		99	46 - 170	0	26
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	93		70 - 133								

Eurofins TestAmerica, Canton

## GC/MS VOA

#### Analysis Batch: 424351

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126685-1	TRIP BLANK	Total/NA	Water	8260B	
240-126685-2	MW-170S_022020	Total/NA	Water	8260B	
MB 240-424351/7	Method Blank	Total/NA	Water	8260B	
LCS 240-424351/4	Lab Control Sample	Total/NA	Water	8260B	
240-126571-F-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
240-126571-H-4 MS	Matrix Spike	Total/NA	Water	8260B	
nalysis Batch: 424	746				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
040 40660E 0	MIN 4700 00000	Tetel/NIA	Matan	ODCOD CIM	

		i i cp i jpc	Matrix		
240-126685-2	MW-170S_022020	Total/NA	Water	8260B SIM	
MB 240-424746/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-424746/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-126552-O-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-126552-O-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	1

**Matrix: Water** 

Lab Sample ID: 240-126685-1

TAL CAN

#### Client Sample ID: TRIP BLANK Date Collected: 02/20/20 00:00 Date Received: 02/22/20 09:20

Analysis

8260B SIM

Date Receive	d: 02/22/20 0	9:20							
_	Batch	Batch		Dilution	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	8260B		1	424351	02/26/20 17:20	LEE	TAL CAN	
Client Sam	ple ID: MW	-170S_022020					Lab Sa	mple ID:	240-126685-2
Date Collecte	d: 02/20/20 1	3:00							Matrix: Water
Date Receive	d: 02/22/20 0	9:20							
_	Batch	Batch		Dilution	Batch	Prepared			
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab	
Total/NA	Analysis	8260B		1 _	424351	02/26/20 17:42	LEE	TAL CAN	

1

424746 02/28/20 18:28 SAM

#### Laboratory References:

Total/NA

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

oject/Site: Ford LTP Of	ff Site			
	ns TestAmerica, Canton held by this laboratory are listed. Not all ac	ccreditations/certifications are applicable t	o this report.	
Authority	Program	Identification Number	Expiration Date	
N/A	N/A	None on record.		5
				e
				1

MICHIGAN 190 Tee	Chain of Custody Record TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	Chain of Custody Record 448 Cliation Drive, Suite 2007 Brighton, MI 48115 / 810-229	-2763	
Client Contact	Regulatory program: DW	- NPDES - RCRA Other		
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Julia McClafferty	Lab Contact: Mike DelMonico	TestAmerica Laboratories, Inc. COC No:
Address: 28550 Cabot Drive, Suite 500	Telenhone: 248-094-2240	Telenhone: 734-644-5131	Telechane: 330-407,9306	1
City/State/Zip: Novi, MI, 48377				{ of { COCs
Phone: 248-994-2240	Email: kristoffer.hinskey@arcadis.com	Analysis I urnaround 1 ime	Analyses	For lab use only
	Sampler Name, S. LHINDAN	TAT if different from below 3 weeks 10 day 2 weeks		Walk-in client Lab sampling
006.0402.02	Method of Shipment/Carrier:	1 week 2 days	8	
PO#30042006.0402.02	Shipping/Tracking No:	c / Grai	e 8260	Job/SDG No:
Sample Identification	Sumple Date Sumple Time Att Souldarn	1/1-DCE 956 Сошрозися В.Шебсед 2#ш Либон Либон ИКОЭ ИКОЭ ИКОЭ ИКОЭ ИКОЭ	cis-1,2-DCE Trans-1,2-DCE PCE 82608 Vinyl Chlorid 1,4-Dioxane	Sample Specific Notes / Special Instructions:
TRIP BLANK		× NC ×	XXXXXX	1 TRY RUAN
020120-SOLI-MM	24/2/10 1300 6	C NCX	XXXXXX	3 YAS BUS IN
		240-126685 Chain of Custody		
Possible Hazard Identification	Poison B Unknown	Sample Bisposal (A fee may be assessed if samples are retained longer than 1 month) Return to Client i Disposal By Lab Archive For Mor	ples are retained longer than 1 month) Archive For Months	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting requester.	.com. Cadena #E203631			
Relinquised by M. M.	Comparis CANC Date Time: 1	1700 Received by AN ST.RANG	ALL COMPANY ANS	DateTime, 1700
have markers	Rudis Bate Time	Received by Land		1/70
Relinquished by Markow	Company: CARL - MI 2/21/20 11	1 600 Received in halorytopyle:	Company	DuterTime: 02/77/2, 920
10000 TestAmeric Laboratoria, la Algórica Concernia de Laboratoria, inc Incontente Laboratoria de Algórica de Algórica de Laboratoria, inc				

3/6/2020

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Canton Facility	Login # : 12.6695 1
Client Accadio Site Name	Cooler unpacked by: 2
Cooler Received on 02/22/20 Opened on 02/22/20	TDST2
FedEx: 1st Grd Exp. UPS FAS Clipper Client Drop Off TestAmerica Court	ier Other
Receipt After-hours: Drop-off Date/Time Storage Location TestAmerica Cooler # 774C Foam Box Client Cooler Box Other	
Packing material used: Bubble Wrap Foam Plastic Bag None Other COOLANT: Well Ice Blue Ice Dry Ice Water None	
1. Cooler temperature upon receipt       □ See Multiple Cool         IR GUN# IR-10 (CF +0.7 °C)       Observed Cooler Temp.       3-8 °C Corrected Cooler         IR GUN #IR-11 (CF +0.9°C)       Observed Cooler Temp.       °C Corrected Cooler	oler Temp. 4.5 °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity	
-Were the seals on the outside of the cooler(s) signed & dated?	Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes No 8
-Were tamper/custody seals intact and uncompromised?	Yes No NA
3. Shippers' packing slip attached to the cooler(s)?	Tes No
<ol> <li>Did custody papers accompany the sample(s)?</li> <li>Were the custody papers relinguished &amp; signed in the appropriate place?</li> </ol>	Yes No Tests that are not
<ol> <li>Were the custody papers relinquished &amp; signed in the appropriate place?</li> <li>Was/were the person(s) who collected the samples clearly identified on the COC?</li> </ol>	checked for nH hy
<ol> <li>7. Did all bottles arrive in good condition (Unbroken)?</li> </ol>	Yes No Receiving:
8. Could all bottle labels be reconciled with the COC?	Yes No VOAs
9. Were correct bottle(s) used for the test(s) indicated?	Ves No Oil and Grease
10. Sufficient quantity received to perform indicated analyses?	Yes No TOC
11. Are these work share samples?	Yes (No) 1:
If yes, Questions 12-16 have been checked at the originating laboratory.	
12. Were all preserved sample(s) at the correct pH upon receipt?	Yes No NA pH Strip Lot# HC995364
<ul> <li>13. Were VOAs on the COC?</li> <li>14. Were air bubbles &gt;6 mm in any VOA vials?</li> </ul>	Xes No
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #A	Yes No NA Yes No
16. Was a LL Hg or Me Hg trip blank present?	Yes No
Contacted PM Date by via Verb	
	bal Voice Mail Other
Concerning	
17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES	Samples processed by:
	AG
18. SAMPLE CONDITION	
Sample(s) were received after the recommended	holding time had expired.
Sample(s) were rec	eived in a broken container.
Sample(s) were received with bubble >6	mm in diameter. (Notify PM)
19. SAMPLE PRESERVATION	
Sample(s)we Time preserved:Preservative(s) added/Lot number(s):	ere further preserved in the laboratory.
Preservative(s) added/Lot number(s):	
VOA Sample Preservation - Date/Time VOAs Frozen:	

## **DATA VERIFICATION REPORT**



March 06, 2020

Kris Hinskey Arcadis Inc 10559 Citation Ave Suite 100 Brighton, MI 48116

CADENA project ID: E203631 Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater Project number: 30042006.0402.02 off site Event Specific Scope of Work References: Sample COC Laboratory: TestAmerica - North Canton Laboratory submittal: 126685-1 Sample date: 2020-02-20 Report received by CADENA: 2020-03-06 Initial Data Verification completed by CADENA: 2020-03-06 Number of Samples:2 Sample Matrices:Water Test Categories:GCMS VOC **Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.** 

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <a href="http://clms.cadenaco.com/index.cfm">http://clms.cadenaco.com/index.cfm</a>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## **CADENA Valid Qualifiers**

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

#### SAMPLING AND ANALYSIS SUMMARY

#### CADENA Project ID: E203631 Laboratory: TestAmerica-North Canton Laboratory Submittal: 126685-1

		Collection Date	Collection Time	Volatile Organics	8260B with Single	
Lab Sample ID	Sample ID	(mm/yy/dd)	(hh:mm:ss)	by GCMS	Ion Monitoring	Comment
2401266851	TRIP BLANK	2/20/2020	12:00:00	х		
2401266852	MW-170S_022020	2/20/2020	1:00:00	х	х	

## Analytical Results Summary

**Reportable Results Only** 

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton Laboratory Submittal: 126685-1

	Sample Name Lab Sample ID Sample Date:	: 240126	TRIP BLANK 2401266851 2/20/2020			MW-170 2401266 2/20/20			
_			Report		Valid		Report		Valid
Ana	alyte Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC									
<u>OSW-8260B</u>									
1,1-Dichloroet	thene 75-35-4	ND	1.0	ug/l		ND	1.0	ug/l	
cis-1,2-Dichlor	roethene 156-59-2	ND	1.0	ug/l		ND	1.0	ug/l	
Tetrachloroet	hene 127-18-4	ND	1.0	ug/l		ND	1.0	ug/l	
trans-1,2-Dich	loroethene 156-60-5	ND	1.0	ug/l		ND	1.0	ug/l	
Trichloroethe	ne 79-01-6	ND	1.0	ug/l		ND	1.0	ug/l	
Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l	
OSW-8260BBSim									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	



## Ford Motor Company – Livonia Transmission Project

## **DATA REVIEW**

## Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-126685-1 CADENA Verification Report: 2020-03-06

Analyses Performed By: TestAmerica Edison, New Jersey

Report #36145R Review Level: Tier III Project: 30042006.0402.02

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-126685-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	VOC (Full Scan)	Analysis VOC (SIM)	MISC
	TRIP BLANK	240-126685-1	Water	2/20/2020		Х		
240-126685-1	MW-170S_022020	240-126685-2	Water	2/20/2020		Х	Х	

#### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

		Reported		Performance Acceptable		Not
	Items Reviewed	No	Yes	No	Yes	Required
1. 5	Sample receipt condition		Х		Х	
2. F	Requested analyses and sample results		Х		Х	
3. N	Master tracking list		Х		Х	
4. N	Methods of analysis		Х		Х	
5. F	Reporting limits		Х		Х	
6. 5	Sample collection date		Х		Х	
7. L	_aboratory sample received date		Х		Х	
8. 5	Sample preservation verification (as applicable)		Х		Х	
9. 8	Sample preparation/extraction/analysis dates		Х		Х	
10. F	Fully executed Chain-of-Custody (COC) form		Х		Х	
	Narrative summary of Quality Assurance or sample problems provided		х		Х	
12. E	Data Package Completeness and Compliance		Х		Х	

#### **ORGANIC ANALYSIS INTRODUCTION**

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

arcadis.com

#### **VOLATILE ORGANIC COMPOUND (VOC) ANALYSES**

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

#### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

#### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### DATA REVIEW

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not performed on a sample within this SDG.

#### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

#### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

#### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	Required
GAS CHROMATOGRAPHY/MASS SPECTROMET	RY (GC/I	MS)			
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		Х	
Continuing calibration RRFs		X		Х	
Continuing calibration %Ds		X		Х	
Instrument tune and performance check		X		Х	
Ion abundance criteria for each instrument used		X		Х	
Field Duplicate RPD		X		Х	
Internal standard		X		Х	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		Х	
B. Quantitation Reports		X		Х	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		Х		Х	
E. Reporting limits adjusted to reflect sample dilutions		Х		Х	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

#### VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:

a Kapt

DATE: March 16, 2020


PEER REVIEW: Dennis Capria

DATE: March 18, 2020

# CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



## NO CORRECTIONS/QUALIFERS ADDED TO SAMPLE ANALYSIS DATA SHEETS



MICHIGAN 190 Tea	Chain of Custody Record TestAmerica Laboratory location: Brighton 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	Chain of Custody Record 448 Citation Drive, Suite 2007 Brighton, MI 48115 / 810-229	-2763	
Client Contact	Regulatory program: DW	NPDES RCRA Other		
Company Nume: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Julia McClafferty	Lab Contact: Mike DelMonico	COC No:
Address: 28550 Cabot Drive, Suite 500	Telephone: 248-994-2240	Telephone: 734-644-5131	Telenhone: 330.497.9396	1
City/State/Zip: Novi, MI, 48377				of ( COCs
Phone: 248-994-2240	Email: kristoffer.hinskey@urcadis.com	Analysis Lurnaround Lime	Analyses	For lab use only
	Sampler Name,	TAT of different from below 3 weeks 10 day 2 weeks		Walk-in client Lab samoline
Project Number: 30042006.0402.02	Method of Shipment/Carrier:	1 week	Ę	Quarter of the
PO # 30942006.0402.02	Shipping/Tracking No:	) Grab	8260E	Joh/SDG No:
Sample Identification	Sumple Date Sumple Time	Composite Compos	Sis-1,2-DCE 8 PCE 82608 FCE 82608	Sample Specific Nates / Special Instructions:
TRIP BLANK			XX	1 TRY RUAIK
STATES- ROLLOW	240/10 1300 6	6 0	XXX	3 YAS BUST
		240-126685 Chain of Custody		
Possible Hazard Identification	Poison B Unknown	Sample Dicposed ( A fee may be assessed if samples are retained longer than 1 month) Return to Client 2 Disposal By Lab	ples are retained longer than 1 month) Archive For Months	
Special Instructions/OC Requirements & Comments: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631 Level IV Reporting request\$\$}	com. Cadena #E203631			
M. N. M.	SIEVE	17CO Received by COLD STORACE	ACE CREWINGS	Pare/Time, 1700
have my Miller	Company: Arc udu's Date Time: Company: Date Time:	157.8 Received by USA	Company ETAL-MI Company	Date Time: 2121/70 1520 Date Time:
Marin Husson	AL-MI 212120	1600 15/2/	140	· · · ·
12000 Technerics Laborations, No. Al rights rescent				

3/6/2020

#### Client Sample ID: TRIP BLANK Date Collected: 02/20/20 00:00 Date Received: 02/22/20 09:20

## Lab Sample ID: 240-126685-1

Matrix: Water

5 6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/20 17:20	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/20 17:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:20	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/20 17:20	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/20 17:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		75 - 130					02/26/20 17:20	1
4-Bromofluorobenzene (Surr)	61		47 - 134					02/26/20 17:20	1
Toluene-d8 (Surr)	83		69 - 122					02/26/20 17:20	1
Dibromofluoromethane (Surr)	94		78 - 129					02/26/20 17:20	

Eurofins TestAmerica, Canton

#### Client Sample ID: MW-170S\_022020 Date Collected: 02/20/20 13:00 Date Received: 02/22/20 09:20

Lab Sample ID: 240-126685-2
Matrix: Water

Matrix: Water

Job ID: 240-126685-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/28/20 18:28	1	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	97		70 - 133			-		02/28/20 18:28	1	
Method: 8260B - Volatile O	organic Compo	unds (GC/	MS)							
Analyte	· · · ·	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:42	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/20 17:42	1	
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/20 17:42	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/20 17:42	1	
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/20 17:42	1	
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/20 17:42	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	88		75 - 130			-		02/26/20 17:42	1	
4-Bromofluorobenzene (Surr)	63		47 - 134					02/26/20 17:42	1	
Toluene-d8 (Surr)	83		69 - 122					02/26/20 17:42	1	
Dibromofluoromethane (Surr)	93		78 - 129					02/26/20 17:42	1	