

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-119473-2

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
10/9/2019 3:04:51 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	10
QC Sample Results	11
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Chain of Custody	17

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Job ID: 240-119473-2

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-119473-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 9/25/2019 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.3° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-129S_092319 (240-119473-1) and TRIP BLANK (240-119473-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 10/04/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-129S_092319 (240-119473-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 09/27/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-119473-1	MW-129S_092319	Water	09/23/19 10:30	09/25/19 08:40	
240-119473-3	TRIP BLANK	Water	09/23/19 00:00	09/25/19 08:40	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: MW-129S_092319

Lab Sample ID: 240-119473-1

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119473-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: MW-129S_092319

Lab Sample ID: 240-119473-1

Date Collected: 09/23/19 10:30

Matrix: Water

Date Received: 09/25/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/27/19 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		63 - 125		09/27/19 19:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 15:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 15:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 15:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 15:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 15:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 15:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 121		10/04/19 15:50	1
4-Bromofluorobenzene (Surr)	103		59 - 120		10/04/19 15:50	1
Toluene-d8 (Surr)	99		70 - 123		10/04/19 15:50	1
Dibromofluoromethane (Surr)	93		75 - 128		10/04/19 15:50	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119473-3

Date Collected: 09/23/19 00:00

Matrix: Water

Date Received: 09/25/19 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 16:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 16:40	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 16:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 16:40	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 16:40	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 16:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 121		10/04/19 16:40	1
4-Bromofluorobenzene (Surr)	105		59 - 120		10/04/19 16:40	1
Toluene-d8 (Surr)	96		70 - 123		10/04/19 16:40	1
Dibromofluoromethane (Surr)	95		75 - 128		10/04/19 16:40	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-119473-1	MW-129S_092319	93	103	99	93
240-119473-3	TRIP BLANK	93	105	96	95
240-119475-C-2 MS	Matrix Spike	86	104	99	89
240-119475-D-2 MSD	Matrix Spike Duplicate	87	103	99	88
LCS 240-404100/6	Lab Control Sample	83	100	96	87
MB 240-404100/9	Method Blank	88	100	94	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-119310-A-3 MS	Matrix Spike	103
240-119310-A-3 MSD	Matrix Spike Duplicate	102
240-119473-1	MW-129S_092319	104
LCS 240-402867/4	Lab Control Sample	97
MB 240-402867/5	Method Blank	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-404100/9
Matrix: Water
Analysis Batch: 404100

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 13:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 13:23	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 13:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 13:23	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 13:23	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 13:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 121		10/04/19 13:23	1
4-Bromofluorobenzene (Surr)	100		59 - 120		10/04/19 13:23	1
Toluene-d8 (Surr)	94		70 - 123		10/04/19 13:23	1
Dibromofluoromethane (Surr)	91		75 - 128		10/04/19 13:23	1

Lab Sample ID: LCS 240-404100/6
Matrix: Water
Analysis Batch: 404100

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	18.3		ug/L		91	65 - 139
cis-1,2-Dichloroethene	20.0	17.9		ug/L		89	76 - 128
Tetrachloroethene	20.0	18.7		ug/L		93	74 - 130
trans-1,2-Dichloroethene	20.0	18.6		ug/L		93	78 - 133
Trichloroethene	20.0	18.0		ug/L		90	76 - 125
Vinyl chloride	20.0	15.5		ug/L		77	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 121
4-Bromofluorobenzene (Surr)	100		59 - 120
Toluene-d8 (Surr)	96		70 - 123
Dibromofluoromethane (Surr)	87		75 - 128

Lab Sample ID: 240-119475-C-2 MS
Matrix: Water
Analysis Batch: 404100

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	20.0	16.8		ug/L		84	53 - 140
cis-1,2-Dichloroethene	1.0	U	20.0	16.0		ug/L		80	64 - 130
Tetrachloroethene	1.0	U	20.0	17.0		ug/L		85	51 - 136
trans-1,2-Dichloroethene	1.0	U	20.0	16.5		ug/L		83	68 - 133
Trichloroethene	1.0	U	20.0	15.8		ug/L		79	55 - 131
Vinyl chloride	1.0	U	20.0	17.5		ug/L		87	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		70 - 121
4-Bromofluorobenzene (Surr)	104		59 - 120
Toluene-d8 (Surr)	99		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-119475-C-2 MS
Matrix: Water
Analysis Batch: 404100

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	89		75 - 128

Lab Sample ID: 240-119475-D-2 MSD
Matrix: Water
Analysis Batch: 404100

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	53 - 140	12	35
cis-1,2-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	64 - 130	11	21
Tetrachloroethene	1.0	U	20.0	18.4		ug/L		92	51 - 136	8	23
trans-1,2-Dichloroethene	1.0	U	20.0	18.8		ug/L		94	68 - 133	13	24
Trichloroethene	1.0	U	20.0	17.7		ug/L		88	55 - 131	11	23
Vinyl chloride	1.0	U	20.0	17.0		ug/L		85	43 - 154	2	29

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		70 - 121
4-Bromofluorobenzene (Surr)	103		59 - 120
Toluene-d8 (Surr)	99		70 - 123
Dibromofluoromethane (Surr)	88		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-402867/5
Matrix: Water
Analysis Batch: 402867

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/27/19 12:36	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	99		63 - 125		09/27/19 12:36	1			

Lab Sample ID: LCS 240-402867/4
Matrix: Water
Analysis Batch: 402867

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	11.7		ug/L		117	59 - 131

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		63 - 125

Lab Sample ID: 240-119310-A-3 MS
Matrix: Water
Analysis Batch: 402867

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	103		63 - 125

Lab Sample ID: 240-119310-A-3 MSD
Matrix: Water
Analysis Batch: 402867

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.4		ug/L		104	52 - 129	1	13

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	102		63 - 125

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

GC/MS VOA

Analysis Batch: 402867

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119473-1	MW-129S_092319	Total/NA	Water	8260B SIM	
MB 240-402867/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-402867/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119310-A-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-119310-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 404100

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119473-1	MW-129S_092319	Total/NA	Water	8260B	
240-119473-3	TRIP BLANK	Total/NA	Water	8260B	
MB 240-404100/9	Method Blank	Total/NA	Water	8260B	
LCS 240-404100/6	Lab Control Sample	Total/NA	Water	8260B	
240-119475-C-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-119475-D-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: MW-129S_092319

Lab Sample ID: 240-119473-1

Date Collected: 09/23/19 10:30

Matrix: Water

Date Received: 09/25/19 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	404100	10/04/19 15:50	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	402867	09/27/19 19:13	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119473-3

Date Collected: 09/23/19 00:00

Matrix: Water

Date Received: 09/25/19 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	404100	10/04/19 16:40	HMB	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: M1001454.0004.0002B PO # M1001454.0004.0002B		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		Site Contact: Rachel Bielak Telephone: 248-946-6331	
Method of Shipment/Carrier: Shipping/Tracking No:		Analysis: Turnaround Time TAT if different from below <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Matrix Air <input type="checkbox"/> Sediment <input type="checkbox"/> Aqueous <input type="checkbox"/> Solid <input type="checkbox"/> Other:		Containers & Preservatives HCl <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> Other:	
Sample Identification MW-129S-092319 MW-106S-092319 Trip Blank		Filtered Sample (Y/N) Composite C/Grab C 1,1-DCE 8260B Cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
Sample Date: 9-23-19 1030 9-23-19 1308		For lab use only Walk-in client Lab sampling Job/SDG No:	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Specific Notes / Special Instructions: Co Containers Co Containers 1 container	
Special Instructions/QC Requirements & Comment: Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.			
Relinquished by: Juli Ryan Relinquished by: Julie Muller Relinquished by: RACHEL BIELAK Paul Putala		Received by: Julie Muller Received by: Nov: Cold Storage Received in Laboratory by: Julie Muller	
Date/Time: 9-23-19 9/1350 Date/Time: 9/23/19/1730 Date/Time: 9/24/19 1130		Date/Time: 9/23/19/1350 Date/Time: 9/23/19/1730 Date/Time: 9/24/19 1130	
Company: Arcadis Company: Arcadis Company: ARCADIS		Company: Arcadis Company: Arcadis Company: ETA	
Juli Hadzi ETA 9/24/19 @ 1230		Julie Muller Julie Muller Julie Muller	



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14


Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 119073

Client ETA Michigan Site Name _____ Cooler unpacked by: Coil Brown
 Cooler Received on 9/25/19 Opened on 9/25/19
 FedEx: 1st Gro Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # ETA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. 26 °C Corrected Cooler Temp. 3.3 °C
 IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC991818
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 0125501D Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: ZL

18. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



October 10, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30016346.0002B OFF-SITE GW SAMPLING
Event Specific Scope of Work References: Sample COC
Laboratory: TestAmerica - North Canton
Laboratory submittal: 119473-2
Sample date: 2019-09-23
Report received by CADENA: 2019-10-09
Initial Data Verification completed by CADENA: 2019-10-10
Number of Samples:2
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 119473-2

Lab Sample ID	Sample ID	Collection Date (mm/yy/dd)	Collection Time (hh:mm:ss)	Volatile Organics by GCMS	8260B with Single Ion Monitoring	Comment
2401194731	MW-129S_092319	9/23/2019	10:30:00	X	X	
2401194733	TRIP BLANK	9/23/2019	12:00:00	X		

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 119473-2

Sample Name: MW-129S_092319 TRIP BLANK
Lab Sample ID: 2401194731 2401194733
Sample Date: 9/23/2019 9/23/2019

Analyte	Cas No.	Report		Valid		Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	
GC/MS VOC										
<u>OSW-8260B</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
<u>OSW-8260BBSim</u>										
1,4-Dioxane	123-91-1	ND	2.0	ug/l	---					

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-119518-2
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
10/10/2019 3:45:00 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Chain of Custody	15



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	ISTD response or retention time outside acceptable limits
F1	MS and/or MSD Recovery is outside acceptance limits.
F2	MS/MSD RPD exceeds control limits
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Job ID: 240-119518-2

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-119518-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The sample was received on 9/26/2019 9:50 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.9° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Sample MW-129_092419 (240-119518-1) was analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The sample was analyzed on 10/04/2019.

There was an MS/MSD analyzed in batch 240-403996 but could not be reported because the associated sample needed reanalyzed in a different batch: MW-129_092419 (240-119518-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-129_092419 (240-119518-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 10/02/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-119518-1	MW-129_092419	Water	09/24/19 12:24	09/26/19 09:50	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Client Sample ID: MW-129_092419

Lab Sample ID: 240-119518-1

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Client Sample ID: MW-129_092419

Lab Sample ID: 240-119518-1

Date Collected: 09/24/19 12:24

Matrix: Water

Date Received: 09/26/19 09:50

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		10/02/19 21:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		10/02/19 21:32	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		10/04/19 02:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L	-		10/04/19 02:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L	-		10/04/19 02:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		10/04/19 02:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L	-		10/04/19 02:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L	-		10/04/19 02:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 121		10/04/19 02:50	1
4-Bromofluorobenzene (Surr)	76		59 - 120		10/04/19 02:50	1
Toluene-d8 (Surr)	92		70 - 123		10/04/19 02:50	1
Dibromofluoromethane (Surr)	107		75 - 128		10/04/19 02:50	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-119518-1	MW-129_092419	106	76	92	107
LCS 240-403996/4	Lab Control Sample	102	81	96	106
MB 240-403996/7	Method Blank	101	77	96	103

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (63-125)
240-119518-1	MW-129_092419	105
240-119521-C-5 MS	Matrix Spike	84
240-119521-C-5 MSD	Matrix Spike Duplicate	92
LCS 240-403637/4	Lab Control Sample	99
MB 240-403637/5	Method Blank	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-403996/7
Matrix: Water
Analysis Batch: 403996

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 02:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 02:25	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 02:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 02:25	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 02:25	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 02:25	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 121		10/04/19 02:25	1
4-Bromofluorobenzene (Surr)	77		59 - 120		10/04/19 02:25	1
Toluene-d8 (Surr)	96		70 - 123		10/04/19 02:25	1
Dibromofluoromethane (Surr)	103		75 - 128		10/04/19 02:25	1

Lab Sample ID: LCS 240-403996/4
Matrix: Water
Analysis Batch: 403996

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	8.51		ug/L		85	65 - 139
cis-1,2-Dichloroethene	10.0	9.62		ug/L		96	76 - 128
Tetrachloroethene	10.0	10.9		ug/L		109	74 - 130
trans-1,2-Dichloroethene	10.0	8.76		ug/L		88	78 - 133
Trichloroethene	10.0	10.6		ug/L		106	76 - 125
Vinyl chloride	10.0	10.2		ug/L		102	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 121
4-Bromofluorobenzene (Surr)	81		59 - 120
Toluene-d8 (Surr)	96		70 - 123
Dibromofluoromethane (Surr)	106		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-403637/5
Matrix: Water
Analysis Batch: 403637

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 11:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		63 - 125		10/02/19 11:53	1

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-403637/4
Matrix: Water
Analysis Batch: 403637

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.4		ug/L		104	59 - 131
Surrogate	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	99		63 - 125				

Lab Sample ID: 240-119521-C-5 MS
Matrix: Water
Analysis Batch: 403637

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U * F1 F2	10.0	4.73	F1 *	ug/L		47	52 - 129
Surrogate	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	84		63 - 125						

Lab Sample ID: 240-119521-C-5 MSD
Matrix: Water
Analysis Batch: 403637

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U * F1 F2	10.0	5.43	F2 *	ug/L		54	52 - 129	14	13
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	92		63 - 125								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

GC/MS VOA

Analysis Batch: 403637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119518-1	MW-129_092419	Total/NA	Water	8260B SIM	
MB 240-403637/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-403637/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119521-C-5 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-119521-C-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 403996

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119518-1	MW-129_092419	Total/NA	Water	8260B	
MB 240-403996/7	Method Blank	Total/NA	Water	8260B	
LCS 240-403996/4	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Client Sample ID: MW-129_092419

Lab Sample ID: 240-119518-1

Date Collected: 09/24/19 12:24

Matrix: Water

Date Received: 09/26/19 09:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	403996	10/04/19 02:50	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	403637	10/02/19 21:32	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Client Project Manager: Kris Hinskey
Telephone: 248-994-2240
Email: kris@hinskey@arcadis.com

Site Contact: Rachel Bielsak
Telephone: 248-946-6331

Lab Contact: Mike DeMunico
Telephone: 330-497-9396

Project Name: Ford LTP
Project Number: M1001454.0004.0002B
PO # M1001454.0004.0002B

Method of Shipment/Carrier:
Shipping/Tracking No:

Analysis Turnaround Time
TAT if different from below
 3 weeks
 2 weeks
 1 week
 2 days
 1 day

Matrix: Aqueous Sediment Solid Other:
 H2SO4 HNO3 HCl NaOH ZnCl2 LiOH Other:

Containers & Preservatives
 H2SO4 HNO3 HCl NaOH ZnCl2 LiOH Other:

Filtered Sample (Y/N)
Composite C / Grab C

Analyses

Sample Identification	Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnCl2	LiOH	Other:	1,1-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Sample Specific Notes / Special Instructions:
MW-129-092419	9-24-19	1224	X							X					X	X	X	X	X	X	CO CONTAINERS
MW-84-092419	9-24-19	1419	X							X					X	X	X	X	X	X	CO CONTAINERS
MW-84S-092419	9-24-19	1545	X							X					X	X	X	X	X	X	CO CONTAINERS
Trip Blank (1)																					

Barcode: 240-119518 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable Corrosive Irritant Unknown

Special Instructions/QC Requirements & Comments:
Submit all results through Cadena at jim.tomalia@cadenacom.com. Cadena #E203631
Level IV Reporting requested.

Received by: *Julie McElroy* Date/Time: 9/24/19 16:30 Company: Arcadis

Received by: *Novi Cold Storage* Date/Time: 9/24/19 18:20 Company: Arcadis

Received in Laboratory by: *Molly Maxson* Date/Time: 09/25/19 11:40 Company: ARCADIS

Relinquished by: *Molly Maxson* Date/Time: 9/25/19 12:50 Company: BIAL-MI

Relinquished by: *ETAC* Date/Time: 9/26/19 9:50 Company: ETAC



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**


Login # : 119518

Client Arcadi's Site Name _____
Cooler Received on 7-26-19 Opened on 7-26-19
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Cooler unpacked by: _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 111 Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC991818
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Yes No NA  ← Larger than this.
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

Martin

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: 119518

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

This Job

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-10 IR-11	4.3	5.0	Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11	3.2	3.9	Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	
TA	Client	Box	Other	IR-10 IR-11			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-10 IR-11			Water	None	

See Temperature Excursion Form

DATA VERIFICATION REPORT



October 11, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater
Project number: 30016346.0002B OFF-SITE GW SAMPLING
Event Specific Scope of Work References: Sample COC
Laboratory: TestAmerica - North Canton
Laboratory submittal: 119518-2
Sample date: 2019-09-24
Report received by CADENA: 2019-10-10
Initial Data Verification completed by CADENA: 2019-10-11

Number of Samples:1
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch MS/MSD issue as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

1,4-DIOXANE QC batch MS/MSD recovery outliers and INTERNAL STANDARD outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 119518-2

Lab Sample ID	Sample ID	Collection Date (mm/yy/dd)	Collection Time (hh:mm:ss)	Volatile Organics by GCMS	8260B with Single Ion Monitoring	Comment
2401195181	MW-129_092419	9/24/2019	12:24:00	X	X	

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 119518-2

Sample Name: MW-129_092419

Lab Sample ID: 2401195181

Sample Date: 9/24/2019

Analyte	Cas No.	Result	Report		Valid	
			Limit	Units	Qualifier	
GC/MS VOC						
<u>OSW-8260B</u>						
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	
<u>OSW-8260BBSim</u>						
1,4-Dioxane	123-91-1	ND	2.0	ug/l	---	

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-119552-1
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
10/11/2019 1:59:58 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Job ID: 240-119552-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-119552-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 9/27/2019 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-125_092519 (240-119552-1), MW-125S_092519 (240-119552-2), and TRIP BLANK (240-119552-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 10/05/2019 and 10/06/2019.

cis-1,2-Dichloroethene was detected in method blank MB 240-404246/6 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

Vinyl chloride failed the recovery criteria low for the MSD of sample 240-119529-22 in batch 240-404298.

Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Job ID: 240-119552-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-125_092519 (240-119552-1), MW-125S_092519 (240-119552-2) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 10/02/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-119552-1	MW-125_092519	Water	09/25/19 11:50	09/27/19 08:40	
240-119552-2	MW-125S_092519	Water	09/25/19 13:20	09/27/19 08:40	
240-119552-4	TRIP BLANK	Water	09/24/19 00:00	09/27/19 08:40	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125_092519

Lab Sample ID: 240-119552-1

No Detections.

Client Sample ID: MW-125S_092519

Lab Sample ID: 240-119552-2

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119552-4

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125_092519

Lab Sample ID: 240-119552-1

Date Collected: 09/25/19 11:50

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 18:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		63 - 125		10/02/19 18:53	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/06/19 22:15	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/06/19 22:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:15	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/06/19 22:15	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/06/19 22:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 121		10/06/19 22:15	1
4-Bromofluorobenzene (Surr)	74		59 - 120		10/06/19 22:15	1
Toluene-d8 (Surr)	92		70 - 123		10/06/19 22:15	1
Dibromofluoromethane (Surr)	118		75 - 128		10/06/19 22:15	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125S_092519

Lab Sample ID: 240-119552-2

Date Collected: 09/25/19 13:20

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 19:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		63 - 125					10/02/19 19:18	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/06/19 22:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/06/19 22:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/06/19 22:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/06/19 22:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 121					10/06/19 22:39	1
4-Bromofluorobenzene (Surr)	70		59 - 120					10/06/19 22:39	1
Toluene-d8 (Surr)	86		70 - 123					10/06/19 22:39	1
Dibromofluoromethane (Surr)	115		75 - 128					10/06/19 22:39	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119552-4

Date Collected: 09/24/19 00:00

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 18:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/05/19 18:40	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/05/19 18:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 18:40	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/05/19 18:40	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/05/19 18:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 121		10/05/19 18:40	1
4-Bromofluorobenzene (Surr)	99		59 - 120		10/05/19 18:40	1
Toluene-d8 (Surr)	96		70 - 123		10/05/19 18:40	1
Dibromofluoromethane (Surr)	88		75 - 128		10/05/19 18:40	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-119418-B-11 MS	Matrix Spike	106	95	94	91
240-119418-B-11 MSD	Matrix Spike Duplicate	114	105	103	100
240-119529-C-22 MS	Matrix Spike	83	97	100	102
240-119529-C-22 MSD	Matrix Spike Duplicate	84	98	101	101
240-119552-1	MW-125_092519	102	74	92	118
240-119552-2	MW-125S_092519	98	70	86	115
240-119552-4	TRIP BLANK	118	99	96	88
LCS 240-404246/4	Lab Control Sample	115	106	100	88
LCS 240-404298/4	Lab Control Sample	77	96	98	97
MB 240-404246/6	Method Blank	114	96	95	83
MB 240-404298/7	Method Blank	91	74	91	112

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (63-125)
240-119520-F-2 MS	Matrix Spike	77
240-119520-F-2 MSD	Matrix Spike Duplicate	76
240-119552-1	MW-125_092519	74
240-119552-2	MW-125S_092519	74
LCS 240-403698/4	Lab Control Sample	75
MB 240-403698/5	Method Blank	75

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-404246/6
Matrix: Water
Analysis Batch: 404246

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 11:29	1
cis-1,2-Dichloroethene	0.203	J	1.0	0.16	ug/L			10/05/19 11:29	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/05/19 11:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 11:29	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/05/19 11:29	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/05/19 11:29	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	114		70 - 121		10/05/19 11:29	1
4-Bromofluorobenzene (Surr)	96		59 - 120		10/05/19 11:29	1
Toluene-d8 (Surr)	95		70 - 123		10/05/19 11:29	1
Dibromofluoromethane (Surr)	83		75 - 128		10/05/19 11:29	1

Lab Sample ID: LCS 240-404246/4
Matrix: Water
Analysis Batch: 404246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	10.0	8.97		ug/L		90	65 - 139
cis-1,2-Dichloroethene	10.0	10.1		ug/L		101	76 - 128
Tetrachloroethene	10.0	9.29		ug/L		93	74 - 130
trans-1,2-Dichloroethene	10.0	9.18		ug/L		92	78 - 133
Trichloroethene	10.0	8.53		ug/L		85	76 - 125
Vinyl chloride	10.0	7.97		ug/L		80	58 - 143

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	115		70 - 121
4-Bromofluorobenzene (Surr)	106		59 - 120
Toluene-d8 (Surr)	100		70 - 123
Dibromofluoromethane (Surr)	88		75 - 128

Lab Sample ID: 240-119418-B-11 MS
Matrix: Water
Analysis Batch: 404246

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
Tetrachloroethene	1000	U	10000	6810		ug/L		68	51 - 136
Trichloroethene	1000	U	10000	7680		ug/L		77	55 - 131

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		70 - 121
4-Bromofluorobenzene (Surr)	95		59 - 120
Toluene-d8 (Surr)	94		70 - 123
Dibromofluoromethane (Surr)	91		75 - 128

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-119418-B-11 MSD
Matrix: Water
Analysis Batch: 404246

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Tetrachloroethene	1000	U	10000	7980		ug/L		80	51 - 136	16	23
Trichloroethene	1000	U	10000	8470		ug/L		85	55 - 131	10	23
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	114		70 - 121								
4-Bromofluorobenzene (Surr)	105		59 - 120								
Toluene-d8 (Surr)	103		70 - 123								
Dibromofluoromethane (Surr)	100		75 - 128								

Lab Sample ID: MB 240-404298/7
Matrix: Water
Analysis Batch: 404298

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 15:30	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/06/19 15:30	1	
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/06/19 15:30	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 15:30	1	
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/06/19 15:30	1	
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/06/19 15:30	1	
MB MB										
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac				
1,2-Dichloroethane-d4 (Surr)	91		70 - 121		10/06/19 15:30	1				
4-Bromofluorobenzene (Surr)	74		59 - 120		10/06/19 15:30	1				
Toluene-d8 (Surr)	91		70 - 123		10/06/19 15:30	1				
Dibromofluoromethane (Surr)	112		75 - 128		10/06/19 15:30	1				

Lab Sample ID: LCS 240-404298/4
Matrix: Water
Analysis Batch: 404298

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.1		ug/L		101	65 - 139
cis-1,2-Dichloroethene	10.0	10.4		ug/L		104	76 - 128
Tetrachloroethene	10.0	10.6		ug/L		106	74 - 130
trans-1,2-Dichloroethene	10.0	10.8		ug/L		108	78 - 133
Trichloroethene	10.0	11.0		ug/L		110	76 - 125
Vinyl chloride	10.0	6.89		ug/L		69	58 - 143
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	77		70 - 121				
4-Bromofluorobenzene (Surr)	96		59 - 120				
Toluene-d8 (Surr)	98		70 - 123				
Dibromofluoromethane (Surr)	97		75 - 128				

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-119529-C-22 MS

Matrix: Water

Analysis Batch: 404298

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	250	U	2500	2540		ug/L		102	53 - 140
cis-1,2-Dichloroethene	6200		2500	8040		ug/L		74	64 - 130
Tetrachloroethene	250	U	2500	2530		ug/L		101	51 - 136
trans-1,2-Dichloroethene	250	U	2500	2720		ug/L		109	68 - 133
Trichloroethene	250	U	2500	2600		ug/L		104	55 - 131
Vinyl chloride	2300	F1	2500	3330		ug/L		43	43 - 154

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 121
4-Bromofluorobenzene (Surr)	97		59 - 120
Toluene-d8 (Surr)	100		70 - 123
Dibromofluoromethane (Surr)	102		75 - 128

Lab Sample ID: 240-119529-C-22 MSD

Matrix: Water

Analysis Batch: 404298

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	250	U	2500	2510		ug/L		101	53 - 140	1	35
cis-1,2-Dichloroethene	6200		2500	7960		ug/L		71	64 - 130	1	21
Tetrachloroethene	250	U	2500	2470		ug/L		99	51 - 136	2	23
trans-1,2-Dichloroethene	250	U	2500	2630		ug/L		105	68 - 133	3	24
Trichloroethene	250	U	2500	2570		ug/L		103	55 - 131	1	23
Vinyl chloride	2300	F1	2500	3270	F1	ug/L		40	43 - 154	2	29

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	101		70 - 123
Dibromofluoromethane (Surr)	101		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-403698/5

Matrix: Water

Analysis Batch: 403698

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 13:50	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	75		63 - 125		10/02/19 13:50	1

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-403698/4
Matrix: Water
Analysis Batch: 403698

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	11.8		ug/L		118	59 - 131
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	75		63 - 125				

Lab Sample ID: 240-119520-F-2 MS
Matrix: Water
Analysis Batch: 403698

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	0.93	J	10.0	11.7		ug/L		108	52 - 129
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	77		63 - 125						

Lab Sample ID: 240-119520-F-2 MSD
Matrix: Water
Analysis Batch: 403698

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	0.93	J	10.0	11.7		ug/L		108	52 - 129	0	13
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	76		63 - 125								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

GC/MS VOA

Analysis Batch: 403698

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119552-1	MW-125_092519	Total/NA	Water	8260B SIM	
240-119552-2	MW-125S_092519	Total/NA	Water	8260B SIM	
MB 240-403698/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-403698/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119520-F-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-119520-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 404246

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119552-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-404246/6	Method Blank	Total/NA	Water	8260B	
LCS 240-404246/4	Lab Control Sample	Total/NA	Water	8260B	
240-119418-B-11 MS	Matrix Spike	Total/NA	Water	8260B	
240-119418-B-11 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 404298

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119552-1	MW-125_092519	Total/NA	Water	8260B	
240-119552-2	MW-125S_092519	Total/NA	Water	8260B	
MB 240-404298/7	Method Blank	Total/NA	Water	8260B	
LCS 240-404298/4	Lab Control Sample	Total/NA	Water	8260B	
240-119529-C-22 MS	Matrix Spike	Total/NA	Water	8260B	
240-119529-C-22 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125_092519

Lab Sample ID: 240-119552-1

Date Collected: 09/25/19 11:50

Matrix: Water

Date Received: 09/27/19 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	404298	10/06/19 22:15	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	403698	10/02/19 18:53	SAM	TAL CAN

Client Sample ID: MW-125S_092519

Lab Sample ID: 240-119552-2

Date Collected: 09/25/19 13:20

Matrix: Water

Date Received: 09/27/19 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	404298	10/06/19 22:39	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	403698	10/02/19 19:18	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119552-4

Date Collected: 09/24/19 00:00

Matrix: Water

Date Received: 09/27/19 08:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	404246	10/05/19 18:40	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

O.C/1.3 1-4/21
 2-3/3.0 3-7/4.4

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis
 Address: 28550 Cabot Drive, Suite 500
 City/State/Zip: Novi, MI, 48377
 Phone: 248-994-2240

Client Project Manager: Kris Hinskey
 Telephone: 248-994-2240
 Email: kristoffer.hinskey@arcadis.com

Project Name: Ford LTP
 Project Number: M1001454.0004.0002B
 PO # M1001454.0004.0002B

Method of Shipment/Carrier:
 Shipping/Tracking No:

Analysis Turnaround Time
 TAT if different from below:
 3 weeks
 2 weeks
 1 week
 2 days
 1 day

10 day

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Analyses						Sample Specific Notes / Special Instructions		
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl		NaOH	ZnAc	NaOH	Other:	1,1-DCE 8260B	Trans-1,2-DCE 8260B		PCE 8260B	TCE 8260B
MW-125-092519	9.25.19	1150		X									X	X	X	X	X	X	X	6 containers
MW-125S-092519	9.25.19	1320		X									X	X	X	X	X	X	X	6 containers
MW-186S-092419	9.24.19	1820		X									X	X	X	X	X	X	X	6 containers
IMP Blank																				1 container

Barcode: 240-119552 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable 4th Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631
 Level IV Reporting requested.

Relinquished by: [Signature]
 Date/Time: 9/25/19 1800
 Company: Arcadis

Relinquished by: [Signature]
 Date/Time: 9/25/19 1900
 Company: Arcadis

Relinquished by: [Signature]
 Date/Time: 9/26/19 13:30
 Company: Arcadis

Received by: [Signature]
 Date/Time: 9/25/19 1800
 Company: Arcadis

Received by: [Signature]
 Date/Time: 9/25/19 1900
 Company: Arcadis

Received in Laboratory by: [Signature]
 Date/Time: 9/26/19 13:30
 Company: ETAL-MI

9/26/19 14:45
 TA 9-27-19 840



Canton Facility _____

Client Accardi's Site Name _____ Cooler unpacked by: [Signature]

Cooler Received on 9-27-19 Opened on 9-27-19

FedEx: 1st Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. 2.3 °C Corrected Cooler Temp. 3.0 °C
 IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC991818
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
16. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: GB

18. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

DATA VERIFICATION REPORT



October 13, 2019

Kris Hinskey
Arcadis Inc
10559 Citation Ave
Suite 100
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30016346.0002B OFF-SITE GW SAMPLING

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 119552-1

Sample date: 2019-09-25

Report received by CADENA: 2019-10-11

Initial Data Verification completed by CADENA: 2019-10-13

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch 404246 method blank had a detection below the RL for the following analyte: CIS-1,2-DICHLOROETHENE. Qualification of client sample results was not required based on this method blank detection.

GCMS VOC QC batch MS/MSD recovery outliers outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

SAMPLING AND ANALYSIS SUMMARY

CADENA Project ID: E203631

Laboratory: TestAmerica-North Canton

Laboratory Submittal: 119552-1

Lab Sample ID	Sample ID	Collection Date (mm/yy/dd)	Collection Time (hh:mm:ss)	Volatile Organics by GCMS	8260B with Single Ion Monitoring	Comment
2401195521	MW-125_092519	9/25/2019	11:50:00	X	X	
2401195522	MW-125S_092519	9/25/2019	1:20:00	X	X	
2401195524	TRIP BLANK	9/24/2019	12:00:00	X		

Analytical Results Summary

Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 119552-1

Sample Name:	MW-125_092519	MW-125S_092519	TRIP BLANK
Lab Sample ID:	2401195521	2401195522	2401195524
Sample Date:	9/25/2019	9/25/2019	9/24/2019

Analyte	Cas No.	MW-125_092519				MW-125S_092519				TRIP BLANK			
		Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier
GC/MS VOC													
<u>OSW-8260B</u>													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260BBSim</u>													
1,4-Dioxane	123-91-1	ND	2.0	ug/l	---	ND	2.0	ug/l	---				

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-119473-2, 240-119518-2, 240-119552-1

CADENA Verification Report: 2019-10-10, 2019-10-10, 2019-10-13

Analyses Performed By:

TestAmerica
Canton, Ohio

Report #34466R

Review Level: Tier III

Project: 30016346.00002



DATA REVIEW

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # 240-119473-2, 240-119518-2, and 240-119552-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis		
						VOC (Full Scan)	VOC (SIM)	MISC
240-119473-2	MW-129S_092319	240-119473-1	Water	9/23/2019		X	X	
	TRIP BLANK	240-119473-2	Water	9/23/2019		X		
240-119518-2	MW-129_092419	240-119518-1	Water	9/24/2019		X	X	
240-119552-1	MW-125_092519	240-119552-1	Water	9/25/2019		X	X	
	MW-125S_092519	240-119552-2	Water	9/25/2019		X	X	
	TRIP BLANK	240-119552-4	Water	9/24/2019		X		

DATA REVIEW

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

DATA REVIEW

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - J+ The result is an estimated quantity, but the result may be biased high.
 - J- The result is an estimated quantity, but the result may be biased low.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

DATA REVIEW

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

4. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

DATA REVIEW

No compounds were detected in the samples within this dataset.

6. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA REVIEW

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times/Preservation		X		X	
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

VALIDATION PERFORMED BY: Andrew Korycinski

SIGNATURE:



DATE: October 18, 2019

PEER REVIEW: Joseph C. Houser

DATE: October 18, 2019



**CHAIN OF CUSTODY
CORRECTED SAMPLE ANALYSIS DATA
SHEETS**



**NO CORRECTIONS/QUALIFIERS ADDED
TO SAMPLE ANALYSIS DATA SHEETS**



TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: M1001454.0004.0002B PO # M1001454.0004.0002B		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		Site Contact: Rachel Bielak Telephone: 248-946-6331	
Method of Shipment/Carrier: Shipping/Tracking No:		Analysis: Turnaround Time TAT if different from below <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Matrix Air <input type="checkbox"/> Sediment <input type="checkbox"/> Aqueous <input type="checkbox"/> Solid <input type="checkbox"/> Other:		Containers & Preservatives HCl <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Other:	
Sample Identification MW-129S-092319 MW-106S-092319 Trip Blank		Filtered Sample (Y/N) Composite=C / Grab=C 1,1-DCE 8260B Cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
Sample Date: 9-23-19 1030 9-23-19 1308		For lab use only Walk-in client Lab sampling Job/SDG No:	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Specific Notes / Special Instructions: Co Containers Co Containers 1 container	
Special Instructions/QC Requirements & Comment: Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.			
Relinquished by: Juli Ryan Relinquished by: Juli Muller Relinquished by: RACHEL BIELAK Paul Patala		Received by: Juli Muller Received by: Novi Cold Storage Received in Laboratory by:	
Date/Time: 9-23-19 9/1350 Date/Time: 9/23/19/1730 Date/Time: 9/24/19 1130		Date/Time: 9/23/19/1350 Date/Time: 9/23/19/1730 Date/Time: 9/24/19 1130	
Company: Arcadis Company: Arcadis Company: ARCADIS		Company: Arcadis Company: Arcadis Company: ETA	
9/24/19 8:40		9/25/19 8:40	



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: MW-129S_092319

Lab Sample ID: 240-119473-1

Date Collected: 09/23/19 10:30

Matrix: Water

Date Received: 09/25/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/27/19 19:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		63 - 125		09/27/19 19:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 15:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 15:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 15:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 15:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 15:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 15:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 121		10/04/19 15:50	1
4-Bromofluorobenzene (Surr)	103		59 - 120		10/04/19 15:50	1
Toluene-d8 (Surr)	99		70 - 123		10/04/19 15:50	1
Dibromofluoromethane (Surr)	93		75 - 128		10/04/19 15:50	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119473-2

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119473-3

Date Collected: 09/23/19 00:00

Matrix: Water

Date Received: 09/25/19 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 16:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 16:40	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 16:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 16:40	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 16:40	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 16:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 121		10/04/19 16:40	1
4-Bromofluorobenzene (Surr)	105		59 - 120		10/04/19 16:40	1
Toluene-d8 (Surr)	96		70 - 123		10/04/19 16:40	1
Dibromofluoromethane (Surr)	95		75 - 128		10/04/19 16:40	1

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Site Contact: Rachel Bielsak
Telephone: 248-946-6331

Lab Contact: Mike DeMunico
Telephone: 330-497-9396

TestAmerica Laboratories, Inc.
COC No: _____ of _____ COCs

For lab use only
Walk-in client
Lab sampling
Job/SDG No: _____

Analysis Turnaround Time
TAT if different from below:
 3 weeks
 10 day
 2 weeks
 1 week
 2 days
 1 day

Method of Shipment/Carrier: _____

Shipping/Tracking No: _____

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives							Filtered Sample (Y/N)	Composite C / Grab C	Analyses					Sample Specific Notes / Special Instructions:		
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NACH	ZnAc	NaOH			Other:	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B		TCE 8260B	Vinyl Chloride 8260B
MW - 129-092419	9-24-19	1224	X					X								X	X	X	X	X	X		CO CONTAINERS
MW - 84-092419	9-24-19	1419	X					X								X	X	X	X	X	X		16 CONTAINERS
MW - 84S - 092419	9-24-19	1545	X					X								X	X	X	X	X	X		16 CONTAINERS
Trip Blank (1)																							



Possible Hazard Identification
 Non-Hazard Flammable cm Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631
Level IV Reporting requested.

Relinquished by: *John McElroy* Date/Time: 9/24/19/1630 Company: Arcadis
Received by: *John McElroy* Date/Time: 9/24/19/1630 Company: Arcadis

Relinquished by: *John McElroy* Date/Time: 9/24/19/1820 Company: Arcadis
Received by: *Novi Cold Storage* Date/Time: 9/24/19/1820 Company: Arcadis

Relinquished by: *John McElroy* Date/Time: 09/25/19 11:40 Company: Arcadis
Received in Laboratory by: *Holly Maxson* Date/Time: 9/25/19 1140 Company: Arcadis

Relinquished by: *Holly Maxson* Date/Time: 9/25/19 1250 Company: Arcadis
Received by: *ETA-MI* Date/Time: 9/26/19 980 Company: ETA-MI



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119518-2

Client Sample ID: MW-129_092419

Lab Sample ID: 240-119518-1

Date Collected: 09/24/19 12:24

Matrix: Water

Date Received: 09/26/19 09:50

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 21:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		10/02/19 21:32	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 02:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/04/19 02:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/04/19 02:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/04/19 02:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/04/19 02:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/04/19 02:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 121		10/04/19 02:50	1
4-Bromofluorobenzene (Surr)	76		59 - 120		10/04/19 02:50	1
Toluene-d8 (Surr)	92		70 - 123		10/04/19 02:50	1
Dibromofluoromethane (Surr)	107		75 - 128		10/04/19 02:50	1

O.C/1.3 1-4/21
 2-3/3.0 3-7/4.4

MICHIGAN Chain of Custody Record 190

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis
 Address: 28550 Cabot Drive, Suite 500
 City/State/Zip: Novi, MI, 48377
 Phone: 248-994-2240

Client Project Manager: Kris Hinskey
 Telephone: 248-994-2240
 Email: kristoffer.hinskey@arcadis.com

Project Name: Ford LTP
 Project Number: M1001454.0004.0002B
 PO # M1001454.0004.0002B

Method of Shipment/Carrier:
 Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Analyses						Sample Specific Notes / Special Instructions		
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl		NaOH	ZnAc	NaOH	Other:	1,1-DCE 8260B	Trans-1,2-DCE 8260B		PCE 8260B	TCE 8260B
MW-125-092519	9.25.19	1150												X	X	X	X	X	X	6 containers
MW-125S-092519	9.25.19	1320												X	X	X	X	X	X	6 containers
MW-186S-092419	9.24.19	1820												X	X	X	X	X	X	6 containers
Trp Blank																				1 container

Barcode: 240-119552 Chain of Custody

Possible Hazard Identification:
 Non-Hazard Flammable Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631
 Level IV Reporting requested.

Relinquished by: [Signature] Date/Time: 9/25/19 1800 Company: Arcadis
 Relinquished by: [Signature] Date/Time: 9/25/19 1900 Company: Arcadis
 Relinquished by: [Signature] Date/Time: 9/26/19 13:30 Company: Arcadis
 Received by: [Signature] Date/Time: 9/25/19 1800 Company: Arcadis
 Received by: [Signature] Date/Time: 9/25/19 1900 Company: Arcadis
 Received in Laboratory by: [Signature] Date/Time: 9/26/19 13:30 Company: ETAL-MI
 ETAL-MI 9/26/19 14:45 TA 9-27-19 840

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125_092519

Lab Sample ID: 240-119552-1

Date Collected: 09/25/19 11:50

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 18:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		63 - 125		10/02/19 18:53	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/06/19 22:15	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/06/19 22:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:15	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/06/19 22:15	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/06/19 22:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 121		10/06/19 22:15	1
4-Bromofluorobenzene (Surr)	74		59 - 120		10/06/19 22:15	1
Toluene-d8 (Surr)	92		70 - 123		10/06/19 22:15	1
Dibromofluoromethane (Surr)	118		75 - 128		10/06/19 22:15	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: MW-125S_092519

Lab Sample ID: 240-119552-2

Date Collected: 09/25/19 13:20

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/02/19 19:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		63 - 125					10/02/19 19:18	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/06/19 22:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/06/19 22:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/06/19 22:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/06/19 22:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/06/19 22:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 121					10/06/19 22:39	1
4-Bromofluorobenzene (Surr)	70		59 - 120					10/06/19 22:39	1
Toluene-d8 (Surr)	86		70 - 123					10/06/19 22:39	1
Dibromofluoromethane (Surr)	115		75 - 128					10/06/19 22:39	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119552-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119552-4

Date Collected: 09/24/19 00:00

Matrix: Water

Date Received: 09/27/19 08:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 18:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/05/19 18:40	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/05/19 18:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/05/19 18:40	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/05/19 18:40	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/05/19 18:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 121		10/05/19 18:40	1
4-Bromofluorobenzene (Surr)	99		59 - 120		10/05/19 18:40	1
Toluene-d8 (Surr)	96		70 - 123		10/05/19 18:40	1
Dibromofluoromethane (Surr)	88		75 - 128		10/05/19 18:40	1