



Environment Testing
TestAmerica

1
2
3
4
5
6
7
8
9
10
11
12
13
14



ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-110948-1

Client Project/Site: Ford LTP Livonia MI - E203728

For:

ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mike DelMonico

Authorized for release by:

4/27/2019 10:55:23 AM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	10
Surrogate Summary	21
QC Sample Results	23
QC Association Summary	29
Lab Chronicle	30
Certification Summary	32
Chain of Custody	33

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	ISTD response or retention time outside acceptable limits
F1	MS and/or MSD Recovery is outside acceptance limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Job ID: 240-110948-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203728

Report Number: 240-110948-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 4/13/2019 9:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples HPT-220_15-19_041019 (240-110948-1), HPT-220_10-14_041019 (240-110948-2), HPT-220_5-9_041019 (240-110948-3), HPT-221_15-19_041019 (240-110948-4), HPT-221_10-14_041019 (240-110948-5), HPT-221_5-9_041019 (240-110948-6), HPT-222_16-20_041019 (240-110948-7), HPT-222_10-14_041019 (240-110948-8), HPT-222_5-9_041019 (240-110948-9), DUP-03 (240-110948-10) and TRIP BLANK (240-110948-11) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 04/19/2019, 04/22/2019 and 04/23/2019.

Dibromofluoromethane (Surr) failed the surrogate recovery criteria high for HPT-220_10-14_041019 (240-110948-2), HPT-220_5-9_041019 (240-110948-3), and HPT-221_15-19_041019 (240-110948-4). Refer to the QC report for details.

Trichloroethene failed the recovery criteria low for the MSD of sample HPT-220_10-14_041019MSD (240-110948-2) in batch 240-377763. Refer to the QC report for details.

Samples HPT-220_15-19_041019 (240-110948-1)[6.67X], HPT-220_10-14_041019 (240-110948-2)[100X], HPT-220_5-9_041019 (240-110948-3)[66.67X], HPT-221_10-14_041019 (240-110948-5)[14.29X], HPT-221_5-9_041019 (240-110948-6)[10X], HPT-222_10-14_041019 (240-110948-8)[10X], HPT-222_5-9_041019 (240-110948-9)[2X] and DUP-03 (240-110948-10)[2X] required

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Job ID: 240-110948-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

dilution prior to analysis. The reporting limits have been adjusted accordingly.

Surrogate recovery for the following samples were outside control limits: HPT-220_10-14_041019 (240-110948-2), HPT-220_5-9_041019 (240-110948-3) and HPT-221_15-19_041019 (240-110948-4). Re-extraction and/or re-analysis was performed with concurring results. The best data is reported.

The pH of the samples was greater than 2. The samples were analyzed within the normal 14 day holding time; however, experimental evidence suggests that some aromatic compounds in wastewater samples, notably, Benzene, Toluene, and Ethylbenzene are susceptible to biological degradation if samples are not preserved to a pH of 2: HPT-221_15-19_041019 (240-110948-4) and HPT-221_5-9_041019 (240-110948-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples HPT-220_15-19_041019 (240-110948-1), HPT-220_10-14_041019 (240-110948-2), HPT-220_5-9_041019 (240-110948-3), HPT-221_15-19_041019 (240-110948-4), HPT-221_10-14_041019 (240-110948-5), HPT-221_5-9_041019 (240-110948-6), HPT-222_16-20_041019 (240-110948-7), HPT-222_10-14_041019 (240-110948-8), HPT-222_5-9_041019 (240-110948-9) and DUP-03 (240-110948-10) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 04/16/2019.

1,4-Dioxane failed the recovery criteria low for the MS of sample HPT-220_5-9_041019MS (240-110948-3) in batch 240-376688.

1,4-Dioxane failed the recovery criteria low for the MSD of sample HPT-220_5-9_041019MSD (240-110948-3) in batch 240-376688. 1,4-Dioxane exceeded the RPD limit. Refer to the QC report for details.

Internal standard (ISTD) response for the following samples were outside control limits: HPT-220_5-9_041019 (240-110948-3), (240-110948-A-3 MS) and (240-110948-A-3 MSD). The sample was re-extracted and/or re-analyzed with concurring results, and the original set of data has been reported.

Internal standard responses were outside of acceptance limits for the following sample: HPT-220_10-14_041019 (240-110948-2). The sample shows evidence of matrix interference.

The pH is greater than 2 for the following samples: HPT-220_15-19_041019 (240-110948-1), HPT-221_15-19_041019 (240-110948-4) and HPT-222_16-20_041019 (240-110948-7).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-110948-1	HPT-220_15-19_041019	Water	04/10/19 09:50	04/13/19 09:45
240-110948-2	HPT-220_10-14_041019	Water	04/10/19 10:05	04/13/19 09:45
240-110948-3	HPT-220_5-9_041019	Water	04/10/19 10:15	04/13/19 09:45
240-110948-4	HPT-221_15-19_041019	Water	04/10/19 11:50	04/13/19 09:45
240-110948-5	HPT-221_10-14_041019	Water	04/10/19 12:10	04/13/19 09:45
240-110948-6	HPT-221_5-9_041019	Water	04/10/19 12:20	04/13/19 09:45
240-110948-7	HPT-222_16-20_041019	Water	04/10/19 14:35	04/13/19 09:45
240-110948-8	HPT-222_10-14_041019	Water	04/10/19 14:45	04/13/19 09:45
240-110948-9	HPT-222_5-9_041019	Water	04/10/19 14:55	04/13/19 09:45
240-110948-10	DUP-03	Water	04/10/19 00:00	04/13/19 09:45
240-110948-11	TRIP BLANK	Water	04/10/19 00:00	04/13/19 09:45

Detection Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-110948-1

Project/Site: Ford LTP Livonia MI - E203728

Client Sample ID: HPT-220_15-19_041019

Lab Sample ID: 240-110948-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	140		6.7	1.1	ug/L	6.67		8260B	Total/NA
trans-1,2-Dichloroethene	85		6.7	1.3	ug/L	6.67		8260B	Total/NA
Trichloroethene	120		6.7	0.67	ug/L	6.67		8260B	Total/NA

Client Sample ID: HPT-220_10-14_041019

Lab Sample ID: 240-110948-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	150		100	16	ug/L	100		8260B	Total/NA
trans-1,2-Dichloroethene	300		100	19	ug/L	100		8260B	Total/NA
Trichloroethene	2200	F1	100	10	ug/L	100		8260B	Total/NA

Client Sample ID: HPT-220_5-9_041019

Lab Sample ID: 240-110948-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	33	J	67	11	ug/L	66.67		8260B	Total/NA
trans-1,2-Dichloroethene	41	J	67	13	ug/L	66.67		8260B	Total/NA
Trichloroethene	1900		67	6.7	ug/L	66.67		8260B	Total/NA

Client Sample ID: HPT-221_15-19_041019

Lab Sample ID: 240-110948-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.5		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	7.7		1.0	0.19	ug/L	1		8260B	Total/NA
Trichloroethene	14		1.0	0.10	ug/L	1		8260B	Total/NA

Client Sample ID: HPT-221_10-14_041019

Lab Sample ID: 240-110948-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	13	J	14	2.3	ug/L	14.29		8260B	Total/NA
trans-1,2-Dichloroethene	13	J	14	2.7	ug/L	14.29		8260B	Total/NA
Trichloroethene	300		14	1.4	ug/L	14.29		8260B	Total/NA

Client Sample ID: HPT-221_5-9_041019

Lab Sample ID: 240-110948-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	220		10	1.6	ug/L	10		8260B	Total/NA
trans-1,2-Dichloroethene	3.4	J	10	1.9	ug/L	10		8260B	Total/NA
Trichloroethene	91		10	1.0	ug/L	10		8260B	Total/NA

Client Sample ID: HPT-222_16-20_041019

Lab Sample ID: 240-110948-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.1		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	3.5		1.0	0.19	ug/L	1		8260B	Total/NA
Trichloroethene	14		1.0	0.10	ug/L	1		8260B	Total/NA

Client Sample ID: HPT-222_10-14_041019

Lab Sample ID: 240-110948-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.5	J	10	1.6	ug/L	10		8260B	Total/NA
trans-1,2-Dichloroethene	3.4	J	10	1.9	ug/L	10		8260B	Total/NA
Trichloroethene	270		10	1.0	ug/L	10		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Detection Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-222_5-9_041019**Lab Sample ID: 240-110948-9**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.61	J	2.0	0.32	ug/L	2		8260B	Total/NA
trans-1,2-Dichloroethene	0.40	J	2.0	0.38	ug/L	2		8260B	Total/NA
Trichloroethene	54		2.0	0.20	ug/L	2		8260B	Total/NA

Client Sample ID: DUP-03**Lab Sample ID: 240-110948-10**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.66	J	2.0	0.32	ug/L	2		8260B	Total/NA
trans-1,2-Dichloroethene	0.38	J	2.0	0.38	ug/L	2		8260B	Total/NA
Trichloroethene	52		2.0	0.20	ug/L	2		8260B	Total/NA

Client Sample ID: TRIP BLANK**Lab Sample ID: 240-110948-11**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-220_15-19_041019

Lab Sample ID: 240-110948-1

Matrix: Water

Date Collected: 04/10/19 09:50

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 13:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		63 - 125					04/16/19 13:08	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	6.7	U	6.7	1.3	ug/L			04/22/19 16:30	6.67
cis-1,2-Dichloroethene	140		6.7	1.1	ug/L			04/22/19 16:30	6.67
Tetrachloroethene	6.7	U	6.7	1.0	ug/L			04/22/19 16:30	6.67
trans-1,2-Dichloroethene	85		6.7	1.3	ug/L			04/22/19 16:30	6.67
Trichloroethene	120		6.7	0.67	ug/L			04/22/19 16:30	6.67
Vinyl chloride	6.7	U	6.7	1.3	ug/L			04/22/19 16:30	6.67
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 121					04/22/19 16:30	6.67
4-Bromofluorobenzene (Surr)	73		59 - 120					04/22/19 16:30	6.67
Toluene-d8 (Surr)	97		70 - 123					04/22/19 16:30	6.67
Dibromofluoromethane (Surr)	125		75 - 128					04/22/19 16:30	6.67

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-220_10-14_041019

Lab Sample ID: 240-110948-2

Matrix: Water

Date Collected: 04/10/19 10:05

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U *	2.0	0.86	ug/L			04/16/19 13:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		63 - 125					04/16/19 13:34	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	100	U	100	19	ug/L			04/23/19 15:05	100
cis-1,2-Dichloroethene	150		100	16	ug/L			04/23/19 15:05	100
Tetrachloroethene	100	U	100	15	ug/L			04/23/19 15:05	100
trans-1,2-Dichloroethene	300		100	19	ug/L			04/23/19 15:05	100
Trichloroethene	2200	F1	100	10	ug/L			04/23/19 15:05	100
Vinyl chloride	100	U	100	20	ug/L			04/23/19 15:05	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 121					04/23/19 15:05	100
4-Bromofluorobenzene (Surr)	78		59 - 120					04/23/19 15:05	100
Toluene-d8 (Surr)	106		70 - 123					04/23/19 15:05	100
Dibromofluoromethane (Surr)	131	X	75 - 128					04/23/19 15:05	100

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-220_5-9_041019

Lab Sample ID: 240-110948-3

Matrix: Water

Date Collected: 04/10/19 10:15

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U * F1 F2	2.0	0.86	ug/L			04/16/19 13:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		63 - 125					04/16/19 13:59	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	67	U	67	13	ug/L			04/22/19 17:13	66.67
cis-1,2-Dichloroethene	33	J	67	11	ug/L			04/22/19 17:13	66.67
Tetrachloroethene	67	U	67	10	ug/L			04/22/19 17:13	66.67
trans-1,2-Dichloroethene	41	J	67	13	ug/L			04/22/19 17:13	66.67
Trichloroethene	1900		67	6.7	ug/L			04/22/19 17:13	66.67
Vinyl chloride	67	U	67	13	ug/L			04/22/19 17:13	66.67
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		70 - 121					04/22/19 17:13	66.67
4-Bromofluorobenzene (Surr)	76		59 - 120					04/22/19 17:13	66.67
Toluene-d8 (Surr)	103		70 - 123					04/22/19 17:13	66.67
Dibromofluoromethane (Surr)	131	X	75 - 128					04/22/19 17:13	66.67

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-221_15-19_041019

Lab Sample ID: 240-110948-4

Matrix: Water

Date Collected: 04/10/19 11:50

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 15:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		63 - 125					04/16/19 15:17	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/23/19 15:49	1
cis-1,2-Dichloroethene	6.5		1.0	0.16	ug/L			04/23/19 15:49	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/23/19 15:49	1
trans-1,2-Dichloroethene	7.7		1.0	0.19	ug/L			04/23/19 15:49	1
Trichloroethene	14		1.0	0.10	ug/L			04/23/19 15:49	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/23/19 15:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		70 - 121					04/23/19 15:49	1
4-Bromofluorobenzene (Surr)	79		59 - 120					04/23/19 15:49	1
Toluene-d8 (Surr)	109		70 - 123					04/23/19 15:49	1
Dibromofluoromethane (Surr)	130	X	75 - 128					04/23/19 15:49	1

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-221_10-14_041019

Lab Sample ID: 240-110948-5

Matrix: Water

Date Collected: 04/10/19 12:10

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 15:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		63 - 125					04/16/19 15:42	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	14	U	14	2.7	ug/L			04/23/19 16:11	14.29
cis-1,2-Dichloroethene	13	J	14	2.3	ug/L			04/23/19 16:11	14.29
Tetrachloroethene	14	U	14	2.1	ug/L			04/23/19 16:11	14.29
trans-1,2-Dichloroethene	13	J	14	2.7	ug/L			04/23/19 16:11	14.29
Trichloroethene	300		14	1.4	ug/L			04/23/19 16:11	14.29
Vinyl chloride	14	U	14	2.9	ug/L			04/23/19 16:11	14.29
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 121					04/23/19 16:11	14.29
4-Bromofluorobenzene (Surr)	76		59 - 120					04/23/19 16:11	14.29
Toluene-d8 (Surr)	103		70 - 123					04/23/19 16:11	14.29
Dibromofluoromethane (Surr)	121		75 - 128					04/23/19 16:11	14.29

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-221_5-9_041019

Lab Sample ID: 240-110948-6

Matrix: Water

Date Collected: 04/10/19 12:20

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 16:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		63 - 125					04/16/19 16:08	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	10	U	10	1.9	ug/L			04/23/19 16:33	10
cis-1,2-Dichloroethene	220		10	1.6	ug/L			04/23/19 16:33	10
Tetrachloroethene	10	U	10	1.5	ug/L			04/23/19 16:33	10
trans-1,2-Dichloroethene	3.4 J		10	1.9	ug/L			04/23/19 16:33	10
Trichloroethene	91		10	1.0	ug/L			04/23/19 16:33	10
Vinyl chloride	10	U	10	2.0	ug/L			04/23/19 16:33	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		70 - 121					04/23/19 16:33	10
4-Bromofluorobenzene (Surr)	75		59 - 120					04/23/19 16:33	10
Toluene-d8 (Surr)	100		70 - 123					04/23/19 16:33	10
Dibromofluoromethane (Surr)	123		75 - 128					04/23/19 16:33	10

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-222_16-20_041019

Lab Sample ID: 240-110948-7

Matrix: Water

Date Collected: 04/10/19 14:35

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 16:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		63 - 125					04/16/19 16:34	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/22/19 18:41	1
cis-1,2-Dichloroethene	3.1		1.0	0.16	ug/L			04/22/19 18:41	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/22/19 18:41	1
trans-1,2-Dichloroethene	3.5		1.0	0.19	ug/L			04/22/19 18:41	1
Trichloroethene	14		1.0	0.10	ug/L			04/22/19 18:41	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/22/19 18:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 121					04/22/19 18:41	1
4-Bromofluorobenzene (Surr)	73		59 - 120					04/22/19 18:41	1
Toluene-d8 (Surr)	98		70 - 123					04/22/19 18:41	1
Dibromofluoromethane (Surr)	125		75 - 128					04/22/19 18:41	1

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-222_10-14_041019

Lab Sample ID: 240-110948-8

Matrix: Water

Date Collected: 04/10/19 14:45

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 16:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		63 - 125					04/16/19 16:59	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	10	U	10	1.9	ug/L			04/22/19 19:03	10
cis-1,2-Dichloroethene	2.5	J	10	1.6	ug/L			04/22/19 19:03	10
Tetrachloroethene	10	U	10	1.5	ug/L			04/22/19 19:03	10
trans-1,2-Dichloroethene	3.4	J	10	1.9	ug/L			04/22/19 19:03	10
Trichloroethene	270		10	1.0	ug/L			04/22/19 19:03	10
Vinyl chloride	10	U	10	2.0	ug/L			04/22/19 19:03	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 121					04/22/19 19:03	10
4-Bromofluorobenzene (Surr)	72		59 - 120					04/22/19 19:03	10
Toluene-d8 (Surr)	95		70 - 123					04/22/19 19:03	10
Dibromofluoromethane (Surr)	125		75 - 128					04/22/19 19:03	10

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-222_5-9_041019

Lab Sample ID: 240-110948-9

Matrix: Water

Date Collected: 04/10/19 14:55

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 17:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		63 - 125					04/16/19 17:25	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	2.0	U	2.0	0.38	ug/L			04/22/19 19:25	2
cis-1,2-Dichloroethene	0.61	J	2.0	0.32	ug/L			04/22/19 19:25	2
Tetrachloroethene	2.0	U	2.0	0.30	ug/L			04/22/19 19:25	2
trans-1,2-Dichloroethene	0.40	J	2.0	0.38	ug/L			04/22/19 19:25	2
Trichloroethene	54		2.0	0.20	ug/L			04/22/19 19:25	2
Vinyl chloride	2.0	U	2.0	0.40	ug/L			04/22/19 19:25	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		70 - 121					04/22/19 19:25	2
4-Bromofluorobenzene (Surr)	72		59 - 120					04/22/19 19:25	2
Toluene-d8 (Surr)	95		70 - 123					04/22/19 19:25	2
Dibromofluoromethane (Surr)	123		75 - 128					04/22/19 19:25	2

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: DUP-03

Lab Sample ID: 240-110948-10

Matrix: Water

Date Collected: 04/10/19 00:00

Date Received: 04/13/19 09:45

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			04/16/19 17:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		63 - 125					04/16/19 17:51	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	2.0	U	2.0	0.38	ug/L			04/23/19 16:55	2
cis-1,2-Dichloroethene	0.66	J	2.0	0.32	ug/L			04/23/19 16:55	2
Tetrachloroethene	2.0	U	2.0	0.30	ug/L			04/23/19 16:55	2
trans-1,2-Dichloroethene	0.38	J	2.0	0.38	ug/L			04/23/19 16:55	2
Trichloroethene	52		2.0	0.20	ug/L			04/23/19 16:55	2
Vinyl chloride	2.0	U	2.0	0.40	ug/L			04/23/19 16:55	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 121					04/23/19 16:55	2
4-Bromofluorobenzene (Surr)	75		59 - 120					04/23/19 16:55	2
Toluene-d8 (Surr)	103		70 - 123					04/23/19 16:55	2
Dibromofluoromethane (Surr)	119		75 - 128					04/23/19 16:55	2

Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: TRIP BLANK

Date Collected: 04/10/19 00:00

Date Received: 04/13/19 09:45

Lab Sample ID: 240-110948-11

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/19/19 18:43	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			04/19/19 18:43	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/19/19 18:43	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/19/19 18:43	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			04/19/19 18:43	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/19/19 18:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 121					04/19/19 18:43	1
4-Bromofluorobenzene (Surr)	95		59 - 120					04/19/19 18:43	1
Toluene-d8 (Surr)	113		70 - 123					04/19/19 18:43	1
Dibromofluoromethane (Surr)	108		75 - 128					04/19/19 18:43	1

Surrogate Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-110825-A-2 MS	Matrix Spike	89	111	116	99
240-110825-A-2 MSD	Matrix Spike Duplicate	89	109	115	100
240-110948-1	HPT-220_15-19_041019	107	73	97	125
240-110948-2	HPT-220_10-14_041019	115	78	106	131 X
240-110948-2 MS	HPT-220_10-14_041019	99	100	116	116
240-110948-2 MSD	HPT-220_10-14_041019	90	94	109	107
240-110948-3	HPT-220_5-9_041019	114	76	103	131 X
240-110948-4	HPT-221_15-19_041019	117	79	109	130 X
240-110948-5	HPT-221_10-14_041019	109	76	103	121
240-110948-6	HPT-221_5-9_041019	110	75	100	123
240-110948-7	HPT-222_16-20_041019	106	73	98	125
240-110948-8	HPT-222_10-14_041019	107	72	95	125
240-110948-9	HPT-222_5-9_041019	108	72	95	123
240-110948-10	DUP-03	109	75	103	119
240-110948-11	TRIP BLANK	97	95	113	108
240-110950-E-2 MS	Matrix Spike	95	99	107	115
240-110950-E-2 MSD	Matrix Spike Duplicate	91	98	104	113
LCS 240-377342/4	Lab Control Sample	90	107	115	96
LCS 240-377602/4	Lab Control Sample	96	101	111	119
LCS 240-377763/4	Lab Control Sample	90	98	112	111
MB 240-377342/6	Method Blank	95	98	108	102
MB 240-377602/35	Method Blank	106	75	96	120
MB 240-377763/6	Method Blank	103	79	103	117

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (63-125)			
240-110948-1	HPT-220_15-19_041019	106			
240-110948-2	HPT-220_10-14_041019	104			
240-110948-3	HPT-220_5-9_041019	109			
240-110948-3 MS	HPT-220_5-9_041019	103			
240-110948-3 MSD	HPT-220_5-9_041019	112			
240-110948-4	HPT-221_15-19_041019	107			
240-110948-5	HPT-221_10-14_041019	108			
240-110948-6	HPT-221_5-9_041019	106			
240-110948-7	HPT-222_16-20_041019	103			
240-110948-8	HPT-222_10-14_041019	110			
240-110948-9	HPT-222_5-9_041019	108			
240-110948-10	DUP-03	105			
LCS 240-376688/4	Lab Control Sample	104			
MB 240-376688/5	Method Blank	101			

Eurofins TestAmerica, Canton

Surrogate Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

QC Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-377342/6

Matrix: Water

Analysis Batch: 377342

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/19/19 11:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			04/19/19 11:35	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/19/19 11:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/19/19 11:35	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			04/19/19 11:35	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/19/19 11:35	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	95		70 - 121			1
4-Bromofluorobenzene (Surr)	98		59 - 120			1
Toluene-d8 (Surr)	108		70 - 123			1
Dibromofluoromethane (Surr)	102		75 - 128			1

Lab Sample ID: LCS 240-377342/4

Matrix: Water

Analysis Batch: 377342

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
1,1-Dichloroethene	10.0	10.2		ug/L		102	65 - 139
cis-1,2-Dichloroethene	10.0	10.1		ug/L		101	76 - 128
Tetrachloroethene	10.0	9.10		ug/L		91	74 - 130
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	78 - 133
Trichloroethene	10.0	9.39		ug/L		94	76 - 125
Vinyl chloride	10.0	10.1		ug/L		101	58 - 143

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	90		70 - 121
4-Bromofluorobenzene (Surr)	107		59 - 120
Toluene-d8 (Surr)	115		70 - 123
Dibromofluoromethane (Surr)	96		75 - 128

Lab Sample ID: 240-110825-A-2 MS

Matrix: Water

Analysis Batch: 377342

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
1,1-Dichloroethene	67	U	667	588		ug/L		88	53 - 140
cis-1,2-Dichloroethene	110		667	743		ug/L		95	64 - 130
Tetrachloroethene	67	U	667	531		ug/L		80	51 - 136
trans-1,2-Dichloroethene	210		667	832		ug/L		93	68 - 133
Trichloroethene	2000		667	2430		ug/L		68	55 - 131
Vinyl chloride	67	U	667	557		ug/L		83	43 - 154

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	89		70 - 121
4-Bromofluorobenzene (Surr)	111		59 - 120
Toluene-d8 (Surr)	116		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-110825-A-2 MS

Matrix: Water

Analysis Batch: 377342

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS	MS
	%Recovery	Qualifier
Dibromofluoromethane (Surr)	99	Limits 75 - 128

Lab Sample ID: 240-110825-A-2 MSD

Matrix: Water

Analysis Batch: 377342

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
1,1-Dichloroethene	67	U	667	681		ug/L	102	53 - 140	15	35
cis-1,2-Dichloroethene	110		667	753		ug/L	96	64 - 130	1	21
Tetrachloroethene	67	U	667	606		ug/L	91	51 - 136	13	23
trans-1,2-Dichloroethene	210		667	858		ug/L	96	68 - 133	3	24
Trichloroethene	2000		667	2410		ug/L	66	55 - 131	1	23
Vinyl chloride	67	U	667	618		ug/L	93	43 - 154	10	29

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	89		70 - 121
4-Bromofluorobenzene (Surr)	109		59 - 120
Toluene-d8 (Surr)	115		70 - 123
Dibromofluoromethane (Surr)	100		75 - 128

Lab Sample ID: MB 240-377602/35

Matrix: Water

Analysis Batch: 377602

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/22/19 13:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			04/22/19 13:00	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/22/19 13:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/22/19 13:00	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			04/22/19 13:00	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/22/19 13:00	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits
1,2-Dichloroethane-d4 (Surr)	106		70 - 121
4-Bromofluorobenzene (Surr)	75		59 - 120
Toluene-d8 (Surr)	96		70 - 123
Dibromofluoromethane (Surr)	120		75 - 128

Lab Sample ID: LCS 240-377602/4

Matrix: Water

Analysis Batch: 377602

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
1,1-Dichloroethene	10.0	9.97		ug/L	100	65 - 139	
cis-1,2-Dichloroethene	10.0	11.5		ug/L	115	76 - 128	
Tetrachloroethene	10.0	11.9		ug/L	119	74 - 130	
trans-1,2-Dichloroethene	10.0	12.7		ug/L	127	78 - 133	
Trichloroethene	10.0	10.2		ug/L	102	76 - 125	

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-377602/4

Matrix: Water

Analysis Batch: 377602

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Vinyl chloride	10.0	10.0		ug/L	100	58 - 143	

Surrogate	%Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		70 - 121
4-Bromofluorobenzene (Surr)	101		59 - 120
Toluene-d8 (Surr)	111		70 - 123
Dibromofluoromethane (Surr)	119		75 - 128

Lab Sample ID: 240-110950-E-2 MS

Matrix: Water

Analysis Batch: 377602

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
1,1-Dichloroethene	10	U	100	82.0		ug/L	82	53 - 140	
cis-1,2-Dichloroethene	270		100	359		ug/L	90	64 - 130	
Tetrachloroethene	10	U	100	84.8		ug/L	85	51 - 136	
trans-1,2-Dichloroethene	120		100	232		ug/L	110	68 - 133	
Trichloroethene	42		100	120		ug/L	78	55 - 131	
Vinyl chloride	10	U	100	104		ug/L	104	43 - 154	

Surrogate	%Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		70 - 121
4-Bromofluorobenzene (Surr)	99		59 - 120
Toluene-d8 (Surr)	107		70 - 123
Dibromofluoromethane (Surr)	115		75 - 128

Lab Sample ID: 240-110950-E-2 MSD

Matrix: Water

Analysis Batch: 377602

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	Limits	RPD	Limit
1,1-Dichloroethene	10	U	100	91.6		ug/L	92	53 - 140		11	35
cis-1,2-Dichloroethene	270		100	360		ug/L	91	64 - 130		0	21
Tetrachloroethene	10	U	100	100		ug/L	100	51 - 136		17	23
trans-1,2-Dichloroethene	120		100	239		ug/L	117	68 - 133		3	24
Trichloroethene	42		100	128		ug/L	85	55 - 131		6	23
Vinyl chloride	10	U	100	109		ug/L	109	43 - 154		5	29

Surrogate	%Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	104		70 - 123
Dibromofluoromethane (Surr)	113		75 - 128

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-377763/6

Matrix: Water

Analysis Batch: 377763

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/23/19 11:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			04/23/19 11:37	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			04/23/19 11:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			04/23/19 11:37	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			04/23/19 11:37	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			04/23/19 11:37	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		70 - 121		04/23/19 11:37	1
4-Bromofluorobenzene (Surr)	79		59 - 120		04/23/19 11:37	1
Toluene-d8 (Surr)	103		70 - 123		04/23/19 11:37	1
Dibromofluoromethane (Surr)	117		75 - 128		04/23/19 11:37	1

Lab Sample ID: LCS 240-377763/4

Matrix: Water

Analysis Batch: 377763

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.	Limits
	Added	Result	Qualifier					
1,1-Dichloroethene	10.0	10.1		ug/L		101	65 - 139	
cis-1,2-Dichloroethene	10.0	11.5		ug/L		115	76 - 128	
Tetrachloroethene	10.0	10.9		ug/L		109	74 - 130	
trans-1,2-Dichloroethene	10.0	12.5		ug/L		125	78 - 133	
Trichloroethene	10.0	9.86		ug/L		99	76 - 125	
Vinyl chloride	10.0	10.9		ug/L		109	58 - 143	

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	90		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	112		70 - 123
Dibromofluoromethane (Surr)	111		75 - 128

Lab Sample ID: 240-110948-2 MS

Matrix: Water

Analysis Batch: 377763

Client Sample ID: HPT-220_10-14_041019
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	100	U	1000	921		ug/L		92	53 - 140	
cis-1,2-Dichloroethene	150		1000	1210		ug/L		106	64 - 130	
Tetrachloroethene	100	U	1000	941		ug/L		94	51 - 136	
trans-1,2-Dichloroethene	300		1000	1390		ug/L		109	68 - 133	
Trichloroethene	2200	F1	1000	2820		ug/L		60	55 - 131	
Vinyl chloride	100	U	1000	1070		ug/L		107	43 - 154	

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		70 - 121
4-Bromofluorobenzene (Surr)	100		59 - 120
Toluene-d8 (Surr)	116		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.

Job ID: 240-110948-1

Project/Site: Ford LTP Livonia MI - E203728

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-110948-2 MS

Client Sample ID: HPT-220_10-14_041019

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 377763

Surrogate	MS	MS	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)			116		75 - 128

Lab Sample ID: 240-110948-2 MSD

Client Sample ID: HPT-220_10-14_041019

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 377763

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	Limit
1,1-Dichloroethene	100	U	1000	945		ug/L	94	53 - 140	2	35
cis-1,2-Dichloroethene	150		1000	1150		ug/L	100	64 - 130	5	21
Tetrachloroethene	100	U	1000	976		ug/L	98	51 - 136	4	23
trans-1,2-Dichloroethene	300		1000	1390		ug/L	109	68 - 133	0	24
Trichloroethene	2200	F1	1000	2700	F1	ug/L	49	55 - 131	4	23
Vinyl chloride	100	U	1000	1090		ug/L	109	43 - 154	2	29

Surrogate %Recovery Qualifier Limits

1,2-Dichloroethane-d4 (Surr)	90		70 - 121
4-Bromofluorobenzene (Surr)	94		59 - 120
Toluene-d8 (Surr)	109		70 - 123
Dibromofluoromethane (Surr)	107		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-376688/5

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 376688

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	94	04/16/19 12:17		1
Surrogate	MB %Recovery Qualifier MB Limits						Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		63 - 125				04/16/19 12:17		1

Lab Sample ID: LCS 240-376688/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 376688

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limit
1,4-Dioxane	10.0	10.9		ug/L	94	109	59 - 131
Surrogate	LCS %Recovery Qualifier LCS Limits						
1,2-Dichloroethane-d4 (Surr)	104		63 - 125				

Lab Sample ID: 240-110948-3 MS

Client Sample ID: HPT-220_5-9_041019

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 376688

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limit
1,4-Dioxane	2.0	U * F1 F2	10.0	3.85	* F1	ug/L	94	38	52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surrogate)	103		63 - 125

Lab Sample ID: 240-110948-3 MSD

Matrix: Water

Analysis Batch: 376688

Client Sample ID: HPT-220_5-9_041019
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U * F1 F2	10.0	3.22	* F1 F2	ug/L	32	52 - 129	18	13

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surrogate)	112		63 - 125

QC Association Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

GC/MS VOA

Analysis Batch: 376688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-110948-1	HPT-220_15-19_041019	Total/NA	Water	8260B SIM	
240-110948-2	HPT-220_10-14_041019	Total/NA	Water	8260B SIM	
240-110948-3	HPT-220_5-9_041019	Total/NA	Water	8260B SIM	
240-110948-4	HPT-221_15-19_041019	Total/NA	Water	8260B SIM	
240-110948-5	HPT-221_10-14_041019	Total/NA	Water	8260B SIM	
240-110948-6	HPT-221_5-9_041019	Total/NA	Water	8260B SIM	
240-110948-7	HPT-222_16-20_041019	Total/NA	Water	8260B SIM	
240-110948-8	HPT-222_10-14_041019	Total/NA	Water	8260B SIM	
240-110948-9	HPT-222_5-9_041019	Total/NA	Water	8260B SIM	
240-110948-10	DUP-03	Total/NA	Water	8260B SIM	
MB 240-376688/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-376688/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-110948-3 MS	HPT-220_5-9_041019	Total/NA	Water	8260B SIM	
240-110948-3 MSD	HPT-220_5-9_041019	Total/NA	Water	8260B SIM	

Analysis Batch: 377342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-110948-11	TRIP BLANK	Total/NA	Water	8260B	
MB 240-377342/6	Method Blank	Total/NA	Water	8260B	
LCS 240-377342/4	Lab Control Sample	Total/NA	Water	8260B	
240-110825-A-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-110825-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 377602

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-110948-1	HPT-220_15-19_041019	Total/NA	Water	8260B	
240-110948-3	HPT-220_5-9_041019	Total/NA	Water	8260B	
240-110948-7	HPT-222_16-20_041019	Total/NA	Water	8260B	
240-110948-8	HPT-222_10-14_041019	Total/NA	Water	8260B	
240-110948-9	HPT-222_5-9_041019	Total/NA	Water	8260B	
MB 240-377602/35	Method Blank	Total/NA	Water	8260B	
LCS 240-377602/4	Lab Control Sample	Total/NA	Water	8260B	
240-110950-E-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-110950-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 377763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-110948-2	HPT-220_10-14_041019	Total/NA	Water	8260B	
240-110948-4	HPT-221_15-19_041019	Total/NA	Water	8260B	
240-110948-5	HPT-221_10-14_041019	Total/NA	Water	8260B	
240-110948-6	HPT-221_5-9_041019	Total/NA	Water	8260B	
240-110948-10	DUP-03	Total/NA	Water	8260B	
MB 240-377763/6	Method Blank	Total/NA	Water	8260B	
LCS 240-377763/4	Lab Control Sample	Total/NA	Water	8260B	
240-110948-2 MS	HPT-220_10-14_041019	Total/NA	Water	8260B	
240-110948-2 MSD	HPT-220_10-14_041019	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.

Job ID: 240-110948-1

Project/Site: Ford LTP Livonia MI - E203728

Client Sample ID: HPT-220_15-19_041019

Lab Sample ID: 240-110948-1

Matrix: Water

Date Collected: 04/10/19 09:50

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		6.67	377602	04/22/19 16:30	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 13:08	SAM	TAL CAN

Client Sample ID: HPT-220_10-14_041019

Lab Sample ID: 240-110948-2

Matrix: Water

Date Collected: 04/10/19 10:05

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	377763	04/23/19 15:05	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 13:34	SAM	TAL CAN

Client Sample ID: HPT-220_5-9_041019

Lab Sample ID: 240-110948-3

Matrix: Water

Date Collected: 04/10/19 10:15

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		66.67	377602	04/22/19 17:13	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 13:59	SAM	TAL CAN

Client Sample ID: HPT-221_15-19_041019

Lab Sample ID: 240-110948-4

Matrix: Water

Date Collected: 04/10/19 11:50

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	377763	04/23/19 15:49	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 15:17	SAM	TAL CAN

Client Sample ID: HPT-221_10-14_041019

Lab Sample ID: 240-110948-5

Matrix: Water

Date Collected: 04/10/19 12:10

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		14.29	377763	04/23/19 16:11	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 15:42	SAM	TAL CAN

Client Sample ID: HPT-221_5-9_041019

Lab Sample ID: 240-110948-6

Matrix: Water

Date Collected: 04/10/19 12:20

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	377763	04/23/19 16:33	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 16:08	SAM	TAL CAN

Eurofins TestAmerica, Canton

Lab Chronicle

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Client Sample ID: HPT-222_16-20_041019

Lab Sample ID: 240-110948-7

Matrix: Water

Date Collected: 04/10/19 14:35

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	377602	04/22/19 18:41	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 16:34	SAM	TAL CAN

Client Sample ID: HPT-222_10-14_041019

Lab Sample ID: 240-110948-8

Matrix: Water

Date Collected: 04/10/19 14:45

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	377602	04/22/19 19:03	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 16:59	SAM	TAL CAN

Client Sample ID: HPT-222_5-9_041019

Lab Sample ID: 240-110948-9

Matrix: Water

Date Collected: 04/10/19 14:55

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	377602	04/22/19 19:25	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 17:25	SAM	TAL CAN

Client Sample ID: DUP-03

Lab Sample ID: 240-110948-10

Matrix: Water

Date Collected: 04/10/19 00:00

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	377763	04/23/19 16:55	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	376688	04/16/19 17:51	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-110948-11

Matrix: Water

Date Collected: 04/10/19 00:00

Date Received: 04/13/19 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	377342	04/19/19 18:43	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Eurofins TestAmerica, Canton

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-110948-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19
Illinois	NELAP	5	200004	07-31-19
Kansas	NELAP	7	E-10336	04-30-19 *
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

THE LEADER IN ENVIRONMENTAL TESTING

4101 Shuler Street NW
North Canton, OH 44720
Phone (330) 497-9396 Fax (330) 497-0772

Client Information		Sampler: Christina Wewers Phone: (981)-619-5009		Lab P.M.: DelMonico, Michael E-Mail: michael.delmonico@testamericainc.com		Carrier Tracking No(s): 240-110948 Chain of Custody			
Address: ARCADIS U.S. Inc		Due Date Requested:		Analysis Requested					
City: Novi State, Zip: MI, 48377		TAT Requested (days): 10-14 (STD.)		Preservation Codes:					
Phone: 248-722-2111		PO #:		A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Decahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)			
Email: Caitlin.ONeill@arcadis.com		Job #:		Total Number of containers					
Project Name: Ford LTP Livonia MI - E203631		VOI #:		8260B - VOCs (Short List)					
Site: SSOW#:		Project #:		8260B - VOCs (MS/MSD (Yes or No))					
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Wastewater, Sewage, Oil/Water, Crude Oil, Tissue, Air/Soil)	
HPT-220-15-19-041019		4/10/19 0950		6		Water		UN303	
HPT-220-10-14-041019		4/10/19 1005		6		Water		UN303	
HPT-220-5-9-041019		4/10/19 0115		6		Water		UN303	
HPT-221-15-19-041019		4/10/19 1150		6		Water		UN303	
HPT-221-10-14-041019		4/10/19 1210		6		Water		UN303	
HPT-221-5-9-041019		4/10/19 1220		6		Water		UN303	
HPT-222-16-20-041019		4/10/19 1435		6		Water		UN303	
HPT-222-10-14-041019		4/10/19 1445		6		Water		UN303	
HPT-222-5-9-041019		4/10/19 1455		6		Water		UN303	
DUP-03		4/10/19		6		Water		UN303	
Tip Blank		4/10/19		6		Water		UN303	
Possible Hazard Identification		<input checked="" type="checkbox"/> Non-Hazard		<input type="checkbox"/> Flammable		<input type="checkbox"/> Skin Irritant		<input type="checkbox"/> Poison B	
Deliverable Requested: I. II. III. IV. (Owner (specify))		<input type="checkbox"/> Unknown		<input type="checkbox"/> Radiological					
Empty Kit Relinquished by		Date:	Time:	Company		Received by:	Company		Date/Time:
Relinquished by Christina Wewers		4/10/19	17:20	Accadis		Abi	Accadis		4/16/19 17:20
Relinquished by Christine O'Neill		4/11/19	11:00	Accadis		Yvonne	Accadis		4/12/19 11:00
Relinquished by John J. O'Neill		4/12/19	15:30	Accadis		John J. O'Neill	Accadis		4/13/19 15:30
Custody Seal/Initials:		Custody Seal No:							
△ Yes		△ No							
Cooler Temperature(s) °C and Other Remarks:									

**TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**

Login # : 110948

Client Arcadis Site Name _____
 Cooler Received on 4-13-19 Opened on 4-13-19 9:45 Cooler unpacked by: Ryan Cribler
 FedEx: 1st Grd UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 1.6 °C Corrected Cooler Temp. 1.4 °C
 IR GUN #36 (CF +0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC984738
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials? Larger than this.
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # B834001VB Yes No NA
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

Ryan

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____