



eurofins

Environment Testing
America



ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-134718-1
Client Project/Site: Ford LTP Off-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey

Authorized for release by:
8/24/2020 3:49:52 PM
Jessica Rigdon, Project Management Assistant I
(330)966-9268
Jessica.Rigdon@Eurofinset.com
Designee for
Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	16
QC Sample Results	17
QC Association Summary	23
Lab Chronicle	24
Certification Summary	26
Chain of Custody	27

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate recovery exceeds control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Job ID: 240-134718-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off-Site

Report Number: 240-134718-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 8/11/2020 10:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 4.8° C and 5.3° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-134718-1), MW-79D_080620 (240-134718-2), MW-79SR_080620 (240-134718-3), MW-77_080620 (240-134718-4), MW-77S_080620 (240-134718-5), MW-87_080620 (240-134718-8) and MW-87S_080620 (240-134718-9) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/17/2020, 08/19/2020 and 08/20/2020.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria low for 240-134604-B-13 MS and MW-77S-MS_080620MS (240-134718-5MS). 1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria low for 240-134604-B-13 MS and MW-77S-MSD_080620MSD (240-134718-5MSD).

Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Job ID: 240-134718-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-79D_080620 (240-134718-2), MW-79SR_080620 (240-134718-3), MW-77_080620 (240-134718-4), MW-77S_080620 (240-134718-5), MW-87_080620 (240-134718-8) and MW-87S_080620 (240-134718-9) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 08/14/2020 and 08/18/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-134718-1	TRIP BLANK	Water	08/06/20 00:00	08/11/20 10:30	
240-134718-2	MW-79D_080620	Water	08/06/20 10:01	08/11/20 10:30	
240-134718-3	MW-79SR_080620	Water	08/06/20 11:21	08/11/20 10:30	
240-134718-4	MW-77_080620	Water	08/06/20 13:31	08/11/20 10:30	
240-134718-5	MW-77S_080620	Water	08/06/20 14:21	08/11/20 10:30	
240-134718-8	MW-87_080620	Water	08/06/20 15:56	08/11/20 10:30	
240-134718-9	MW-87S_080620	Water	08/06/20 16:51	08/11/20 10:30	

Eurofins TestAmerica, Canton

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-134718-1

No Detections.

Client Sample ID: MW-79D_080620

Lab Sample ID: 240-134718-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.3	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	1.4		1.0	0.50	ug/L	1		8260B	Total/NA

Client Sample ID: MW-79SR_080620

Lab Sample ID: 240-134718-3

No Detections.

Client Sample ID: MW-77_080620

Lab Sample ID: 240-134718-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.74	J	1.0	0.38	ug/L	1		8260B	Total/NA

Client Sample ID: MW-77S_080620

Lab Sample ID: 240-134718-5

No Detections.

Client Sample ID: MW-87_080620

Lab Sample ID: 240-134718-8

No Detections.

Client Sample ID: MW-87S_080620

Lab Sample ID: 240-134718-9

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: TRIP BLANK

Date Collected: 08/06/20 00:00

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 19:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/19/20 19:53	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 19:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 19:53	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 19:53	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/19/20 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 130		08/19/20 19:53	1
4-Bromofluorobenzene (Surr)	70		47 - 134		08/19/20 19:53	1
Toluene-d8 (Surr)	85		69 - 122		08/19/20 19:53	1
Dibromofluoromethane (Surr)	111		78 - 129		08/19/20 19:53	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-79D_080620

Lab Sample ID: 240-134718-2

Matrix: Water

Date Collected: 08/06/20 10:01
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.3	J	2.0	0.86	ug/L			08/14/20 20:22	1
Surrogate							Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 133					08/14/20 20:22	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 20:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/19/20 20:17	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 20:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 20:17	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 20:17	1
Vinyl chloride	1.4		1.0	0.50	ug/L			08/19/20 20:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					08/19/20 20:17	1
4-Bromofluorobenzene (Surr)	69		47 - 134					08/19/20 20:17	1
Toluene-d8 (Surr)	87		69 - 122					08/19/20 20:17	1
Dibromofluoromethane (Surr)	115		78 - 129					08/19/20 20:17	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-79SR_080620

Lab Sample ID: 240-134718-3

Matrix: Water

Date Collected: 08/06/20 11:21
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/20 20:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/14/20 20:47	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 20:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/19/20 20:40	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 20:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 20:40	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 20:40	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/19/20 20:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130					08/19/20 20:40	1
4-Bromofluorobenzene (Surr)	68		47 - 134					08/19/20 20:40	1
Toluene-d8 (Surr)	84		69 - 122					08/19/20 20:40	1
Dibromofluoromethane (Surr)	109		78 - 129					08/19/20 20:40	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-77_080620

Lab Sample ID: 240-134718-4

Matrix: Water

Date Collected: 08/06/20 13:31
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/20 21:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 133					08/14/20 21:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 21:04	1
cis-1,2-Dichloroethene	0.74	J	1.0	0.38	ug/L			08/19/20 21:04	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 21:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 21:04	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 21:04	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/19/20 21:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		75 - 130					08/19/20 21:04	1
4-Bromofluorobenzene (Surr)	68		47 - 134					08/19/20 21:04	1
Toluene-d8 (Surr)	88		69 - 122					08/19/20 21:04	1
Dibromofluoromethane (Surr)	109		78 - 129					08/19/20 21:04	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-77S_080620

Lab Sample ID: 240-134718-5

Matrix: Water

Date Collected: 08/06/20 14:21
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/18/20 13:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/18/20 13:35	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/17/20 23:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/17/20 23:18	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/17/20 23:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/17/20 23:18	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/17/20 23:18	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/17/20 23:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		75 - 130					08/17/20 23:18	1
4-Bromofluorobenzene (Surr)	69		47 - 134					08/17/20 23:18	1
Toluene-d8 (Surr)	86		69 - 122					08/17/20 23:18	1
Dibromofluoromethane (Surr)	107		78 - 129					08/17/20 23:18	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-87_080620

Lab Sample ID: 240-134718-8

Matrix: Water

Date Collected: 08/06/20 15:56
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/20 21:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 133					08/14/20 21:38	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 21:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/19/20 21:28	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 21:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 21:28	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 21:28	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/19/20 21:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	76		75 - 130					08/19/20 21:28	1
4-Bromofluorobenzene (Surr)	64		47 - 134					08/19/20 21:28	1
Toluene-d8 (Surr)	87		69 - 122					08/19/20 21:28	1
Dibromofluoromethane (Surr)	109		78 - 129					08/19/20 21:28	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-87S_080620

Lab Sample ID: 240-134718-9

Matrix: Water

Date Collected: 08/06/20 16:51
Date Received: 08/11/20 10:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/20 22:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 133					08/14/20 22:02	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/20 15:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/20/20 15:24	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/20/20 15:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/20/20 15:24	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/20/20 15:24	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/20/20 15:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 130					08/20/20 15:24	1
4-Bromofluorobenzene (Surr)	100		47 - 134					08/20/20 15:24	1
Toluene-d8 (Surr)	92		69 - 122					08/20/20 15:24	1
Dibromofluoromethane (Surr)	87		78 - 129					08/20/20 15:24	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-134604-B-13 MS	Matrix Spike	51 X	84	98	84
240-134604-B-13 MSD	Matrix Spike Duplicate	65 X	87	92	92
240-134718-1	TRIP BLANK	91	70	85	111
240-134718-2	MW-79D_080620	92	69	87	115
240-134718-3	MW-79SR_080620	85	68	84	109
240-134718-4	MW-77_080620	80	68	88	109
240-134718-5	MW-77S_080620	89	69	86	107
240-134718-5 MS	MW-77S-MS_080620	71 X	89	93	93
240-134718-5 MSD	MW-77S-MSD_080620	67 X	86	93	93
240-134718-8	MW-87_080620	76	64	87	109
240-134718-9	MW-87S_080620	91	100	92	87
240-134797-C-2 MS	Matrix Spike	93	103	91	86
240-134797-F-2 MSD	Matrix Spike Duplicate	92	99	93	87
LCS 240-447444/4	Lab Control Sample	83	95	104	101
LCS 240-447825/4	Lab Control Sample	79	93	101	100
LCS 240-448008/4	Lab Control Sample	93	102	94	89
MB 240-447444/7	Method Blank	88	74	87	104
MB 240-447825/7	Method Blank	86	74	86	103
MB 240-448008/7	Method Blank	91	98	90	88

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-133)			
240-134654-A-2 MS	Matrix Spike	88			
240-134654-A-2 MSD	Matrix Spike Duplicate	83			
240-134718-2	MW-79D_080620	88			
240-134718-3	MW-79SR_080620	89			
240-134718-4	MW-77_080620	88			
240-134718-5	MW-77S_080620	89			
240-134718-5 MS	MW-77S-MS_080620	90			
240-134718-5 MSD	MW-77S-MSD_080620	88			
240-134718-8	MW-87_080620	90			
240-134718-9	MW-87S_080620	90			
LCS 240-447208/4	Lab Control Sample	87			
LCS 240-447609/4	Lab Control Sample	83			
MB 240-447208/5	Method Blank	88			
MB 240-447609/5	Method Blank	87			

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-447444/7

Matrix: Water

Analysis Batch: 447444

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/17/20 15:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/17/20 15:21	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/17/20 15:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/17/20 15:21	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/17/20 15:21	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/17/20 15:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130		08/17/20 15:21	1
4-Bromofluorobenzene (Surr)	74		47 - 134		08/17/20 15:21	1
Toluene-d8 (Surr)	87		69 - 122		08/17/20 15:21	1
Dibromofluoromethane (Surr)	104		78 - 129		08/17/20 15:21	1

Lab Sample ID: LCS 240-447444/4

Matrix: Water

Analysis Batch: 447444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.54		ug/L		95	73 - 129
cis-1,2-Dichloroethene	10.0	9.98		ug/L		100	75 - 124
Tetrachloroethene	10.0	11.7		ug/L		117	70 - 125
trans-1,2-Dichloroethene	10.0	10.4		ug/L		104	74 - 130
Trichloroethene	10.0	10.3		ug/L		103	71 - 121
Vinyl chloride	10.0	7.49		ug/L		75	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	104		69 - 122
Dibromofluoromethane (Surr)	101		78 - 129

Lab Sample ID: 240-134718-5 MS

Matrix: Water

Analysis Batch: 447444

Client Sample ID: MW-77S-MS_080620
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.97		ug/L		90	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	9.39		ug/L		94	68 - 121
Tetrachloroethene	1.0	U	10.0	11.5		ug/L		115	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	10.3		ug/L		103	69 - 126
Trichloroethene	1.0	U	10.0	9.85		ug/L		98	56 - 124
Vinyl chloride	1.0	U	10.0	6.80		ug/L		68	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	71	X	75 - 130
4-Bromofluorobenzene (Surr)	89		47 - 134
Toluene-d8 (Surr)	93		69 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-134718-5 MS

Matrix: Water

Analysis Batch: 447444

Client Sample ID: MW-77S-MS_080620
Prep Type: Total/NA

Surrogate	MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	93		78 - 129

Lab Sample ID: 240-134718-5 MSD

Matrix: Water

Analysis Batch: 447444

Client Sample ID: MW-77S-MSD_080620
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
1,1-Dichloroethene	1.0	U	10.0	9.04		ug/L	90	64 - 132	1	35	
cis-1,2-Dichloroethene	1.0	U	10.0	9.33		ug/L	93	68 - 121	1	35	
Tetrachloroethene	1.0	U	10.0	11.0		ug/L	110	52 - 129	4	35	
trans-1,2-Dichloroethene	1.0	U	10.0	9.98		ug/L	100	69 - 126	3	35	
Trichloroethene	1.0	U	10.0	9.61		ug/L	96	56 - 124	2	35	
Vinyl chloride	1.0	U	10.0	7.18		ug/L	72	49 - 136	5	35	

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	67	X	75 - 130
4-Bromofluorobenzene (Surr)	86		47 - 134
Toluene-d8 (Surr)	93		69 - 122
Dibromofluoromethane (Surr)	93		78 - 129

Lab Sample ID: MB 240-447825/7

Matrix: Water

Analysis Batch: 447825

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/19/20 14:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/19/20 14:16	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/19/20 14:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/19/20 14:16	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/19/20 14:16	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/19/20 14:16	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	86		75 - 130			1
4-Bromofluorobenzene (Surr)	74		47 - 134			1
Toluene-d8 (Surr)	86		69 - 122			1
Dibromofluoromethane (Surr)	103		78 - 129			1

Lab Sample ID: LCS 240-447825/4

Matrix: Water

Analysis Batch: 447825

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
1,1-Dichloroethene	10.0	9.12		ug/L	91	73 - 129	
cis-1,2-Dichloroethene	10.0	9.33		ug/L	93	75 - 124	
Tetrachloroethene	10.0	11.2		ug/L	112	70 - 125	
trans-1,2-Dichloroethene	10.0	9.95		ug/L	100	74 - 130	
Trichloroethene	10.0	9.70		ug/L	97	71 - 121	

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-447825/4

Matrix: Water

Analysis Batch: 447825

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Vinyl chloride	10.0	8.03		ug/L	80	61 - 134	
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	79		75 - 130				
4-Bromofluorobenzene (Surr)	93		47 - 134				
Toluene-d8 (Surr)	101		69 - 122				
Dibromofluoromethane (Surr)	100		78 - 129				

Lab Sample ID: 240-134604-B-13 MS

Matrix: Water

Analysis Batch: 447825

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
cis-1,2-Dichloroethene	320000		100000	389000		ug/L	74	68 - 121	
Tetrachloroethene	34000		100000	157000		ug/L	123	52 - 129	
trans-1,2-Dichloroethene	10000	U	100000	103000		ug/L	103	69 - 126	
Trichloroethene	32000		100000	131000		ug/L	99	56 - 124	
Vinyl chloride	11000		100000	82000		ug/L	72	49 - 136	

Lab Sample ID: 240-134604-B-13 MSD

Matrix: Water

Analysis Batch: 447825

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD	Limit
cis-1,2-Dichloroethene	320000		100000	424000	E	ug/L	109	68 - 121	9	35	
Tetrachloroethene	34000		100000	146000		ug/L	112	52 - 129	7	35	
trans-1,2-Dichloroethene	10000	U	100000	103000		ug/L	103	69 - 126	0	35	
Trichloroethene	32000		100000	130000		ug/L	98	56 - 124	0	35	
Vinyl chloride	11000		100000	81600		ug/L	71	49 - 136	1	35	

Surrogate	%Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	65	X	75 - 130
4-Bromofluorobenzene (Surr)	87		47 - 134
Toluene-d8 (Surr)	92		69 - 122
Dibromofluoromethane (Surr)	92		78 - 129

Lab Sample ID: MB 240-448008/7

Matrix: Water

Analysis Batch: 448008

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/20 15:00	1

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-448008/7

Matrix: Water

Analysis Batch: 448008

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/20/20 15:00	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/20/20 15:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/20/20 15:00	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/20/20 15:00	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/20/20 15:00	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	91		75 - 130		08/20/20 15:00	1
4-Bromofluorobenzene (Surr)	98		47 - 134		08/20/20 15:00	1
Toluene-d8 (Surr)	90		69 - 122		08/20/20 15:00	1
Dibromofluoromethane (Surr)	88		78 - 129		08/20/20 15:00	1

Lab Sample ID: LCS 240-448008/4

Matrix: Water

Analysis Batch: 448008

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
	Added	Result							
1,1-Dichloroethene	10.0	8.99	ug/L		90		73 - 129		
cis-1,2-Dichloroethene	10.0	9.00	ug/L		90		75 - 124		
Tetrachloroethene	10.0	10.2	ug/L		102		70 - 125		
trans-1,2-Dichloroethene	10.0	9.05	ug/L		91		74 - 130		
Trichloroethene	10.0	9.61	ug/L		96		71 - 121		
Vinyl chloride	10.0	10.9	ug/L		109		61 - 134		

Surrogate	LCS		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		75 - 130			
4-Bromofluorobenzene (Surr)	102		47 - 134			
Toluene-d8 (Surr)	94		69 - 122			
Dibromofluoromethane (Surr)	89		78 - 129			

Lab Sample ID: 240-134797-C-2 MS

Matrix: Water

Analysis Batch: 448008

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample		Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier								
1,1-Dichloroethene	1.0	U	10.0	8.88	ug/L		89	64 - 132		
cis-1,2-Dichloroethene	1.0	U	10.0	8.85	ug/L		88	68 - 121		
Tetrachloroethene	1.0	U	10.0	8.92	ug/L		89	52 - 129		
trans-1,2-Dichloroethene	1.0	U	10.0	8.92	ug/L		89	69 - 126		
Trichloroethene	1.0	U	10.0	8.49	ug/L		85	56 - 124		
Vinyl chloride	1.0	U	10.0	11.1	ug/L		111	49 - 136		

Surrogate	MS		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		75 - 130			
4-Bromofluorobenzene (Surr)	103		47 - 134			
Toluene-d8 (Surr)	91		69 - 122			
Dibromofluoromethane (Surr)	86		78 - 129			

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-134797-F-2 MSD

Matrix: Water

Analysis Batch: 448008

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	8.93		ug/L		89	64 - 132	1	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.16		ug/L		92	68 - 121	3	35
Tetrachloroethene	1.0	U	10.0	8.81		ug/L		88	52 - 129	1	35
trans-1,2-Dichloroethene	1.0	U	10.0	8.89		ug/L		89	69 - 126	0	35
Trichloroethene	1.0	U	10.0	8.99		ug/L		90	56 - 124	6	35
Vinyl chloride	1.0	U	10.0	11.1		ug/L		111	49 - 136	0	35

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		75 - 130
4-Bromofluorobenzene (Surr)	99		47 - 134
Toluene-d8 (Surr)	93		69 - 122
Dibromofluoromethane (Surr)	87		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-447208/5

Matrix: Water

Analysis Batch: 447208

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/14/20 12:26	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 133		08/14/20 12:26	1

Lab Sample ID: LCS 240-447208/4

Matrix: Water

Analysis Batch: 447208

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
1,4-Dioxane		10.0	10.6		ug/L		106	80 - 135

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		70 - 133

Lab Sample ID: 240-134654-A-2 MS

Matrix: Water

Analysis Batch: 447208

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limits
1,4-Dioxane	2.0	U	10.0	10.3		ug/L		103	46 - 170

MS MS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		70 - 133

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-134654-A-2 MSD

Matrix: Water

Analysis Batch: 447208

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.1		ug/L	101	46 - 170	3	26
<i>Surrogate</i>										
<i>1,2-Dichloroethane-d4 (Surr)</i>										
	<i>MSD %Recovery</i>	<i>MSD Qualifier</i>	<i>Limits</i>							
	83		70 - 133							

Lab Sample ID: MB 240-447609/5

Matrix: Water

Analysis Batch: 447609

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/18/20 11:05	1
<i>Surrogate</i>									
<i>1,2-Dichloroethane-d4 (Surr)</i>									
	<i>MB %Recovery</i>	<i>MB Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	87		70 - 133					08/18/20 11:05	1

Lab Sample ID: LCS 240-447609/4

Matrix: Water

Analysis Batch: 447609

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limit
1,4-Dioxane		10.0	10.6		ug/L	106	80 - 135	
<i>Surrogate</i>								
<i>1,2-Dichloroethane-d4 (Surr)</i>								
	<i>LCS %Recovery</i>	<i>LCS Qualifier</i>	<i>Limits</i>					
	83		70 - 133					

Lab Sample ID: 240-134718-5 MS

Matrix: Water

Analysis Batch: 447609

Client Sample ID: MW-77S-MS_080620
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec.	Limit
1,4-Dioxane	2.0	U	10.0	10.2		ug/L	102	46 - 170	
<i>Surrogate</i>									
<i>1,2-Dichloroethane-d4 (Surr)</i>									
	<i>MS %Recovery</i>	<i>MS Qualifier</i>	<i>Limits</i>						
	90		70 - 133						

Lab Sample ID: 240-134718-5 MSD

Matrix: Water

Analysis Batch: 447609

Client Sample ID: MW-77S-MSD_080620
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec.	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.2		ug/L	102	46 - 170	0	26
<i>Surrogate</i>										
<i>1,2-Dichloroethane-d4 (Surr)</i>										
	<i>MSD %Recovery</i>	<i>MSD Qualifier</i>	<i>Limits</i>							
	88		70 - 133							

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

GC/MS VOA

Analysis Batch: 447208

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-134718-2	MW-79D_080620	Total/NA	Water	8260B SIM	
240-134718-3	MW-79SR_080620	Total/NA	Water	8260B SIM	
240-134718-4	MW-77_080620	Total/NA	Water	8260B SIM	
240-134718-8	MW-87_080620	Total/NA	Water	8260B SIM	
240-134718-9	MW-87S_080620	Total/NA	Water	8260B SIM	
MB 240-447208/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-447208/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-134654-A-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-134654-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 447444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-134718-5	MW-77S_080620	Total/NA	Water	8260B	
MB 240-447444/7	Method Blank	Total/NA	Water	8260B	
LCS 240-447444/4	Lab Control Sample	Total/NA	Water	8260B	
240-134718-5 MS	MW-77S-MS_080620	Total/NA	Water	8260B	
240-134718-5 MSD	MW-77S-MSD_080620	Total/NA	Water	8260B	

Analysis Batch: 447609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-134718-5	MW-77S_080620	Total/NA	Water	8260B SIM	
MB 240-447609/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-447609/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-134718-5 MS	MW-77S-MS_080620	Total/NA	Water	8260B SIM	
240-134718-5 MSD	MW-77S-MSD_080620	Total/NA	Water	8260B SIM	

Analysis Batch: 447825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-134718-1	TRIP BLANK	Total/NA	Water	8260B	
240-134718-2	MW-79D_080620	Total/NA	Water	8260B	
240-134718-3	MW-79SR_080620	Total/NA	Water	8260B	
240-134718-4	MW-77_080620	Total/NA	Water	8260B	
240-134718-8	MW-87_080620	Total/NA	Water	8260B	
MB 240-447825/7	Method Blank	Total/NA	Water	8260B	
LCS 240-447825/4	Lab Control Sample	Total/NA	Water	8260B	
240-134604-B-13 MS	Matrix Spike	Total/NA	Water	8260B	
240-134604-B-13 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 448008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-134718-9	MW-87S_080620	Total/NA	Water	8260B	
MB 240-448008/7	Method Blank	Total/NA	Water	8260B	
LCS 240-448008/4	Lab Control Sample	Total/NA	Water	8260B	
240-134797-C-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-134797-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: TRIP BLANK

Date Collected: 08/06/20 00:00

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447825	08/19/20 19:53	LRW	TAL CAN

Client Sample ID: MW-79D_080620

Date Collected: 08/06/20 10:01

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447825	08/19/20 20:17	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	447208	08/14/20 20:22	SAM	TAL CAN

Client Sample ID: MW-79SR_080620

Date Collected: 08/06/20 11:21

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447825	08/19/20 20:40	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	447208	08/14/20 20:47	SAM	TAL CAN

Client Sample ID: MW-77_080620

Date Collected: 08/06/20 13:31

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447825	08/19/20 21:04	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	447208	08/14/20 21:13	SAM	TAL CAN

Client Sample ID: MW-77S_080620

Date Collected: 08/06/20 14:21

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447444	08/17/20 23:18	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	447609	08/18/20 13:35	SAM	TAL CAN

Client Sample ID: MW-87_080620

Date Collected: 08/06/20 15:56

Date Received: 08/11/20 10:30

Lab Sample ID: 240-134718-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	447825	08/19/20 21:28	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	447208	08/14/20 21:38	SAM	TAL CAN

Eurofins TestAmerica, Canton

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Client Sample ID: MW-87S_080620

Lab Sample ID: 240-134718-9

Matrix: Water

Date Collected: 08/06/20 16:51
Date Received: 08/11/20 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	448008	08/20/20 15:24	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	447208	08/14/20 22:02	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-134718-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-20 *
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN

TestAmerica

39/48

190

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact

Company Name:	Arcadis
Address:	28550 Cabot Drive, Suite 500
City/State/Zip:	Novi, MI, 48377
Phone:	248-994-2240
Project Name:	Ford LTP Off-Site
Project Number:	300050315-402.04
PO #	30050315-402.04

Regulatory program:

DW NPDES RCRA

44/5-3

TestAmerica Laboratories, Inc.

COC No:

/

THE LEADER IN ENVIRONMENTAL TESTING

COC's

For lab use only

Walk-in client

Lab sampling

Job/SDG No:

240-134718 Chain of Custody

Sample Specific Notes /

Special Instructions:

2 trip blanks

3 vials for sample

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**

Login # : 290-134778

Client <u>Air Cooled</u>	Site Name _____	Cooler unpacked by: <u>Adam Gennett</u>
Cooler Received on <u>8-11-10</u>	Opened on <u>8-11-10</u>	
FedEx: 1 st Grd Exp UPS FAS Clipper	Client Drop Off	TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # <u>T-A</u>	Foam Box	Client Cooler	Box	Other _____
Packing material used: <u>Bubble Wrap</u>	Foam	Plastic Bag	None	Other _____
COOLANT: <u>Wet Ice</u>	Blue Ice	Dry Ice	Water	None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1

- Were the seals on the outside of the cooler(s) signed & dated?
- Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?
- Were tamper/custody seals intact and uncompromised?

3. Shippers' packing slip attached to the cooler(s)?

4. Did custody papers accompany the sample(s)?

5. Were the custody papers relinquished & signed in the appropriate place?

6. Was/were the person(s) who collected the samples clearly identified on the COC?

7. Did all bottles arrive in good condition (Unbroken)?

8. Could all bottle labels be reconciled with the COC?

9. Were correct bottle(s) used for the test(s) indicated?

10. Sufficient quantity received to perform indicated analyses?

11. Are these work share samples?

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC911298

13. Were VOAs on the COC? Yes No NA

14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA

15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 04177016 Yes No

16. Was a LL Hg or Me Hg trip blank present? Yes No


Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: 

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: _____

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

See Temperature Excursion Form