

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-135269-1
Client Project/Site: Ford LTP Off-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
8/31/2020 3:29:37 PM
Opal Johnson, Project Manager II
(330)966-9279

Opal.Johnson@Eurofinset.com

Designee for

Michael DelMonico, Project Manager I
(330)497-9396

Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Job ID: 240-135269-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off-Site

Report Number: 240-135269-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 8/20/2020 9:20 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.8° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-135269-1), MW-81_081820 (240-135269-2) and MW-81S_081820 (240-135269-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/28/2020.

Method 8260 stipulates a 12 hour sequence for the analysis of samples. Due to a power outage, the MS/MSD for sample(s) exceeded the 12 hour time limit. This was not client specific... therefore, MS/MSD was reported for batch QC: (240-135219-B-1 MS) and (240-135219-B-1 MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-81_081820 (240-135269-2) and MW-81S_081820 (240-135269-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 08/27/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-135269-1	TRIP BLANK	Water	08/18/20 00:00	08/20/20 09:20	
240-135269-2	MW-81_081820	Water	08/18/20 11:06	08/20/20 09:20	
240-135269-3	MW-81S_081820	Water	08/18/20 12:06	08/20/20 09:20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135269-1

No Detections.

Client Sample ID: MW-81_081820

Lab Sample ID: 240-135269-2

No Detections.

Client Sample ID: MW-81S_081820

Lab Sample ID: 240-135269-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135269-1

Date Collected: 08/18/20 00:00

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/28/20 22:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/28/20 22:06	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/28/20 22:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/28/20 22:06	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/28/20 22:06	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/28/20 22:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		75 - 130		08/28/20 22:06	1
4-Bromofluorobenzene (Surr)	101		47 - 134		08/28/20 22:06	1
Toluene-d8 (Surr)	93		69 - 122		08/28/20 22:06	1
Dibromofluoromethane (Surr)	85		78 - 129		08/28/20 22:06	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Client Sample ID: MW-81_081820

Lab Sample ID: 240-135269-2

Date Collected: 08/18/20 11:06

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 11:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/27/20 11:42	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/28/20 22:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/28/20 22:31	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/28/20 22:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/28/20 22:31	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/28/20 22:31	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/28/20 22:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 130					08/28/20 22:31	1
4-Bromofluorobenzene (Surr)	97		47 - 134					08/28/20 22:31	1
Toluene-d8 (Surr)	88		69 - 122					08/28/20 22:31	1
Dibromofluoromethane (Surr)	88		78 - 129					08/28/20 22:31	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Client Sample ID: MW-81S_081820

Lab Sample ID: 240-135269-3

Date Collected: 08/18/20 12:06

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 12:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133					08/27/20 12:06	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/28/20 22:55	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/28/20 22:55	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/28/20 22:55	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/28/20 22:55	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/28/20 22:55	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/28/20 22:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		75 - 130					08/28/20 22:55	1
4-Bromofluorobenzene (Surr)	98		47 - 134					08/28/20 22:55	1
Toluene-d8 (Surr)	93		69 - 122					08/28/20 22:55	1
Dibromofluoromethane (Surr)	86		78 - 129					08/28/20 22:55	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(75-130)	(47-134)	(69-122)	(78-129)
240-135219-B-1 MS	Matrix Spike	98	98	91	89
240-135219-B-1 MSD	Matrix Spike Duplicate	93	101	90	90
240-135269-1	TRIP BLANK	93	101	93	85
240-135269-2	MW-81_081820	94	97	88	88
240-135269-3	MW-81S_081820	94	98	93	86
LCS 240-449199/4	Lab Control Sample	87	103	92	79
MB 240-449199/7	Method Blank	92	101	91	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-135204-B-3 MS	Matrix Spike	85
240-135204-B-3 MSD	Matrix Spike Duplicate	87
240-135269-2	MW-81_081820	89
240-135269-3	MW-81S_081820	87
LCS 240-448902/4	Lab Control Sample	85
MB 240-448902/5	Method Blank	85

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-449199/7
Matrix: Water
Analysis Batch: 449199

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/28/20 14:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/28/20 14:41	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/28/20 14:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/28/20 14:41	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/28/20 14:41	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/28/20 14:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130		08/28/20 14:41	1
4-Bromofluorobenzene (Surr)	101		47 - 134		08/28/20 14:41	1
Toluene-d8 (Surr)	91		69 - 122		08/28/20 14:41	1
Dibromofluoromethane (Surr)	84		78 - 129		08/28/20 14:41	1

Lab Sample ID: LCS 240-449199/4
Matrix: Water
Analysis Batch: 449199

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.78		ug/L		98	73 - 129
cis-1,2-Dichloroethene	10.0	9.73		ug/L		97	75 - 124
Tetrachloroethene	10.0	10.3		ug/L		103	70 - 125
trans-1,2-Dichloroethene	10.0	8.96		ug/L		90	74 - 130
Trichloroethene	10.0	9.66		ug/L		97	71 - 121
Vinyl chloride	10.0	10.3		ug/L		103	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		75 - 130
4-Bromofluorobenzene (Surr)	103		47 - 134
Toluene-d8 (Surr)	92		69 - 122
Dibromofluoromethane (Surr)	79		78 - 129

Lab Sample ID: 240-135219-B-1 MS
Matrix: Water
Analysis Batch: 449199

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	83	J	1000	1040		ug/L		96	68 - 121
Tetrachloroethene	100	U	1000	817		ug/L		82	52 - 129
trans-1,2-Dichloroethene	100	U	1000	878		ug/L		88	69 - 126
Trichloroethene	1100		1000	1950		ug/L		82	56 - 124
Vinyl chloride	100	U	1000	1100		ug/L		110	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		75 - 130
4-Bromofluorobenzene (Surr)	98		47 - 134
Toluene-d8 (Surr)	91		69 - 122
Dibromofluoromethane (Surr)	89		78 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-135219-B-1 MSD

Matrix: Water

Analysis Batch: 449199

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	83	J	1000	1060		ug/L		98	68 - 121	2	35
Tetrachloroethene	100	U	1000	840		ug/L		84	52 - 129	3	35
trans-1,2-Dichloroethene	100	U	1000	940		ug/L		94	69 - 126	7	35
Trichloroethene	1100		1000	2000		ug/L		87	56 - 124	3	35
Vinyl chloride	100	U	1000	1150		ug/L		115	49 - 136	4	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 130
4-Bromofluorobenzene (Surr)	101		47 - 134
Toluene-d8 (Surr)	90		69 - 122
Dibromofluoromethane (Surr)	90		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-448902/5

Matrix: Water

Analysis Batch: 448902

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 06:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133		08/27/20 06:20	1

Lab Sample ID: LCS 240-448902/4

Matrix: Water

Analysis Batch: 448902

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 133

Lab Sample ID: 240-135204-B-3 MS

Matrix: Water

Analysis Batch: 448902

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	4.4		10.0	13.7		ug/L		94	46 - 170

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 133

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-135204-B-3 MSD
Matrix: Water
Analysis Batch: 448902

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	4.4		10.0	12.9		ug/L		85	46 - 170	6	26
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	87		70 - 133								

-
 1
 -
 2
 -
 3
 -
 4
 -
 5
 -
 6
 -
 7
 -
 8
 -
 9
 -
 10
 -
 11
 -
 12
 -
 13
 -
 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

GC/MS VOA

Analysis Batch: 448902

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135269-2	MW-81_081820	Total/NA	Water	8260B SIM	
240-135269-3	MW-81S_081820	Total/NA	Water	8260B SIM	
MB 240-448902/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-448902/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-135204-B-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-135204-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 449199

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135269-1	TRIP BLANK	Total/NA	Water	8260B	
240-135269-2	MW-81_081820	Total/NA	Water	8260B	
240-135269-3	MW-81S_081820	Total/NA	Water	8260B	
MB 240-449199/7	Method Blank	Total/NA	Water	8260B	
LCS 240-449199/4	Lab Control Sample	Total/NA	Water	8260B	
240-135219-B-1 MS	Matrix Spike	Total/NA	Water	8260B	
240-135219-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135269-1

Date Collected: 08/18/20 00:00

Matrix: Water

Date Received: 08/20/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449199	08/28/20 22:06	LRW	TAL CAN

Client Sample ID: MW-81_081820

Lab Sample ID: 240-135269-2

Date Collected: 08/18/20 11:06

Matrix: Water

Date Received: 08/20/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449199	08/28/20 22:31	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	448902	08/27/20 11:42	TJL2	TAL CAN

Client Sample ID: MW-81S_081820

Lab Sample ID: 240-135269-3

Date Collected: 08/18/20 12:06

Matrix: Water

Date Received: 08/20/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449199	08/28/20 22:55	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	448902	08/27/20 12:06	TJL2	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off-Site

Job ID: 240-135269-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-20 *
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

29/38

Chain of Custody Record

TestAmerica Laboratory Locations: Brighton -- 10448 Chatham Drive, Suite 200 / Brighton, MI 48116 / 810-223-2703
Regulatory program: DW NPDES RCRA Other



Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240
Project Name: Ford LTP OH Site
Project Number: 30050315.402.04
PO # 30050315.402.04

Client Project Manager: Krys Hunsley
Telephone: 248-994-2240
Email: kristoffer.hunsley@arcadis.com

Site Contact: Julia McClafferty
Telephone: 734-644-5131
Lab Contact: Nilva DeRitónico
Telephone: 330-497-9396

Sampler Name: Gary Schofer
Method of Shipment/Carrier:
Shipping/Tracking No:

IAAT if different from below
 3 weeks
 2 weeks
 1 week
 2 days
 1 day

10 day

Containers & Preservatives
Zinc
NaOH
HCl
HNO3
H2SO4
Other:

Matrix
Aqueous
Solid
Sediment
Other:

Sample Identification	Sample Date	Sample Time	Air	Aggravated	Sediment	Solid	Other:	Filtered Sample (Y/N)	Composite-C/Grab-G	1,1-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK																
MW-81-081820	8/18/20	11:06	X					N	G	X	X	X	X	X		1000 Beads
MW-815-081820	8/18/20	12:06	X					N	G	X	X	X	X	X		3000s for 30mins 3000s for 30mins



Possible Hazard Identification
 Non-Hazard Irritable In Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Submit all results through Cadena at jtomelia@cadenaco.com. Cadena #E203631

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Relinquished by:	Date/Time	Company:	Relinquished by:	Date/Time	Company:	Relinquished by:	Date/Time	Company:
Gary Schofer	8/19/20 8:00	Arcadis	Novi cold storage					
John M. Wilfong	8/19/20 1500	Arcadis	New Here					
John M. Wilfong	8/19/20 1530	ETA	Received in Laboratory by:					

Date/Time: 8/19/20 8:00
Company: Arcadis

Date/Time: 8/19/20 1530
Company: ETA

Date/Time: 8/20/20 8:00
Company: ETA

©2000 TestAmerica Laboratories, Inc. All rights reserved. Environmental Health - any violations of Michigan Laws, etc. Inc.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins TestAmerica Canton Sample Receipt Form/Narrative		Login # : <u>135269</u>
Canton Facility		
Client <u>Aradis</u>	Site Name _____	Cooler unpacked by: _____
Cooler Received on <u>8-20-20</u>	Opened on <u>8-20-20</u>	
FedEx: 1 st Grd <input checked="" type="checkbox"/> Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____		
Receipt After-hours: Drop-off Date/Time		Storage Location
TestAmerica Cooler # <u>TA</u>	Foam Box _____	Client Cooler _____
Packing material used: <u>Bubble</u> Wrap	Foam _____	Plastic Bag _____
COOLANT: <u>Wet</u> Ice	Blue Ice _____	Dry Ice _____
Water _____	None _____	Other _____
1. Cooler temperature upon receipt <input type="checkbox"/> See Multiple Cooler Form		
IR GUN# IR-10 (CF +0.7°C)	Observed Cooler Temp. _____ °C	Corrected Cooler Temp. _____ °C
IR GUN #IR-11 (CF +0.9°C)	Observed Cooler Temp. <u>2.9</u> °C	Corrected Cooler Temp. <u>3.8</u> °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u>		Yes No
-Were the seals on the outside of the cooler(s) signed & dated?		Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?		Yes <input checked="" type="checkbox"/> No NA
-Were tamper/custody seals intact and uncompromised?		Yes No NA
3. Shippers' packing slip attached to the cooler(s)?		Yes No
4. Did custody papers accompany the sample(s)?		Yes No
5. Were the custody papers relinquished & signed in the appropriate place?		Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC?		Yes <input checked="" type="checkbox"/> No
7. Did all bottles arrive in good condition (Unbroken)?		Yes No
8. Could all bottle labels be reconciled with the COC?		Yes No
9. Were correct bottle(s) used for the test(s) indicated?		Yes No
10. Sufficient quantity received to perform indicated analyses?		Yes No
11. Are these work share samples?		Yes <input checked="" type="checkbox"/> No
If yes, Questions 12-16 have been checked at the originating laboratory.		
12. Were all preserved sample(s) at the correct pH upon receipt?		Yes No <input checked="" type="checkbox"/> NA pH Strip Lot# <u>HC911298</u>
13. Were VOAs on the COC?		Yes No
14. Were air bubbles >6 mm in any VOA vials? Larger than this.		Yes <input checked="" type="checkbox"/> No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____		Yes No
16. Was a LL Hg or Me Hg trip blank present?		Yes <input checked="" type="checkbox"/> No
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____		
Concerning _____		
17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES		Samples processed by: _____
_____ _____ _____ _____		
18. SAMPLE CONDITION		
Sample(s) _____ were received after the recommended holding time had expired.		
Sample(s) _____ were received in a broken container.		
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)		
19. SAMPLE PRESERVATION		
Sample(s) _____ were further preserved in the laboratory.		
Time preserved: _____ Preservative(s) added/Lot number(s): _____		
VOA Sample Preservation - Date/Time VOAs Frozen: _____		

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC