

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-135183-1
Client Project/Site: Ford LTP On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey

Authorized for release by:
8/31/2020 3:11:30 PM
Jessica Rigdon, Project Management Assistant I
(330)966-9268

Jessica.Rigdon@Eurofinset.com

Designee for

Michael DelMonico, Project Manager I
(330)497-9396

Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Job ID: 240-135183-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP On-Site

Report Number: 240-135183-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 08/19/2020; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.3 C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-135183-1), MW-9_081420 (240-135183-2), MW-7_081420 (240-135183-3) and MW-196S_081420 (240-135183-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/26/2020 and 08/27/2020.

Sample MW-196S_081420 (240-135183-4)[4X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-9_081420 (240-135183-2), MW-7_081420 (240-135183-3) and MW-196S_081420 (240-135183-4) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 08/25/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Job ID: 240-135183-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-135183-1	TRIP BLANK	Water	08/14/20 00:00	08/19/20 09:30	
240-135183-2	MW-9_081420	Water	08/14/20 10:20	08/19/20 09:30	
240-135183-3	MW-7_081420	Water	08/14/20 12:28	08/19/20 09:30	
240-135183-4	MW-196S_081420	Water	08/14/20 15:15	08/19/20 09:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135183-1

No Detections.

Client Sample ID: MW-9_081420

Lab Sample ID: 240-135183-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.6		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	0.95	J	1.0	0.50	ug/L	1		8260B	Total/NA

Client Sample ID: MW-7_081420

Lab Sample ID: 240-135183-3

No Detections.

Client Sample ID: MW-196S_081420

Lab Sample ID: 240-135183-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	72		4.0	1.5	ug/L	4		8260B	Total/NA
trans-1,2-Dichloroethene	2.1	J	4.0	1.7	ug/L	4		8260B	Total/NA
Trichloroethene	170		4.0	1.4	ug/L	4		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135183-1

Date Collected: 08/14/20 00:00

Matrix: Water

Date Received: 08/19/20 09:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/26/20 21:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/26/20 21:35	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/26/20 21:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/26/20 21:35	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/26/20 21:35	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/26/20 21:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 130		08/26/20 21:35	1
4-Bromofluorobenzene (Surr)	93		47 - 134		08/26/20 21:35	1
Toluene-d8 (Surr)	107		69 - 122		08/26/20 21:35	1
Dibromofluoromethane (Surr)	104		78 - 129		08/26/20 21:35	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: MW-9_081420

Lab Sample ID: 240-135183-2

Date Collected: 08/14/20 10:20

Matrix: Water

Date Received: 08/19/20 09:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.6		2.0	0.86	ug/L			08/25/20 18:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		70 - 133					08/25/20 18:21	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/26/20 21:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/26/20 21:57	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/26/20 21:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/26/20 21:57	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/26/20 21:57	1
Vinyl chloride	0.95	J	1.0	0.50	ug/L			08/26/20 21:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 130					08/26/20 21:57	1
4-Bromofluorobenzene (Surr)	89		47 - 134					08/26/20 21:57	1
Toluene-d8 (Surr)	104		69 - 122					08/26/20 21:57	1
Dibromofluoromethane (Surr)	106		78 - 129					08/26/20 21:57	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: MW-7_081420

Lab Sample ID: 240-135183-3

Date Collected: 08/14/20 12:28

Matrix: Water

Date Received: 08/19/20 09:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/25/20 18:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 133		08/25/20 18:46	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/26/20 22:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/26/20 22:19	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/26/20 22:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/26/20 22:19	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/26/20 22:19	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/26/20 22:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 130		08/26/20 22:19	1
4-Bromofluorobenzene (Surr)	89		47 - 134		08/26/20 22:19	1
Toluene-d8 (Surr)	106		69 - 122		08/26/20 22:19	1
Dibromofluoromethane (Surr)	105		78 - 129		08/26/20 22:19	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: MW-196S_081420

Lab Sample ID: 240-135183-4

Date Collected: 08/14/20 15:15

Matrix: Water

Date Received: 08/19/20 09:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/25/20 19:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133					08/25/20 19:11	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	4.0	U	4.0	1.8	ug/L			08/27/20 21:24	4
cis-1,2-Dichloroethene	72		4.0	1.5	ug/L			08/27/20 21:24	4
Tetrachloroethene	4.0	U	4.0	1.3	ug/L			08/27/20 21:24	4
trans-1,2-Dichloroethene	2.1	J	4.0	1.7	ug/L			08/27/20 21:24	4
Trichloroethene	170		4.0	1.4	ug/L			08/27/20 21:24	4
Vinyl chloride	4.0	U	4.0	2.0	ug/L			08/27/20 21:24	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 130					08/27/20 21:24	4
4-Bromofluorobenzene (Surr)	95		47 - 134					08/27/20 21:24	4
Toluene-d8 (Surr)	107		69 - 122					08/27/20 21:24	4
Dibromofluoromethane (Surr)	103		78 - 129					08/27/20 21:24	4

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-135183-1	TRIP BLANK	104	93	107	104
240-135183-2	MW-9_081420	104	89	104	106
240-135183-3	MW-7_081420	105	89	106	105
240-135183-4	MW-196S_081420	101	95	107	103
240-135183-4 MS	MW-196S_081420	98	106	111	100
240-135183-4 MSD	MW-196S_081420	95	107	110	97
240-135193-H-3 MS	Matrix Spike	96	107	110	98
240-135193-K-3 MSD	Matrix Spike Duplicate	96	105	110	98
LCS 240-448872/5	Lab Control Sample	96	106	110	98
LCS 240-449065/5	Lab Control Sample	94	101	107	97
MB 240-448872/8	Method Blank	104	88	101	103
MB 240-449065/8	Method Blank	102	94	104	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-134918-X-5 MS	Matrix Spike	84
240-134918-X-5 MSD	Matrix Spike Duplicate	85
240-135183-2	MW-9_081420	86
240-135183-3	MW-7_081420	88
240-135183-4	MW-196S_081420	87
LCS 240-448596/4	Lab Control Sample	86
MB 240-448596/5	Method Blank	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-448872/8
Matrix: Water
Analysis Batch: 448872

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/26/20 18:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/26/20 18:36	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/26/20 18:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/26/20 18:36	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/26/20 18:36	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/26/20 18:36	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		75 - 130		08/26/20 18:36	1
4-Bromofluorobenzene (Surr)	88		47 - 134		08/26/20 18:36	1
Toluene-d8 (Surr)	101		69 - 122		08/26/20 18:36	1
Dibromofluoromethane (Surr)	103		78 - 129		08/26/20 18:36	1

Lab Sample ID: LCS 240-448872/5
Matrix: Water
Analysis Batch: 448872

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	19.3		ug/L		97	73 - 129
cis-1,2-Dichloroethene	20.0	19.7		ug/L		99	75 - 124
Tetrachloroethene	20.0	16.9		ug/L		84	70 - 125
trans-1,2-Dichloroethene	20.0	20.8		ug/L		104	74 - 130
Trichloroethene	20.0	17.8		ug/L		89	71 - 121
Vinyl chloride	20.0	19.8		ug/L		99	61 - 134

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 130
4-Bromofluorobenzene (Surr)	106		47 - 134
Toluene-d8 (Surr)	110		69 - 122
Dibromofluoromethane (Surr)	98		78 - 129

Lab Sample ID: 240-135193-H-3 MS
Matrix: Water
Analysis Batch: 448872

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	20.5		ug/L		103	64 - 132
cis-1,2-Dichloroethene	0.38	J	20.0	20.2		ug/L		99	68 - 121
Tetrachloroethene	1.0	U	20.0	18.3		ug/L		91	52 - 129
trans-1,2-Dichloroethene	1.0	U	20.0	21.4		ug/L		107	69 - 126
Trichloroethene	1.0	U	20.0	18.4		ug/L		92	56 - 124
Vinyl chloride	1.0	U	20.0	20.6		ug/L		103	49 - 136

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		75 - 130
4-Bromofluorobenzene (Surr)	107		47 - 134
Toluene-d8 (Surr)	110		69 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-135193-H-3 MS
Matrix: Water
Analysis Batch: 448872

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	98		78 - 129

Lab Sample ID: 240-135193-K-3 MSD
Matrix: Water
Analysis Batch: 448872

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	20.9		ug/L		105	64 - 132	2	35
cis-1,2-Dichloroethene	0.38	J	20.0	20.5		ug/L		101	68 - 121	2	35
Tetrachloroethene	1.0	U	20.0	18.1		ug/L		91	52 - 129	1	35
trans-1,2-Dichloroethene	1.0	U	20.0	21.4		ug/L		107	69 - 126	0	35
Trichloroethene	1.0	U	20.0	18.4		ug/L		92	56 - 124	0	35
Vinyl chloride	1.0	U	20.0	20.6		ug/L		103	49 - 136	0	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		75 - 130
4-Bromofluorobenzene (Surr)	105		47 - 134
Toluene-d8 (Surr)	110		69 - 122
Dibromofluoromethane (Surr)	98		78 - 129

Lab Sample ID: MB 240-449065/8
Matrix: Water
Analysis Batch: 449065

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/27/20 18:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/27/20 18:02	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/27/20 18:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/27/20 18:02	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/27/20 18:02	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/27/20 18:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 130		08/27/20 18:02	1
4-Bromofluorobenzene (Surr)	94		47 - 134		08/27/20 18:02	1
Toluene-d8 (Surr)	104		69 - 122		08/27/20 18:02	1
Dibromofluoromethane (Surr)	102		78 - 129		08/27/20 18:02	1

Lab Sample ID: LCS 240-449065/5
Matrix: Water
Analysis Batch: 449065

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	20.4		ug/L		102	73 - 129
cis-1,2-Dichloroethene	20.0	19.9		ug/L		99	75 - 124
Tetrachloroethene	20.0	18.2		ug/L		91	70 - 125
trans-1,2-Dichloroethene	20.0	20.9		ug/L		105	74 - 130
Trichloroethene	20.0	18.3		ug/L		91	71 - 121

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-449065/5
Matrix: Water
Analysis Batch: 449065

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Vinyl chloride	20.0	19.2		ug/L		96	61 - 134
Surrogate							
	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	94		75 - 130				
4-Bromofluorobenzene (Surr)	101		47 - 134				
Toluene-d8 (Surr)	107		69 - 122				
Dibromofluoromethane (Surr)	97		78 - 129				

Lab Sample ID: 240-135183-4 MS
Matrix: Water
Analysis Batch: 449065

Client Sample ID: MW-196S_081420
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	4.0	U	80.0	81.7		ug/L		102	64 - 132
cis-1,2-Dichloroethene	72		80.0	151		ug/L		98	68 - 121
Tetrachloroethene	4.0	U	80.0	72.7		ug/L		91	52 - 129
trans-1,2-Dichloroethene	2.1	J	80.0	85.4		ug/L		104	69 - 126
Trichloroethene	170		80.0	241		ug/L		82	56 - 124
Vinyl chloride	4.0	U	80.0	75.6		ug/L		95	49 - 136
Surrogate									
	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	98		75 - 130						
4-Bromofluorobenzene (Surr)	106		47 - 134						
Toluene-d8 (Surr)	111		69 - 122						
Dibromofluoromethane (Surr)	100		78 - 129						

Lab Sample ID: 240-135183-4 MSD
Matrix: Water
Analysis Batch: 449065

Client Sample ID: MW-196S_081420
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	4.0	U	80.0	78.3		ug/L		98	64 - 132	4	35
cis-1,2-Dichloroethene	72		80.0	145		ug/L		91	68 - 121	4	35
Tetrachloroethene	4.0	U	80.0	69.0		ug/L		86	52 - 129	5	35
trans-1,2-Dichloroethene	2.1	J	80.0	83.7		ug/L		102	69 - 126	2	35
Trichloroethene	170		80.0	228		ug/L		67	56 - 124	5	35
Vinyl chloride	4.0	U	80.0	73.6		ug/L		92	49 - 136	3	35
Surrogate											
	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	95		75 - 130								
4-Bromofluorobenzene (Surr)	107		47 - 134								
Toluene-d8 (Surr)	110		69 - 122								
Dibromofluoromethane (Surr)	97		78 - 129								

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-448596/5
Matrix: Water
Analysis Batch: 448596

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/25/20 13:00	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 133					08/25/20 13:00	1

Lab Sample ID: LCS 240-448596/4
Matrix: Water
Analysis Batch: 448596

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.8		ug/L		108	80 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	86		70 - 133				

Lab Sample ID: 240-134918-X-5 MS
Matrix: Water
Analysis Batch: 448596

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	9.78		ug/L		98	46 - 170
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	84		70 - 133						

Lab Sample ID: 240-134918-X-5 MSD
Matrix: Water
Analysis Batch: 448596

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.56		ug/L		96	46 - 170	2	26
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	85		70 - 133								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

GC/MS VOA

Analysis Batch: 448596

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135183-2	MW-9_081420	Total/NA	Water	8260B SIM	
240-135183-3	MW-7_081420	Total/NA	Water	8260B SIM	
240-135183-4	MW-196S_081420	Total/NA	Water	8260B SIM	
MB 240-448596/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-448596/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-134918-X-5 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-134918-X-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 448872

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135183-1	TRIP BLANK	Total/NA	Water	8260B	
240-135183-2	MW-9_081420	Total/NA	Water	8260B	
240-135183-3	MW-7_081420	Total/NA	Water	8260B	
MB 240-448872/8	Method Blank	Total/NA	Water	8260B	
LCS 240-448872/5	Lab Control Sample	Total/NA	Water	8260B	
240-135193-H-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-135193-K-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 449065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135183-4	MW-196S_081420	Total/NA	Water	8260B	
MB 240-449065/8	Method Blank	Total/NA	Water	8260B	
LCS 240-449065/5	Lab Control Sample	Total/NA	Water	8260B	
240-135183-4 MS	MW-196S_081420	Total/NA	Water	8260B	
240-135183-4 MSD	MW-196S_081420	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135183-1

Date Collected: 08/14/20 00:00

Matrix: Water

Date Received: 08/19/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	448872	08/26/20 21:35	TJL1	TAL CAN

Client Sample ID: MW-9_081420

Lab Sample ID: 240-135183-2

Date Collected: 08/14/20 10:20

Matrix: Water

Date Received: 08/19/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	448872	08/26/20 21:57	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	448596	08/25/20 18:21	SAM	TAL CAN

Client Sample ID: MW-7_081420

Lab Sample ID: 240-135183-3

Date Collected: 08/14/20 12:28

Matrix: Water

Date Received: 08/19/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	448872	08/26/20 22:19	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	448596	08/25/20 18:46	SAM	TAL CAN

Client Sample ID: MW-196S_081420

Lab Sample ID: 240-135183-4

Date Collected: 08/14/20 15:15

Matrix: Water

Date Received: 08/19/20 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	449065	08/27/20 21:24	TJL1	TAL CAN
Total/NA	Analysis	8260B SIM		1	448596	08/25/20 19:11	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135183-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-20 *
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinsley Telephone: 248-994-2240 Email: kristoffer.hinsley@arcadis.com		Site Contact: Julia McClafferty Telephone: 734-644-5131	
Lab Contact: Mike DelMonico Telephone: 330-497-9396		TestAmerica Laboratories, Inc. COC No:	
Project Name: Ford LTP On-Site Project Number: 30050315.401.03 PO # 30050315.401.03		For lab use only Walk-in client Lab sampling Job/SDG No:	
Sampler Name: Amber Brannick		Analysis Turnaround Time TAT if different from below <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Method of Shipment/Carrier: Shipping/Tracking No:		Analyses	
Sample Identification Sample Date Sample Time		Filtered Sample (Y/N) Composite C/Grab-G 1,1-DCE 8260B Cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
Matrix Air Aqueous Sediment Solid Other:		Containers & Preservatives H2SO4 HNO3 HCl NaOH NaOH Urpes Other:	
Sample Identification TRIP BLANK MW-9-081420 MW-7-081420 MW-196S-081420		Sample Specific Notes / Special Instructions: 1 TRIP BLANK 3VOA's FOR 8260B 3VOA's FOR 8260B SIM I	



Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Possible Hazard Identification
 Non-Hazard Flammable Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
 Level IV Reporting requested.

Relinquished by: Amber Brannick	Company: ARCADIS	Date/Time: 08/14/20 1645	Received by: ARCADIS COLD STORAGE	Company: ARCADIS	Date/Time: 08/14/20 1645
Relinquished by: Amber Brannick	Company: Arcadis	Date/Time: 8/18/20 1015	Received by: Amber Brannick	Company: ETA	Date/Time: 8/19/20 1200
Relinquished by: Amber Brannick	Company: ETA	Date/Time: 8/19/20 1224	Received in Laboratory by: Amber Brannick	Company: ETA	Date/Time: 8-19-20 930

©2006 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login #: 135183

Canton Facility

Client Arcadis Site Name Cooler unpacked by: Gary Page
Cooler Received on 8-19-20 Opened on 8-19-20
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt
IR GUN# IR-10 (CF +0.7°C) Observed Cooler Temp. °C Corrected Cooler Temp. °C
IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. 14 °C Corrected Cooler Temp. 23 °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC911298
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

18. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.
Time preserved: Preservative(s) added/Lot number(s):

VOA Sample Preservation - Date/Time VOAs Frozen:

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

This Lot only

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-10 <u>IR-11</u>	1.4	2.3	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10 <u>IR-11</u>	1.4	2.3	Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	
TA	Client	Box	Other	IR-10	IR-11		Wet Ice	Blue Ice	Dry Ice
							Water	None	

See Temperature Excursion Form