

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-140277-1
Client Project/Site: Ford LTP - On Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
12/1/2020 2:10:50 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Job ID: 240-140277-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP - On Site

Report Number: 240-140277-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 11/14/2020 10:00 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.8° C and 3.2° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-140277-1), MW-222S_111220 (240-140277-2), MW-38_111220 (240-140277-3), MW-07_111220 (240-140277-4) and LMW-20-20_111220 (240-140277-5) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/24/2020.

cis-1,2-Dichloroethene was detected in method blank MB 240-462603/7 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-222S_111220 (240-140277-2), MW-38_111220 (240-140277-3), MW-07_111220 (240-140277-4) and LMW-20-20_111220 (240-140277-5) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 11/22/2020.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Job ID: 240-140277-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-140277-1	TRIP BLANK	Water	11/12/20 00:00	11/14/20 10:00	
240-140277-2	MW-222S_111220	Water	11/12/20 08:52	11/14/20 10:00	
240-140277-3	MW-38_111220	Water	11/12/20 10:10	11/14/20 10:00	
240-140277-4	MW-07_111220	Water	11/12/20 12:25	11/14/20 10:00	
240-140277-5	LMW-20-20_111220	Water	11/12/20 13:25	11/14/20 10:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140277-1

No Detections.

Client Sample ID: MW-222S_111220

Lab Sample ID: 240-140277-2

No Detections.

Client Sample ID: MW-38_111220

Lab Sample ID: 240-140277-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.77	J B	1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: MW-07_111220

Lab Sample ID: 240-140277-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.84	J B	1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: LMW-20-20_111220

Lab Sample ID: 240-140277-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.83	J B	1.0	0.16	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140277-1

Date Collected: 11/12/20 00:00

Matrix: Water

Date Received: 11/14/20 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 14:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/24/20 14:47	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 14:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 14:47	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 14:47	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 14:47	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 14:47	1
Naphthalene	1.0	U	1.0	0.32	ug/L			11/24/20 14:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	122		75 - 130					11/24/20 14:47	1
4-Bromofluorobenzene (Surr)	102		47 - 134					11/24/20 14:47	1
Toluene-d8 (Surr)	104		69 - 122					11/24/20 14:47	1
Dibromofluoromethane (Surr)	95		78 - 129					11/24/20 14:47	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: MW-222S_111220

Lab Sample ID: 240-140277-2

Date Collected: 11/12/20 08:52

Matrix: Water

Date Received: 11/14/20 10:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/20 12:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 133		11/22/20 12:57	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 15:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/24/20 15:12	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 15:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 15:12	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 15:12	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 15:12	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 15:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		75 - 130		11/24/20 15:12	1
4-Bromofluorobenzene (Surr)	99		47 - 134		11/24/20 15:12	1
Toluene-d8 (Surr)	101		69 - 122		11/24/20 15:12	1
Dibromofluoromethane (Surr)	96		78 - 129		11/24/20 15:12	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: MW-38_111220

Lab Sample ID: 240-140277-3

Date Collected: 11/12/20 10:10

Matrix: Water

Date Received: 11/14/20 10:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/20 13:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133					11/22/20 13:22	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 17:22	1
cis-1,2-Dichloroethene	0.77	J B	1.0	0.16	ug/L			11/24/20 17:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 17:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 17:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 17:22	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 17:22	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 17:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130					11/24/20 17:22	1
4-Bromofluorobenzene (Surr)	106		47 - 134					11/24/20 17:22	1
Toluene-d8 (Surr)	82		69 - 122					11/24/20 17:22	1
Dibromofluoromethane (Surr)	90		78 - 129					11/24/20 17:22	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: MW-07_111220

Lab Sample ID: 240-140277-4

Date Collected: 11/12/20 12:25

Matrix: Water

Date Received: 11/14/20 10:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/20 13:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133					11/22/20 13:47	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 17:47	1
cis-1,2-Dichloroethene	0.84	J B	1.0	0.16	ug/L			11/24/20 17:47	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 17:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 17:47	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 17:47	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 17:47	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 17:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130					11/24/20 17:47	1
4-Bromofluorobenzene (Surr)	102		47 - 134					11/24/20 17:47	1
Toluene-d8 (Surr)	78		69 - 122					11/24/20 17:47	1
Dibromofluoromethane (Surr)	82		78 - 129					11/24/20 17:47	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: LMW-20-20_111220

Lab Sample ID: 240-140277-5

Date Collected: 11/12/20 13:25

Matrix: Water

Date Received: 11/14/20 10:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/20 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		70 - 133					11/22/20 14:12	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 16:57	1
cis-1,2-Dichloroethene	0.83	J B	1.0	0.16	ug/L			11/24/20 16:57	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 16:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 16:57	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 16:57	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 16:57	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 16:57	1
Naphthalene	1.0	U	1.0	0.32	ug/L			11/24/20 16:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		75 - 130					11/24/20 16:57	1
4-Bromofluorobenzene (Surr)	99		47 - 134					11/24/20 16:57	1
Toluene-d8 (Surr)	80		69 - 122					11/24/20 16:57	1
Dibromofluoromethane (Surr)	84		78 - 129					11/24/20 16:57	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-140277-1	TRIP BLANK	122	102	104	95
240-140277-2	MW-222S_111220	120	99	101	96
240-140277-3	MW-38_111220	88	106	82	90
240-140277-4	MW-07_111220	88	102	78	82
240-140277-5	LMW-20-20_111220	86	99	80	84
240-140277-5 MS	LMW-20-20_111220	88	113	78	86
240-140277-5 MSD	LMW-20-20_111220	86	106	79	83
LCS 240-462570/5	Lab Control Sample	104	106	103	82
LCS 240-462603/4	Lab Control Sample	84	104	76	87
MB 240-462570/8	Method Blank	121	100	102	95
MB 240-462603/7	Method Blank	85	100	78	88

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-133)
240-140277-2	MW-222S_111220	90
240-140277-3	MW-38_111220	87
240-140277-4	MW-07_111220	87
240-140277-5	LMW-20-20_111220	86
LCS 240-462242/4	Lab Control Sample	90
MB 240-462242/5	Method Blank	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-462570/8
Matrix: Water
Analysis Batch: 462570

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 12:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/24/20 12:18	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 12:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 12:18	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 12:18	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 12:18	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 12:18	1
Naphthalene	1.0	U	1.0	0.32	ug/L			11/24/20 12:18	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	121		75 - 130		11/24/20 12:18	1
4-Bromofluorobenzene (Surr)	100		47 - 134		11/24/20 12:18	1
Toluene-d8 (Surr)	102		69 - 122		11/24/20 12:18	1
Dibromofluoromethane (Surr)	95		78 - 129		11/24/20 12:18	1

Lab Sample ID: LCS 240-462570/5
Matrix: Water
Analysis Batch: 462570

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	18.9		ug/L		94	73 - 129
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	75 - 124
Tetrachloroethene	20.0	17.5		ug/L		88	70 - 125
trans-1,2-Dichloroethene	20.0	18.8		ug/L		94	74 - 130
Trichloroethene	20.0	16.0		ug/L		80	71 - 121
Vinyl chloride	20.0	22.5		ug/L		113	61 - 134
Naphthalene	20.0	18.5		ug/L		93	28 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		75 - 130
4-Bromofluorobenzene (Surr)	106		47 - 134
Toluene-d8 (Surr)	103		69 - 122
Dibromofluoromethane (Surr)	82		78 - 129

Lab Sample ID: MB 240-462603/7
Matrix: Water
Analysis Batch: 462603

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 16:31	1
cis-1,2-Dichloroethene	0.694	J	1.0	0.16	ug/L			11/24/20 16:31	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/24/20 16:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/24/20 16:31	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/24/20 16:31	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/24/20 16:31	1
2-Methylnaphthalene	5.0	U	5.0	2.4	ug/L			11/24/20 16:31	1
Naphthalene	1.0	U	1.0	0.32	ug/L			11/24/20 16:31	1

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-462603/7
Matrix: Water
Analysis Batch: 462603

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	85		75 - 130		11/24/20 16:31	1
4-Bromofluorobenzene (Surr)	100		47 - 134		11/24/20 16:31	1
Toluene-d8 (Surr)	78		69 - 122		11/24/20 16:31	1
Dibromofluoromethane (Surr)	88		78 - 129		11/24/20 16:31	1

Lab Sample ID: LCS 240-462603/4
Matrix: Water
Analysis Batch: 462603

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	10.0	11.1		ug/L		111	75 - 124
Tetrachloroethene	10.0	9.00		ug/L		90	70 - 125
trans-1,2-Dichloroethene	10.0	9.75		ug/L		97	74 - 130
Trichloroethene	10.0	10.2		ug/L		102	71 - 121
Vinyl chloride	10.0	11.2		ug/L		112	61 - 134
Naphthalene	10.0	8.00		ug/L		80	28 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	84		75 - 130
4-Bromofluorobenzene (Surr)	104		47 - 134
Toluene-d8 (Surr)	76		69 - 122
Dibromofluoromethane (Surr)	87		78 - 129

Lab Sample ID: 240-140277-5 MS
Matrix: Water
Analysis Batch: 462603

Client Sample ID: LMW-20-20_111220
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	0.83	J B	10.0	11.1		ug/L		103	68 - 121
Tetrachloroethene	1.0	U	10.0	8.51		ug/L		85	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	9.87		ug/L		99	69 - 126
Trichloroethene	1.0	U	10.0	9.67		ug/L		97	56 - 124
Vinyl chloride	1.0	U	10.0	10.8		ug/L		108	49 - 136
Naphthalene	1.0	U	10.0	8.25		ug/L		82	30 - 125

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	88		75 - 130
4-Bromofluorobenzene (Surr)	113		47 - 134
Toluene-d8 (Surr)	78		69 - 122
Dibromofluoromethane (Surr)	86		78 - 129

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-140277-5 MSD

Matrix: Water

Analysis Batch: 462603

Client Sample ID: LMW-20-20_111220

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	10.0		ug/L		100	64 - 132	0	35
cis-1,2-Dichloroethene	0.83	J B	10.0	10.1		ug/L		93	68 - 121	10	35
Tetrachloroethene	1.0	U	10.0	7.94		ug/L		79	52 - 129	7	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.42		ug/L		94	69 - 126	5	35
Trichloroethene	1.0	U	10.0	9.33		ug/L		93	56 - 124	4	35
Vinyl chloride	1.0	U	10.0	11.2		ug/L		112	49 - 136	4	35
Naphthalene	1.0	U	10.0	7.79		ug/L		78	30 - 125	6	24
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	86		75 - 130								
4-Bromofluorobenzene (Surr)	106		47 - 134								
Toluene-d8 (Surr)	79		69 - 122								
Dibromofluoromethane (Surr)	83		78 - 129								

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-462242/5

Matrix: Water

Analysis Batch: 462242

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/20 04:31	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					11/22/20 04:31	1

Lab Sample ID: LCS 240-462242/4

Matrix: Water

Analysis Batch: 462242

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.8		ug/L		108	80 - 135
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	90		70 - 133				

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

GC/MS VOA

Analysis Batch: 462242

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140277-2	MW-222S_111220	Total/NA	Water	8260B SIM	
240-140277-3	MW-38_111220	Total/NA	Water	8260B SIM	
240-140277-4	MW-07_111220	Total/NA	Water	8260B SIM	
240-140277-5	LMW-20-20_111220	Total/NA	Water	8260B SIM	
MB 240-462242/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-462242/4	Lab Control Sample	Total/NA	Water	8260B SIM	

Analysis Batch: 462570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140277-1	TRIP BLANK	Total/NA	Water	8260B	
240-140277-2	MW-222S_111220	Total/NA	Water	8260B	
MB 240-462570/8	Method Blank	Total/NA	Water	8260B	
LCS 240-462570/5	Lab Control Sample	Total/NA	Water	8260B	

Analysis Batch: 462603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140277-3	MW-38_111220	Total/NA	Water	8260B	
240-140277-4	MW-07_111220	Total/NA	Water	8260B	
240-140277-5	LMW-20-20_111220	Total/NA	Water	8260B	
MB 240-462603/7	Method Blank	Total/NA	Water	8260B	
LCS 240-462603/4	Lab Control Sample	Total/NA	Water	8260B	
240-140277-5 MS	LMW-20-20_111220	Total/NA	Water	8260B	
240-140277-5 MSD	LMW-20-20_111220	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Client Sample ID: TRIP BLANK

Date Collected: 11/12/20 00:00

Date Received: 11/14/20 10:00

Lab Sample ID: 240-140277-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462570	11/24/20 14:47	HMB	TAL CAN

Client Sample ID: MW-222S_111220

Date Collected: 11/12/20 08:52

Date Received: 11/14/20 10:00

Lab Sample ID: 240-140277-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462570	11/24/20 15:12	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	462242	11/22/20 12:57	TJL2	TAL CAN

Client Sample ID: MW-38_111220

Date Collected: 11/12/20 10:10

Date Received: 11/14/20 10:00

Lab Sample ID: 240-140277-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462603	11/24/20 17:22	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462242	11/22/20 13:22	TJL2	TAL CAN

Client Sample ID: MW-07_111220

Date Collected: 11/12/20 12:25

Date Received: 11/14/20 10:00

Lab Sample ID: 240-140277-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462603	11/24/20 17:47	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462242	11/22/20 13:47	TJL2	TAL CAN

Client Sample ID: LMW-20-20_111220

Date Collected: 11/12/20 13:25

Date Received: 11/14/20 10:00

Lab Sample ID: 240-140277-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462603	11/24/20 16:57	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462242	11/22/20 14:12	TJL2	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On Site

Job ID: 240-140277-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Project Manager: Kris Hinskey
 Telephone: 248-994-2240
 Email: kristoffer.hinskey@arcadis.com

Site Contact: Julia McClafferty
 Telephone: 734-644-5131

Lab Contact: Mike DelMonico
 Telephone: 330-497-9396

Company Name: Arcadis
 Address: 28550 Cabot Drive, Suite 500
 City/State/Zip: Novi, MI, 48377
 Phone: 248-994-2240

Project Name: Ford LTP On-Site
 Project Number: 30050315.401.03
 PO # 30050315.401.03

Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)	Composite=C / Grab=G	Analyses							Sample Specific Notes / Special Instructions:			
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	ZnO	NaOH			Ultraps	Other:	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B		Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	NAPHTHALENE
TRIP BLANK	11/12/20	---	1																						TRIP BLANK
MW - 222S - 111220	11/12/20	0852	6																						"3 VOLS FOR 02608 5 VOLS FOR 02608 SIM"
MW - 38 - 111220	11/12/20	1010	6																						" "
MW - 07 - 111220	11/12/20	1225	6																						" "
LMW-20-20-111220	11/12/20	1325	6																						" "



Possible Hazard Identification
 Non-Hazard Flammable Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client Disposal By Lab Archive For _____ Months

Submit all results through Cadena at: jtomalia@cadenco.com, Cadena #E203728
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Christina Weaver	ARCADIS	11/12/20 / 1440	NOVE COLD STORAGE	ARCADIS	11/12/20 / 1440
Julia McClafferty	Arcadis	11/13/20 1500	Anna Rivera	ETA	11-13-20 1500
Anna Rivera	ETA	11-13-20 1700	Jenny Berg	ETA	11-14-20 1000

©2006 TestAmerica Laboratories, Inc. All rights reserved.
 TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : 140277

Canton Facility

Client Arcadis Site Name Cooler unpacked by Yang Rong
Cooler Received on 11-14-20 Opened on 11-14-20
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other
Packing material used: Bubble Wrap Foam Plastic Bag None Other
COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt
IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C
IR GUN #IR-12 (CF +0.5 °C) Observed Cooler Temp. °C Corrected Cooler Temp. °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2
-Were the seals on the outside of the cooler(s) signed & dated?
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?
-Were tamper/custody seals intact and uncompromised?
3. Shippers' packing slip attached to the cooler(s)?
4. Did custody papers accompany the sample(s)?
5. Were the custody papers relinquished & signed in the appropriate place?
6. Was/were the person(s) who collected the samples clearly identified on the COC?
7. Did all bottles arrive in good condition (Unbroken)?
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated?
11. Sufficient quantity received to perform indicated analyses?
12. Are these work share samples and all listed on the COC?
13. Were all preserved sample(s) at the correct pH upon receipt?
14. Were VOAs on the COC?
15. Were air bubbles >6 mm in any VOA vials?
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #
17. Was a LL Hg or Me Hg trip blank present?

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: Ryan

19. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.
Sample(s) were received in a broken container.
Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.
Time preserved: Preservative(s) added/Lot number(s):
VOA Sample Preservation - Date/Time VOAs Frozen:

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)		Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-11	IR-12	2.3	3.2	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12	1.9	2.0	Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	
TA	Client	Box	Other	IR-11	IR-12			Wet Ice	Blue Ice	Dry Ice
								Water	None	

See Temperature Excursion Form

WI-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers