

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-140523-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
12/2/2020 9:47:39 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	15
QC Sample Results . . . . .	16
QC Association Summary . . . . .	21
Lab Chronicle . . . . .	22
Certification Summary . . . . .	23
Chain of Custody . . . . .	24

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Job ID: 240-140523-1**

**Laboratory: Eurofins TestAmerica, Canton**

**Narrative**

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP - Off Site**

**Report Number: 240-140523-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### **RECEIPT**

The samples were received on 11/19/2020 9:20 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.0° C and 1.6° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples TRIP BLANK (240-140523-1), MW-73D\_111720 (240-140523-2), DUP-12 (240-140523-3), MW-73SR\_111720 (240-140523-4), MW-72S\_111720 (240-140523-5) and MW-72\_111720 (240-140523-6) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/27/2020.

cis-1,2-Dichloroethene was detected in method blank MB 240-463028/7 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GCMS SIM)**

Samples MW-73D\_111720 (240-140523-2), DUP-12 (240-140523-3), MW-73SR\_111720 (240-140523-4), MW-72S\_111720 (240-140523-5) and MW-72\_111720 (240-140523-6) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 11/24/2020 and 11/25/2020.

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

---

## Job ID: 240-140523-1 (Continued)

---

### Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-140523-1	TRIP BLANK	Water	11/17/20 00:00	11/19/20 09:20	
240-140523-2	MW-73D_111720	Water	11/17/20 09:55	11/19/20 09:20	
240-140523-3	DUP-12	Water	11/17/20 00:00	11/19/20 09:20	
240-140523-4	MW-73SR_111720	Water	11/17/20 11:35	11/19/20 09:20	
240-140523-5	MW-72S_111720	Water	11/17/20 14:35	11/19/20 09:20	
240-140523-6	MW-72_111720	Water	11/17/20 13:15	11/19/20 09:20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140523-1

No Detections.

## Client Sample ID: MW-73D\_111720

Lab Sample ID: 240-140523-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.5		2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.33	J B	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: DUP-12

Lab Sample ID: 240-140523-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	3.4		2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.29	J B	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-73SR\_111720

Lab Sample ID: 240-140523-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.3	B	1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	0.23	J	1.0	0.19	ug/L	1		8260B	Total/NA
Trichloroethene	0.16	J	1.0	0.10	ug/L	1		8260B	Total/NA
Vinyl chloride	0.85	J	1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-72S\_111720

Lab Sample ID: 240-140523-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.26	J B	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-72\_111720

Lab Sample ID: 240-140523-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	1.7		1.0	0.20	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-140523-1**

**Date Collected: 11/17/20 00:00**

**Matrix: Water**

**Date Received: 11/19/20 09:20**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 23:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/27/20 23:15	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 23:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 23:15	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 23:15	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 23:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 130		11/27/20 23:15	1
4-Bromofluorobenzene (Surr)	70		47 - 134		11/27/20 23:15	1
Toluene-d8 (Surr)	83		69 - 122		11/27/20 23:15	1
Dibromofluoromethane (Surr)	104		78 - 129		11/27/20 23:15	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: MW-73D\_111720**

**Lab Sample ID: 240-140523-2**

Date Collected: 11/17/20 09:55

Matrix: Water

Date Received: 11/19/20 09:20

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.5		2.0	0.86	ug/L			11/24/20 21:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 133					11/24/20 21:36	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 19:49	1
cis-1,2-Dichloroethene	0.33	J B	1.0	0.16	ug/L			11/27/20 19:49	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 19:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 19:49	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 19:49	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 19:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					11/27/20 19:49	1
4-Bromofluorobenzene (Surr)	102		47 - 134					11/27/20 19:49	1
Toluene-d8 (Surr)	78		69 - 122					11/27/20 19:49	1
Dibromofluoromethane (Surr)	87		78 - 129					11/27/20 19:49	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: DUP-12**

**Lab Sample ID: 240-140523-3**

**Date Collected: 11/17/20 00:00**

**Matrix: Water**

**Date Received: 11/19/20 09:20**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>1,4-Dioxane</b>	<b>3.4</b>		2.0	0.86	ug/L			11/25/20 13:40	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	93		70 - 133					11/25/20 13:40	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 20:14	1
<b>cis-1,2-Dichloroethene</b>	<b>0.29</b>	<b>J B</b>	1.0	0.16	ug/L			11/27/20 20:14	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 20:14	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 20:14	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 20:14	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 20:14	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	89		75 - 130					11/27/20 20:14	1
4-Bromofluorobenzene (Surr)	99		47 - 134					11/27/20 20:14	1
Toluene-d8 (Surr)	80		69 - 122					11/27/20 20:14	1
Dibromofluoromethane (Surr)	89		78 - 129					11/27/20 20:14	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: MW-73SR\_111720**

**Lab Sample ID: 240-140523-4**

Date Collected: 11/17/20 11:35

Matrix: Water

Date Received: 11/19/20 09:20

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/20 14:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 133					11/25/20 14:05	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 20:39	1
<b>cis-1,2-Dichloroethene</b>	<b>2.3</b>	<b>B</b>	1.0	0.16	ug/L			11/27/20 20:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 20:39	1
<b>trans-1,2-Dichloroethene</b>	<b>0.23</b>	<b>J</b>	1.0	0.19	ug/L			11/27/20 20:39	1
<b>Trichloroethene</b>	<b>0.16</b>	<b>J</b>	1.0	0.10	ug/L			11/27/20 20:39	1
<b>Vinyl chloride</b>	<b>0.85</b>	<b>J</b>	1.0	0.20	ug/L			11/27/20 20:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		75 - 130					11/27/20 20:39	1
4-Bromofluorobenzene (Surr)	99		47 - 134					11/27/20 20:39	1
Toluene-d8 (Surr)	79		69 - 122					11/27/20 20:39	1
Dibromofluoromethane (Surr)	86		78 - 129					11/27/20 20:39	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: MW-72S\_111720**

**Lab Sample ID: 240-140523-5**

Date Collected: 11/17/20 14:35

Matrix: Water

Date Received: 11/19/20 09:20

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/20 14:30	1
<b>Surrogate</b>									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 133					11/25/20 14:30	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 21:04	1
<b>cis-1,2-Dichloroethene</b>	<b>0.26</b>	<b>J B</b>	1.0	0.16	ug/L			11/27/20 21:04	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 21:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 21:04	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 21:04	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 21:04	1
<b>Surrogate</b>									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		75 - 130					11/27/20 21:04	1
4-Bromofluorobenzene (Surr)	98		47 - 134					11/27/20 21:04	1
Toluene-d8 (Surr)	80		69 - 122					11/27/20 21:04	1
Dibromofluoromethane (Surr)	88		78 - 129					11/27/20 21:04	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

**Client Sample ID: MW-72\_111720**

**Lab Sample ID: 240-140523-6**

Date Collected: 11/17/20 13:15

Matrix: Water

Date Received: 11/19/20 09:20

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/20 14:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 133		11/25/20 14:56	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 21:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/27/20 21:29	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 21:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 21:29	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 21:29	1
<b>Vinyl chloride</b>	<b>1.7</b>		1.0	0.20	ug/L			11/27/20 21:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		75 - 130		11/27/20 21:29	1
4-Bromofluorobenzene (Surr)	103		47 - 134		11/27/20 21:29	1
Toluene-d8 (Surr)	77		69 - 122		11/27/20 21:29	1
Dibromofluoromethane (Surr)	87		78 - 129		11/27/20 21:29	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-140391-K-3 MS	Matrix Spike	87	107	80	87
240-140391-L-3 MSD	Matrix Spike Duplicate	86	103	81	87
240-140445-D-2 MS	Matrix Spike	78	89	91	87
240-140445-E-2 MSD	Matrix Spike Duplicate	79	95	93	89
240-140523-1	TRIP BLANK	96	70	83	104
240-140523-2	MW-73D_111720	92	102	78	87
240-140523-3	DUP-12	89	99	80	89
240-140523-4	MW-73SR_111720	90	99	79	86
240-140523-5	MW-72S_111720	85	98	80	88
240-140523-6	MW-72_111720	90	103	77	87
LCS 240-463025/4	Lab Control Sample	86	91	97	95
LCS 240-463028/4	Lab Control Sample	85	106	83	89
MB 240-463025/7	Method Blank	88	70	84	96
MB 240-463028/7	Method Blank	88	98	78	84

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (70-133)
240-140445-C-6 MS	Matrix Spike	112
240-140445-C-6 MSD	Matrix Spike Duplicate	113
240-140523-2	MW-73D_111720	118
240-140523-3	DUP-12	93
240-140523-4	MW-73SR_111720	95
240-140523-5	MW-72S_111720	96
240-140523-6	MW-72_111720	99
240-140735-C-3 MS	Matrix Spike	93
240-140735-C-3 MSD	Matrix Spike Duplicate	93
LCS 240-462583/4	Lab Control Sample	95
LCS 240-462831/4	Lab Control Sample	93
MB 240-462583/5	Method Blank	99
MB 240-462831/5	Method Blank	94

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-463025/7**  
**Matrix: Water**  
**Analysis Batch: 463025**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 16:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			11/27/20 16:06	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 16:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 16:06	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 16:06	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 16:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130		11/27/20 16:06	1
4-Bromofluorobenzene (Surr)	70		47 - 134		11/27/20 16:06	1
Toluene-d8 (Surr)	84		69 - 122		11/27/20 16:06	1
Dibromofluoromethane (Surr)	96		78 - 129		11/27/20 16:06	1

**Lab Sample ID: LCS 240-463025/4**  
**Matrix: Water**  
**Analysis Batch: 463025**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.5		ug/L		105	73 - 129
cis-1,2-Dichloroethene	10.0	10.0		ug/L		100	75 - 124
Tetrachloroethene	10.0	10.8		ug/L		108	70 - 125
trans-1,2-Dichloroethene	10.0	10.4		ug/L		104	74 - 130
Trichloroethene	10.0	9.39		ug/L		94	71 - 121
Vinyl chloride	10.0	8.26		ug/L		83	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		75 - 130
4-Bromofluorobenzene (Surr)	91		47 - 134
Toluene-d8 (Surr)	97		69 - 122
Dibromofluoromethane (Surr)	95		78 - 129

**Lab Sample ID: 240-140445-D-2 MS**  
**Matrix: Water**  
**Analysis Batch: 463025**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.57		ug/L		96	64 - 132
cis-1,2-Dichloroethene	0.91	J	10.0	10.2		ug/L		93	68 - 121
Tetrachloroethene	1.0	U	10.0	9.60		ug/L		96	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	10.4		ug/L		104	69 - 126
Trichloroethene	1.0	U	10.0	8.67		ug/L		87	56 - 124
Vinyl chloride	1.0	U	10.0	7.17		ug/L		72	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	78		75 - 130
4-Bromofluorobenzene (Surr)	89		47 - 134
Toluene-d8 (Surr)	91		69 - 122

Eurofins TestAmerica, Canton



# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-140445-D-2 MS**  
**Matrix: Water**  
**Analysis Batch: 463025**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	87		78 - 129

**Lab Sample ID: 240-140445-E-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 463025**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.58		ug/L		96	64 - 132	0	35
cis-1,2-Dichloroethene	0.91	J	10.0	10.3		ug/L		94	68 - 121	1	35
Tetrachloroethene	1.0	U	10.0	9.80		ug/L		98	52 - 129	2	35
trans-1,2-Dichloroethene	1.0	U	10.0	10.3		ug/L		103	69 - 126	0	35
Trichloroethene	1.0	U	10.0	9.05		ug/L		90	56 - 124	4	35
Vinyl chloride	1.0	U	10.0	7.84		ug/L		78	49 - 136	9	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		75 - 130
4-Bromofluorobenzene (Surr)	95		47 - 134
Toluene-d8 (Surr)	93		69 - 122
Dibromofluoromethane (Surr)	89		78 - 129

**Lab Sample ID: MB 240-463028/7**  
**Matrix: Water**  
**Analysis Batch: 463028**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 16:03	1
cis-1,2-Dichloroethene	0.376	J	1.0	0.16	ug/L			11/27/20 16:03	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/27/20 16:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/27/20 16:03	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/27/20 16:03	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/27/20 16:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130		11/27/20 16:03	1
4-Bromofluorobenzene (Surr)	98		47 - 134		11/27/20 16:03	1
Toluene-d8 (Surr)	78		69 - 122		11/27/20 16:03	1
Dibromofluoromethane (Surr)	84		78 - 129		11/27/20 16:03	1

**Lab Sample ID: LCS 240-463028/4**  
**Matrix: Water**  
**Analysis Batch: 463028**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.1		ug/L		101	73 - 129
cis-1,2-Dichloroethene	10.0	10.6		ug/L		106	75 - 124
Tetrachloroethene	10.0	9.47		ug/L		95	70 - 125
trans-1,2-Dichloroethene	10.0	10.0		ug/L		100	74 - 130
Trichloroethene	10.0	10.1		ug/L		101	71 - 121

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-463028/4**  
**Matrix: Water**  
**Analysis Batch: 463028**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Vinyl chloride	10.0	11.1		ug/L		111	61 - 134
<b>Surrogate</b>							
	<b>LCS %Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	85		75 - 130				
4-Bromofluorobenzene (Surr)	106		47 - 134				
Toluene-d8 (Surr)	83		69 - 122				
Dibromofluoromethane (Surr)	89		78 - 129				

**Lab Sample ID: 240-140391-K-3 MS**  
**Matrix: Water**  
**Analysis Batch: 463028**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	10.1		ug/L		101	64 - 132
cis-1,2-Dichloroethene	0.45	J B	10.0	9.73		ug/L		93	68 - 121
Tetrachloroethene	1.0	U	10.0	8.75		ug/L		87	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	8.95		ug/L		90	69 - 126
Trichloroethene	1.0	U	10.0	9.54		ug/L		95	56 - 124
Vinyl chloride	1.0	U	10.0	10.5		ug/L		105	49 - 136
<b>Surrogate</b>									
	<b>MS %Recovery</b>	<b>MS Qualifier</b>	<b>Limits</b>						
1,2-Dichloroethane-d4 (Surr)	87		75 - 130						
4-Bromofluorobenzene (Surr)	107		47 - 134						
Toluene-d8 (Surr)	80		69 - 122						
Dibromofluoromethane (Surr)	87		78 - 129						

**Lab Sample ID: 240-140391-L-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 463028**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.65		ug/L		96	64 - 132	5	35
cis-1,2-Dichloroethene	0.45	J B	10.0	10.0		ug/L		96	68 - 121	3	35
Tetrachloroethene	1.0	U	10.0	9.01		ug/L		90	52 - 129	3	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.15		ug/L		92	69 - 126	2	35
Trichloroethene	1.0	U	10.0	9.79		ug/L		98	56 - 124	3	35
Vinyl chloride	1.0	U	10.0	10.9		ug/L		109	49 - 136	3	35
<b>Surrogate</b>											
	<b>MSD %Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	86		75 - 130								
4-Bromofluorobenzene (Surr)	103		47 - 134								
Toluene-d8 (Surr)	81		69 - 122								
Dibromofluoromethane (Surr)	87		78 - 129								

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-462583/5**  
**Matrix: Water**  
**Analysis Batch: 462583**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/24/20 11:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 133					11/24/20 11:41	1

**Lab Sample ID: LCS 240-462583/4**  
**Matrix: Water**  
**Analysis Batch: 462583**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.66		ug/L		97	80 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	95		70 - 133				

**Lab Sample ID: 240-140445-C-6 MS**  
**Matrix: Water**  
**Analysis Batch: 462583**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.0		ug/L		100	46 - 170
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	112		70 - 133						

**Lab Sample ID: 240-140445-C-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 462583**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	10.2		ug/L		102	46 - 170	2	26
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	113		70 - 133								

**Lab Sample ID: MB 240-462831/5**  
**Matrix: Water**  
**Analysis Batch: 462831**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/25/20 12:24	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 133					11/25/20 12:24	1

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-462831/4**  
**Matrix: Water**  
**Analysis Batch: 462831**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.8		ug/L		108	80 - 135
<b>Surrogate</b>							
	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	93		70 - 133				

**Lab Sample ID: 240-140735-C-3 MS**  
**Matrix: Water**  
**Analysis Batch: 462831**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	46 - 170
<b>Surrogate</b>									
	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	93		70 - 133						

**Lab Sample ID: 240-140735-C-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 462831**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.0		ug/L		110	46 - 170	3	26
<b>Surrogate</b>											
	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	93		70 - 133								

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## GC/MS VOA

### Analysis Batch: 462583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140523-2	MW-73D_111720	Total/NA	Water	8260B SIM	
MB 240-462583/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-462583/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-140445-C-6 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-140445-C-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 462831

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140523-3	DUP-12	Total/NA	Water	8260B SIM	
240-140523-4	MW-73SR_111720	Total/NA	Water	8260B SIM	
240-140523-5	MW-72S_111720	Total/NA	Water	8260B SIM	
240-140523-6	MW-72_111720	Total/NA	Water	8260B SIM	
MB 240-462831/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-462831/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-140735-C-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-140735-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 463025

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140523-1	TRIP BLANK	Total/NA	Water	8260B	
MB 240-463025/7	Method Blank	Total/NA	Water	8260B	
LCS 240-463025/4	Lab Control Sample	Total/NA	Water	8260B	
240-140445-D-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-140445-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

### Analysis Batch: 463028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140523-2	MW-73D_111720	Total/NA	Water	8260B	
240-140523-3	DUP-12	Total/NA	Water	8260B	
240-140523-4	MW-73SR_111720	Total/NA	Water	8260B	
240-140523-5	MW-72S_111720	Total/NA	Water	8260B	
240-140523-6	MW-72_111720	Total/NA	Water	8260B	
MB 240-463028/7	Method Blank	Total/NA	Water	8260B	
LCS 240-463028/4	Lab Control Sample	Total/NA	Water	8260B	
240-140391-K-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-140391-L-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140523-1

Date Collected: 11/17/20 00:00

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463025	11/27/20 23:15	LRW	TAL CAN

## Client Sample ID: MW-73D\_111720

Lab Sample ID: 240-140523-2

Date Collected: 11/17/20 09:55

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463028	11/27/20 19:49	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462583	11/24/20 21:36	SAM	TAL CAN

## Client Sample ID: DUP-12

Lab Sample ID: 240-140523-3

Date Collected: 11/17/20 00:00

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463028	11/27/20 20:14	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462831	11/25/20 13:40	SAM	TAL CAN

## Client Sample ID: MW-73SR\_111720

Lab Sample ID: 240-140523-4

Date Collected: 11/17/20 11:35

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463028	11/27/20 20:39	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462831	11/25/20 14:05	SAM	TAL CAN

## Client Sample ID: MW-72S\_111720

Lab Sample ID: 240-140523-5

Date Collected: 11/17/20 14:35

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463028	11/27/20 21:04	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462831	11/25/20 14:30	SAM	TAL CAN

## Client Sample ID: MW-72\_111720

Lab Sample ID: 240-140523-6

Date Collected: 11/17/20 13:15

Matrix: Water

Date Received: 11/19/20 09:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	463028	11/27/20 21:29	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462831	11/25/20 14:56	SAM	TAL CAN

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Eurofins TestAmerica, Canton

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140523-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Project Manager: Kris Hinskey  
 Telephone: 248-994-2240  
 Email: kris@hinskey.com

Site Contact: Julia McClafferty  
 Telephone: 734-644-5131

Lab Contact: Mike DeMonico  
 Telephone: 330-497-9396

Company Name: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240

Project Name: Ford LTP Off-Site  
 Project Number: 30050315.402.04  
 PO # 30050315.402.04

Sampler Name: **Allyson Hartz**

Method of Shipment/Carrier:

Shipping/Tracking No:

Analysis Turnaround Time  
 TAT (different from below)  
 10 day  
 3 weeks  
 2 weeks  
 1 week  
 2 days  
 1 day

Containers & Preservatives  
 H2SO4  
 HNO3  
 HCl  
 NaOH  
 ZnAc  
 NaOH  
 Umpres  
 Other:

Sample Identification	Sample Date	Sample Time	Matrix			Filtered Sample (Y / N)							Sample Specific Notes / Special Instructions:
			Aqueous	Solid	Other:	Composite C / Grab-G	1,1-DCE 8260B	1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	
TRIP BLANK			1			N	X	X	X	X	X	X	1 TRIP BLANK
MW-73D-111720	11/17/20	9:55	6			N	X	X	X	X	X	X	3 Vials for 8260B 3 Vials for 8260B SIM
DUP-12	11/17/20		6			N	X	X	X	X	X	X	
MW-73SR-111720	11/17/20	11:35	6			N	X	X	X	X	X	X	
MW-72S-111720	11/17/20	14:35	6			N	X	X	X	X	X	X	
MW-72-111720	11/17/20	13:15	6			N	X	X	X	X	X	X	

Possible Hazard Identification  
 Non-Hazard  Flammable  4th Irritant  Poison B  Unknown

Sample Date: 11/17/20  
 Sample Time: 16:00

240-140523 Chain of Custody

Special Instructions/QC Requirements & Comments:  
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
<i>Allyson Hartz</i>	ARCADIS	11/17/20 16:00	NOVI Cold Storage	ARCADIS	11/17/20 16:00
<i>Christina Wiley</i>	ARCADIS	11/18/20/1345	<i>Sloan Schep</i>	ETA	11/18/20 1:45 PM
<i>Sloan Schep</i>	ETA	11/18/20 1:45	<i>Sloan Schep</i>	ETA	11-18-20 9:20

©2008 TestAmerica Laboratories, Inc. All rights reserved.  
 TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.





**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 140523

Client Arcadis Site Name \_\_\_\_\_  
 Cooler Received on 11-19-20 Opened on 11-19-20  
 FedEx:  Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by:  
Matt Smyth

**Receipt After-hours: Drop-off Date/Time** \_\_\_\_\_ **Storage Location** \_\_\_\_\_

TestAmerica Cooler # TD Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-12 (CF +0.5 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
 4. Did custody papers accompany the sample(s)?  Yes  No  
 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  
 10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
 11. Sufficient quantity received to perform indicated analyses?  Yes  No  
 12. Are these work share samples and all listed on the COC?  Yes  No  
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC907861  
 14. Were VOAs on the COC?  Yes  No  
 15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  Larger than this.  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No  
 17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

**Tests that are not checked for pH by Receiving:**  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other  
 Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

**Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form**

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-11 IR-12	0.1	1.0	Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12	0.7	1.6	Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	
TA	Client	Box	Other	IR-11 IR-12			Wet Ice	Blue Ice	Dry Ice
TA	Client	Box	Other	IR-11 IR-12			Water	None	

See Temperature Excursion Form