

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-197710-1
Client Project/Site: Ford LTP On Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
12/11/2019 4:37:07 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Job ID: 460-197710-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP On Site

Report Number: 460-197710-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Edison attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 11/26/2019 9:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 1.3° C, 2.3° C and 4.6° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples Trip Blank (460-197710-1), MW-15-60D_112219 (460-197710-2) and MW-15-59D_112219 (460-197710-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 12/04/2019.

Trichloroethene failed the recovery criteria low for LCS 460-659770/3. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples MW-15-60D_112219 (460-197710-2) and MW-15-59D_112219 (460-197710-3) were analyzed for Volatile organic compounds (GC/MS) in accordance with SW-846 Method 8260C SIM. The samples were analyzed on 12/01/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Client Sample ID: Trip Blank

Lab Sample ID: 460-197710-1

No Detections.

Client Sample ID: MW-15-60D_112219

Lab Sample ID: 460-197710-2

No Detections.

Client Sample ID: MW-15-59D_112219

Lab Sample ID: 460-197710-3

No Detections.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Client Sample ID: Trip Blank

Lab Sample ID: 460-197710-1

Date Collected: 11/22/19 14:32

Matrix: Water

Date Received: 11/26/19 09:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L	-		12/04/19 02:43	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L	-		12/04/19 02:43	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L	-		12/04/19 02:43	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L	-		12/04/19 02:43	1
Trichloroethene	1.0	U *	1.0	0.31	ug/L	-		12/04/19 02:43	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L	-		12/04/19 02:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		74 - 132		12/04/19 02:43	1
Toluene-d8 (Surr)	97		80 - 120		12/04/19 02:43	1
Dibromofluoromethane (Surr)	94		72 - 131		12/04/19 02:43	1
4-Bromofluorobenzene	96		77 - 124		12/04/19 02:43	1

Client Sample ID: MW-15-60D_112219

Lab Sample ID: 460-197710-2

Date Collected: 11/22/19 11:45

Matrix: Water

Date Received: 11/26/19 09:05

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L	-		12/01/19 12:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		72 - 133		12/01/19 12:46	1

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L	-		12/04/19 16:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L	-		12/04/19 16:29	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L	-		12/04/19 16:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L	-		12/04/19 16:29	1
Trichloroethene	1.0	U	1.0	0.31	ug/L	-		12/04/19 16:29	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L	-		12/04/19 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		74 - 132		12/04/19 16:29	1
Toluene-d8 (Surr)	97		80 - 120		12/04/19 16:29	1
Dibromofluoromethane (Surr)	98		72 - 131		12/04/19 16:29	1
4-Bromofluorobenzene	97		77 - 124		12/04/19 16:29	1

Client Sample ID: MW-15-59D_112219

Lab Sample ID: 460-197710-3

Date Collected: 11/22/19 14:32

Matrix: Water

Date Received: 11/26/19 09:05

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L	-		12/01/19 13:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		72 - 133		12/01/19 13:11	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Client Sample ID: MW-15-59D_112219

Lab Sample ID: 460-197710-3

Date Collected: 11/22/19 14:32

Matrix: Water

Date Received: 11/26/19 09:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/04/19 16:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/04/19 16:53	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/04/19 16:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/04/19 16:53	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/04/19 16:53	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/04/19 16:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		74 - 132		12/04/19 16:53	1
Toluene-d8 (Surr)	97		80 - 120		12/04/19 16:53	1
Dibromofluoromethane (Surr)	96		72 - 131		12/04/19 16:53	1
4-Bromofluorobenzene	96		77 - 124		12/04/19 16:53	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (74-132)	TOL (80-120)	DBFM (72-131)	BFB (77-124)
460-197710-1	Trip Blank	97	97	94	96
460-197710-2	MW-15-60D_112219	99	97	98	97
460-197710-3	MW-15-59D_112219	98	97	96	96
LCS 460-659770/3	Lab Control Sample	95	98	95	96
LCS 460-659860/3	Lab Control Sample	96	97	98	96
LCSD 460-659770/4	Lab Control Sample Dup	96	98	96	97
LCSD 460-659860/4	Lab Control Sample Dup	95	98	96	97
MB 460-659770/7	Method Blank	101	99	100	96
MB 460-659860/7	Method Blank	97	98	96	96

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

BFB = 4-Bromofluorobenzene

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (72-133)
460-197710-2	MW-15-60D_112219	92
460-197710-3	MW-15-59D_112219	93
LCS 460-659329/3	Lab Control Sample	92
LCSD 460-659329/4	Lab Control Sample Dup	94
MB 460-659329/8	Method Blank	93

Surrogate Legend

BFB = 4-Bromofluorobenzene

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-659770/7
Matrix: Water
Analysis Batch: 659770

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/03/19 20:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/03/19 20:18	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/03/19 20:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/03/19 20:18	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/03/19 20:18	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/03/19 20:18	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	101		74 - 132		12/03/19 20:18	1
Toluene-d8 (Surr)	99		80 - 120		12/03/19 20:18	1
Dibromofluoromethane (Surr)	100		72 - 131		12/03/19 20:18	1
4-Bromofluorobenzene	96		77 - 124		12/03/19 20:18	1

Lab Sample ID: LCS 460-659770/3
Matrix: Water
Analysis Batch: 659770

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	17.4		ug/L		87	74 - 123
cis-1,2-Dichloroethene	20.0	17.1		ug/L		86	80 - 120
Tetrachloroethene	20.0	16.7		ug/L		84	78 - 122
trans-1,2-Dichloroethene	20.0	17.5		ug/L		88	79 - 120
Trichloroethene	20.0	15.3	*	ug/L		76	77 - 120
Vinyl chloride	20.0	18.3		ug/L		91	62 - 138

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	95		74 - 132
Toluene-d8 (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	95		72 - 131
4-Bromofluorobenzene	96		77 - 124

Lab Sample ID: LCSD 460-659770/4
Matrix: Water
Analysis Batch: 659770

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
		Result	Qualifier						
1,1-Dichloroethene	20.0	17.5		ug/L		87	74 - 123	0	30
cis-1,2-Dichloroethene	20.0	17.4		ug/L		87	80 - 120	2	30
Tetrachloroethene	20.0	17.0		ug/L		85	78 - 122	2	30
trans-1,2-Dichloroethene	20.0	17.6		ug/L		88	79 - 120	0	30
Trichloroethene	20.0	16.0		ug/L		80	77 - 120	4	30
Vinyl chloride	20.0	18.8		ug/L		94	62 - 138	3	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		74 - 132
Toluene-d8 (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	96		72 - 131

Eurofins TestAmerica, Edison

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-659770/4
Matrix: Water
Analysis Batch: 659770

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	97		77 - 124

Lab Sample ID: MB 460-659860/7
Matrix: Water
Analysis Batch: 659860

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			12/04/19 08:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			12/04/19 08:27	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			12/04/19 08:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			12/04/19 08:27	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			12/04/19 08:27	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			12/04/19 08:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		74 - 132		12/04/19 08:27	1
Toluene-d8 (Surr)	98		80 - 120		12/04/19 08:27	1
Dibromofluoromethane (Surr)	96		72 - 131		12/04/19 08:27	1
4-Bromofluorobenzene	96		77 - 124		12/04/19 08:27	1

Lab Sample ID: LCS 460-659860/3
Matrix: Water
Analysis Batch: 659860

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	18.2		ug/L		91	74 - 123
cis-1,2-Dichloroethene	20.0	18.6		ug/L		93	80 - 120
Tetrachloroethene	20.0	18.3		ug/L		91	78 - 122
trans-1,2-Dichloroethene	20.0	18.7		ug/L		94	79 - 120
Trichloroethene	20.0	17.0		ug/L		85	77 - 120
Vinyl chloride	20.0	18.8		ug/L		94	62 - 138

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		74 - 132
Toluene-d8 (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	98		72 - 131
4-Bromofluorobenzene	96		77 - 124

Lab Sample ID: LCSD 460-659860/4
Matrix: Water
Analysis Batch: 659860

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	20.0	20.6		ug/L		103	74 - 123	13	30
cis-1,2-Dichloroethene	20.0	20.9		ug/L		104	80 - 120	11	30
Tetrachloroethene	20.0	20.6		ug/L		103	78 - 122	12	30
trans-1,2-Dichloroethene	20.0	21.0		ug/L		105	79 - 120	11	30
Trichloroethene	20.0	18.8		ug/L		94	77 - 120	10	30

Eurofins TestAmerica, Edison

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-659860/4
Matrix: Water
Analysis Batch: 659860

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Vinyl chloride	20.0	21.5		ug/L		108	62 - 138	14	30
Surrogate									
	%Recovery	LCSD Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	95		74 - 132						
Toluene-d8 (Surr)	98		80 - 120						
Dibromofluoromethane (Surr)	96		72 - 131						
4-Bromofluorobenzene	97		77 - 124						

Method: 8260C SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-659329/8
Matrix: Water
Analysis Batch: 659329

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.33	ug/L			12/01/19 10:40	1
Surrogate									
	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		72 - 133					12/01/19 10:40	1

Lab Sample ID: LCS 460-659329/3
Matrix: Water
Analysis Batch: 659329

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
1,4-Dioxane	5.00	4.21		ug/L		84	66 - 135		
Surrogate									
	%Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene	92		72 - 133						

Lab Sample ID: LCSD 460-659329/4
Matrix: Water
Analysis Batch: 659329

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	5.00	4.20		ug/L		84	66 - 135	0	30
Surrogate									
	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	94		72 - 133						

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

GC/MS VOA

Analysis Batch: 659329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197710-2	MW-15-60D_112219	Total/NA	Water	8260C SIM	
460-197710-3	MW-15-59D_112219	Total/NA	Water	8260C SIM	
MB 460-659329/8	Method Blank	Total/NA	Water	8260C SIM	
LCS 460-659329/3	Lab Control Sample	Total/NA	Water	8260C SIM	
LCSD 460-659329/4	Lab Control Sample Dup	Total/NA	Water	8260C SIM	

Analysis Batch: 659770

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197710-1	Trip Blank	Total/NA	Water	8260C	
MB 460-659770/7	Method Blank	Total/NA	Water	8260C	
LCS 460-659770/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-659770/4	Lab Control Sample Dup	Total/NA	Water	8260C	

Analysis Batch: 659860

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-197710-2	MW-15-60D_112219	Total/NA	Water	8260C	
460-197710-3	MW-15-59D_112219	Total/NA	Water	8260C	
MB 460-659860/7	Method Blank	Total/NA	Water	8260C	
LCS 460-659860/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 460-659860/4	Lab Control Sample Dup	Total/NA	Water	8260C	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Client Sample ID: Trip Blank

Date Collected: 11/22/19 14:32

Date Received: 11/26/19 09:05

Lab Sample ID: 460-197710-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	659770	12/04/19 02:43	VBP	TAL EDI

Client Sample ID: MW-15-60D_112219

Date Collected: 11/22/19 11:45

Date Received: 11/26/19 09:05

Lab Sample ID: 460-197710-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	659860	12/04/19 16:29	SZD	TAL EDI
Total/NA	Analysis	8260C SIM		1	659329	12/01/19 12:46	KLB	TAL EDI

Client Sample ID: MW-15-59D_112219

Date Collected: 11/22/19 14:32

Date Received: 11/26/19 09:05

Lab Sample ID: 460-197710-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	659860	12/04/19 16:53	SZD	TAL EDI
Total/NA	Analysis	8260C SIM		1	659329	12/01/19 13:11	KLB	TAL EDI

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert No.>	12-31-21
Georgia	State	12028 (NJ)	06-30-20
Massachusetts	State	M-NJ312	06-30-20
Massachusetts	State Program	M-NJ312	06-30-20
New Jersey	NELAP	12028	06-30-20
New York	NELAP	11452	04-01-20
Pennsylvania	NELAP	68-00522	02-28-20
Rhode Island	State	LAO00132	12-30-19
USDA	US Federal Programs	P330-18-00135	05-03-21

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI
8260C SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL EDI
5030C	Purge and Trap	SW846	TAL EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On Site

Job ID: 460-197710-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-197710-1	Trip Blank	Water	11/22/19 14:32	11/26/19 09:05	
460-197710-2	MW-15-60D_112219	Water	11/22/19 11:45	11/26/19 09:05	
460-197710-3	MW-15-59D_112219	Water	11/22/19 14:32	11/26/19 09:05	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Chain of Custody Record

MCSIGGAN
190

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

197710
TestAmerica Laboratories, Inc.
COC No:

Regulatory program: DW NPDES RCRA Other

Client Project Manager: **Kris Hinskey** Telephone: 248-994-2240
 Site Contact: **Rachel Bielak** Telephone: 248-946-6331
 Email: kris@hinskey.com
 Email: kristof@arcadis.com

Sampler Name: **HEATHER WOODRUM**
 Method of Shipment/Carrier: **WORLDWIDE**
 Shipping/Tracking No: **30016346.0001B**

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite (Y/N)	Analyses					Sample Specific Notes / Special Instructions							
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl			NaOH	ZnAc	NaOH	Other:	1-1-DCE 8260B		cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	
TRIP BLANK																									1 Trip Blank
MW-15-60D-112219	11/22/19	1145	X																						3 VOA for 8260B 3 VOA for 8260B SIM
MW-15-59D-112219	11/22/19	1432	X																						

460-197710 Chain of Custody

Possible Hazard Identification
 Non-Hazard Flammable Irritant Unknown

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203728
 Level IV Reporting requested.

Relinquished by: **Heather Woodrum** Date/Time: 11/22/19 1530 Company: **ARCADIS**
 Relinquished by: **Heather Woodrum** Date/Time: 11/22/19 1830 Company: **ARCADIS**
 Relinquished by: **Rachel Bielak** Date/Time: 11/25/19 1048 Company: **ARCADIS**
 Relinquished by: **Molly Masten** Date/Time: 11/25/19 09:05 Company: **ETAL-MI**

10/1-3 2-0/3-3 4/3/46
 699638/109 3639/109 3641



Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 460-197710-1

Login Number: 197710

List Number: 1

Creator: Rivera, Kenneth

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	1093638,1093639,1093641
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	False	Refer to Job Narrative for details.
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

