

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-125766-1
Client Project/Site: Ford LTP Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/19/2020 10:17:20 AM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Job ID: 240-125766-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off Site

Report Number: 240-125766-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 2/5/2020 8:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.5° C and 3.0° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-125766-1), MW-76_020320 (240-125766-2), MW-76S_020320 (240-125766-3) and MW-101S_020320 (240-125766-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/06/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-76_020320 (240-125766-2), MW-76S_020320 (240-125766-3) and MW-101S_020320 (240-125766-4) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 02/07/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-125766-1	TRIP BLANK	Water	02/03/20 00:00	02/05/20 08:20	
240-125766-2	MW-76_020320	Water	02/03/20 10:28	02/05/20 08:20	
240-125766-3	MW-76S_020320	Water	02/03/20 13:57	02/05/20 08:20	
240-125766-4	MW-101S_020320	Water	02/03/20 15:42	02/05/20 08:20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-125766-1

No Detections.

Client Sample ID: MW-76_020320

Lab Sample ID: 240-125766-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.2		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	0.24	J	1.0	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: MW-76S_020320

Lab Sample ID: 240-125766-3

No Detections.

Client Sample ID: MW-101S_020320

Lab Sample ID: 240-125766-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-125766-1

Date Collected: 02/03/20 00:00

Matrix: Water

Date Received: 02/05/20 08:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 19:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/06/20 19:11	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/06/20 19:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 19:11	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/06/20 19:11	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/06/20 19:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		75 - 130		02/06/20 19:11	1
4-Bromofluorobenzene (Surr)	74		47 - 134		02/06/20 19:11	1
Toluene-d8 (Surr)	89		69 - 122		02/06/20 19:11	1
Dibromofluoromethane (Surr)	120		78 - 129		02/06/20 19:11	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: MW-76_020320

Lab Sample ID: 240-125766-2

Date Collected: 02/03/20 10:28

Matrix: Water

Date Received: 02/05/20 08:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		02/07/20 17:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		63 - 125		02/07/20 17:16	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		02/06/20 19:35	1
cis-1,2-Dichloroethene	1.2		1.0	0.16	ug/L			02/06/20 19:35	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/06/20 19:35	1
trans-1,2-Dichloroethene	0.24	J	1.0	0.19	ug/L			02/06/20 19:35	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/06/20 19:35	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/06/20 19:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		75 - 130		02/06/20 19:35	1
4-Bromofluorobenzene (Surr)	70		47 - 134		02/06/20 19:35	1
Toluene-d8 (Surr)	93		69 - 122		02/06/20 19:35	1
Dibromofluoromethane (Surr)	121		78 - 129		02/06/20 19:35	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: MW-76S_020320

Lab Sample ID: 240-125766-3

Date Collected: 02/03/20 13:57

Matrix: Water

Date Received: 02/05/20 08:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/07/20 17:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		63 - 125		02/07/20 17:42	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 19:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/06/20 19:59	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/06/20 19:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 19:59	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/06/20 19:59	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/06/20 19:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		75 - 130		02/06/20 19:59	1
4-Bromofluorobenzene (Surr)	68		47 - 134		02/06/20 19:59	1
Toluene-d8 (Surr)	89		69 - 122		02/06/20 19:59	1
Dibromofluoromethane (Surr)	123		78 - 129		02/06/20 19:59	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: MW-101S_020320

Lab Sample ID: 240-125766-4

Date Collected: 02/03/20 15:42

Matrix: Water

Date Received: 02/05/20 08:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/07/20 19:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		63 - 125		02/07/20 19:00	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 20:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/06/20 20:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/06/20 20:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 20:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/06/20 20:22	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/06/20 20:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		75 - 130		02/06/20 20:22	1
4-Bromofluorobenzene (Surr)	66		47 - 134		02/06/20 20:22	1
Toluene-d8 (Surr)	88		69 - 122		02/06/20 20:22	1
Dibromofluoromethane (Surr)	128		78 - 129		02/06/20 20:22	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(75-130)	(47-134)	(69-122)	(78-129)
240-125766-1	TRIP BLANK	111	74	89	120
240-125766-2	MW-76_020320	115	70	93	121
240-125766-3	MW-76S_020320	116	68	89	123
240-125766-3 MS	MW-76S-MS_020320	92	99	101	103
240-125766-3 MSD	MW-76S-MSD_020320	98	90	96	100
240-125766-4	MW-101S_020320	112	66	88	128
LCS 240-421769/4	Lab Control Sample	91	100	104	103
MB 240-421769/7	Method Blank	107	71	91	121

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-125766-2	MW-76_020320	100
240-125766-3	MW-76S_020320	102
240-125766-3 MS	MW-76S-MS_020320	100
240-125766-3 MSD	MW-76S-MSD_020320	106
240-125766-4	MW-101S_020320	99
LCS 240-421906/4	Lab Control Sample	91
MB 240-421906/5	Method Blank	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-421769/7
Matrix: Water
Analysis Batch: 421769

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 14:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/06/20 14:01	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/06/20 14:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/06/20 14:01	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/06/20 14:01	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/06/20 14:01	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 130		02/06/20 14:01	1
4-Bromofluorobenzene (Surr)	71		47 - 134		02/06/20 14:01	1
Toluene-d8 (Surr)	91		69 - 122		02/06/20 14:01	1
Dibromofluoromethane (Surr)	121		78 - 129		02/06/20 14:01	1

Lab Sample ID: LCS 240-421769/4
Matrix: Water
Analysis Batch: 421769

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.5		ug/L		105	73 - 129
cis-1,2-Dichloroethene	10.0	10.9		ug/L		109	75 - 124
Tetrachloroethene	10.0	10.5		ug/L		105	70 - 125
trans-1,2-Dichloroethene	10.0	11.7		ug/L		117	74 - 130
Trichloroethene	10.0	10.4		ug/L		104	71 - 121
Vinyl chloride	10.0	8.36		ug/L		84	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		75 - 130
4-Bromofluorobenzene (Surr)	100		47 - 134
Toluene-d8 (Surr)	104		69 - 122
Dibromofluoromethane (Surr)	103		78 - 129

Lab Sample ID: 240-125766-3 MS
Matrix: Water
Analysis Batch: 421769

Client Sample ID: MW-76S-MS_020320
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.86		ug/L		99	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	68 - 121
Tetrachloroethene	1.0	U	10.0	9.52		ug/L		95	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	10.7		ug/L		107	69 - 126
Trichloroethene	1.0	U	10.0	9.80		ug/L		98	56 - 124
Vinyl chloride	1.0	U	10.0	7.76		ug/L		78	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		75 - 130
4-Bromofluorobenzene (Surr)	99		47 - 134
Toluene-d8 (Surr)	101		69 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-125766-3 MS
Matrix: Water
Analysis Batch: 421769

Client Sample ID: MW-76S-MS_020320
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	103		78 - 129

Lab Sample ID: 240-125766-3 MSD
Matrix: Water
Analysis Batch: 421769

Client Sample ID: MW-76S-MSD_020320
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	64 - 132	3	35
cis-1,2-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	68 - 121	0	35
Tetrachloroethene	1.0	U	10.0	8.55		ug/L		85	52 - 129	11	35
trans-1,2-Dichloroethene	1.0	U	10.0	10.6		ug/L		106	69 - 126	1	35
Trichloroethene	1.0	U	10.0	9.96		ug/L		100	56 - 124	2	35
Vinyl chloride	1.0	U	10.0	7.54		ug/L		75	49 - 136	3	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		75 - 130
4-Bromofluorobenzene (Surr)	90		47 - 134
Toluene-d8 (Surr)	96		69 - 122
Dibromofluoromethane (Surr)	100		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-421906/5
Matrix: Water
Analysis Batch: 421906

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/07/20 11:39	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		63 - 125		02/07/20 11:39	1

Lab Sample ID: LCS 240-421906/4
Matrix: Water
Analysis Batch: 421906

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.2		ug/L		102	59 - 131

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		63 - 125

Lab Sample ID: 240-125766-3 MS
Matrix: Water
Analysis Batch: 421906

Client Sample ID: MW-76S-MS_020320
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	9.58		ug/L		96	52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	100		63 - 125

Lab Sample ID: 240-125766-3 MSD
Matrix: Water
Analysis Batch: 421906

Client Sample ID: MW-76S-MSD_020320
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	9.36		ug/L		94	52 - 129	2	13

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	106		63 - 125



QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

GC/MS VOA

Analysis Batch: 421769

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-125766-1	TRIP BLANK	Total/NA	Water	8260B	
240-125766-2	MW-76_020320	Total/NA	Water	8260B	
240-125766-3	MW-76S_020320	Total/NA	Water	8260B	
240-125766-4	MW-101S_020320	Total/NA	Water	8260B	
MB 240-421769/7	Method Blank	Total/NA	Water	8260B	
LCS 240-421769/4	Lab Control Sample	Total/NA	Water	8260B	
240-125766-3 MS	MW-76S-MS_020320	Total/NA	Water	8260B	
240-125766-3 MSD	MW-76S-MSD_020320	Total/NA	Water	8260B	

Analysis Batch: 421906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-125766-2	MW-76_020320	Total/NA	Water	8260B SIM	
240-125766-3	MW-76S_020320	Total/NA	Water	8260B SIM	
240-125766-4	MW-101S_020320	Total/NA	Water	8260B SIM	
MB 240-421906/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-421906/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-125766-3 MS	MW-76S-MS_020320	Total/NA	Water	8260B SIM	
240-125766-3 MSD	MW-76S-MSD_020320	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Client Sample ID: TRIP BLANK

Date Collected: 02/03/20 00:00

Date Received: 02/05/20 08:20

Lab Sample ID: 240-125766-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	421769	02/06/20 19:11	LRW	TAL CAN

Client Sample ID: MW-76_020320

Date Collected: 02/03/20 10:28

Date Received: 02/05/20 08:20

Lab Sample ID: 240-125766-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	421769	02/06/20 19:35	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	421906	02/07/20 17:16	SAM	TAL CAN

Client Sample ID: MW-76S_020320

Date Collected: 02/03/20 13:57

Date Received: 02/05/20 08:20

Lab Sample ID: 240-125766-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	421769	02/06/20 19:59	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	421906	02/07/20 17:42	SAM	TAL CAN

Client Sample ID: MW-101S_020320

Date Collected: 02/03/20 15:42

Date Received: 02/05/20 08:20

Lab Sample ID: 240-125766-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	421769	02/06/20 20:22	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	421906	02/07/20 19:00	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-125766-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20 *
Connecticut	State	PH-0590	12-31-19 *
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20 *
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20 *
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20 *
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19 *
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other			TestAmerica Laboratories, Inc.													
Company Name: Arcadis			Client Project Manager: Kris Hinskey			Lab Contact: Mike DelMontico													
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240			Telephone: 330-497-9396													
City/State/Zip: Novi, MI, 48377			Email: kris@hinskey@arcadis.com			Site Contact: Julia McClafferty													
Phone: 248-994-2240			Sample Name: H. Woodrum			Analysis Turnaround Time													
Project Name: Ford LTP Off-Site			Method of Shipment/Carrier:			TAT if different from below													
Project Number: 30042006.0402.02			Shipping/Tracking No:			10 day													
PO # 30042006.0402.02						<input type="checkbox"/> 3 weeks													
						<input checked="" type="checkbox"/> 2 weeks													
						<input type="checkbox"/> 1 week													
						<input type="checkbox"/> 2 days													
						<input type="checkbox"/> 1 day													
Sample Identification	Matrix		Containers & Preservatives						Filtered Sample (Y/N)	Composite=C/Grab=G	Analyses						Sample Specific Notes / Special Instructions:		
	Air	Aqueous	Solid	Other:	H2SO4	HNO3	HCl	NaOH			ZnAc/NaOH	Types	Other:	1-1-DCE 8260B	Cr-1,2-DCE 8260B	Trans-1,2-DCE 8260B		PCE 8260B	TCE 8260B
TRIP BLANK												X	X	X	X	X	X	X	1 VOA
MW-76-020320	X					X						X	X	X	X	X	X	X	3 VOA for 8260B 3 VOA for 8260B-5A
MW-76S-020320	X					X						X	X	X	X	X	X	X	18 VOA P&S MS/MSD
MW-76S-MS-020320	X					X						X	X	X	X	X	X	X	9 for 8260B 9 for 8260B-5A
MW-76S-MSD-020320	X					X						X	X	X	X	X	X	X	3 VOA for 8260B 3 VOA for 8260B-5A
MW-101S-020320	X					X						X	X	X	X	X	X	X	



240-125766 Chain of Custody

Retained longer than 1 month
Archive For _____ Months

Possible Hazard Identification
 Non-Hazard Flammable Irritant Poison B Unknown
 Special Instructions/OC Requirements & Comments:

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
 Level IV Reporting requested.

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Matthew Woodrum	Arcadis	2/3/20 1830	Arcadis Cold Storage	Arcadis	2/3/20 1830
RACHEL BIELAK	ARCADIS	2/9/20 1134	Molly Maxlow	ETAL-MI	2/4/20 1136
Molly Maxlow	ETAL-MI	2/4/20 1603	Molly Maxlow	ETAC	2-5-20 820

©2019 TestAmerica Laboratories, Inc. All rights reserved.
 TestAmerica is a registered trademark of TestAmerica Laboratories, Inc.



Eurofins TestAmerica Canton Sample Receipt Form/Narrative				Login # : <u>125766</u>	
Canton Facility					
Client <u>Arcadis</u>		Site Name _____		Cooler unpacked by: <u>[Signature]</u>	
Cooler Received on <u>2-5-20</u>		Opened on <u>2-5-20</u>			
FedEx: 1 st <input checked="" type="radio"/> Exp		UPS FAS Clipper		Client Drop Off TestAmerica Courier Other	
Receipt After-hours: Drop-off Date/Time			Storage Location		
TestAmerica Cooler # <u>111</u>		Foam Box		Client Cooler	
Packing material used: <u>Bubble Wrap</u>		Foam		<u>Plastic Bag</u>	
COOLANT: <u>Wet Ice</u>		Blue Ice		Dry Ice Water None	
1. Cooler temperature upon receipt				<input checked="" type="checkbox"/> See Multiple Cooler Form	
IR GUN# IR-10 (CF +0.7 °C)		Observed Cooler Temp. _____ °C		Corrected Cooler Temp. _____ °C	
IR GUN #IR-11 (CF +0.9 °C)		Observed Cooler Temp. _____ °C		Corrected Cooler Temp. _____ °C	
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>2</u>				Yes No	
-Were the seals on the outside of the cooler(s) signed & dated?				Yes No NA	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?				Yes No	
-Were tamper/custody seals intact and uncompromised?				Yes No NA	
3. Shippers' packing slip attached to the cooler(s)?				Yes No	
4. Did custody papers accompany the sample(s)?				Yes No	
5. Were the custody papers relinquished & signed in the appropriate place?				Yes No	
6. Was/were the person(s) who collected the samples clearly identified on the COC?				Yes No	
7. Did all bottles arrive in good condition (Unbroken)?				Yes No	
8. Could all bottle labels be reconciled with the COC?				Yes No	
9. Were correct bottle(s) used for the test(s) indicated?				Yes No	
10. Sufficient quantity received to perform indicated analyses?				Yes No	
11. Are these work share samples?				Yes No	
If yes, Questions 12-16 have been checked at the originating laboratory.					
12. Were all preserved sample(s) at the correct pH upon receipt?				Yes No <u>NA</u> pH Strip Lot# <u>HC995364</u>	
13. Were VOAs on the COC?				Yes No	
14. Were air bubbles >6 mm in any VOA vials? Larger than this.				Yes <u>No</u> NA	
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>NA</u>				Yes No	
16. Was a LL Hg or Me Hg trip blank present?				Yes No	
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____					
Concerning _____					

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES		Samples processed by: <u>AG</u>
18. SAMPLE CONDITION		
Sample(s) _____ were received after the recommended holding time had expired.		
Sample(s) _____ were received in a broken container.		
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)		
19. SAMPLE PRESERVATION		
Sample(s) _____ were further preserved in the laboratory.		
Time preserved: _____ Preservative(s) added/Lot number(s): _____		
VOA Sample Preservation - Date/Time VOAs Frozen: _____		

