



# Environment Testing TestAmerica

1

2

3

4

5

6

7

8

9

10

11

12

13

14



## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-125756-1  
Client Project/Site: Ford LTP On Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey

Authorized for release by:  
2/19/2020 10:11:25 AM  
Michael DelMonico, Project Manager I  
(330)497-9396  
[michael.delmonico@testamericainc.com](mailto:michael.delmonico@testamericainc.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

Ask  
The  
Expert

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Method Summary . . . . .         | 5  |
| Sample Summary . . . . .         | 6  |
| Detection Summary . . . . .      | 7  |
| Client Sample Results . . . . .  | 8  |
| Surrogate Summary . . . . .      | 9  |
| QC Sample Results . . . . .      | 10 |
| QC Association Summary . . . . . | 11 |
| Lab Chronicle . . . . .          | 12 |
| Certification Summary . . . . .  | 13 |
| Chain of Custody . . . . .       | 14 |

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description  |
|-----------|--|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.   |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| %              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| PQL            | Practical Quantitation Limit  |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

**Job ID: 240-125756-1**

**Laboratory: Eurofins TestAmerica, Canton**

Narrative

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP On Site**

**Report Number: 240-125756-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### RECEIPT

The samples were received on 2/5/2020 8:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.5° C and 3.0° C.

### VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-125756-1), MW-69\_020320 (240-125756-2) and MW-14\_020320 (240-125756-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/06/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-69\_020320 (240-125756-2) and MW-14\_020320 (240-125756-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 02/06/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

| Method    | Method Description                 | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B     | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 5030B     | Purge and Trap                     | SW846    | TAL CAN    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

## Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 240-125756-1  | TRIP BLANK       | Water  | 02/03/20 00:00 | 02/05/20 08:20 |          |
| 240-125756-2  | MW-69_020320     | Water  | 02/03/20 13:20 | 02/05/20 08:20 |          |
| 240-125756-3  | MW-14_020320     | Water  | 02/03/20 15:55 | 02/05/20 08:20 |          |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Eurofins TestAmerica, Canton

## Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

### Client Sample ID: TRIP BLANK

Lab Sample ID: 240-125756-1

No Detections.

### Client Sample ID: MW-69\_020320

Lab Sample ID: 240-125756-2

| Analyte                | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method    | Prep Type |
|------------------------|--------|-----------|-----|------|------|---------|---|-----------|-----------|
| 1,4-Dioxane            | 5.0    |           | 2.0 | 0.86 | ug/L | 1       | - | 8260B SIM | Total/NA  |
| cis-1,2-Dichloroethene | 0.22   | J         | 1.0 | 0.16 | ug/L | 1       | - | 8260B     | Total/NA  |
| Vinyl chloride         | 3.5    |           | 1.0 | 0.20 | ug/L | 1       | - | 8260B     | Total/NA  |

### Client Sample ID: MW-14\_020320

Lab Sample ID: 240-125756-3

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method    | Prep Type |
|-------------|--------|-----------|-----|------|------|---------|---|-----------|-----------|
| 1,4-Dioxane | 0.90   | J         | 2.0 | 0.86 | ug/L | 1       | - | 8260B SIM | Total/NA  |

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-125756-1**

Matrix: Water

Date Collected: 02/03/20 00:00  
Date Received: 02/05/20 08:20

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene           | 1.0              | U                | 1.0           | 0.19 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| cis-1,2-Dichloroethene       | 1.0              | U                | 1.0           | 0.16 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| Tetrachloroethene            | 1.0              | U                | 1.0           | 0.15 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| trans-1,2-Dichloroethene     | 1.0              | U                | 1.0           | 0.19 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| Trichloroethene              | 1.0              | U                | 1.0           | 0.10 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| Vinyl chloride               | 1.0              | U                | 1.0           | 0.20 | ug/L |   |                 | 02/06/20 12:37  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 88               |                  | 75 - 130      |      |      |   |                 | 02/06/20 12:37  | 1              |
| 4-Bromofluorobenzene (Surr)  | 73               |                  | 47 - 134      |      |      |   |                 | 02/06/20 12:37  | 1              |
| Toluene-d8 (Surr)            | 82               |                  | 69 - 122      |      |      |   |                 | 02/06/20 12:37  | 1              |
| Dibromofluoromethane (Surr)  | 84               |                  | 78 - 129      |      |      |   |                 | 02/06/20 12:37  | 1              |

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

**Client Sample ID: MW-69\_020320**

**Lab Sample ID: 240-125756-2**

Matrix: Water

Date Collected: 02/03/20 13:20  
Date Received: 02/05/20 08:20

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 5.0       |           | 2.0      | 0.86 | ug/L |   |          | 02/06/20 19:13 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 97        |           | 63 - 125 |      |      |   |          | 02/06/20 19:13 | 1       |

## Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/06/20 12:59 | 1       |
| cis-1,2-Dichloroethene       | 0.22      | J         | 1.0      | 0.16 | ug/L |   |          | 02/06/20 12:59 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.15 | ug/L |   |          | 02/06/20 12:59 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/06/20 12:59 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.10 | ug/L |   |          | 02/06/20 12:59 | 1       |
| Vinyl chloride               | 3.5       |           | 1.0      | 0.20 | ug/L |   |          | 02/06/20 12:59 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 91        |           | 75 - 130 |      |      |   |          | 02/06/20 12:59 | 1       |
| 4-Bromofluorobenzene (Surr)  | 73        |           | 47 - 134 |      |      |   |          | 02/06/20 12:59 | 1       |
| Toluene-d8 (Surr)            | 82        |           | 69 - 122 |      |      |   |          | 02/06/20 12:59 | 1       |
| Dibromofluoromethane (Surr)  | 84        |           | 78 - 129 |      |      |   |          | 02/06/20 12:59 | 1       |

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

**Client Sample ID: MW-14\_020320**

**Lab Sample ID: 240-125756-3**

Matrix: Water

Date Collected: 02/03/20 15:55  
Date Received: 02/05/20 08:20

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 0.90      | J         | 2.0      | 0.86 | ug/L |   |          | 02/06/20 19:39 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 98        |           | 63 - 125 |      |      |   |          | 02/06/20 19:39 | 1       |

## Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/06/20 13:21 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.16 | ug/L |   |          | 02/06/20 13:21 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.15 | ug/L |   |          | 02/06/20 13:21 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.19 | ug/L |   |          | 02/06/20 13:21 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.10 | ug/L |   |          | 02/06/20 13:21 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.20 | ug/L |   |          | 02/06/20 13:21 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 88        |           | 75 - 130 |      |      |   |          | 02/06/20 13:21 | 1       |
| 4-Bromofluorobenzene (Surr)  | 72        |           | 47 - 134 |      |      |   |          | 02/06/20 13:21 | 1       |
| Toluene-d8 (Surr)            | 82        |           | 69 - 122 |      |      |   |          | 02/06/20 13:21 | 1       |
| Dibromofluoromethane (Surr)  | 82        |           | 78 - 129 |      |      |   |          | 02/06/20 13:21 | 1       |

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID    | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                  |
|------------------|--------------------|--|-----------------|-----------------|------------------|
|                  |                    | DCA<br>(75-130)                                | BFB<br>(47-134) | TOL<br>(69-122) | DBFM<br>(78-129) |
| 240-125756-1     | TRIP BLANK         | 88   | 73              | 82              | 84               |
| 240-125756-2     | MW-69_020320       | 91   | 73              | 82              | 84               |
| 240-125756-2 MS  | MW-69_020320       | 88   | 76              | 83              | 85               |
| 240-125756-2 MSD | MW-69_020320       | 88   | 74              | 83              | 88               |
| 240-125756-3     | MW-14_020320       | 88   | 72              | 82              | 82               |
| LCS 240-421752/4 | Lab Control Sample | 84   | 76              | 81              | 90               |
| MB 240-421752/7  | Method Blank       | 88   | 74              | 83              | 84               |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |  |
|--------------------|------------------------|--|--|
|                    |                        | DCA<br>(63-125)                                |  |
| 240-125683-C-2 MS  | Matrix Spike           | 100  |  |
| 240-125683-C-2 MSD | Matrix Spike Duplicate | 98   |  |
| 240-125756-2       | MW-69_020320           | 97   |  |
| 240-125756-3       | MW-14_020320           | 98   |  |
| LCS 240-421767/4   | Lab Control Sample     | 97   |  |
| MB 240-421767/5    | Method Blank           | 98   |  |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID:** MB 240-421752/7

**Matrix:** Water

**Analysis Batch:** 421752

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

| Analyte                  | MB     | MB        | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|                          | Result | Qualifier |     |      |      |   |          |                |         |
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/06/20 12:15 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.16 | ug/L |   |          | 02/06/20 12:15 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.15 | ug/L |   |          | 02/06/20 12:15 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.19 | ug/L |   |          | 02/06/20 12:15 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.10 | ug/L |   |          | 02/06/20 12:15 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.20 | ug/L |   |          | 02/06/20 12:15 | 1       |

| Surrogate                    | MB     | MB        | %Recovery | Qualifier | Limits | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------|-----------|-----------|-----------|--------|----------|----------------|---------|
|                              | Result | Qualifier |           |           |        |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 88     |           | 75 - 130  |           |        |          | 02/06/20 12:15 | 1       |
| 4-Bromofluorobenzene (Surr)  | 74     |           | 47 - 134  |           |        |          | 02/06/20 12:15 | 1       |
| Toluene-d8 (Surr)            | 83     |           | 69 - 122  |           |        |          | 02/06/20 12:15 | 1       |
| Dibromofluoromethane (Surr)  | 84     |           | 78 - 129  |           |        |          | 02/06/20 12:15 | 1       |

**Lab Sample ID:** LCS 240-421752/4

**Matrix:** Water

**Analysis Batch:** 421752

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

| Analyte                  | Spike | LCS    | LCS       | Unit | D | %Rec. | Limits   |
|--------------------------|-------|--------|-----------|------|---|-------|----------|
|                          | Added | Result | Qualifier |      |   |       |          |
| 1,1-Dichloroethene       | 10.0  | 11.1   |           | ug/L |   | 111   | 73 - 129 |
| cis-1,2-Dichloroethene   | 10.0  | 11.1   |           | ug/L |   | 111   | 75 - 124 |
| Tetrachloroethene        | 10.0  | 10.4   |           | ug/L |   | 104   | 70 - 125 |
| trans-1,2-Dichloroethene | 10.0  | 10.7   |           | ug/L |   | 107   | 74 - 130 |
| Trichloroethene          | 10.0  | 10.8   |           | ug/L |   | 108   | 71 - 121 |
| Vinyl chloride           | 10.0  | 9.53   |           | ug/L |   | 95    | 61 - 134 |

| Surrogate                    | LCS    | LCS       | %Recovery | Qualifier | Limits |
|------------------------------|--------|-----------|-----------|-----------|--------|
|                              | Result | Qualifier |           |           |        |
| 1,2-Dichloroethane-d4 (Surr) | 84     |           | 75 - 130  |           |        |
| 4-Bromofluorobenzene (Surr)  | 76     |           | 47 - 134  |           |        |
| Toluene-d8 (Surr)            | 81     |           | 69 - 122  |           |        |
| Dibromofluoromethane (Surr)  | 90     |           | 78 - 129  |           |        |

**Lab Sample ID:** 240-125756-2 MS

**Matrix:** Water

**Analysis Batch:** 421752

**Client Sample ID:** MW-69\_020320  
**Prep Type:** Total/NA

| Analyte                  | Sample | Sample    | Spike | MS     | MS        | Unit | D | %Rec. | Limits   |
|--------------------------|--------|-----------|-------|--------|-----------|------|---|-------|----------|
|                          | Result | Qualifier | Added | Result | Qualifier |      |   |       |          |
| 1,1-Dichloroethene       | 1.0    | U         | 10.0  | 8.34   |           | ug/L |   | 83    | 64 - 132 |
| cis-1,2-Dichloroethene   | 0.22   | J         | 10.0  | 9.11   |           | ug/L |   | 89    | 68 - 121 |
| Tetrachloroethene        | 1.0    | U         | 10.0  | 7.60   |           | ug/L |   | 76    | 52 - 129 |
| trans-1,2-Dichloroethene | 1.0    | U         | 10.0  | 8.04   |           | ug/L |   | 80    | 69 - 126 |
| Trichloroethene          | 1.0    | U         | 10.0  | 8.32   |           | ug/L |   | 83    | 56 - 124 |
| Vinyl chloride           | 3.5    |           | 10.0  | 11.4   |           | ug/L |   | 79    | 49 - 136 |

| Surrogate                    | MS     | MS        | %Recovery | Qualifier | Limits |
|------------------------------|--------|-----------|-----------|-----------|--------|
|                              | Result | Qualifier |           |           |        |
| 1,2-Dichloroethane-d4 (Surr) | 88     |           | 75 - 130  |           |        |
| 4-Bromofluorobenzene (Surr)  | 76     |           | 47 - 134  |           |        |
| Toluene-d8 (Surr)            | 83     |           | 69 - 122  |           |        |

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID:** 240-125756-2 MS

**Matrix:** Water

**Analysis Batch:** 421752

**Client Sample ID:** MW-69\_020320  
**Prep Type:** Total/NA

**Surrogate** **MS** **MS**

| Surrogate                   | %Recovery | Qualifier | Limits   |
|-----------------------------|-----------|-----------|----------|
| Dibromofluoromethane (Surr) | 85        |           | 78 - 129 |

**Lab Sample ID:** 240-125756-2 MSD

**Matrix:** Water

**Analysis Batch:** 421752

**Client Sample ID:** MW-69\_020320  
**Prep Type:** Total/NA

| Analyte                  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D  | %Rec.    | RPD | Limit |
|--------------------------|---------------|------------------|-------------|------------|---------------|------|----|----------|-----|-------|
| 1,1-Dichloroethene       | 1.0           | U                | 10.0        | 8.73       |               | ug/L | 87 | 64 - 132 | 4   | 35    |
| cis-1,2-Dichloroethene   | 0.22          | J                | 10.0        | 9.36       |               | ug/L | 91 | 68 - 121 | 3   | 35    |
| Tetrachloroethene        | 1.0           | U                | 10.0        | 8.15       |               | ug/L | 81 | 52 - 129 | 7   | 35    |
| trans-1,2-Dichloroethene | 1.0           | U                | 10.0        | 8.70       |               | ug/L | 87 | 69 - 126 | 8   | 35    |
| Trichloroethene          | 1.0           | U                | 10.0        | 8.63       |               | ug/L | 86 | 56 - 124 | 4   | 35    |
| Vinyl chloride           | 3.5           |                  | 10.0        | 12.1       |               | ug/L | 86 | 49 - 136 | 6   | 35    |

**Surrogate** **MSD** **MSD**

| Surrogate                    | %Recovery | Qualifier | Limits   |
|------------------------------|-----------|-----------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 88        |           | 75 - 130 |
| 4-Bromofluorobenzene (Surr)  | 74        |           | 47 - 134 |
| Toluene-d8 (Surr)            | 83        |           | 69 - 122 |
| Dibromofluoromethane (Surr)  | 88        |           | 78 - 129 |

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID:** MB 240-421767/5

**Matrix:** Water

**Analysis Batch:** 421767

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

| Analyte                      | MB Result    | MB Qualifier | RL       | MDL  | Unit | D  | Prepared       | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|------|------|----|----------------|----------|---------|
| 1,4-Dioxane                  | 2.0          | U            | 2.0      | 0.86 | ug/L | 87 | 02/06/20 12:43 |          | 1       |
| Surrogate                    | MB %Recovery | MB Qualifier | Limits   |      |      |    | Prepared       | Analyzed | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 98           |              | 63 - 125 |      |      |    | 02/06/20 12:43 |          | 1       |

**Lab Sample ID:** LCS 240-421767/4

**Matrix:** Water

**Analysis Batch:** 421767

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

| Analyte                      | Spike Added  | LCS Result   | LCS Qualifier | Unit | D   | %Rec. | Limit    |
|------------------------------|--------------|--------------|---------------|------|-----|-------|----------|
| 1,4-Dioxane                  | 10.0         | 10.5         |               | ug/L | 105 | 105   | 59 - 131 |
| Surrogate                    | MB %Recovery | MB Qualifier | Limits        |      |     |       |          |
| 1,2-Dichloroethane-d4 (Surr) | 97           |              | 63 - 125      |      |     |       |          |

**Lab Sample ID:** 240-125683-C-2 MS

**Matrix:** Water

**Analysis Batch:** 421767

**Client Sample ID:** Matrix Spike  
**Prep Type:** Total/NA

| Analyte     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D   | %Rec. | Limit    |
|-------------|---------------|------------------|-------------|-----------|--------------|------|-----|-------|----------|
| 1,4-Dioxane | 2.0           | U                | 10.0        | 10.2      |              | ug/L | 102 | 102   | 52 - 129 |

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

| Surrogate                         | MS<br>%Recovery | MS<br>Qualifier | Limits   |
|-----------------------------------|-----------------|-----------------|----------|
| 1,2-Dichloroethane-d4 (Surrogate) | 100             |                 | 63 - 125 |

Lab Sample ID: 240-125683-C-2 MSD

Matrix: Water

Analysis Batch: 421767

Client Sample ID: Matrix Spike Duplicate  
Prep Type: Total/NA

| Analyte     | Sample<br>Result | Sample<br>Qualifier | Spike<br>Added | MSD<br>Result | MSD<br>Qualifier | Unit | D   | %Rec.    | RPD | RPD | Limit |
|-------------|------------------|---------------------|----------------|---------------|------------------|------|-----|----------|-----|-----|-------|
| 1,4-Dioxane | 2.0              | U                   | 10.0           | 10.7          |                  | ug/L | 107 | 52 - 129 | 5   |     | 13    |

| Surrogate                         | MSD<br>%Recovery | MSD<br>Qualifier | Limits   |
|-----------------------------------|------------------|------------------|----------|
| 1,2-Dichloroethane-d4 (Surrogate) | 98               |                  | 63 - 125 |

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## GC/MS VOA

### Analysis Batch: 421752

| Lab Sample ID    | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 240-125756-1     | TRIP BLANK         | Total/NA  | Water  | 8260B  |            |
| 240-125756-2     | MW-69_020320       | Total/NA  | Water  | 8260B  |            |
| 240-125756-3     | MW-14_020320       | Total/NA  | Water  | 8260B  |            |
| MB 240-421752/7  | Method Blank       | Total/NA  | Water  | 8260B  |            |
| LCS 240-421752/4 | Lab Control Sample | Total/NA  | Water  | 8260B  |            |
| 240-125756-2 MS  | MW-69_020320       | Total/NA  | Water  | 8260B  |            |
| 240-125756-2 MSD | MW-69_020320       | Total/NA  | Water  | 8260B  |            |

### Analysis Batch: 421767

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-125756-2       | MW-69_020320           | Total/NA  | Water  | 8260B SIM |            |
| 240-125756-3       | MW-14_020320           | Total/NA  | Water  | 8260B SIM |            |
| MB 240-421767/5    | Method Blank           | Total/NA  | Water  | 8260B SIM |            |
| LCS 240-421767/4   | Lab Control Sample     | Total/NA  | Water  | 8260B SIM |            |
| 240-125683-C-2 MS  | Matrix Spike           | Total/NA  | Water  | 8260B SIM |            |
| 240-125683-C-2 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B SIM |            |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Client Sample ID: TRIP BLANK

Date Collected: 02/03/20 00:00  
Date Received: 02/05/20 08:20

## Lab Sample ID: 240-125756-1

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 421752       | 02/06/20 12:37       | LEE     | TAL CAN |

## Client Sample ID: MW-69\_020320

Date Collected: 02/03/20 13:20  
Date Received: 02/05/20 08:20

## Lab Sample ID: 240-125756-2

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 421752       | 02/06/20 12:59       | LEE     | TAL CAN |
| Total/NA  | Analysis   | 8260B SIM    |     | 1               | 421767       | 02/06/20 19:13       | SAM     | TAL CAN |

## Client Sample ID: MW-14\_020320

Date Collected: 02/03/20 15:55  
Date Received: 02/05/20 08:20

## Lab Sample ID: 240-125756-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 421752       | 02/06/20 13:21       | LEE     | TAL CAN |
| Total/NA  | Analysis   | 8260B SIM    |     | 1               | 421767       | 02/06/20 19:39       | SAM     | TAL CAN |

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP On Site

Job ID: 240-125756-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority             | Program             | Identification Number | Expiration Date |
|-----------------------|---------------------|-----------------------|-----------------|
| California            | State               | 2927                  | 02-23-20 *      |
| Connecticut           | State               | PH-0590               | 12-31-19 *      |
| Florida               | NELAP               | E87225                | 06-30-20        |
| Georgia               | State               | 4062                  | 02-23-20 *      |
| Illinois              | NELAP               | 004498                | 07-31-20        |
| Iowa                  | State               | 421                   | 06-01-21        |
| Kansas                | NELAP               | E-10336               | 04-30-20        |
| Kentucky (UST)        | State               | 112225                | 02-23-20 *      |
| Kentucky (WW)         | State               | KY98016               | 12-31-20        |
| Minnesota             | NELAP               | OH00048               | 12-31-20        |
| Minnesota (Petrofund) | State               | 3506                  | 08-01-21        |
| New Jersey            | NELAP               | OH001                 | 06-30-20        |
| New York              | NELAP               | 10975                 | 03-31-20        |
| Ohio VAP              | State               | CL0024                | 06-05-21        |
| Oregon                | NELAP               | 4062                  | 02-23-20 *      |
| Pennsylvania          | NELAP               | 68-00340              | 08-31-20        |
| Texas                 | NELAP               | T104704517-18-10      | 08-31-20        |
| USDA                  | US Federal Programs | P330-16-00404         | 12-28-19 *      |
| Virginia              | NELAP               | 010101                | 09-14-20        |
| Washington            | State               | C971                  | 01-12-21        |
| West Virginia DEP     | State               | 210                   | 12-31-20        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton


### Chain of Custody Record

**TestAmerica Laboratory location:** Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

## Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : 125 756

## Canton Facility

|   |                         |   |
|---|-------------------------|---|
| Client <u>Arcadis</u>   | Site Name _____         | Cooler unpacked by:  |
| Cooler Received on <u>2-5-20</u>  | Opened on <u>2-5-20</u> |   |
| FedEx: 1 <sup>st</sup> <input checked="" type="checkbox"/> Grd <input type="checkbox"/> Exp UPS FAS Clipper | Client Drop Off         | TestAmerica Courier Other   |

## Receipt After-hours: Drop-off Date/Time

## Storage Location

|   |          |                    |       |             |
|---|----------|--------------------|-------|-------------|
| TestAmerica Cooler # <u>11</u>            | Foam Box | Client Cooler      | Box   | Other _____ |
| Packing material used: <u>Bubble Wrap</u> | Foam     | <u>Plastic Bag</u> | None  | Other _____ |
| COOLANT: <u>Wet Ice</u>                   | Blue Ice | Dry Ice            | Water | None        |

1. Cooler temperature upon receipt  
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. \_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_ °C  
 IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. \_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated?  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  
 -Were tamper/custody seals intact and uncompromised?  
 3. Shippers' packing slip attached to the cooler(s)?  
 4. Did custody papers accompany the sample(s)?  
 5. Were the custody papers relinquished & signed in the appropriate place?  
 6. Was/were the person(s) who collected the samples clearly identified on the COC?  
 7. Did all bottles arrive in good condition (Unbroken)?  
 8. Could all bottle labels be reconciled with the COC?  
 9. Were correct bottle(s) used for the test(s) indicated?  
 10. Sufficient quantity received to perform indicated analyses?

11. Are these work share samples?

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt?  
 13. Were VOAs on the COC?  
 14. Were air bubbles >6 mm in any VOA vials?  Larger than this.  
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA  
 16. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

Tests that are not checked for pH by Receiving:

VOAs  
Oil and Grease  
TOC

## 17. CHAIN OF CUSTODY &amp; SAMPLE DISCREPANCIES

Samples processed by: 

## 18. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

## 19. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Login #: 125756

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

See Temperature Excursion Form