

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-144710-1  
Client Project/Site: Ford LTP - On Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
3/8/2021 11:01:34 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	15
QC Sample Results . . . . .	16
QC Association Summary . . . . .	21
Lab Chronicle . . . . .	22
Certification Summary . . . . .	24
Chain of Custody . . . . .	25



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

---

## Job ID: 240-144710-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-144710-1

### Comments

No additional comments.

### Receipt

The samples were received on 2/20/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.7° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-144710-1	TRIP BLANK	Water	02/18/21 00:00	02/20/21 08:00	
240-144710-2	MW-39_021821	Water	02/18/21 10:30	02/20/21 08:00	
240-144710-3	MW-218S_021821	Water	02/18/21 12:10	02/20/21 08:00	
240-144710-4	MW-32_021821	Water	02/18/21 13:45	02/20/21 08:00	
240-144710-5	MW-46_021821	Water	02/18/21 15:20	02/20/21 08:00	
240-144710-6	MW-68_021821	Water	02/18/21 16:45	02/20/21 08:00	
240-144710-7	MW-47_021821	Water	02/18/21 17:36	02/20/21 08:00	

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-144710-1

No Detections.

## Client Sample ID: MW-39\_021821

Lab Sample ID: 240-144710-2

No Detections.

## Client Sample ID: MW-218S\_021821

Lab Sample ID: 240-144710-3

No Detections.

## Client Sample ID: MW-32\_021821

Lab Sample ID: 240-144710-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.44	J	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-46\_021821

Lab Sample ID: 240-144710-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.2		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	0.64	J	1.0	0.19	ug/L	1		8260B	Total/NA
Vinyl chloride	14		1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-68\_021821

Lab Sample ID: 240-144710-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	34		2.0	0.32	ug/L	2		8260B	Total/NA
trans-1,2-Dichloroethene	4.5		2.0	0.38	ug/L	2		8260B	Total/NA
Vinyl chloride	3.0		2.0	0.40	ug/L	2		8260B	Total/NA

## Client Sample ID: MW-47\_021821

Lab Sample ID: 240-144710-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	9.6		4.0	0.64	ug/L	4		8260B	Total/NA
trans-1,2-Dichloroethene	2.3	J	4.0	0.76	ug/L	4		8260B	Total/NA
Vinyl chloride	110		4.0	0.80	ug/L	4		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-144710-1**

**Date Collected: 02/18/21 00:00**

**Matrix: Water**

**Date Received: 02/20/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 21:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/21 21:37	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 21:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 21:37	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 21:37	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/21 21:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		75 - 130		02/26/21 21:37	1
4-Bromofluorobenzene (Surr)	66		47 - 134		02/26/21 21:37	1
Toluene-d8 (Surr)	80		69 - 122		02/26/21 21:37	1
Dibromofluoromethane (Surr)	114		78 - 129		02/26/21 21:37	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-39\_021821**

**Lab Sample ID: 240-144710-2**

**Date Collected: 02/18/21 10:30**

**Matrix: Water**

**Date Received: 02/20/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 20:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		70 - 133		02/26/21 20:28	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/21 22:01	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 22:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:01	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 22:01	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/21 22:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		75 - 130		02/26/21 22:01	1
4-Bromofluorobenzene (Surr)	65		47 - 134		02/26/21 22:01	1
Toluene-d8 (Surr)	81		69 - 122		02/26/21 22:01	1
Dibromofluoromethane (Surr)	113		78 - 129		02/26/21 22:01	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-218S\_021821**

**Lab Sample ID: 240-144710-3**

**Date Collected: 02/18/21 12:10**

**Matrix: Water**

**Date Received: 02/20/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 11:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		70 - 133		02/26/21 11:42	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/21 22:25	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 22:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:25	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 22:25	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/21 22:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		75 - 130		02/26/21 22:25	1
4-Bromofluorobenzene (Surr)	64		47 - 134		02/26/21 22:25	1
Toluene-d8 (Surr)	79		69 - 122		02/26/21 22:25	1
Dibromofluoromethane (Surr)	111		78 - 129		02/26/21 22:25	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-32\_021821**

**Lab Sample ID: 240-144710-4**

Date Collected: 02/18/21 13:45

Matrix: Water

Date Received: 02/20/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 12:07	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	86		70 - 133					02/26/21 12:07	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:48	1
<b>cis-1,2-Dichloroethene</b>	<b>0.44</b>	<b>J</b>	1.0	0.16	ug/L			02/26/21 22:48	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 22:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 22:48	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 22:48	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/21 22:48	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		75 - 130					02/26/21 22:48	1
4-Bromofluorobenzene (Surr)	66		47 - 134					02/26/21 22:48	1
Toluene-d8 (Surr)	81		69 - 122					02/26/21 22:48	1
Dibromofluoromethane (Surr)	114		78 - 129					02/26/21 22:48	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-46\_021821**

**Lab Sample ID: 240-144710-5**

Date Collected: 02/18/21 15:20

Matrix: Water

Date Received: 02/20/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 12:32	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	85		70 - 133					02/26/21 12:32	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 23:12	1
<b>cis-1,2-Dichloroethene</b>	<b>4.2</b>		1.0	0.16	ug/L			02/26/21 23:12	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 23:12	1
<b>trans-1,2-Dichloroethene</b>	<b>0.64</b>	<b>J</b>	1.0	0.19	ug/L			02/26/21 23:12	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 23:12	1
<b>Vinyl chloride</b>	<b>14</b>		1.0	0.20	ug/L			02/26/21 23:12	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	114		75 - 130					02/26/21 23:12	1
4-Bromofluorobenzene (Surr)	64		47 - 134					02/26/21 23:12	1
Toluene-d8 (Surr)	81		69 - 122					02/26/21 23:12	1
Dibromofluoromethane (Surr)	111		78 - 129					02/26/21 23:12	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-68\_021821**

**Lab Sample ID: 240-144710-6**

Date Collected: 02/18/21 16:45

Matrix: Water

Date Received: 02/20/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 12:57	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	86		70 - 133					02/26/21 12:57	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	2.0	U	2.0	0.38	ug/L			03/01/21 16:15	2
<b>cis-1,2-Dichloroethene</b>	<b>34</b>		2.0	0.32	ug/L			03/01/21 16:15	2
Tetrachloroethene	2.0	U	2.0	0.30	ug/L			03/01/21 16:15	2
<b>trans-1,2-Dichloroethene</b>	<b>4.5</b>		2.0	0.38	ug/L			03/01/21 16:15	2
Trichloroethene	2.0	U	2.0	0.20	ug/L			03/01/21 16:15	2
<b>Vinyl chloride</b>	<b>3.0</b>		2.0	0.40	ug/L			03/01/21 16:15	2
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	105		75 - 130					03/01/21 16:15	2
4-Bromofluorobenzene (Surr)	69		47 - 134					03/01/21 16:15	2
Toluene-d8 (Surr)	85		69 - 122					03/01/21 16:15	2
Dibromofluoromethane (Surr)	108		78 - 129					03/01/21 16:15	2

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-47\_021821**

**Lab Sample ID: 240-144710-7**

Date Collected: 02/18/21 17:36

Matrix: Water

Date Received: 02/20/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 13:22	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	90		70 - 133					02/26/21 13:22	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	4.0	U	4.0	0.76	ug/L			03/01/21 16:38	4
<b>cis-1,2-Dichloroethene</b>	<b>9.6</b>		4.0	0.64	ug/L			03/01/21 16:38	4
Tetrachloroethene	4.0	U	4.0	0.60	ug/L			03/01/21 16:38	4
<b>trans-1,2-Dichloroethene</b>	<b>2.3 J</b>		4.0	0.76	ug/L			03/01/21 16:38	4
Trichloroethene	4.0	U	4.0	0.40	ug/L			03/01/21 16:38	4
<b>Vinyl chloride</b>	<b>110</b>		4.0	0.80	ug/L			03/01/21 16:38	4
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		75 - 130					03/01/21 16:38	4
4-Bromofluorobenzene (Surr)	66		47 - 134					03/01/21 16:38	4
Toluene-d8 (Surr)	79		69 - 122					03/01/21 16:38	4
Dibromofluoromethane (Surr)	112		78 - 129					03/01/21 16:38	4

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-144710-1	TRIP BLANK	114	66	80	114
240-144710-2	MW-39_021821	118	65	81	113
240-144710-3	MW-218S_021821	115	64	79	111
240-144710-4	MW-32_021821	112	66	81	114
240-144710-5	MW-46_021821	114	64	81	111
240-144710-5 MS	MW-46_021821	94	91	94	96
240-144710-5 MSD	MW-46_021821	93	89	87	89
240-144710-6	MW-68_021821	105	69	85	108
240-144710-7	MW-47_021821	112	66	79	112
240-144807-G-4 MS	Matrix Spike	92	91	89	96
240-144807-H-4 MSD	Matrix Spike Duplicate	86	91	88	90
LCS 240-474676/4	Lab Control Sample	87	93	92	89
LCS 240-474892/4	Lab Control Sample	88	89	89	89
MB 240-474676/7	Method Blank	104	68	83	102
MB 240-474892/7	Method Blank	104	70	82	110

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (70-133)
240-144710-2	MW-39_021821	81
240-144710-3	MW-218S_021821	83
240-144710-4	MW-32_021821	86
240-144710-5	MW-46_021821	85
240-144710-6	MW-68_021821	86
240-144710-7	MW-47_021821	90
240-144711-O-2 MS	Matrix Spike	85
240-144711-O-2 MSD	Matrix Spike Duplicate	86
240-144712-L-3 MS	Matrix Spike	80
240-144712-L-3 MSD	Matrix Spike Duplicate	81
LCS 240-474631/4	Lab Control Sample	82
LCS 240-474632/4	Lab Control Sample	80
MB 240-474631/5	Method Blank	80
MB 240-474632/5	Method Blank	80

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-474676/7**  
**Matrix: Water**  
**Analysis Batch: 474676**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 15:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/26/21 15:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/26/21 15:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/26/21 15:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/26/21 15:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/26/21 15:39	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		75 - 130		02/26/21 15:39	1
4-Bromofluorobenzene (Surr)	68		47 - 134		02/26/21 15:39	1
Toluene-d8 (Surr)	83		69 - 122		02/26/21 15:39	1
Dibromofluoromethane (Surr)	102		78 - 129		02/26/21 15:39	1

**Lab Sample ID: LCS 240-474676/4**  
**Matrix: Water**  
**Analysis Batch: 474676**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	10.0	9.15		ug/L		91	75 - 124
Tetrachloroethene	10.0	12.0		ug/L		120	70 - 125
trans-1,2-Dichloroethene	10.0	10.1		ug/L		101	74 - 130
Trichloroethene	10.0	9.71		ug/L		97	71 - 121
Vinyl chloride	10.0	8.29		ug/L		83	61 - 134

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	87		75 - 130
4-Bromofluorobenzene (Surr)	93		47 - 134
Toluene-d8 (Surr)	92		69 - 122
Dibromofluoromethane (Surr)	89		78 - 129

**Lab Sample ID: 240-144710-5 MS**  
**Matrix: Water**  
**Analysis Batch: 474676**

**Client Sample ID: MW-46\_021821**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	10.0	8.98		ug/L		90	64 - 132
cis-1,2-Dichloroethene	4.2		10.0	13.3		ug/L		91	68 - 121
Tetrachloroethene	1.0	U	10.0	10.6		ug/L		106	52 - 129
trans-1,2-Dichloroethene	0.64	J	10.0	10.4		ug/L		98	69 - 126
Trichloroethene	1.0	U	10.0	9.13		ug/L		91	56 - 124
Vinyl chloride	14		10.0	20.4		ug/L		69	49 - 136

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		75 - 130
4-Bromofluorobenzene (Surr)	91		47 - 134
Toluene-d8 (Surr)	94		69 - 122



# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-144710-5 MS**  
**Matrix: Water**  
**Analysis Batch: 474676**

**Client Sample ID: MW-46\_021821**  
**Prep Type: Total/NA**

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	96		78 - 129

**Lab Sample ID: 240-144710-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 474676**

**Client Sample ID: MW-46\_021821**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,1-Dichloroethene	1.0	U	10.0	9.48		ug/L		95	64 - 132	5	35
cis-1,2-Dichloroethene	4.2		10.0	12.9		ug/L		87	68 - 121	3	35
Tetrachloroethene	1.0	U	10.0	10.9		ug/L		109	52 - 129	2	35
trans-1,2-Dichloroethene	0.64	J	10.0	10.3		ug/L		96	69 - 126	1	35
Trichloroethene	1.0	U	10.0	9.48		ug/L		95	56 - 124	4	35
Vinyl chloride	14		10.0	20.5		ug/L		70	49 - 136	1	35

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	93		75 - 130
<i>4-Bromofluorobenzene (Surr)</i>	89		47 - 134
<i>Toluene-d8 (Surr)</i>	87		69 - 122
<i>Dibromofluoromethane (Surr)</i>	89		78 - 129

**Lab Sample ID: MB 240-474892/7**  
**Matrix: Water**  
**Analysis Batch: 474892**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>MB Result</i>	<i>MB Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			03/01/21 15:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			03/01/21 15:51	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			03/01/21 15:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			03/01/21 15:51	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			03/01/21 15:51	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			03/01/21 15:51	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	104		75 - 130		03/01/21 15:51	1
<i>4-Bromofluorobenzene (Surr)</i>	70		47 - 134		03/01/21 15:51	1
<i>Toluene-d8 (Surr)</i>	82		69 - 122		03/01/21 15:51	1
<i>Dibromofluoromethane (Surr)</i>	110		78 - 129		03/01/21 15:51	1

**Lab Sample ID: LCS 240-474892/4**  
**Matrix: Water**  
**Analysis Batch: 474892**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
1,1-Dichloroethene	10.0	9.84		ug/L		98	73 - 129
cis-1,2-Dichloroethene	10.0	9.22		ug/L		92	75 - 124
Tetrachloroethene	10.0	10.9		ug/L		109	70 - 125
trans-1,2-Dichloroethene	10.0	9.78		ug/L		98	74 - 130
Trichloroethene	10.0	9.30		ug/L		93	71 - 121

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-474892/4**  
**Matrix: Water**  
**Analysis Batch: 474892**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Vinyl chloride	10.0	9.80		ug/L		98	61 - 134
<b>Surrogate</b>							
	<b>LCS %Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	88		75 - 130				
4-Bromofluorobenzene (Surr)	89		47 - 134				
Toluene-d8 (Surr)	89		69 - 122				
Dibromofluoromethane (Surr)	89		78 - 129				

**Lab Sample ID: 240-144807-G-4 MS**  
**Matrix: Water**  
**Analysis Batch: 474892**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.25		ug/L		93	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	9.38		ug/L		94	68 - 121
Tetrachloroethene	1.0	U	10.0	11.7		ug/L		117	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	9.98		ug/L		100	69 - 126
Trichloroethene	1.0	U	10.0	9.60		ug/L		96	56 - 124
Vinyl chloride	1.0	U	10.0	10.4		ug/L		104	49 - 136
<b>Surrogate</b>									
	<b>MS %Recovery</b>	<b>MS Qualifier</b>	<b>Limits</b>						
1,2-Dichloroethane-d4 (Surr)	92		75 - 130						
4-Bromofluorobenzene (Surr)	91		47 - 134						
Toluene-d8 (Surr)	89		69 - 122						
Dibromofluoromethane (Surr)	96		78 - 129						

**Lab Sample ID: 240-144807-H-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 474892**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.00		ug/L		90	64 - 132	3	35
cis-1,2-Dichloroethene	1.0	U	10.0	8.99		ug/L		90	68 - 121	4	35
Tetrachloroethene	1.0	U	10.0	11.0		ug/L		110	52 - 129	6	35
trans-1,2-Dichloroethene	1.0	U	10.0	9.43		ug/L		94	69 - 126	6	35
Trichloroethene	1.0	U	10.0	9.01		ug/L		90	56 - 124	6	35
Vinyl chloride	1.0	U	10.0	10.1		ug/L		101	49 - 136	3	35
<b>Surrogate</b>											
	<b>MSD %Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	86		75 - 130								
4-Bromofluorobenzene (Surr)	91		47 - 134								
Toluene-d8 (Surr)	88		69 - 122								
Dibromofluoromethane (Surr)	90		78 - 129								

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-474631/5**  
**Matrix: Water**  
**Analysis Batch: 474631**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 10:51	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		70 - 133					02/26/21 10:51	1

**Lab Sample ID: LCS 240-474631/4**  
**Matrix: Water**  
**Analysis Batch: 474631**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.80		ug/L		98	80 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	82		70 - 133				

**Lab Sample ID: 240-144711-O-2 MS**  
**Matrix: Water**  
**Analysis Batch: 474631**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	9.26		ug/L		93	46 - 170
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	85		70 - 133						

**Lab Sample ID: 240-144711-O-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 474631**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	9.91		ug/L		99	46 - 170	7	26
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	86		70 - 133								

**Lab Sample ID: MB 240-474632/5**  
**Matrix: Water**  
**Analysis Batch: 474632**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/21 10:47	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		70 - 133					02/26/21 10:47	1

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-474632/4**  
**Matrix: Water**  
**Analysis Batch: 474632**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135
<b>Surrogate</b>							
	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	80		70 - 133				

**Lab Sample ID: 240-144712-L-3 MS**  
**Matrix: Water**  
**Analysis Batch: 474632**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.2		ug/L		102	46 - 170
<b>Surrogate</b>									
	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	80		70 - 133						

**Lab Sample ID: 240-144712-L-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 474632**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.2		ug/L		102	46 - 170	0	26
<b>Surrogate</b>											
	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	81		70 - 133								

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## GC/MS VOA

### Analysis Batch: 474631

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144710-3	MW-218S_021821	Total/NA	Water	8260B SIM	
240-144710-4	MW-32_021821	Total/NA	Water	8260B SIM	
240-144710-5	MW-46_021821	Total/NA	Water	8260B SIM	
240-144710-6	MW-68_021821	Total/NA	Water	8260B SIM	
240-144710-7	MW-47_021821	Total/NA	Water	8260B SIM	
MB 240-474631/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-474631/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144711-O-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-144711-O-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 474632

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144710-2	MW-39_021821	Total/NA	Water	8260B SIM	
MB 240-474632/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-474632/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-144712-L-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-144712-L-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 474676

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144710-1	TRIP BLANK	Total/NA	Water	8260B	
240-144710-2	MW-39_021821	Total/NA	Water	8260B	
240-144710-3	MW-218S_021821	Total/NA	Water	8260B	
240-144710-4	MW-32_021821	Total/NA	Water	8260B	
240-144710-5	MW-46_021821	Total/NA	Water	8260B	
MB 240-474676/7	Method Blank	Total/NA	Water	8260B	
LCS 240-474676/4	Lab Control Sample	Total/NA	Water	8260B	
240-144710-5 MS	MW-46_021821	Total/NA	Water	8260B	
240-144710-5 MSD	MW-46_021821	Total/NA	Water	8260B	

### Analysis Batch: 474892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-144710-6	MW-68_021821	Total/NA	Water	8260B	
240-144710-7	MW-47_021821	Total/NA	Water	8260B	
MB 240-474892/7	Method Blank	Total/NA	Water	8260B	
LCS 240-474892/4	Lab Control Sample	Total/NA	Water	8260B	
240-144807-G-4 MS	Matrix Spike	Total/NA	Water	8260B	
240-144807-H-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Client Sample ID: TRIP BLANK

Date Collected: 02/18/21 00:00

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	474676	02/26/21 21:37	LRW	TAL CAN

## Client Sample ID: MW-39\_021821

Date Collected: 02/18/21 10:30

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	474676	02/26/21 22:01	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474632	02/26/21 20:28	SAM	TAL CAN

## Client Sample ID: MW-218S\_021821

Date Collected: 02/18/21 12:10

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	474676	02/26/21 22:25	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474631	02/26/21 11:42	SAM	TAL CAN

## Client Sample ID: MW-32\_021821

Date Collected: 02/18/21 13:45

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	474676	02/26/21 22:48	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474631	02/26/21 12:07	SAM	TAL CAN

## Client Sample ID: MW-46\_021821

Date Collected: 02/18/21 15:20

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	474676	02/26/21 23:12	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474631	02/26/21 12:32	SAM	TAL CAN

## Client Sample ID: MW-68\_021821

Date Collected: 02/18/21 16:45

Date Received: 02/20/21 08:00

Lab Sample ID: 240-144710-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	474892	03/01/21 16:15	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474631	02/26/21 12:57	SAM	TAL CAN

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

**Client Sample ID: MW-47\_021821**

**Lab Sample ID: 240-144710-7**

**Date Collected: 02/18/21 17:36**

**Matrix: Water**

**Date Received: 02/20/21 08:00**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Analysis	8260B		4	474892	03/01/21 16:38	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	474631	02/26/21 13:22	SAM	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - On Site

Job ID: 240-144710-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21 *
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21 *
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21 *
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton



### Chain of Custody Record



TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

**Company Name:** Arcadis  
**Address:** 28550 Cabot Drive, Suite 500  
**City/State/Zip:** Novi, MI, 48377  
**Phone:** 248-994-2240

**Regulatory program:**  DW  NPDES  RCRA  Other

**Client Project Manager:** Kris Hinskey  
**Telephone:** 248-994-2240  
**Email:** kristoffer.hinskey@arcadis.com

**Site Contact:** Julia McClafferty  
**Telephone:** 734-644-5131

**Lab Contact:** Mike DeMonico  
**Telephone:** 330-497-9396

**TestAmerica Laboratories, Inc.**  
**COC No.:**

**Company:** of **COCs**

**For lab use only**

Walk-in client  
 Lab sampling  
 Job/SDG No:

**Sampler Name:** CHRISTINA WEAVER  
**Method of Shipment/Carrier:**  
**Shipping/Tracking No:**

TAT (if different from below)  
 3 weeks  
 2 weeks  
 10 day  
 1 week  
 2 days  
 1 day

Sample Identification	Sample Date	Sample Time	Matrix			Sample Disposition	Containers & Preservatives							Filtered Sample (Y/N)	Composite=C / Grab=C	Analyses							Sample Specific Notes / Special Instructions:														
			Air	Aqueous	Sediment		Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc NaOH			Upres	Other:	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B		Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM												
TRIP BLANK	2/18/21	—		1																																	1 TRIP BLANK
MW-39-021821	2/18/21	1030		6																																	3 VOAS METHOD 8260B 5 VOAS METHOD 8260B
MW-2185-021821	2/18/21	1210		6																																	
MW-32-021821	2/18/21	1345		6																																	
MW-46-021821	2/18/21	1520		6																																	
MW-68-021821	2/18/21	1645		6																																	
MW-47-021821	2/18/21	1736		6																																	

**Possible Hazard Identification**  
 Non-Hazard  Irritant  Poison B  Unknown

Special Instructions/QC Requirements & Comments:

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728  
 Level IV Reporting requested.

**Relinquished by:** Christina Weaver  
**Relinquished by:** Amanda Battushel  
**Relinquished by:** Amanda Battushel

**Company:** Arcadis  
**Company:** Arcadis  
**Company:** ETA

**Date/Time:** 2/18/21 1900  
**Date/Time:** 2/19/21 10:11  
**Date/Time:** 2/19/21 14:33

**Received by:** NOWI COLD STORAGE  
**Received by:** Amanda Battushel  
**Received in Laboratory by:**

**Company:** ARCADIS  
**Company:** ARCADIS  
**Company:** TA

**Date/Time:** 2/18/21 1900  
**Date/Time:** 2/19/21 10:11  
**Date/Time:** 2-20-21 800



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 44710

Client Arcadis Site Name \_\_\_\_\_

Cooler unpacked by: \_\_\_\_\_

Cooler Received on 2-20-21 Opened on 2-20-21

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Chopper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_

Packing material used: Bubble Wrap \_\_\_\_\_ Foam \_\_\_\_\_ Plastic Bag \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice \_\_\_\_\_ Dry Ice \_\_\_\_\_ Water \_\_\_\_\_ None \_\_\_\_\_

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. 1.6 °C Corrected Cooler Temp. 1.7 °C  
 IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials? Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes No

17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_ Yes No

Tests that are not checked for pH by Receiving:

VOAs  
Oil and Grease  
TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by: \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_