

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-112486-1

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
5/28/2019 2:38:12 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Job ID: 240-112486-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-112486-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 5/11/2019 10:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.8° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-74S_050819 (240-112486-3) and TRIP BLANK (240-112486-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/21/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for TRIP BLANK (240-112486-4) and MB 240-382329/6. Refer to the QC report for details.

Surrogate recovery for the following sample(s) was outside the upper control limit: This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed: TRIP BLANK (240-112486-4) and (MB 240-382329/6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Sample MW-74S_050819 (240-112486-3) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 05/14/2019.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Job ID: 240-112486-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Assesst ID
240-112486-3	MW-74S_050819	Water	05/08/19 16:12	05/11/19 10:10	
240-112486-4	TRIP BLANK	Water	05/08/19 00:00	05/11/19 10:10	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Client Sample ID: MW-74S_050819

Lab Sample ID: 240-112486-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.97	J	1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112486-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Client Sample ID: MW-74S_050819

Lab Sample ID: 240-112486-3

Date Collected: 05/08/19 16:12

Matrix: Water

Date Received: 05/11/19 10:10

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/19 21:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		63 - 125		05/14/19 21:27	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 01:10	1
cis-1,2-Dichloroethene	0.97	J	1.0	0.16	ug/L			05/21/19 01:10	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 01:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 01:10	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 01:10	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 01:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		70 - 121		05/21/19 01:10	1
4-Bromofluorobenzene (Surr)	92		59 - 120		05/21/19 01:10	1
Toluene-d8 (Surr)	95		70 - 123		05/21/19 01:10	1
Dibromofluoromethane (Surr)	109		75 - 128		05/21/19 01:10	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112486-4

Date Collected: 05/08/19 00:00

Matrix: Water

Date Received: 05/11/19 10:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 21:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/19 21:30	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 21:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 21:30	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 21:30	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 21:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	126	X	70 - 121		05/21/19 21:30	1
4-Bromofluorobenzene (Surr)	83		59 - 120		05/21/19 21:30	1
Toluene-d8 (Surr)	91		70 - 123		05/21/19 21:30	1
Dibromofluoromethane (Surr)	126		75 - 128		05/21/19 21:30	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-112478-E-1 MS	Matrix Spike	116	107	99	108
240-112478-J-1 MSD	Matrix Spike Duplicate	108	106	100	110
240-112486-3	MW-74S_050819	121	92	95	109
240-112486-4	TRIP BLANK	126 X	83	91	126
240-112495-E-2 MS	Matrix Spike	107	98	95	98
240-112495-H-2 MSD	Matrix Spike Duplicate	108	94	91	102
LCS 240-382193/4	Lab Control Sample	115	98	96	103
LCS 240-382329/4	Lab Control Sample	107	104	99	110
MB 240-382193/6	Method Blank	119	89	92	111
MB 240-382329/6	Method Blank	124 X	86	93	121

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-112366-C-18 MS	Matrix Spike	112
240-112366-C-18 MSD	Matrix Spike Duplicate	111
240-112486-3	MW-74S_050819	110
LCS 240-381265/4	Lab Control Sample	106
MB 240-381265/5	Method Blank	106

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-382193/6
Matrix: Water
Analysis Batch: 382193

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/20/19 23:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/20/19 23:42	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/20/19 23:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/20/19 23:42	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/20/19 23:42	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/20/19 23:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		70 - 121		05/20/19 23:42	1
4-Bromofluorobenzene (Surr)	89		59 - 120		05/20/19 23:42	1
Toluene-d8 (Surr)	92		70 - 123		05/20/19 23:42	1
Dibromofluoromethane (Surr)	111		75 - 128		05/20/19 23:42	1

Lab Sample ID: LCS 240-382193/4
Matrix: Water
Analysis Batch: 382193

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.8		ug/L		108	65 - 139
cis-1,2-Dichloroethene	10.0	10.4		ug/L		104	76 - 128
Tetrachloroethene	10.0	9.32		ug/L		93	74 - 130
trans-1,2-Dichloroethene	10.0	10.5		ug/L		105	78 - 133
Trichloroethene	10.0	9.54		ug/L		95	76 - 125
Vinyl chloride	10.0	10.4		ug/L		104	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	115		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	96		70 - 123
Dibromofluoromethane (Surr)	103		75 - 128

Lab Sample ID: 240-112495-E-2 MS
Matrix: Water
Analysis Batch: 382193

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.56		ug/L		86	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	9.59		ug/L		96	64 - 130
Tetrachloroethene	1.0	U	10.0	8.50		ug/L		85	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	8.94		ug/L		89	68 - 133
Trichloroethene	1.0	U	10.0	8.74		ug/L		87	55 - 131
Vinyl chloride	1.0	U	10.0	7.43		ug/L		74	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	95		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-112495-E-2 MS
Matrix: Water
Analysis Batch: 382193

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	98		75 - 128

Lab Sample ID: 240-112495-H-2 MSD
Matrix: Water
Analysis Batch: 382193

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	10.7		ug/L		107	53 - 140	22	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.66		ug/L		97	64 - 130	1	21
Tetrachloroethene	1.0	U	10.0	8.26		ug/L		83	51 - 136	3	23
trans-1,2-Dichloroethene	1.0	U	10.0	10.0		ug/L		100	68 - 133	12	24
Trichloroethene	1.0	U	10.0	8.48		ug/L		85	55 - 131	3	23
Vinyl chloride	1.0	U	10.0	9.26		ug/L		93	43 - 154	22	29

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		70 - 121
4-Bromofluorobenzene (Surr)	94		59 - 120
Toluene-d8 (Surr)	91		70 - 123
Dibromofluoromethane (Surr)	102		75 - 128

Lab Sample ID: MB 240-382329/6
Matrix: Water
Analysis Batch: 382329

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 16:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/19 16:17	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 16:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 16:17	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 16:17	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 16:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	124	X	70 - 121		05/21/19 16:17	1
4-Bromofluorobenzene (Surr)	86		59 - 120		05/21/19 16:17	1
Toluene-d8 (Surr)	93		70 - 123		05/21/19 16:17	1
Dibromofluoromethane (Surr)	121		75 - 128		05/21/19 16:17	1

Lab Sample ID: LCS 240-382329/4
Matrix: Water
Analysis Batch: 382329

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.4		ug/L		104	65 - 139
cis-1,2-Dichloroethene	10.0	9.75		ug/L		97	76 - 128
Tetrachloroethene	10.0	11.5		ug/L		115	74 - 130
trans-1,2-Dichloroethene	10.0	10.3		ug/L		103	78 - 133
Trichloroethene	10.0	10.4		ug/L		104	76 - 125

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-382329/4
Matrix: Water
Analysis Batch: 382329

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Vinyl chloride	10.0	8.91		ug/L		89	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 121
4-Bromofluorobenzene (Surr)	104		59 - 120
Toluene-d8 (Surr)	99		70 - 123
Dibromofluoromethane (Surr)	110		75 - 128

Lab Sample ID: 240-112478-E-1 MS
Matrix: Water
Analysis Batch: 382329

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	9.70		ug/L		97	53 - 140
cis-1,2-Dichloroethene	0.89	J	10.0	10.5		ug/L		96	64 - 130
Tetrachloroethene	1.0	U	10.0	10.7		ug/L		107	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	68 - 133
Trichloroethene	1.0	U	10.0	9.79		ug/L		98	55 - 131
Vinyl chloride	1.0	U	10.0	8.35		ug/L		83	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	116		70 - 121
4-Bromofluorobenzene (Surr)	107		59 - 120
Toluene-d8 (Surr)	99		70 - 123
Dibromofluoromethane (Surr)	108		75 - 128

Lab Sample ID: 240-112478-J-1 MSD
Matrix: Water
Analysis Batch: 382329

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.80		ug/L		98	53 - 140	1	35
cis-1,2-Dichloroethene	0.89	J	10.0	10.7		ug/L		99	64 - 130	3	21
Tetrachloroethene	1.0	U	10.0	10.7		ug/L		107	51 - 136	0	23
trans-1,2-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	68 - 133	0	24
Trichloroethene	1.0	U	10.0	10.1		ug/L		101	55 - 131	3	23
Vinyl chloride	1.0	U	10.0	8.98		ug/L		90	43 - 154	7	29

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		70 - 121
4-Bromofluorobenzene (Surr)	106		59 - 120
Toluene-d8 (Surr)	100		70 - 123
Dibromofluoromethane (Surr)	110		75 - 128

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-381265/5
Matrix: Water
Analysis Batch: 381265

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/19 16:01	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		63 - 125					05/14/19 16:01	1

Lab Sample ID: LCS 240-381265/4
Matrix: Water
Analysis Batch: 381265

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	59 - 131
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	106		63 - 125				

Lab Sample ID: 240-112366-C-18 MS
Matrix: Water
Analysis Batch: 381265

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.3		10.0	13.3		ug/L		110	52 - 129
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	112		63 - 125						

Lab Sample ID: 240-112366-C-18 MSD
Matrix: Water
Analysis Batch: 381265

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.3		10.0	11.7		ug/L		94	52 - 129	12	13
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	111		63 - 125								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

GC/MS VOA

Analysis Batch: 381265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112486-3	MW-74S_050819	Total/NA	Water	8260B SIM	
MB 240-381265/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-381265/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-112366-C-18 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-112366-C-18 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 382193

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112486-3	MW-74S_050819	Total/NA	Water	8260B	
MB 240-382193/6	Method Blank	Total/NA	Water	8260B	
LCS 240-382193/4	Lab Control Sample	Total/NA	Water	8260B	
240-112495-E-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-112495-H-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 382329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112486-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-382329/6	Method Blank	Total/NA	Water	8260B	
LCS 240-382329/4	Lab Control Sample	Total/NA	Water	8260B	
240-112478-E-1 MS	Matrix Spike	Total/NA	Water	8260B	
240-112478-J-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Client Sample ID: MW-74S_050819

Lab Sample ID: 240-112486-3

Date Collected: 05/08/19 16:12

Matrix: Water

Date Received: 05/11/19 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382193	05/21/19 01:10	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	381265	05/14/19 21:27	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112486-4

Date Collected: 05/08/19 00:00

Matrix: Water

Date Received: 05/11/19 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382329	05/21/19 21:30	LRW	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112486-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Illinois	NELAP	5	200004	07-31-19 *
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: M1001454.0004.00003 PO # M1001454.0004.00003		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: krisoffier.hinskey@arcadis.com		Site Contact: Caitlin O'Neill Telephone: 248-722-2411	
Method of Shipment/Carrier: Shipping/Tracking No:		Lab Contact: Mike DelMonico Telephone: 330-497-9396	
Analysis Turnaround Time TAT if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Analyses 1,1-DCE 8260B Cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
Containers & Preservatives HCl HNO3 H2SO4 NaOH ZnAc Other:		Filtered Sample (Y/N) Composite C/Grab=C	
Matrix Air Aqueous Sediment Solid Other:		For lab use only Walk-in client Lab sampling Job/SDG No	
Sample Identification MW-72-05819 MW-71-05819 MW-74S-05819 TRIP BLANK		Sample Specific Notes / Special Instructions:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jim.tomalia@cadena.com, Cadena #E203631 Level IV Reporting requested.		Received by: SHATEL JENSEN Date/Time: 5-8-19 / 1830 Company: ARCADIS	
Requished by: Paul Paulak / RAQUEL BIELAK Date/Time: 5/10/19 1445 Company: ARCADIS		Received by: ETAL Date/Time: 5/10/19 1445 Company: ETAL	
Requished by: [Signature] Date/Time: 5/10/19 14:25 Company: ETAL		Received in Laboratory by: [Signature] Date/Time: 5-11-19 1010 Company: [Signature]	



TestAmerica Canton Sample Receipt Form/Narrative

Login #: 112486

Canton Facility

Client Arcadis Site Name

Cooler unpacked by:

Cooler Received on 5-11-19 Opened on 5-11-19

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # 74 Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 2.0 °C Corrected Cooler Temp. 1.8 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels be reconciled with the COC? Yes No

9. Were correct bottle(s) used for the test(s) indicated? Yes No

10. Sufficient quantity received to perform indicated analyses? Yes No

11. Are these work share samples? Yes No

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA

13. Were VOAs on the COC? Yes No NA

14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA

15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 55320 Yes No

16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

Martin

18. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired.

Sample(s) were received in a broken container.

Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory.

Time preserved: Preservative(s) added/Lot number(s):

VOA Sample Preservation - Date/Time VOAs Frozen: