

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

TestAmerica Job ID: 240-103231-1

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:  
11/6/2018 2:03:12 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[michael.delmonico@testamericainc.com](mailto:michael.delmonico@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	16
QC Sample Results . . . . .	17
QC Association Summary . . . . .	21
Lab Chronicle . . . . .	22
Certification Summary . . . . .	24
Chain of Custody . . . . .	25

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Job ID: 240-103231-1**

**Laboratory: TestAmerica Canton**

**Narrative**

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP Livonia MI - E203631**

**Report Number: 240-103231-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

### **RECEIPT**

The samples were received on 10/24/2018 8:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.9° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples MW-72\_102218 (240-103231-1), MW-73S\_102218 (240-103231-2), MW-73D\_102218 (240-103231-3), MW-74\_102218 (240-103231-4), MW-75S\_102218 (240-103231-5), MW-75D\_102218 (240-103231-6) and MW-76\_102218 (240-103231-7) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 10/30/2018.

Toluene-d8 (Surr) failed the surrogate recovery criteria low for 240-103233-E-6 MS. Toluene-d8 (Surr) failed the surrogate recovery criteria low for 240-103233-H-6 MSD. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GCMS SIM)**

Samples MW-72\_102218 (240-103231-1), MW-73S\_102218 (240-103231-2), MW-73D\_102218 (240-103231-3), MW-74\_102218 (240-103231-4), MW-75S\_102218 (240-103231-5), MW-75D\_102218 (240-103231-6) and MW-76\_102218 (240-103231-7) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 10/29/2018 and 10/30/2018.

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

---

## Job ID: 240-103231-1 (Continued)

---

### Laboratory: TestAmerica Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-103231-1	MW-72_102218	Water	10/22/18 10:00	10/24/18 08:45
240-103231-2	MW-73S_102218	Water	10/22/18 11:10	10/24/18 08:45
240-103231-3	MW-73D_102218	Water	10/22/18 12:00	10/24/18 08:45
240-103231-4	MW-74_102218	Water	10/22/18 13:30	10/24/18 08:45
240-103231-5	MW-75S_102218	Water	10/22/18 14:25	10/24/18 08:45
240-103231-6	MW-75D_102218	Water	10/22/18 15:15	10/24/18 08:45
240-103231-7	MW-76_102218	Water	10/22/18 16:10	10/24/18 08:45

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Client Sample ID: MW-72\_102218

## Lab Sample ID: 240-103231-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.4	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	1.1		1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-73S\_102218

## Lab Sample ID: 240-103231-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.86	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	1.7		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	0.20	J	1.0	0.19	ug/L	1		8260B	Total/NA
Trichloroethene	0.46	J	1.0	0.10	ug/L	1		8260B	Total/NA
Vinyl chloride	0.96	J	1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-73D\_102218

## Lab Sample ID: 240-103231-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	3.8		2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.19	J	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-74\_102218

## Lab Sample ID: 240-103231-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.0		2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.45	J	1.0	0.16	ug/L	1		8260B	Total/NA
Vinyl chloride	2.2		1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-75S\_102218

## Lab Sample ID: 240-103231-5

No Detections.

## Client Sample ID: MW-75D\_102218

## Lab Sample ID: 240-103231-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.3		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	1.7		1.0	0.20	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-76\_102218

## Lab Sample ID: 240-103231-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.0	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	1.8		1.0	0.16	ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	0.25	J	1.0	0.19	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-72\_102218**

**Lab Sample ID: 240-103231-1**

**Date Collected: 10/22/18 10:00**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.4	J	2.0	0.86	ug/L			10/29/18 15:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		63 - 125					10/29/18 15:55	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 13:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/30/18 13:48	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 13:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 13:48	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 13:48	1
Vinyl chloride	1.1		1.0	0.20	ug/L			10/30/18 13:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		70 - 121					10/30/18 13:48	1
4-Bromofluorobenzene (Surr)	75		59 - 120					10/30/18 13:48	1
Toluene-d8 (Surr)	75		70 - 123					10/30/18 13:48	1
Dibromofluoromethane (Surr)	123		75 - 128					10/30/18 13:48	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-73S\_102218**

**Lab Sample ID: 240-103231-2**

**Date Collected: 10/22/18 11:10**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.86	J	2.0	0.86	ug/L			10/29/18 16:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		63 - 125					10/29/18 16:20	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 14:10	1
cis-1,2-Dichloroethene	1.7		1.0	0.16	ug/L			10/30/18 14:10	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 14:10	1
trans-1,2-Dichloroethene	0.20	J	1.0	0.19	ug/L			10/30/18 14:10	1
Trichloroethene	0.46	J	1.0	0.10	ug/L			10/30/18 14:10	1
Vinyl chloride	0.96	J	1.0	0.20	ug/L			10/30/18 14:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 121					10/30/18 14:10	1
4-Bromofluorobenzene (Surr)	75		59 - 120					10/30/18 14:10	1
Toluene-d8 (Surr)	74		70 - 123					10/30/18 14:10	1
Dibromofluoromethane (Surr)	113		75 - 128					10/30/18 14:10	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-73D\_102218**

**Lab Sample ID: 240-103231-3**

**Date Collected: 10/22/18 12:00**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	3.8		2.0	0.86	ug/L			10/29/18 17:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		63 - 125					10/29/18 17:37	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 14:32	1
<b>cis-1,2-Dichloroethene</b>	<b>0.19</b>	<b>J</b>	1.0	0.16	ug/L			10/30/18 14:32	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 14:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 14:32	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 14:32	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/30/18 14:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 121					10/30/18 14:32	1
4-Bromofluorobenzene (Surr)	71		59 - 120					10/30/18 14:32	1
Toluene-d8 (Surr)	72		70 - 123					10/30/18 14:32	1
Dibromofluoromethane (Surr)	106		75 - 128					10/30/18 14:32	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-74\_102218**

**Lab Sample ID: 240-103231-4**

**Date Collected: 10/22/18 13:30**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0		2.0	0.86	ug/L			10/29/18 18:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		63 - 125					10/29/18 18:02	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 14:54	1
cis-1,2-Dichloroethene	0.45	J	1.0	0.16	ug/L			10/30/18 14:54	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 14:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 14:54	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 14:54	1
Vinyl chloride	2.2		1.0	0.20	ug/L			10/30/18 14:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		70 - 121					10/30/18 14:54	1
4-Bromofluorobenzene (Surr)	69		59 - 120					10/30/18 14:54	1
Toluene-d8 (Surr)	71		70 - 123					10/30/18 14:54	1
Dibromofluoromethane (Surr)	118		75 - 128					10/30/18 14:54	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-75S\_102218**

**Lab Sample ID: 240-103231-5**

**Date Collected: 10/22/18 14:25**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/29/18 18:28	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	110		63 - 125					10/29/18 18:28	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 15:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/30/18 15:16	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 15:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 15:16	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 15:16	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/30/18 15:16	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	105		70 - 121					10/30/18 15:16	1
4-Bromofluorobenzene (Surr)	70		59 - 120					10/30/18 15:16	1
Toluene-d8 (Surr)	71		70 - 123					10/30/18 15:16	1
Dibromofluoromethane (Surr)	118		75 - 128					10/30/18 15:16	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-75D\_102218**

**Lab Sample ID: 240-103231-6**

**Date Collected: 10/22/18 15:15**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.3		2.0	0.86	ug/L			10/30/18 13:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		63 - 125					10/30/18 13:48	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 15:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/30/18 15:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 15:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 15:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 15:39	1
Vinyl chloride	1.7		1.0	0.20	ug/L			10/30/18 15:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 121					10/30/18 15:39	1
4-Bromofluorobenzene (Surr)	68		59 - 120					10/30/18 15:39	1
Toluene-d8 (Surr)	71		70 - 123					10/30/18 15:39	1
Dibromofluoromethane (Surr)	118		75 - 128					10/30/18 15:39	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-76\_102218**

**Lab Sample ID: 240-103231-7**

**Date Collected: 10/22/18 16:10**

**Matrix: Water**

**Date Received: 10/24/18 08:45**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.0	J	2.0	0.86	ug/L			10/29/18 19:20	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		63 - 125					10/29/18 19:20	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 16:01	1
<b>cis-1,2-Dichloroethene</b>	<b>1.8</b>		1.0	0.16	ug/L			10/30/18 16:01	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 16:01	1
<b>trans-1,2-Dichloroethene</b>	<b>0.25</b>	<b>J</b>	1.0	0.19	ug/L			10/30/18 16:01	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 16:01	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/30/18 16:01	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	107		70 - 121					10/30/18 16:01	1
4-Bromofluorobenzene (Surr)	74		59 - 120					10/30/18 16:01	1
Toluene-d8 (Surr)	72		70 - 123					10/30/18 16:01	1
Dibromofluoromethane (Surr)	121		75 - 128					10/30/18 16:01	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-103231-1	MW-72_102218	114	75	75	123
240-103231-2	MW-73S_102218	105	75	74	113
240-103231-3	MW-73D_102218	100	71	72	106
240-103231-4	MW-74_102218	108	69	71	118
240-103231-5	MW-75S_102218	105	70	71	118
240-103231-6	MW-75D_102218	106	68	71	118
240-103231-7	MW-76_102218	107	74	72	121
240-103233-E-6 MS	Matrix Spike	96	69	64 X	98
240-103233-H-6 MSD	Matrix Spike Duplicate	100	70	66 X	106
LCS 240-352668/4	Lab Control Sample	102	88	84	111
MB 240-352668/6	Method Blank	114	84	80	121

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
 BFB = 4-Bromofluorobenzene (Surr)  
 TOL = Toluene-d8 (Surr)  
 DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (63-125)
240-102973-F-1 MS	Matrix Spike	110
240-102973-F-1 MSD	Matrix Spike Duplicate	108
240-103231-1	MW-72_102218	107
240-103231-2	MW-73S_102218	105
240-103231-2 MS	MW-73S_102218	110
240-103231-2 MSD	MW-73S_102218	107
240-103231-3	MW-73D_102218	107
240-103231-4	MW-74_102218	109
240-103231-5	MW-75S_102218	110
240-103231-6	MW-75D_102218	105
240-103231-7	MW-76_102218	112
LCS 240-352463/4	Lab Control Sample	104
LCS 240-352690/4	Lab Control Sample	105
MB 240-352463/5	Method Blank	105
MB 240-352690/5	Method Blank	107

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)



# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-352668/6**

**Matrix: Water**

**Analysis Batch: 352668**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 10:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/30/18 10:28	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/30/18 10:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/30/18 10:28	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/30/18 10:28	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/30/18 10:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		70 - 121		10/30/18 10:28	1
4-Bromofluorobenzene (Surr)	84		59 - 120		10/30/18 10:28	1
Toluene-d8 (Surr)	80		70 - 123		10/30/18 10:28	1
Dibromofluoromethane (Surr)	121		75 - 128		10/30/18 10:28	1

**Lab Sample ID: LCS 240-352668/4**

**Matrix: Water**

**Analysis Batch: 352668**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.2		ug/L		102	65 - 139
cis-1,2-Dichloroethene	10.0	11.0		ug/L		110	76 - 128
Tetrachloroethene	10.0	12.3		ug/L		123	74 - 130
trans-1,2-Dichloroethene	10.0	11.3		ug/L		113	78 - 133
Trichloroethene	10.0	12.2		ug/L		122	76 - 125
Vinyl chloride	10.0	8.21		ug/L		82	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 121
4-Bromofluorobenzene (Surr)	88		59 - 120
Toluene-d8 (Surr)	84		70 - 123
Dibromofluoromethane (Surr)	111		75 - 128

**Lab Sample ID: 240-103233-E-6 MS**

**Matrix: Water**

**Analysis Batch: 352668**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	7.22		ug/L		72	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	8.14		ug/L		81	64 - 130
Tetrachloroethene	1.0	U	10.0	7.42		ug/L		74	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	8.12		ug/L		81	68 - 133
Trichloroethene	1.0	U	10.0	7.85		ug/L		78	55 - 131
Vinyl chloride	1.0	U	10.0	6.32		ug/L		63	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		70 - 121
4-Bromofluorobenzene (Surr)	69		59 - 120
Toluene-d8 (Surr)	64	X	70 - 123

TestAmerica Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-103233-E-6 MS**  
**Matrix: Water**  
**Analysis Batch: 352668**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	98		75 - 128

**Lab Sample ID: 240-103233-H-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 352668**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits			
1,1-Dichloroethene	1.0	U	10.0	7.67		ug/L		77	53 - 140	6		35
cis-1,2-Dichloroethene	1.0	U	10.0	8.71		ug/L		87	64 - 130	7		21
Tetrachloroethene	1.0	U	10.0	8.49		ug/L		85	51 - 136	13		23
trans-1,2-Dichloroethene	1.0	U	10.0	8.92		ug/L		89	68 - 133	9		24
Trichloroethene	1.0	U	10.0	8.79		ug/L		88	55 - 131	11		23
Vinyl chloride	1.0	U	10.0	6.46		ug/L		65	43 - 154	2		29

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		70 - 121
4-Bromofluorobenzene (Surr)	70		59 - 120
Toluene-d8 (Surr)	66	X	70 - 123
Dibromofluoromethane (Surr)	106		75 - 128

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-352463/5**  
**Matrix: Water**  
**Analysis Batch: 352463**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/29/18 12:04	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		10/29/18 12:04	1

**Lab Sample ID: LCS 240-352463/4**  
**Matrix: Water**  
**Analysis Batch: 352463**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
1,4-Dioxane	10.0	11.1		ug/L		111	59 - 131

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		63 - 125

TestAmerica Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-103231-2 MS**

**Matrix: Water**  
**Analysis Batch: 352463**

**Client Sample ID: MW-73S\_102218**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	
1,4-Dioxane	0.86	J	10.0	10.1		ug/L		93	52 - 129	
<b>Surrogate</b>	<b>%Recovery</b>	<b>MS Qualifier</b>	<b>MS Limits</b>							
1,2-Dichloroethane-d4 (Surr)	110		63 - 125							

**Lab Sample ID: 240-103231-2 MSD**

**Matrix: Water**  
**Analysis Batch: 352463**

**Client Sample ID: MW-73S\_102218**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	0.86	J	10.0	10.3		ug/L		94	52 - 129	1	13
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>MSD Limits</b>								
1,2-Dichloroethane-d4 (Surr)	107		63 - 125								

**Lab Sample ID: MB 240-352690/5**

**Matrix: Water**  
**Analysis Batch: 352690**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			10/30/18 12:57	1	
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>Limits</b>	<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>				
1,2-Dichloroethane-d4 (Surr)	107		63 - 125		10/30/18 12:57	1				

**Lab Sample ID: LCS 240-352690/4**

**Matrix: Water**  
**Analysis Batch: 352690**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.9		ug/L		109	59 - 131
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	105		63 - 125				

**Lab Sample ID: 240-102973-F-1 MS**

**Matrix: Water**  
**Analysis Batch: 352690**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	9.59		ug/L		96	52 - 129
<b>Surrogate</b>	<b>%Recovery</b>	<b>MS Qualifier</b>	<b>MS Limits</b>						
1,2-Dichloroethane-d4 (Surr)	110		63 - 125						

TestAmerica Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-102973-F-1 MSD  
 Matrix: Water  
 Analysis Batch: 352690

Client Sample ID: Matrix Spike Duplicate  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.89		ug/L		99	52 - 129	3	13
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	108		63 - 125								

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## GC/MS VOA

### Analysis Batch: 352463

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-103231-1	MW-72_102218	Total/NA	Water	8260B SIM	
240-103231-2	MW-73S_102218	Total/NA	Water	8260B SIM	
240-103231-3	MW-73D_102218	Total/NA	Water	8260B SIM	
240-103231-4	MW-74_102218	Total/NA	Water	8260B SIM	
240-103231-5	MW-75S_102218	Total/NA	Water	8260B SIM	
240-103231-7	MW-76_102218	Total/NA	Water	8260B SIM	
MB 240-352463/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-352463/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-103231-2 MS	MW-73S_102218	Total/NA	Water	8260B SIM	
240-103231-2 MSD	MW-73S_102218	Total/NA	Water	8260B SIM	

### Analysis Batch: 352668

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-103231-1	MW-72_102218	Total/NA	Water	8260B	
240-103231-2	MW-73S_102218	Total/NA	Water	8260B	
240-103231-3	MW-73D_102218	Total/NA	Water	8260B	
240-103231-4	MW-74_102218	Total/NA	Water	8260B	
240-103231-5	MW-75S_102218	Total/NA	Water	8260B	
240-103231-6	MW-75D_102218	Total/NA	Water	8260B	
240-103231-7	MW-76_102218	Total/NA	Water	8260B	
MB 240-352668/6	Method Blank	Total/NA	Water	8260B	
LCS 240-352668/4	Lab Control Sample	Total/NA	Water	8260B	
240-103233-E-6 MS	Matrix Spike	Total/NA	Water	8260B	
240-103233-H-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

### Analysis Batch: 352690

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-103231-6	MW-75D_102218	Total/NA	Water	8260B SIM	
MB 240-352690/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-352690/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-102973-F-1 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-102973-F-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-72\_102218**

**Date Collected: 10/22/18 10:00**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-1**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 13:48	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 15:55	SAM	TAL CAN

**Client Sample ID: MW-73S\_102218**

**Date Collected: 10/22/18 11:10**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-2**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 14:10	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 16:20	SAM	TAL CAN

**Client Sample ID: MW-73D\_102218**

**Date Collected: 10/22/18 12:00**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-3**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 14:32	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 17:37	SAM	TAL CAN

**Client Sample ID: MW-74\_102218**

**Date Collected: 10/22/18 13:30**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-4**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 14:54	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 18:02	SAM	TAL CAN

**Client Sample ID: MW-75S\_102218**

**Date Collected: 10/22/18 14:25**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-5**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 15:16	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 18:28	SAM	TAL CAN

**Client Sample ID: MW-75D\_102218**

**Date Collected: 10/22/18 15:15**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-6**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 15:39	LEE	TAL CAN

TestAmerica Canton

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

**Client Sample ID: MW-75D\_102218**

**Date Collected: 10/22/18 15:15**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-6**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B SIM		1	352690	10/30/18 13:48	SAM	TAL CAN

**Client Sample ID: MW-76\_102218**

**Date Collected: 10/22/18 16:10**

**Date Received: 10/24/18 08:45**

**Lab Sample ID: 240-103231-7**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	352668	10/30/18 16:01	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	352463	10/29/18 19:20	SAM	TAL CAN

## Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

TestAmerica Job ID: 240-103231-1

## Laboratory: TestAmerica Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-19
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19
Illinois	NELAP	5	200004	07-31-19
Kansas	NELAP	7	E-10336	01-31-19
Kentucky (UST)	State Program	4	58	02-23-19
Kentucky (WW)	State Program	4	98016	12-31-18 *
Minnesota	NELAP	5	039-999-348	12-31-18 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19
New York	NELAP	2	10975	03-31-19
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-19
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-17-9	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-19
West Virginia DEP	State Program	3	210	12-31-18 *

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



MICHIGAN

2.0 | C2.9

Chain of Custody Record

TestAmerica

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact  
 Company Name: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240  
 Project Name: Ford LTP  
 Project Number: MI001454.0004.00002  
 PO # MI001454.0004.00002

Client Project Manager: Kris Hinskey  
 Telephone: 248-994-2240  
 Email: kris@hinskey.com

Site Contact: Angela DeGrandis  
 Telephone: 734-330-0065

Analysis Turnaround Time  
 TAT if different from below:  
 3 weeks  2 weeks  
 1 week  2 days  
 1 day

Method of Shipment/Carrier:  
 Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix			Containers & Preservatives						Filtered Sample (Y/N)	Composite C/Grab-G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Job/SDG No.	Sample Specific Notes / Special Instructions:
			Aqueous	Sediment	Solid	Other:	HS04	HN03	HCl	NaOH	ZnAc											
MW-72-102218	10-22-18	1000	X				X						X	X	X	X	X	X	X			
MW-73S-102218	10-22-18	1110	X				X						X	X	X	X	X	X	X			
MW-73D-102218	10-22-18	1200	X				X						X	X	X	X	X	X	X			
MW-74-102218	10-22-18	1330	X				X						X	X	X	X	X	X	X			
MW-75S-102218	10-22-18	1425	X				X						X	X	X	X	X	X	X			
MW-75D-102218	10-22-18	1515	X				X						X	X	X	X	X	X	X			
MW-76-102218	10-22-18	1610	X				X						X	X	X	X	X	X	X			

Possible Hazard Identification  
 Non-Hazard  Flammable  Irritant  Corrosive  Toxic  Other

Special Instructions/OC Requirements & Comments:  
 Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631  
 Level IV Reporting.

Relinquished by:	Relinquished Date:	Relinquished To:	Received by:	Received Date:	Company:	Date/Time:
RACHEL STERN	10/23/18	ARCADIS	NOVI COLD STORAGE	0730	ARCADIS	10/23/18 0730
NOVI FLEDGE KALUSKI	10/23/18	ARCADIS	NOVI COLD STORAGE	13:00	ARCADIS	10/23/18 1300
304	10/23/18	ARCADIS	NOVI COLD STORAGE	13:00	ARCADIS	10/24/18 845

©2008 TestAmerica Laboratories, Inc. All rights reserved. Performance & Design are trademarks of TestAmerica Laboratories, Inc.



TestAmerica Canton Sample Receipt Form/Narrative

Login #: 103231

Canton Facility

Client ARLADIS

Site Name -

Cooler unpacked by:

ROP

Cooler Received on 10-24-18

Opened on 10-24-18

FedEx: 1<sup>st</sup>  Grd  Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other


Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

- 1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-8 (CF +0.9 °C) Observed Cooler Temp. 20 °C Corrected Cooler Temp. 29 °C  
 IR GUN #36 (CF +0.6°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA
- 3. Shippers' packing slip attached to the cooler(s)? Yes No
- 4. Did custody papers accompany the sample(s)? Yes No
- 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
- 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
- 7. Did all bottles arrive in good condition (Unbroken)? Yes No
- 8. Could all bottle labels be reconciled with the COC? Yes No
- 9. Were correct bottle(s) used for the test(s) indicated? Yes No
- 10. Sufficient quantity received to perform indicated analyses? Yes No
- 11. Are these work share samples? Yes No  
 If yes, Questions 12-16 have been checked at the originating laboratory.
- 12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC849161
- 13. Were VOAs on the COC? Yes No
- 14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
- 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes No
- 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

AM

18. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_