

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-140442-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
11/30/2020 9:13:05 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

**Job ID: 240-140442-1**

**Laboratory: Eurofins TestAmerica, Canton**

**Narrative**

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP - Off Site**

**Report Number: 240-140442-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### **RECEIPT**

The samples were received on 11/18/2020 9:40 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.2° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples TRIP BLANK (240-140442-1), MW-139S\_111620 (240-140442-2) and MW-140S\_111620 (240-140442-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 11/25/2020.

cis-1,2-Dichloroethene was detected in method blank MB 240-462825/7 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GCMS SIM)**

Samples MW-139S\_111620 (240-140442-2) and MW-140S\_111620 (240-140442-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 11/24/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-140442-1	TRIP BLANK	Water	11/16/20 00:00	11/18/20 09:40	
240-140442-2	MW-139S_111620	Water	11/16/20 14:36	11/18/20 09:40	
240-140442-3	MW-140S_111620	Water	11/16/20 15:46	11/18/20 09:40	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140442-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.60	J B	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-139S\_111620

Lab Sample ID: 240-140442-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.42	J B	1.0	0.16	ug/L	1		8260B	Total/NA

## Client Sample ID: MW-140S\_111620

Lab Sample ID: 240-140442-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.38	J B	1.0	0.16	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-140442-1**

**Date Collected: 11/16/20 00:00**

**Matrix: Water**

**Date Received: 11/18/20 09:40**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 16:22	1
<b>cis-1,2-Dichloroethene</b>	<b>0.60</b>	<b>J B</b>	1.0	0.16	ug/L			11/25/20 16:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/25/20 16:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 16:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/25/20 16:22	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/25/20 16:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		75 - 130		11/25/20 16:22	1
4-Bromofluorobenzene (Surr)	104		47 - 134		11/25/20 16:22	1
Toluene-d8 (Surr)	77		69 - 122		11/25/20 16:22	1
Dibromofluoromethane (Surr)	83		78 - 129		11/25/20 16:22	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

**Client Sample ID: MW-139S\_111620**

**Lab Sample ID: 240-140442-2**

Date Collected: 11/16/20 14:36

Matrix: Water

Date Received: 11/18/20 09:40

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/24/20 00:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133					11/24/20 00:25	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 16:47	1
<b>cis-1,2-Dichloroethene</b>	<b>0.42</b>	<b>J B</b>	1.0	0.16	ug/L			11/25/20 16:47	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/25/20 16:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 16:47	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/25/20 16:47	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/25/20 16:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		75 - 130					11/25/20 16:47	1
4-Bromofluorobenzene (Surr)	102		47 - 134					11/25/20 16:47	1
Toluene-d8 (Surr)	77		69 - 122					11/25/20 16:47	1
Dibromofluoromethane (Surr)	85		78 - 129					11/25/20 16:47	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

**Client Sample ID: MW-140S\_111620**

**Lab Sample ID: 240-140442-3**

Date Collected: 11/16/20 15:46

Matrix: Water

Date Received: 11/18/20 09:40

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/24/20 00:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133		11/24/20 00:50	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 17:12	1
<b>cis-1,2-Dichloroethene</b>	<b>0.38</b>	<b>J B</b>	1.0	0.16	ug/L			11/25/20 17:12	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/25/20 17:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 17:12	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/25/20 17:12	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/25/20 17:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		75 - 130		11/25/20 17:12	1
4-Bromofluorobenzene (Surr)	102		47 - 134		11/25/20 17:12	1
Toluene-d8 (Surr)	76		69 - 122		11/25/20 17:12	1
Dibromofluoromethane (Surr)	86		78 - 129		11/25/20 17:12	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-140442-1	TRIP BLANK	83	104	77	83
240-140442-2	MW-139S_111620	87	102	77	85
240-140442-3	MW-140S_111620	90	102	76	86
240-140444-G-4 MS	Matrix Spike	85	110	79	91
240-140444-H-4 MSD	Matrix Spike Duplicate	83	108	77	89
LCS 240-462825/4	Lab Control Sample	84	112	79	86
MB 240-462825/7	Method Blank	87	103	77	88

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-140259-I-6 MS	Matrix Spike	88
240-140259-I-6 MSD	Matrix Spike Duplicate	90
240-140442-2	MW-139S_111620	87
240-140442-3	MW-140S_111620	87
LCS 240-462410/4	Lab Control Sample	88
MB 240-462410/5	Method Blank	85

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-462825/7**  
**Matrix: Water**  
**Analysis Batch: 462825**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 15:17	1
cis-1,2-Dichloroethene	0.437	J	1.0	0.16	ug/L			11/25/20 15:17	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			11/25/20 15:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			11/25/20 15:17	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			11/25/20 15:17	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			11/25/20 15:17	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	87		75 - 130		11/25/20 15:17	1
4-Bromofluorobenzene (Surr)	103		47 - 134		11/25/20 15:17	1
Toluene-d8 (Surr)	77		69 - 122		11/25/20 15:17	1
Dibromofluoromethane (Surr)	88		78 - 129		11/25/20 15:17	1

**Lab Sample ID: LCS 240-462825/4**  
**Matrix: Water**  
**Analysis Batch: 462825**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	10.0	10.9		ug/L		109	73 - 129
cis-1,2-Dichloroethene	10.0	11.2		ug/L		112	75 - 124
Tetrachloroethene	10.0	9.97		ug/L		100	70 - 125
trans-1,2-Dichloroethene	10.0	10.6		ug/L		106	74 - 130
Trichloroethene	10.0	10.9		ug/L		109	71 - 121
Vinyl chloride	10.0	11.8		ug/L		118	61 - 134

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	84		75 - 130
4-Bromofluorobenzene (Surr)	112		47 - 134
Toluene-d8 (Surr)	79		69 - 122
Dibromofluoromethane (Surr)	86		78 - 129

**Lab Sample ID: 240-140444-G-4 MS**  
**Matrix: Water**  
**Analysis Batch: 462825**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	10.0	10.0		ug/L		100	64 - 132
cis-1,2-Dichloroethene	0.30	J B	10.0	10.2		ug/L		99	68 - 121
Tetrachloroethene	1.0	U	10.0	8.55		ug/L		86	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	9.29		ug/L		93	69 - 126
Trichloroethene	1.0	U	10.0	9.63		ug/L		96	56 - 124
Vinyl chloride	1.0	U	10.0	11.4		ug/L		114	49 - 136

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	85		75 - 130
4-Bromofluorobenzene (Surr)	110		47 - 134
Toluene-d8 (Surr)	79		69 - 122

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-140444-G-4 MS**  
**Matrix: Water**  
**Analysis Batch: 462825**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	91		78 - 129

**Lab Sample ID: 240-140444-H-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 462825**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		
1,1-Dichloroethene	1.0	U	10.0	10.5		ug/L		105	64 - 132	4	35
cis-1,2-Dichloroethene	0.30	J B	10.0	10.8		ug/L		105	68 - 121	7	35
Tetrachloroethene	1.0	U	10.0	8.79		ug/L		88	52 - 129	3	35
trans-1,2-Dichloroethene	1.0	U	10.0	10.0		ug/L		100	69 - 126	8	35
Trichloroethene	1.0	U	10.0	10.4		ug/L		104	56 - 124	8	35
Vinyl chloride	1.0	U	10.0	11.1		ug/L		111	49 - 136	2	35

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	83		75 - 130
4-Bromofluorobenzene (Surr)	108		47 - 134
Toluene-d8 (Surr)	77		69 - 122
Dibromofluoromethane (Surr)	89		78 - 129

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-462410/5**  
**Matrix: Water**  
**Analysis Batch: 462410**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/23/20 14:44	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	85		70 - 133		11/23/20 14:44	1

**Lab Sample ID: LCS 240-462410/4**  
**Matrix: Water**  
**Analysis Batch: 462410**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	88		70 - 133

**Lab Sample ID: 240-140259-I-6 MS**  
**Matrix: Water**  
**Analysis Batch: 462410**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				Limits
1,4-Dioxane	2.0	U	10.0	9.91		ug/L		99	46 - 170

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	88		70 - 133

**Lab Sample ID: 240-140259-I-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 462410**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.3		ug/L		103	46 - 170	4	26

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	90		70 - 133

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## GC/MS VOA

### Analysis Batch: 462410

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140442-2	MW-139S_111620	Total/NA	Water	8260B SIM	
240-140442-3	MW-140S_111620	Total/NA	Water	8260B SIM	
MB 240-462410/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-462410/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-140259-I-6 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-140259-I-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 462825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-140442-1	TRIP BLANK	Total/NA	Water	8260B	
240-140442-2	MW-139S_111620	Total/NA	Water	8260B	
240-140442-3	MW-140S_111620	Total/NA	Water	8260B	
MB 240-462825/7	Method Blank	Total/NA	Water	8260B	
LCS 240-462825/4	Lab Control Sample	Total/NA	Water	8260B	
240-140444-G-4 MS	Matrix Spike	Total/NA	Water	8260B	
240-140444-H-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Client Sample ID: TRIP BLANK

Lab Sample ID: 240-140442-1

Date Collected: 11/16/20 00:00

Matrix: Water

Date Received: 11/18/20 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462825	11/25/20 16:22	LRW	TAL CAN

## Client Sample ID: MW-139S\_111620

Lab Sample ID: 240-140442-2

Date Collected: 11/16/20 14:36

Matrix: Water

Date Received: 11/18/20 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462825	11/25/20 16:47	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462410	11/24/20 00:25	SAM	TAL CAN

## Client Sample ID: MW-140S\_111620

Lab Sample ID: 240-140442-3

Date Collected: 11/16/20 15:46

Matrix: Water

Date Received: 11/18/20 09:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	462825	11/25/20 17:12	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	462410	11/24/20 00:50	SAM	TAL CAN

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-140442-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact: Arcadis  
 Address: 28550 Cabot Drive, Suite 500  
 City/State/Zip: Novi, MI, 48377  
 Phone: 248-994-2240

Project Name: Ford LTP Off-Site  
 Project Number: 30050315.402.04  
 PO # 30050315.402.04

Client Project Manager: Kris Hinskey  
 Telephone: 248-994-2240  
 Email: kristoffer.hinskey@arcadis.com

Site Contact: Julia McClafferty  
 Telephone: 330-497-9396

Sampler Name: *Grady Schaefer*  
 Method of Shipment/Carrier:  
 Shipping/Tracking No:

Analysis Turnaround Time: 10 day  
 TAT if different from below:  
 3 weeks  
 2 weeks  
 1 week  
 2 days  
 1 day

Containers & Preservatives:  
 HCl  
 HNO3  
 H2SO4  
 Other:

Sample Identification	Sample Date	Sample Time	Matrix			Filtered Sample (Y/N)	Composite=C/Grab=C	Analyses					Sample Specific Notes / Special Instructions:			
			Aqueous	Sediment	Solid			Other:	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B		TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM
TRIP BLANK	11/16/20															
MW-1395-111620	11/16/20	14:36	X				NG	X	X	X	X	X	X	X		3 VOA's for 8260B 3 VOA's for 8260B SIM
MW-1405-111620	11/14/20	15:46	X				NG	X	X	X	X	X	X	X		↓



Possible Hazard Identification:  Non-Hazard  Irritant  Poison B  Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month):  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments:  
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by:	Relinquished by:	Relinquished by:	Company:	Date/Time:	Company:	Date/Time:	Company:	Date/Time:
<i>Grady Schaefer</i>	<i>Julia McClafferty</i>	<i>David Com</i>	Arcadis	11/16/20 1640	Novi, Mich Storage	11/16/20 1641	Arcadis	11/16/20 1641
			Arcadis	11/17/20 1140	ETA	11/17/20 1140	ETA	11/17/20 1140
			ETA	11/17/20 1700	ETA	11/18/20 940	TK	11/18/20 940

©2018 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Chain of Custody are trademarks of TestAmerica Laboratories, Inc.

**Canton Facility**  
 Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by: \_\_\_\_\_  
 Cooler Received on 11-18-20 Opened on 11-18-20  
 FedEx: 1<sup>st</sup> Grd  UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_


**Receipt After-hours:** Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. 1.3 °C Corrected Cooler Temp. 2.2 °C  
 IR GUN #IR-12 (CF +0.5 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes NA  
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No  
 4. Did custody papers accompany the sample(s)? Yes No  
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No  
 7. Did all bottles arrive in good condition (Unbroken)? Yes No  
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No  
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  
 10. Were correct bottle(s) used for the test(s) indicated? Yes No  
 11. Sufficient quantity received to perform indicated analyses? Yes No  
 12. Are these work share samples and all listed on the COC? Yes No  
 If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC907861  
 14. Were VOAs on the COC? Yes No  
 15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_ Yes No  
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_