

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-119016-1
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
10/1/2019 2:04:36 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Job ID: 240-119016-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-119016-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 9/18/2019 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.9° C and 3.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-105S_091619 (240-119016-1), MW-135S_091619 (240-119016-2) and TRIP BLANK (240-119016-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 09/25/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-105S_091619 (240-119016-1) and MW-135S_091619 (240-119016-2) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 09/23/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-119016-1	MW-105S_091619	Water	09/16/19 10:40	09/18/19 08:30	
240-119016-2	MW-135S_091619	Water	09/16/19 12:28	09/18/19 08:30	
240-119016-3	TRIP BLANK	Water	09/16/19 00:00	09/18/19 08:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Client Sample ID: MW-105S_091619

Lab Sample ID: 240-119016-1

No Detections.

Client Sample ID: MW-135S_091619

Lab Sample ID: 240-119016-2

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119016-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Client Sample ID: MW-105S_091619

Lab Sample ID: 240-119016-1

Date Collected: 09/16/19 10:40

Matrix: Water

Date Received: 09/18/19 08:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/23/19 17:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		63 - 125					09/23/19 17:06	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 20:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/25/19 20:00	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/25/19 20:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 20:00	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/25/19 20:00	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			09/25/19 20:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 121					09/25/19 20:00	1
4-Bromofluorobenzene (Surr)	63		59 - 120					09/25/19 20:00	1
Toluene-d8 (Surr)	81		70 - 123					09/25/19 20:00	1
Dibromofluoromethane (Surr)	113		75 - 128					09/25/19 20:00	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Client Sample ID: MW-135S_091619

Lab Sample ID: 240-119016-2

Date Collected: 09/16/19 12:28

Matrix: Water

Date Received: 09/18/19 08:30

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		09/23/19 17:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		63 - 125		09/23/19 17:31	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		09/25/19 20:24	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L	-		09/25/19 20:24	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L	-		09/25/19 20:24	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		09/25/19 20:24	1
Trichloroethene	1.0	U	1.0	0.10	ug/L	-		09/25/19 20:24	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L	-		09/25/19 20:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 121		09/25/19 20:24	1
4-Bromofluorobenzene (Surr)	63		59 - 120		09/25/19 20:24	1
Toluene-d8 (Surr)	82		70 - 123		09/25/19 20:24	1
Dibromofluoromethane (Surr)	116		75 - 128		09/25/19 20:24	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119016-3

Date Collected: 09/16/19 00:00

Matrix: Water

Date Received: 09/18/19 08:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 20:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/25/19 20:47	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/25/19 20:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 20:47	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/25/19 20:47	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			09/25/19 20:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 121		09/25/19 20:47	1
4-Bromofluorobenzene (Surr)	61		59 - 120		09/25/19 20:47	1
Toluene-d8 (Surr)	79		70 - 123		09/25/19 20:47	1
Dibromofluoromethane (Surr)	113		75 - 128		09/25/19 20:47	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-118800-A-11 MS	Matrix Spike	83	86	87	94
240-118800-A-11 MSD	Matrix Spike Duplicate	83	86	89	97
240-119016-1	MW-105S_091619	101	63	81	113
240-119016-2	MW-135S_091619	105	63	82	116
240-119016-3	TRIP BLANK	99	61	79	113
LCS 240-402439/4	Lab Control Sample	84	96	95	95
MB 240-402439/6	Method Blank	97	69	86	108

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-119016-1	MW-105S_091619	104
240-119016-2	MW-135S_091619	104
240-119025-C-3 MS	Matrix Spike	107
240-119025-C-3 MSD	Matrix Spike Duplicate	109
LCS 240-401987/4	Lab Control Sample	102
MB 240-401987/5	Method Blank	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-402439/6
Matrix: Water
Analysis Batch: 402439

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 14:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/25/19 14:00	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/25/19 14:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/25/19 14:00	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/25/19 14:00	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			09/25/19 14:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 121		09/25/19 14:00	1
4-Bromofluorobenzene (Surr)	69		59 - 120		09/25/19 14:00	1
Toluene-d8 (Surr)	86		70 - 123		09/25/19 14:00	1
Dibromofluoromethane (Surr)	108		75 - 128		09/25/19 14:00	1

Lab Sample ID: LCS 240-402439/4
Matrix: Water
Analysis Batch: 402439

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.3		ug/L		103	65 - 139
cis-1,2-Dichloroethene	10.0	9.61		ug/L		96	76 - 128
Tetrachloroethene	10.0	10.3		ug/L		103	74 - 130
trans-1,2-Dichloroethene	10.0	9.82		ug/L		98	78 - 133
Trichloroethene	10.0	9.75		ug/L		98	76 - 125
Vinyl chloride	10.0	7.97		ug/L		80	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 121
4-Bromofluorobenzene (Surr)	96		59 - 120
Toluene-d8 (Surr)	95		70 - 123
Dibromofluoromethane (Surr)	95		75 - 128

Lab Sample ID: 240-118800-A-11 MS
Matrix: Water
Analysis Batch: 402439

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	3.2	J	50.0	43.3		ug/L		80	64 - 130
Tetrachloroethene	120	F1	50.0	133	F1	ug/L		32	51 - 136
trans-1,2-Dichloroethene	1.6	J	50.0	42.6		ug/L		82	68 - 133
Trichloroethene	110	F1	50.0	114	F1	ug/L		16	55 - 131
Vinyl chloride	5.0	U	50.0	34.4		ug/L		69	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 121
4-Bromofluorobenzene (Surr)	86		59 - 120
Toluene-d8 (Surr)	87		70 - 123
Dibromofluoromethane (Surr)	94		75 - 128

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-118800-A-11 MSD
Matrix: Water
Analysis Batch: 402439

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	3.2	J	50.0	46.2		ug/L		86	64 - 130	6	21
Tetrachloroethene	120	F1	50.0	136	F1	ug/L		38	51 - 136	2	23
trans-1,2-Dichloroethene	1.6	J	50.0	46.5		ug/L		90	68 - 133	9	24
Trichloroethene	110	F1	50.0	119	F1	ug/L		26	55 - 131	4	23
Vinyl chloride	5.0	U	50.0	40.0		ug/L		80	43 - 154	15	29
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	83		70 - 121								
4-Bromofluorobenzene (Surr)	86		59 - 120								
Toluene-d8 (Surr)	89		70 - 123								
Dibromofluoromethane (Surr)	97		75 - 128								

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-401987/5
Matrix: Water
Analysis Batch: 401987

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/23/19 12:57	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		63 - 125					09/23/19 12:57	1

Lab Sample ID: LCS 240-401987/4
Matrix: Water
Analysis Batch: 401987

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.8		ug/L		108	59 - 131
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	102		63 - 125				

Lab Sample ID: 240-119025-C-3 MS
Matrix: Water
Analysis Batch: 401987

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	52 - 129
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	107		63 - 125						

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-119025-C-3 MSD

Matrix: Water

Analysis Batch: 401987

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	52 - 129	2	13
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	109		63 - 125								

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

GC/MS VOA

Analysis Batch: 401987

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119016-1	MW-105S_091619	Total/NA	Water	8260B SIM	
240-119016-2	MW-135S_091619	Total/NA	Water	8260B SIM	
MB 240-401987/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-401987/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119025-C-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-119025-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 402439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119016-1	MW-105S_091619	Total/NA	Water	8260B	
240-119016-2	MW-135S_091619	Total/NA	Water	8260B	
240-119016-3	TRIP BLANK	Total/NA	Water	8260B	
MB 240-402439/6	Method Blank	Total/NA	Water	8260B	
LCS 240-402439/4	Lab Control Sample	Total/NA	Water	8260B	
240-118800-A-11 MS	Matrix Spike	Total/NA	Water	8260B	
240-118800-A-11 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Client Sample ID: MW-105S_091619

Lab Sample ID: 240-119016-1

Date Collected: 09/16/19 10:40

Matrix: Water

Date Received: 09/18/19 08:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	402439	09/25/19 20:00	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	401987	09/23/19 17:06	SAM	TAL CAN

Client Sample ID: MW-135S_091619

Lab Sample ID: 240-119016-2

Date Collected: 09/16/19 12:28

Matrix: Water

Date Received: 09/18/19 08:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	402439	09/25/19 20:24	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	401987	09/23/19 17:31	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-119016-3

Date Collected: 09/16/19 00:00

Matrix: Water

Date Received: 09/18/19 08:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	402439	09/25/19 20:47	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119016-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
California	State Program	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Connecticut	State Program	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Georgia	State Program	N/A	02-23-20
Illinois	NELAP	200004	07-31-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Iowa	State Program	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (UST)	State Program	58	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Kentucky (WW)	State Program	98016	12-31-19
Minnesota	NELAP	039-999-348	12-31-19 *
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Ohio VAP	State Program	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-19-11	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	Federal	P330-16-00404	12-28-19
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	460175	09-14-20
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
Washington	State Program	C971	01-12-20 *
West Virginia DEP	State	210	12-31-19
West Virginia DEP	State Program	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: M1001454.0004.0002B PO # M1001454.0004.0002B		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		Site Contact: Rachel Bielak Telephone: 248-946-6331	
Method of Shipment/Carrier: Shipping/Tracking No:		Analysis Turnaround Time TAT (if different from below) <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Sample Identification MW-105S-091619 MW-135S-091619 TRIP BLANK		Matrix Air <input type="checkbox"/> Aqueous <input type="checkbox"/> Sediment <input type="checkbox"/> Solid <input type="checkbox"/> Other:	
Sample Date 9/16/19 9/16/19 -		Sample Time 1040 1228 -	
Filtered Sample (Y/N) X X G		Composite C/Grab-G X X G	
1,1-DCE 8260B X X G		1,1-DCE 8260B X X G	
1,1-DCE 8260B X X G		1,1-DCE 8260B X X G	
Trans-1,2-DCE 8260B X X G		Trans-1,2-DCE 8260B X X G	
PCE 8260B X X G		PCE 8260B X X G	
TCE 8260B X X G		TCE 8260B X X G	
Vinyl Chloride 8260B X X G		Vinyl Chloride 8260B X X G	
1,4-Dioxane 8260B SIM X X G		1,4-Dioxane 8260B SIM X X G	
Sample Specific Notes / Special Instructions: quantity: 6 quantity: 6 quantity: 1		Sample Specific Notes / Special Instructions:	



Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631
Level IV Reporting requested.

Relinquished by: <i>[Signature]</i>	Company: ANA	Date/Time: 9/16/19 1337	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 9/16/19 1337
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 9/16/19 1900	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 9/16/19 1900
Relinquished by: <i>[Signature]</i>	Company: ARCADIS	Date/Time: 9/17/19 1028	Received in Laboratory by: <i>[Signature]</i>	Company: ETA	Date/Time: 9-17-19 1028

ETA
9-17-19 1450
TAL
9/18/19 830

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility**


Login # : 119016

Client Accadis Site Name _____
Cooler Received on 9/18/19 Opened on 9/18/19
FedEx: 1st Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by:
DSD

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TAC Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Leak Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC991818
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: Martin

18. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form								
Cooler Description (Circle)				IR Gun # (Circle)		Observed Temp °C	Corrected Temp °C	Coolant (Circle)
<input checked="" type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input checked="" type="radio"/> IR-10	<input type="radio"/> IR-11	2.7	3.4	<input checked="" type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input checked="" type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input checked="" type="radio"/> IR-10	<input type="radio"/> IR-11	2.2	2.9	<input checked="" type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="radio"/> TA	<input type="radio"/> Client	<input type="radio"/> Box	<input type="radio"/> Other	<input type="radio"/> IR-10	<input type="radio"/> IR-11			<input type="radio"/> Wet Ice <input type="radio"/> Water <input type="radio"/> Blue Ice <input type="radio"/> Dry Ice <input type="radio"/> None
<input type="checkbox"/> See Temperature Excursion Form								