

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-119031-1  
Client Project/Site: Ford LTP Livonia MI - E203631

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
10/1/2019 2:24:51 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[michael.delmonico@testamericainc.com](mailto:michael.delmonico@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	14
Lab Chronicle . . . . .	15
Certification Summary . . . . .	16
Chain of Custody . . . . .	17



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

**Job ID: 240-119031-1**

**Laboratory: Eurofins TestAmerica, Canton**

**Narrative**

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP Livonia MI - E203631**

**Report Number: 240-119031-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### **RECEIPT**

The samples were received on 9/18/2019 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.9° C and 3.4° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples MW-131S\_091619 (240-119031-1) and TRIP BLANK (240-119031-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 09/27/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for TRIP BLANK (240-119031-2). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GCMS SIM)**

Sample MW-131S\_091619 (240-119031-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 09/24/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-119031-1	MW-131S_091619	Water	09/16/19 11:25	09/18/19 08:30	
240-119031-2	TRIP BLANK	Water	09/16/19 00:00	09/18/19 08:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

**Client Sample ID: MW-131S\_091619**

**Lab Sample ID: 240-119031-1**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.3	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	0.87	J	1.0	0.20	ug/L	1		8260B	Total/NA

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-119031-2**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

**Client Sample ID: MW-131S\_091619**

**Lab Sample ID: 240-119031-1**

Date Collected: 09/16/19 11:25

Matrix: Water

Date Received: 09/18/19 08:30

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.3	J	2.0	0.86	ug/L			09/24/19 14:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		63 - 125		09/24/19 14:13	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 12:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/27/19 12:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/27/19 12:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 12:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/27/19 12:22	1
Vinyl chloride	0.87	J	1.0	0.20	ug/L			09/27/19 12:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 121		09/27/19 12:22	1
4-Bromofluorobenzene (Surr)	99		59 - 120		09/27/19 12:22	1
Toluene-d8 (Surr)	102		70 - 123		09/27/19 12:22	1
Dibromofluoromethane (Surr)	88		75 - 128		09/27/19 12:22	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-119031-2**

**Date Collected: 09/16/19 00:00**

**Matrix: Water**

**Date Received: 09/18/19 08:30**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 14:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/27/19 14:35	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/27/19 14:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 14:35	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/27/19 14:35	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			09/27/19 14:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	123	X	70 - 121		09/27/19 14:35	1
4-Bromofluorobenzene (Surr)	104		59 - 120		09/27/19 14:35	1
Toluene-d8 (Surr)	106		70 - 123		09/27/19 14:35	1
Dibromofluoromethane (Surr)	97		75 - 128		09/27/19 14:35	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(70-121)	(59-120)	(70-123)	(75-128)
240-119031-1	MW-131S_091619	118	99	102	88
240-119031-1 MS	MW-131S_091619	111	98	102	87
240-119031-1 MSD	MW-131S_091619	115	102	100	94
240-119031-2	TRIP BLANK	123 X	104	106	97
LCS 240-402857/4	Lab Control Sample	119	102	100	93
MB 240-402857/6	Method Blank	115	100	101	90

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-119031-1	MW-131S_091619	106
240-119031-1 MS	MW-131S_091619	108
240-119031-1 MSD	MW-131S_091619	108
LCS 240-402169/4	Lab Control Sample	107
MB 240-402169/5	Method Blank	108

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-402857/6**  
**Matrix: Water**  
**Analysis Batch: 402857**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 10:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			09/27/19 10:30	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			09/27/19 10:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			09/27/19 10:30	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			09/27/19 10:30	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			09/27/19 10:30	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 121		09/27/19 10:30	1
4-Bromofluorobenzene (Surr)	100		59 - 120		09/27/19 10:30	1
Toluene-d8 (Surr)	101		70 - 123		09/27/19 10:30	1
Dibromofluoromethane (Surr)	90		75 - 128		09/27/19 10:30	1

**Lab Sample ID: LCS 240-402857/4**  
**Matrix: Water**  
**Analysis Batch: 402857**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	9.54		ug/L		95	65 - 139
cis-1,2-Dichloroethene	10.0	10.2		ug/L		102	76 - 128
Tetrachloroethene	10.0	9.21		ug/L		92	74 - 130
trans-1,2-Dichloroethene	10.0	9.84		ug/L		98	78 - 133
Trichloroethene	10.0	8.77		ug/L		88	76 - 125
Vinyl chloride	10.0	8.13		ug/L		81	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	119		70 - 121
4-Bromofluorobenzene (Surr)	102		59 - 120
Toluene-d8 (Surr)	100		70 - 123
Dibromofluoromethane (Surr)	93		75 - 128

**Lab Sample ID: 240-119031-1 MS**  
**Matrix: Water**  
**Analysis Batch: 402857**

**Client Sample ID: MW-131S\_091619**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	6.99		ug/L		70	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	8.55		ug/L		86	64 - 130
Tetrachloroethene	1.0	U	10.0	6.26		ug/L		63	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	7.66		ug/L		77	68 - 133
Trichloroethene	1.0	U	10.0	6.69		ug/L		67	55 - 131
Vinyl chloride	0.87	J	10.0	6.68		ug/L		58	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	102		70 - 123

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-119031-1 MS**  
**Matrix: Water**  
**Analysis Batch: 402857**

**Client Sample ID: MW-131S\_091619**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	87		75 - 128

**Lab Sample ID: 240-119031-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 402857**

**Client Sample ID: MW-131S\_091619**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier		Result	Qualifier				Limits		
1,1-Dichloroethene	1.0	U	10.0	7.93		ug/L		79	53 - 140	13	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.51		ug/L		95	64 - 130	11	21
Tetrachloroethene	1.0	U	10.0	6.51		ug/L		65	51 - 136	4	23
trans-1,2-Dichloroethene	1.0	U	10.0	8.35		ug/L		83	68 - 133	9	24
Trichloroethene	1.0	U	10.0	6.73		ug/L		67	55 - 131	1	23
Vinyl chloride	0.87	J	10.0	7.65		ug/L		68	43 - 154	14	29

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	115		70 - 121
4-Bromofluorobenzene (Surr)	102		59 - 120
Toluene-d8 (Surr)	100		70 - 123
Dibromofluoromethane (Surr)	94		75 - 128

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-402169/5**  
**Matrix: Water**  
**Analysis Batch: 402169**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/24/19 12:10	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		63 - 125		09/24/19 12:10	1

**Lab Sample ID: LCS 240-402169/4**  
**Matrix: Water**  
**Analysis Batch: 402169**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
1,4-Dioxane	10.0	10.0		ug/L		100	59 - 131

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		63 - 125

**Lab Sample ID: 240-119031-1 MS**  
**Matrix: Water**  
**Analysis Batch: 402169**

**Client Sample ID: MW-131S\_091619**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier		Result	Qualifier				Limits
1,4-Dioxane	1.3	J	10.0	12.0		ug/L		108	52 - 129

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS %Recovery</i>	<i>MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	108		63 - 125

Lab Sample ID: 240-119031-1 MSD  
 Matrix: Water  
 Analysis Batch: 402169

Client Sample ID: MW-131S\_091619  
 Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	1.3	J	10.0	11.7		ug/L		105	52 - 129	3	13

<i>Surrogate</i>	<i>MSD %Recovery</i>	<i>MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	108		63 - 125

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## GC/MS VOA

### Analysis Batch: 402169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119031-1	MW-131S_091619	Total/NA	Water	8260B SIM	
MB 240-402169/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-402169/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119031-1 MS	MW-131S_091619	Total/NA	Water	8260B SIM	
240-119031-1 MSD	MW-131S_091619	Total/NA	Water	8260B SIM	

### Analysis Batch: 402857

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119031-1	MW-131S_091619	Total/NA	Water	8260B	
240-119031-2	TRIP BLANK	Total/NA	Water	8260B	
MB 240-402857/6	Method Blank	Total/NA	Water	8260B	
LCS 240-402857/4	Lab Control Sample	Total/NA	Water	8260B	
240-119031-1 MS	MW-131S_091619	Total/NA	Water	8260B	
240-119031-1 MSD	MW-131S_091619	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

**Client Sample ID: MW-131S\_091619**

**Lab Sample ID: 240-119031-1**

**Date Collected: 09/16/19 11:25**

**Matrix: Water**

**Date Received: 09/18/19 08:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	402857	09/27/19 12:22	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	402169	09/24/19 14:13	SAM	TAL CAN

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-119031-2**

**Date Collected: 09/16/19 00:00**

**Matrix: Water**

**Date Received: 09/18/19 08:30**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	402857	09/27/19 14:35	LEE	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119031-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
California	State Program	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Connecticut	State Program	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Georgia	State Program	N/A	02-23-20
Illinois	NELAP	200004	07-31-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Iowa	State Program	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (UST)	State Program	58	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Kentucky (WW)	State Program	98016	12-31-19
Minnesota	NELAP	039-999-348	12-31-19 *
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Ohio VAP	State Program	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-19-11	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	Federal	P330-16-00404	12-28-19
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	460175	09-14-20
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
Washington	State Program	C971	01-12-20 *
West Virginia DEP	State	210	12-31-19
West Virginia DEP	State Program	210	12-31-19

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



**MICHIGAN**  
**190**

**Chain of Custody Record**

**TestAmerica**  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

2.7/3.4  
2.2/2.9

<b>Client Contact</b> Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: M1001454.0004.0002B PO # M1001454.0004.0002B		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
<b>Client Project Manager: Kris Hinskey</b> Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		<b>Lab Contact: Mike DelMonico</b> Telephone: 330-497-9396	
<b>Analysis Turnaround Time</b> TAT if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <b>10 day</b>		<b>Analyses</b> 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
<b>Method of Shipment/Carrier:</b> Shipping/Tracking No:		<b>Filtered Sample (Y/N)</b> Composite=C / Grab=C 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM	
<b>Matrix</b> Aqueous Sediment Solid Other:		<b>Containers &amp; Preservatives</b> H2SO4 HNO3 HCl NaOH ZnAc NaOH Umpres Other:	
<b>Sample Identification</b> MW-1315-091619 MW-1315-MS-091619 MW-1315-MSD-091619 TRIP BLANK		<b>Sample Time</b> 9/16/19 1125 ↓ -	
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritable <input type="checkbox"/> cm Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
<b>Special Instructions/OC Requirements &amp; Comments:</b> Submit all results through Cadena at jim.tomalia@cadena.com. Cadena #E203631 Level IV Reporting requested.		<b>Relinquished by:</b> Shantel Johnson <b>Relinquished by:</b> Julia McElroy <b>Relinquished by:</b> RACHEL BLEAK for final	
<b>Date/Time:</b> 9/16/19 18:00 <b>Date/Time:</b> 9/16/19 19:00 <b>Date/Time:</b> 9/17/19 1030		<b>Company:</b> Arcadis <b>Company:</b> Arcadis <b>Company:</b> ETA	
<b>Received by:</b> Julia McElroy <b>Received by:</b> Noni Cold Storage <b>Received in Laboratory by:</b>		<b>Company:</b> Arcadis <b>Company:</b> Arcadis <b>Company:</b> ETA	
<b>Date/Time:</b> 9/18/19 830		<b>Date/Time:</b> 9/18/19 830	



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14


**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # : 119031

Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by: DSJ  
 Cooler Received on 9/18/19 Opened on 9/18/19

FedEx: 1<sup>st</sup>  Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_  
**Receipt After-hours:** Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # TJC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC991818
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

**17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES** Samples processed by: Martin  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**18. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**19. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

