ANALYTICAL REPORT

Eurofins TestAmerica, Canton 4101 Shuffel Street NW North Canton, OH 44720 Tel: (330)497-9396

Laboratory Job ID: 240-119304-1

Client Project/Site: Ford LTP Livonia MI - E203631

For:

ARCADIS U.S., Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377

Attn: Kristoffer Hinskey

Mile Del Your

Authorized for release by: 10/7/2019 4:37:50 PM

Michael DelMonico, Project Manager I (330)497-9396

michael.delmonico@testamericainc.com

·····LINKS ······

Review your project results through

Total Access

Have a Question?



Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

3

4

5

6

8

9

10

12

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Qualifiers

GC/MS VOA

Qualifier **Qualifier Description**

U Indicates the analyte was analyzed for but not detected.

Χ Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
--------------	---

¤ Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery CFL Contains Free Liquid **CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

Decision Level Concentration (Radiochemistry) DLC

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) Limit of Quantitation (DoD/DOE) LOQ

Minimum Detectable Activity (Radiochemistry) MDA MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin)

NC Not Calculated

Not Detected at the reporting limit (or MDL or EDL if shown) ND

PQL Practical Quantitation Limit

QC **Quality Control**

Relative Error Ratio (Radiochemistry) **RER**

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119304-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-119304-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 9/21/2019 9:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-108S 091919 (240-119304-1) and TRIP BLANK (240-119304-5) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 10/01/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for LCS 240-403240/4. Refer to the QC report for details.

Surrogate recovery for the LCS and the following samples were outside the upper control limit: MW-108S_091919 (240-119304-1), TRIP BLANK (240-119304-5) and (LCS 240-403240/4). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-108S_091919 (240-119304-1) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 09/26/2019.

Case Narrative

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119304-1

Job ID: 240-119304-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Job ID: 240-119304-1

4

5

6

0

9

11

12

4 /

Sample Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

 Lab Sample ID
 Client Sample ID
 Matrix
 Collected
 Received
 Asset ID

 240-119304-1
 MW-108S_091919
 Water
 09/19/19 10:35
 09/21/19 09:50

 240-119304-5
 TRIP BLANK
 Water
 09/19/19 00:00
 09/21/19 09:50

Job ID: 240-119304-1

3

4

_

9

Detection Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

No Detections.

Client Sample ID: TRIP BLANK Lab Sample ID: 240-119304-5

No Detections.

3

4

5

_

8

9

10

12

13

Client Sample Results

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Client Sample ID: MW-108S_091919

Date Collected: 09/19/19 10:35 Date Received: 09/21/19 09:50

Toluene-d8 (Surr)

Dibromofluoromethane (Surr)

Lab Sample ID: 240-119304-1

10/01/19 00:26 10/01/19 00:26

Matrix: Water

Method: 8260B SIM - Volat Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			09/26/19 14:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		63 - 125					09/26/19 14:07	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/01/19 00:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/01/19 00:26	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/01/19 00:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/01/19 00:26	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/01/19 00:26	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/01/19 00:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		70 - 121					10/01/19 00:26	1
4-Bromofluorobenzene (Surr)	103		59 - 120					10/01/19 00:26	1

70 - 123

75 - 128

103

84

12

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Client Sample ID: TRIP BLANK

Date Collected: 09/19/19 00:00 Date Received: 09/21/19 09:50 Lab Sample ID: 240-119304-5

Matrix: Water

Method: 8260B - Volatile O Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/01/19 01:56	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			10/01/19 01:56	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			10/01/19 01:56	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			10/01/19 01:56	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			10/01/19 01:56	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			10/01/19 01:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		70 - 121					10/01/19 01:56	1
4-Bromofluorobenzene (Surr)	104		59 - 120					10/01/19 01:56	1
Toluene-d8 (Surr)	103		70 - 123					10/01/19 01:56	1
Dibromofluoromethane (Surr)	84		75 - 128					10/01/19 01:56	1

2

5

7

0

3

11

12

Surrogate Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

_			Pe	rcent Surre	ogate Reco
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(70-121)	(59-120)	(70-123)	(75-128)
240-119304-1	MW-108S_091919	119	103	103	84
240-119304-1 MS	MW-108S_091919	109	98	98	82
240-119304-1 MSD	MW-108S_091919	113	97	97	93
240-119304-5	TRIP BLANK	116	104	103	84
LCS 240-403240/4	Lab Control Sample	123 X	107	104	96
MB 240-403240/6	Method Blank	117	98	101	91
Currogata Lagand					

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(63-125)	
240-119304-1	MW-108S_091919	97	
240-119306-A-4 MS	Matrix Spike	101	
240-119306-A-4 MSD	Matrix Spike Duplicate	101	
LCS 240-402639/4	Lab Control Sample	99	
MB 240-402639/5	Method Blank	98	
Surrogate Legend			

DCA = 1,2-Dichloroethane-d4 (Surr)

Eurofins TestAmerica, Canton

3

4

6

R

9

11

4.6

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-119304-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-403240/6

Matrix: Water

Analysis Batch: 403240

Client Sample ID: Method Blank **Prep Type: Total/NA**

MR MR Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac 1,1-Dichloroethene 1.0 U 1.0 09/30/19 21:51 0.19 ug/L cis-1,2-Dichloroethene 1.0 U 1.0 0.16 ug/L 09/30/19 21:51 Tetrachloroethene 1.0 U 1.0 0.15 ug/L 09/30/19 21:51 trans-1,2-Dichloroethene 1.0 U 1.0 0.19 ug/L 09/30/19 21:51 Trichloroethene 1.0 U 1.0 0.10 ug/L 09/30/19 21:51 Vinyl chloride 1.0 U 1.0 0.20 ug/L 09/30/19 21:51

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 117 70 - 121 09/30/19 21:51 4-Bromofluorobenzene (Surr) 98 59 - 120 09/30/19 21:51 101 70 - 123 Toluene-d8 (Surr) 09/30/19 21:51 75 - 128 Dibromofluoromethane (Surr) 91 09/30/19 21:51

Lab Sample ID: LCS 240-403240/4

Matrix: Water

Analysis Batch: 403240

Client Sample ID: Lab Control Sample Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	10.0	9.16		ug/L		92	65 - 139	
cis-1,2-Dichloroethene	10.0	10.3		ug/L		103	76 - 128	
Tetrachloroethene	10.0	9.44		ug/L		94	74 - 130	
trans-1,2-Dichloroethene	10.0	9.90		ug/L		99	78 - 133	
Trichloroethene	10.0	8.92		ug/L		89	76 - 125	
Vinyl chloride	10.0	8.80		ug/L		88	58 - 143	

LCS LCS Limits Surrogate %Recovery Qualifier 1,2-Dichloroethane-d4 (Surr) 123 X 70 - 121 4-Bromofluorobenzene (Surr) 107 59 - 120 Toluene-d8 (Surr) 70 - 123 104 Dibromofluoromethane (Surr) 96 75 - 128

Lab Sample ID: 240-119304-1 MS

Matrix: Water

Analysis Batch: 403240

Client Sample ID: MW-108S_091919 Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
1,1-Dichloroethene	1.0	U	10.0	7.21		ug/L		72	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	8.79		ug/L		88	64 - 130
Tetrachloroethene	1.0	U	10.0	7.24		ug/L		72	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	8.15		ug/L		81	68 - 133
Trichloroethene	1.0	U	10.0	7.21		ug/L		72	55 ₋ 131
Vinyl chloride	1.0	U	10.0	7.00		ug/L		70	43 - 154

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		70 - 121
4-Bromofluorobenzene (Surr)	98		59 - 120
Toluene-d8 (Surr)	98		70 - 123

Eurofins TestAmerica, Canton

Page 12 of 19

10

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-119304-1 MS

Matrix: Water

Analysis Batch: 403240

Client Sample ID: MW-108S_091919

Prep Type: Total/NA

MS MS

Limits Surrogate %Recovery Qualifier Dibromofluoromethane (Surr) 75 - 128 82

Lab Sample ID: 240-119304-1 MSD

Matrix: Water

Analysis Batch: 403240

Client Sample ID: MW-108S 091919

Prep Type: Total/NA

RPD Sample Sample Spike MSD MSD %Rec. Result Qualifier Added Result Qualifier Unit %Rec Limits RPD Limit Analyte D 1.0 U 10.0 7.79 35 1,1-Dichloroethene ug/L 78 53 - 140 8 cis-1,2-Dichloroethene 1.0 U 9.05 90 64 - 130 10.0 ug/L 3 21 1.0 U Tetrachloroethene 10.0 7.07 ug/L 71 51 - 136 2 23 trans-1,2-Dichloroethene 1.0 U 10.0 8.46 85 68 - 133 24 ug/L ug/L Trichloroethene 1.0 U 10.0 7 18 72 55 - 131 0 23 Vinyl chloride 1.0 U 10.0 7.11 ug/L 71 43 - 1542 29

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	113		70 - 121
4-Bromofluorobenzene (Surr)	97		59 - 120
Toluene-d8 (Surr)	97		70 - 123
Dibromofluoromethane (Surr)	93		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-402639/5

Matrix: Water

Analyte

1,4-Dioxane

Analysis Batch: 402639

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB Dil Fac Result Qualifier RI **MDL** Unit ח Prepared Analyzed 2.0 U 2.0 0.86 ug/L 09/26/19 13:18

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 63 - 125 09/26/19 13:18 1,2-Dichloroethane-d4 (Surr) 98

Lab Sample ID: LCS 240-402639/4

Client Sample ID: Lab Control Sample Matrix: Water Prep Type: Total/NA **Analysis Batch: 402639**

LCS LCS Spike %Rec. Analyte Added Result Qualifier Unit D %Rec Limits 1,4-Dioxane 10.0 10.8 ug/L 108 59 - 131

LCS LCS

Surrogate %Recovery Qualifier Limits 63 - 125 1,2-Dichloroethane-d4 (Surr) 99

Lab Sample ID: 240-119306-A-4 MS

Matrix: Water

Analysis Batch: 402639

Client Sample ID: Matrix Spike Prep Type: Total/NA

Sample Sample Spike MS MS %Rec. Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits 2.0 U 1,4-Dioxane 10.0 10.5 ug/L 105 52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

63 - 125

Client: ARCADIS U.S., Inc. Job ID: 240-119304-1

MSD MSD

11.3

Result Qualifier Unit

ug/L

Project/Site: Ford LTP Livonia MI - E203631

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		63 - 125

1,2-Dichloroethane-d4 (Surr)	101	
_ 	C A 4 MOD	

Lab Sample ID: 240-119306-A-4 MSD **Matrix: Water**

Analysis Batch: 402639

1,2-Dichloroethane-d4 (Surr)

Analysis Daton. 402005	Sample	Sample	Spike
Analyte	Result	Qualifier	Added
1,4-Dioxane	2.0	U	10.0
	MSD	MSD	
Surrogate	%Recovery	Qualifier	l imits

101

Client Sample ID: Matrix Spike Duplicate

D %Rec

113

Prep Type: Total/NA

RPD %Rec. Limits RPD Limit

52 - 129 8

QC Association Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1 Project/Site: Ford LTP Livonia MI - E203631

GC/MS VOA

Analysis Batch: 402639

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119304-1	MW-108S_091919	Total/NA	Water	8260B SIM	
MB 240-402639/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-402639/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-119306-A-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-119306-A-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 403240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-119304-1	MW-108S_091919	Total/NA	Water	8260B	
240-119304-5	TRIP BLANK	Total/NA	Water	8260B	
MB 240-403240/6	Method Blank	Total/NA	Water	8260B	
LCS 240-403240/4	Lab Control Sample	Total/NA	Water	8260B	
240-119304-1 MS	MW-108S_091919	Total/NA	Water	8260B	
240-119304-1 MSD	MW-108S_091919	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Date Collected: 09/19/19 10:35 Matrix: Water

Date Received: 09/21/19 09:50

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	403240	10/01/19 00:26	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	402639	09/26/19 14:07	SAM	TAL CAN

Client Sample ID: TRIP BLANK Lab Sample ID: 240-119304-5

Date Collected: 09/19/19 00:00 Date Received: 09/21/19 09:50 Lab Sample ID. 240-119304-5

Matrix: Water

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	403240	10/01/19 01:56	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Δ

5

8

12

13

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.

Job ID: 240-119304-1

Project/Site: Ford LTP Livonia MI - E203631

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Illinois	NELAP	004498	07-31-20
lowa	State	421	06-01-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-20
West Virginia DEP	State	210	12-31-19

4

5

_

9

10

12

13

Tool	Chain Test A morine 1 a horatory location: Brighton 10448 Citation	Chain of Custody Record 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763	7763	TestAmerica
Client Contact	Regulatory program: DW	NPDES RCRA Other	The second secon	
Company Name: Arcadis	Client Project Manager: Kris Hinskey	Site Contact: Rachel Bielak	Lab Contact: Mike DelMonico	TestAmerica Laboratories, Inc. COC No:
Address: 28550 Cabat Drive, Suite 500	T-1to 346 064 3746	Telenhane: 248-946-6331	Telephone: 338-497-9396	
City/State/Zip: Novi, MI, 48377	Terpluis, 140777-1240	Time	Analyses	of COCs For lab use only
Phone: 248-994-2240		TAT if different from helpow		Walk-in chent
Project Name: Ford LTP		10 day 17 2 weeks		Lab sampling
Project Number: MI001454.0604.0062B	Method of Shipment/Carrier:	1 week	809	
PO # M1001454.0004.0002B	Shipping/Tracking No:	X) 916	9 85ec	Job/SDG No.
	Technology (Control of the Control o	Composite State St	is-1,2-DCE	Sample Specific Notes / Special Instructions:
M W - 1045 - 09/9/9	1035 x x 3 million 1 milli		XXX	<u> </u>
M. 1 1600 DOIGH			× × × × ×	
1	1/1/11 RA	2		
1910/100 1821-1014	4/19/19/1333	X A 9	XXXXX	
410100000000000000000000000000000000000	0119114 1-130	, , , , , , , , , , , , , , , , , , ,		
716 C J. 1.				
Possible Hazard Identification 7 Non-Hazard	t Poison B T Juknewn	Sample Disposal (A fee may be assessed if samples are retained longer than I month	les are retained longer than 1 month) ———————————————————————————————————	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jim.tomalia@cadena.	.com. Cadena #E203631			
ing requested.			Commany:	+
Hather Wooden	Company Call's Vigily 9	1830 market	7	2
Refinquished By:	ن ے	1900 Novi Cold Sterage	,	
Relinquished by: ROHEL BIELTHK BOND BAILBUK	Company: Date Ime: A R.CALDIS 7 20/19	1130 Page 120 120 130	ETT	9-26-19 1/30
		6,7		

RCB 100719

WI-NC-099