

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-135277-1
Client Project/Site: Ford LTP On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey

Authorized for release by:
9/1/2020 1:02:44 PM
Jessica Rigdon, Project Management Assistant I
(330)966-9268
Jessica.Rigdon@Eurofinset.com
Designee for
Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	15
QC Sample Results	16
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Job ID: 240-135277-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP On-Site

Report Number: 240-135277-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 8/20/2020 9:20 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.8° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-135277-1), MW-19_081820 (240-135277-2), MW-29_081820 (240-135277-3), MW-113_081820 (240-135277-4), MW-200S_081820 (240-135277-5) and DUP-07 (240-135277-6) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/30/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-19_081820 (240-135277-2), MW-29_081820 (240-135277-3), MW-113_081820 (240-135277-4), MW-200S_081820 (240-135277-5) and DUP-07 (240-135277-6) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 08/27/2020.

Samples MW-19_081820 (240-135277-2)[5X] and DUP-07 (240-135277-6)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Job ID: 240-135277-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-135277-1	TRIP BLANK	Water	08/18/20 00:00	08/20/20 09:20	
240-135277-2	MW-19_081820	Water	08/18/20 10:30	08/20/20 09:20	
240-135277-3	MW-29_081820	Water	08/18/20 12:10	08/20/20 09:20	
240-135277-4	MW-113_081820	Water	08/18/20 13:25	08/20/20 09:20	
240-135277-5	MW-200S_081820	Water	08/18/20 14:50	08/20/20 09:20	
240-135277-6	DUP-07	Water	08/18/20 00:00	08/20/20 09:20	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135277-1

No Detections.

Client Sample ID: MW-19_081820

Lab Sample ID: 240-135277-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	580		10	4.3	ug/L	5		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.74	J	1.0	0.38	ug/L	1		8260B	Total/NA
Trichloroethene	0.84	J	1.0	0.36	ug/L	1		8260B	Total/NA
Vinyl chloride	1.2		1.0	0.50	ug/L	1		8260B	Total/NA

Client Sample ID: MW-29_081820

Lab Sample ID: 240-135277-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	5.6		2.0	0.86	ug/L	1		8260B SIM	Total/NA

Client Sample ID: MW-113_081820

Lab Sample ID: 240-135277-4

No Detections.

Client Sample ID: MW-200S_081820

Lab Sample ID: 240-135277-5

No Detections.

Client Sample ID: DUP-07

Lab Sample ID: 240-135277-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	600		10	4.3	ug/L	5		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.71	J	1.0	0.38	ug/L	1		8260B	Total/NA
Trichloroethene	0.83	J	1.0	0.36	ug/L	1		8260B	Total/NA
Vinyl chloride	1.4		1.0	0.50	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-135277-1

Date Collected: 08/18/20 00:00

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 13:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/30/20 13:34	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 13:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 13:34	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/30/20 13:34	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/30/20 13:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		75 - 130		08/30/20 13:34	1
4-Bromofluorobenzene (Surr)	102		47 - 134		08/30/20 13:34	1
Toluene-d8 (Surr)	107		69 - 122		08/30/20 13:34	1
Dibromofluoromethane (Surr)	116		78 - 129		08/30/20 13:34	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: MW-19_081820

Lab Sample ID: 240-135277-2

Date Collected: 08/18/20 10:30

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	580		10	4.3	ug/L			08/27/20 14:11	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/27/20 14:11	5

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 13:57	1
cis-1,2-Dichloroethene	0.74	J	1.0	0.38	ug/L			08/30/20 13:57	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 13:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 13:57	1
Trichloroethene	0.84	J	1.0	0.36	ug/L			08/30/20 13:57	1
Vinyl chloride	1.2		1.0	0.50	ug/L			08/30/20 13:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					08/30/20 13:57	1
4-Bromofluorobenzene (Surr)	100		47 - 134					08/30/20 13:57	1
Toluene-d8 (Surr)	110		69 - 122					08/30/20 13:57	1
Dibromofluoromethane (Surr)	113		78 - 129					08/30/20 13:57	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: MW-29_081820

Lab Sample ID: 240-135277-3

Date Collected: 08/18/20 12:10

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.6		2.0	0.86	ug/L			08/27/20 14:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 133		08/27/20 14:35	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 14:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/30/20 14:19	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 14:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 14:19	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/30/20 14:19	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/30/20 14:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		75 - 130		08/30/20 14:19	1
4-Bromofluorobenzene (Surr)	99		47 - 134		08/30/20 14:19	1
Toluene-d8 (Surr)	110		69 - 122		08/30/20 14:19	1
Dibromofluoromethane (Surr)	115		78 - 129		08/30/20 14:19	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: MW-113_081820

Lab Sample ID: 240-135277-4

Date Collected: 08/18/20 13:25

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 15:00	1
Surrogate									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/27/20 15:00	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 14:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/30/20 14:41	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 14:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 14:41	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/30/20 14:41	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/30/20 14:41	1
Surrogate									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					08/30/20 14:41	1
4-Bromofluorobenzene (Surr)	100		47 - 134					08/30/20 14:41	1
Toluene-d8 (Surr)	108		69 - 122					08/30/20 14:41	1
Dibromofluoromethane (Surr)	112		78 - 129					08/30/20 14:41	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: MW-200S_081820

Lab Sample ID: 240-135277-5

Date Collected: 08/18/20 14:50

Matrix: Water

Date Received: 08/20/20 09:20

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 15:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 133					08/27/20 15:26	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 13:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/30/20 13:12	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 13:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 13:12	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/30/20 13:12	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/30/20 13:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		75 - 130					08/30/20 13:12	1
4-Bromofluorobenzene (Surr)	97		47 - 134					08/30/20 13:12	1
Toluene-d8 (Surr)	106		69 - 122					08/30/20 13:12	1
Dibromofluoromethane (Surr)	111		78 - 129					08/30/20 13:12	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: DUP-07
Date Collected: 08/18/20 00:00
Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-6
Matrix: Water

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	600		10	4.3	ug/L			08/27/20 15:51	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		70 - 133					08/27/20 15:51	5

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 15:04	1
cis-1,2-Dichloroethene	0.71	J	1.0	0.38	ug/L			08/30/20 15:04	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 15:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 15:04	1
Trichloroethene	0.83	J	1.0	0.36	ug/L			08/30/20 15:04	1
Vinyl chloride	1.4		1.0	0.50	ug/L			08/30/20 15:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		75 - 130					08/30/20 15:04	1
4-Bromofluorobenzene (Surr)	99		47 - 134					08/30/20 15:04	1
Toluene-d8 (Surr)	105		69 - 122					08/30/20 15:04	1
Dibromofluoromethane (Surr)	110		78 - 129					08/30/20 15:04	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-135277-1	TRIP BLANK	95	102	107	116
240-135277-2	MW-19_081820	92	100	110	113
240-135277-3	MW-29_081820	96	99	110	115
240-135277-4	MW-113_081820	92	100	108	112
240-135277-5	MW-200S_081820	92	97	106	111
240-135277-5 MS	MW-200S_081820	96	107	110	116
240-135277-5 MSD	MW-200S_081820	93	105	107	115
240-135277-6	DUP-07	91	99	105	110
LCS 240-449290/4	Lab Control Sample	94	103	110	117
MB 240-449290/6	Method Blank	99	106	112	118

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-135204-B-3 MS	Matrix Spike	85
240-135204-B-3 MSD	Matrix Spike Duplicate	87
240-135277-2	MW-19_081820	89
240-135277-3	MW-29_081820	90
240-135277-4	MW-113_081820	89
240-135277-5	MW-200S_081820	89
240-135277-6	DUP-07	90
LCS 240-448902/4	Lab Control Sample	85
MB 240-448902/5	Method Blank	85

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-449290/6
Matrix: Water
Analysis Batch: 449290

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/30/20 11:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.38	ug/L			08/30/20 11:19	1
Tetrachloroethene	1.0	U	1.0	0.33	ug/L			08/30/20 11:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.43	ug/L			08/30/20 11:19	1
Trichloroethene	1.0	U	1.0	0.36	ug/L			08/30/20 11:19	1
Vinyl chloride	1.0	U	1.0	0.50	ug/L			08/30/20 11:19	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		75 - 130		08/30/20 11:19	1
4-Bromofluorobenzene (Surr)	106		47 - 134		08/30/20 11:19	1
Toluene-d8 (Surr)	112		69 - 122		08/30/20 11:19	1
Dibromofluoromethane (Surr)	118		78 - 129		08/30/20 11:19	1

Lab Sample ID: LCS 240-449290/4
Matrix: Water
Analysis Batch: 449290

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	12.5		ug/L		125	73 - 129
cis-1,2-Dichloroethene	10.0	11.9		ug/L		119	75 - 124
Tetrachloroethene	10.0	10.6		ug/L		106	70 - 125
trans-1,2-Dichloroethene	10.0	12.0		ug/L		120	74 - 130
Trichloroethene	10.0	10.3		ug/L		103	71 - 121
Vinyl chloride	10.0	11.1		ug/L		111	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		75 - 130
4-Bromofluorobenzene (Surr)	103		47 - 134
Toluene-d8 (Surr)	110		69 - 122
Dibromofluoromethane (Surr)	117		78 - 129

Lab Sample ID: 240-135277-5 MS
Matrix: Water
Analysis Batch: 449290

Client Sample ID: MW-200S_081820
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	12.1		ug/L		121	64 - 132
cis-1,2-Dichloroethene	1.0	U	10.0	11.7		ug/L		117	68 - 121
Tetrachloroethene	1.0	U	10.0	10.1		ug/L		101	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	11.9		ug/L		119	69 - 126
Trichloroethene	1.0	U	10.0	10.3		ug/L		103	56 - 124
Vinyl chloride	1.0	U	10.0	12.1		ug/L		121	49 - 136

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		75 - 130
4-Bromofluorobenzene (Surr)	107		47 - 134
Toluene-d8 (Surr)	110		69 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-135277-5 MS
Matrix: Water
Analysis Batch: 449290

Client Sample ID: MW-200S_081820
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	116		78 - 129

Lab Sample ID: 240-135277-5 MSD
Matrix: Water
Analysis Batch: 449290

Client Sample ID: MW-200S_081820
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	12.6		ug/L		126	64 - 132	4	35
cis-1,2-Dichloroethene	1.0	U	10.0	11.9		ug/L		119	68 - 121	1	35
Tetrachloroethene	1.0	U	10.0	10.7		ug/L		107	52 - 129	6	35
trans-1,2-Dichloroethene	1.0	U	10.0	12.0		ug/L		120	69 - 126	0	35
Trichloroethene	1.0	U	10.0	10.7		ug/L		107	56 - 124	3	35
Vinyl chloride	1.0	U	10.0	11.9		ug/L		119	49 - 136	2	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		75 - 130
4-Bromofluorobenzene (Surr)	105		47 - 134
Toluene-d8 (Surr)	107		69 - 122
Dibromofluoromethane (Surr)	115		78 - 129

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-448902/5
Matrix: Water
Analysis Batch: 448902

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/27/20 06:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133		08/27/20 06:20	1

Lab Sample ID: LCS 240-448902/4
Matrix: Water
Analysis Batch: 448902

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 133

Lab Sample ID: 240-135204-B-3 MS
Matrix: Water
Analysis Batch: 448902

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	4.4		10.0	13.7		ug/L		94	46 - 170

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	85		70 - 133

Lab Sample ID: 240-135204-B-3 MSD
Matrix: Water
Analysis Batch: 448902

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	4.4		10.0	12.9		ug/L		85	46 - 170	6	26

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	87		70 - 133

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

GC/MS VOA

Analysis Batch: 448902

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135277-2	MW-19_081820	Total/NA	Water	8260B SIM	
240-135277-3	MW-29_081820	Total/NA	Water	8260B SIM	
240-135277-4	MW-113_081820	Total/NA	Water	8260B SIM	
240-135277-5	MW-200S_081820	Total/NA	Water	8260B SIM	
240-135277-6	DUP-07	Total/NA	Water	8260B SIM	
MB 240-448902/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-448902/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-135204-B-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-135204-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 449290

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-135277-1	TRIP BLANK	Total/NA	Water	8260B	
240-135277-2	MW-19_081820	Total/NA	Water	8260B	
240-135277-3	MW-29_081820	Total/NA	Water	8260B	
240-135277-4	MW-113_081820	Total/NA	Water	8260B	
240-135277-5	MW-200S_081820	Total/NA	Water	8260B	
240-135277-6	DUP-07	Total/NA	Water	8260B	
MB 240-449290/6	Method Blank	Total/NA	Water	8260B	
LCS 240-449290/4	Lab Control Sample	Total/NA	Water	8260B	
240-135277-5 MS	MW-200S_081820	Total/NA	Water	8260B	
240-135277-5 MSD	MW-200S_081820	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Client Sample ID: TRIP BLANK

Date Collected: 08/18/20 00:00

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 13:34	LEE	TAL CAN

Client Sample ID: MW-19_081820

Date Collected: 08/18/20 10:30

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 13:57	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		5	448902	08/27/20 14:11	TJL2	TAL CAN

Client Sample ID: MW-29_081820

Date Collected: 08/18/20 12:10

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 14:19	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	448902	08/27/20 14:35	TJL2	TAL CAN

Client Sample ID: MW-113_081820

Date Collected: 08/18/20 13:25

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 14:41	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	448902	08/27/20 15:00	TJL2	TAL CAN

Client Sample ID: MW-200S_081820

Date Collected: 08/18/20 14:50

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 13:12	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	448902	08/27/20 15:26	TJL2	TAL CAN

Client Sample ID: DUP-07

Date Collected: 08/18/20 00:00

Date Received: 08/20/20 09:20

Lab Sample ID: 240-135277-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	449290	08/30/20 15:04	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		5	448902	08/27/20 15:51	TJL2	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Eurofins TestAmerica, Canton

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP On-Site

Job ID: 240-135277-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-20 *
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20


* Accreditation/Certification renewal pending - accreditation/certification considered valid.



2-913-8

Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com		Lab Contact: Mike DeMonico Telephone: 330-497-9396	
Project Name: Ford LTP On-Site Project Number: 30050315.401.03 PO # 30050315.401.03		Analysis Turnaround Time TAT if different from below: <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Sampler Name: Patrick Labadie Method of Shipment/Carrier: Shipping/Tracking No:		Filtered Sample (Y/N) <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Sample Identification TRIP BLANK MW-19-081820 MW-29-081820 MW-113-081820 200 MW-2005-081820 DUP-07		Containers & Preservatives H2SO4 <input type="checkbox"/> HNO3 <input type="checkbox"/> HCl <input checked="" type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Other:	
Sample Date 8-18-20 1030 1210 1325 1450 -		Matrix Air <input checked="" type="checkbox"/> Sediment <input type="checkbox"/> Solid <input type="checkbox"/> Other:	
Sample Time 1030 1210 1325 1450 -		Analyses 1,4-Dioxane 8260B SIM Vinyl Chloride 8260B TCE 8260B PCE 8260B Trans-1,2-DCE 8260B Cis-1,2-DCE 8260B 1,1-DCE 8260B Composite-C/Grab-G	
Sample Specific Notes / Special Instructions: TRIP BLANK 3 VIALS for 8260B 3 VIALS for 8260B SIM		Walk-in client Lab sampling Job/SDG No:	
 240-135277 Chain of Custody			
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown			
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.			
Relinquished by: Patrick Labadie	Company: Arcadis	Date/Time: 8-18-20/1615	Received by: Novi Cold Storage
Relinquished by: Julie Pichon	Company: Arcadis	Date/Time: 8/19/20 11:00	Received by: ETC MI
Relinquished by: Julie Pichon	Company: ETC MI	Date/Time: 8/19/20 11:01	Received by: ETC MI



Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility


Login # : 135 277

Client Arriadis Site Name _____
 Cooler Received on 8-20-20 Opened on 8-20-20
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Cooler unpacked by: _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-10 (CF +0.7 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN #IR-11 (CF +0.9 °C) Observed Cooler Temp. 3.9 °C Corrected Cooler Temp. 3.8 °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC911298
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this. 
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____