

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-112934-1
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
5/31/2019 3:49:56 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Job ID: 240-112934-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-112934-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 5/18/2019 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-141S_051519 (240-112934-1) and TRIP BLANK (240-112934-2) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/26/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for MW-141S_051519 (240-112934-1) and MB 240-383174/6.

1,2-Dichloroethane-d4 (Surr) and Dibromofluoromethane (Surr) failed the surrogate recovery criteria high for TRIP BLANK (240-112934-2). Refer to the QC report for details.

Surrogate recovery for the following samples was outside the upper control limit: This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed: MW-141S_051519 (240-112934-1), TRIP BLANK (240-112934-2) and (MB 240-383174/6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Job ID: 240-112934-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

Sample MW-141S_051519 (240-112934-1) was analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The sample was analyzed on 05/22/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-112934-1	MW-141S_051519	Water	05/15/19 16:13	05/18/19 10:15	
240-112934-2	TRIP BLANK	Water	05/15/19 00:00	05/18/19 10:15	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Client Sample ID: MW-141S_051519

Lab Sample ID: 240-112934-1

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112934-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Client Sample ID: MW-141S_051519

Lab Sample ID: 240-112934-1

Date Collected: 05/15/19 16:13

Matrix: Water

Date Received: 05/18/19 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/22/19 01:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		63 - 125					05/22/19 01:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 17:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/26/19 17:04	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/26/19 17:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 17:04	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/26/19 17:04	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/26/19 17:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	126	X	70 - 121					05/26/19 17:04	1
4-Bromofluorobenzene (Surr)	80		59 - 120					05/26/19 17:04	1
Toluene-d8 (Surr)	103		70 - 123					05/26/19 17:04	1
Dibromofluoromethane (Surr)	119		75 - 128					05/26/19 17:04	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112934-2

Date Collected: 05/15/19 00:00

Matrix: Water

Date Received: 05/18/19 10:15

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 17:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/26/19 17:26	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/26/19 17:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 17:26	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/26/19 17:26	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/26/19 17:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	129	X	70 - 121		05/26/19 17:26	1
4-Bromofluorobenzene (Surr)	81		59 - 120		05/26/19 17:26	1
Toluene-d8 (Surr)	100		70 - 123		05/26/19 17:26	1
Dibromofluoromethane (Surr)	132	X	75 - 128		05/26/19 17:26	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-112934-1	MW-141S_051519	126 X	80	103	119
240-112934-2	TRIP BLANK	129 X	81	100	132 X
240-112949-D-1 MS	Matrix Spike	111	105	116	112
240-112949-E-1 MSD	Matrix Spike Duplicate	116	110	122	116
LCS 240-383174/4	Lab Control Sample	107	107	116	107
MB 240-383174/6	Method Blank	123 X	80	104	117

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 TOL = Toluene-d8 (Surr)
 DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-112934-1	MW-141S_051519	112
240-112950-A-1 MS	Matrix Spike	114
240-112950-A-1 MSD	Matrix Spike Duplicate	111
LCS 240-382402/4	Lab Control Sample	109
MB 240-382402/5	Method Blank	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-383174/6
Matrix: Water
Analysis Batch: 383174

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 16:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/26/19 16:42	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/26/19 16:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/26/19 16:42	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/26/19 16:42	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/26/19 16:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	123	X	70 - 121		05/26/19 16:42	1
4-Bromofluorobenzene (Surr)	80		59 - 120		05/26/19 16:42	1
Toluene-d8 (Surr)	104		70 - 123		05/26/19 16:42	1
Dibromofluoromethane (Surr)	117		75 - 128		05/26/19 16:42	1

Lab Sample ID: LCS 240-383174/4
Matrix: Water
Analysis Batch: 383174

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	7.94		ug/L		79	65 - 139
cis-1,2-Dichloroethene	10.0	9.67		ug/L		97	76 - 128
Tetrachloroethene	10.0	8.80		ug/L		88	74 - 130
trans-1,2-Dichloroethene	10.0	10.2		ug/L		102	78 - 133
Trichloroethene	10.0	7.94		ug/L		79	76 - 125
Vinyl chloride	10.0	9.10		ug/L		91	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 121
4-Bromofluorobenzene (Surr)	107		59 - 120
Toluene-d8 (Surr)	116		70 - 123
Dibromofluoromethane (Surr)	107		75 - 128

Lab Sample ID: 240-112949-D-1 MS
Matrix: Water
Analysis Batch: 383174

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.18		ug/L		82	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	9.63		ug/L		96	64 - 130
Tetrachloroethene	1.0	U	10.0	8.42		ug/L		84	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	10.3		ug/L		103	68 - 133
Trichloroethene	1.0	U	10.0	7.92		ug/L		79	55 - 131
Vinyl chloride	1.0	U	10.0	8.76		ug/L		88	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 121
4-Bromofluorobenzene (Surr)	105		59 - 120
Toluene-d8 (Surr)	116		70 - 123

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-112949-D-1 MS
Matrix: Water
Analysis Batch: 383174

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	112		75 - 128

Lab Sample ID: 240-112949-E-1 MSD
Matrix: Water
Analysis Batch: 383174

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	10.0	9.01		ug/L		90	53 - 140	10	35	
cis-1,2-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	64 - 130	6	21	
Tetrachloroethene	1.0	U	10.0	8.96		ug/L		90	51 - 136	6	23	
trans-1,2-Dichloroethene	1.0	U	10.0	11.0		ug/L		110	68 - 133	7	24	
Trichloroethene	1.0	U	10.0	8.37		ug/L		84	55 - 131	6	23	
Vinyl chloride	1.0	U	10.0	9.62		ug/L		96	43 - 154	9	29	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	116		70 - 121
4-Bromofluorobenzene (Surr)	110		59 - 120
Toluene-d8 (Surr)	122		70 - 123
Dibromofluoromethane (Surr)	116		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-382402/5
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/19 16:35	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		05/21/19 16:35	1

Lab Sample ID: LCS 240-382402/4
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS LCS		Unit	D	%Rec	%Rec.
		Result	Qualifier				
1,4-Dioxane	10.0	11.2		ug/L		112	59 - 131

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		63 - 125

Lab Sample ID: 240-112950-A-1 MS
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS MS		Unit	D	%Rec	%Rec.
	Result	Qualifier		Result	Qualifier				
1,4-Dioxane	2.0	U	10.0	10.5		ug/L		105	52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	114		63 - 125

Lab Sample ID: 240-112950-A-1 MSD
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	52 - 129	1	13

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	111		63 - 125

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

GC/MS VOA

Analysis Batch: 382402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112934-1	MW-141S_051519	Total/NA	Water	8260B SIM	
MB 240-382402/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-382402/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-112950-A-1 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-112950-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 383174

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112934-1	MW-141S_051519	Total/NA	Water	8260B	
240-112934-2	TRIP BLANK	Total/NA	Water	8260B	
MB 240-383174/6	Method Blank	Total/NA	Water	8260B	
LCS 240-383174/4	Lab Control Sample	Total/NA	Water	8260B	
240-112949-D-1 MS	Matrix Spike	Total/NA	Water	8260B	
240-112949-E-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Client Sample ID: MW-141S_051519

Lab Sample ID: 240-112934-1

Date Collected: 05/15/19 16:13

Matrix: Water

Date Received: 05/18/19 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	383174	05/26/19 17:04	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	382402	05/22/19 01:49	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112934-2

Date Collected: 05/15/19 00:00

Matrix: Water

Date Received: 05/18/19 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	383174	05/26/19 17:26	LRW	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112934-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Illinois	NELAP	5	200004	07-31-19 *
Iowa	State Program	7	421	06-01-21
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
 Chain of Custody Record


Sampler: S. Turner Lab PM: DelMonico, Michael Carmer Tracking No(s): 240-60548-25803.8
 Phone: 248-722-2411 E-Mail: michael.delmonico@testamericainc.com Page: 8 of 13 Job #: 1041

Company: ARCADIS U.S. Inc Address: 28550 Cabot Drive Suite 500 City: Novi State Zip: MI, 48377
 PO #: MI001348.0002.00002-TG-CP-HSY-0006-0003 Project Name: Ford LTP Livonia MI - E203631 S/SOW #: Ford LTP
 WO #: 24015353 Email: Caitlin.O'Neill@arcadis.com

Due Date Requested: 10
 TAT Requested (days): 10
 CADENA #: E203631
 Project #: 24015353

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Solid, Dissolved, or Tissue Asst)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260B, 8260B_SIM	8260B - VOCs (Short List)	Analysis Requested	Total Number of containers	Special Instructions/Note:
						Yes	No	Yes	No			
MW-1415-051519	5/15/19	1613	G	Water		X	X	NA	NA		6	
Trip blank				Water		X	X	NA	NA		1	Trip blank
				Water								
				Water								
				Water								
				Water								
				Water								
				Water								
				Water								
				Water								
				Water								

Preservation Codes:
 A - HCL M - Hexane
 B - NaOH N - None
 C - Zn Acetate O - AsNaO2
 D - Nitric Acid P - Na2O4S
 E - NaHSO4 Q - Na2SO3
 F - MeOH R - Na2S2O3
 G - Amchlor S - H2SO4
 H - Ascorbic Acid T - TSP Dodecahydrate
 I - Ice U - Acetone
 J - DI Water V - MCAA
 K - EDTA W - pH 4.5
 L - EDA Z - other (specify)
 Other:



240-112934 Chain of Custody

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____ Method of Shipment:
 Relinquished by: S. Turner Date/Time: 5/15/19 1830 Company: ARCADIS
 Relinquished by: Caitlin O'Neill Date/Time: 5/17/19 1208 Company: ARCADIS
 Relinquished by: [Signature] Date/Time: 5-17-19 1530 Company: ETA

Custody Seals Intact: Yes No No
 Cooler Temperature(s) °C and Other Remarks:

TestAmerica Canton Sample Receipt Form/Narrative

Login #: 112934

Canton Facility

Client Arcadis Site Name

Cooler unpacked by:

Cooler Received on 5-18-19 Opened on 5-18-19

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other

Packing material used: Bubble Wrap Foam Plastic Bag None Other

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 0.8 °C Corrected Cooler Temp. 0.6 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels be reconciled with the COC? Yes No

9. Were correct bottle(s) used for the test(s) indicated? Yes No

10. Sufficient quantity received to perform indicated analyses? Yes No

11. Are these work share samples? Yes No

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC984738

13. Were VOAs on the COC? Yes No

14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA

15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Yes No

16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Contacted PM Date by via Verbal Voice Mail Other

Concerning

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

18. SAMPLE CONDITION

Sample(s) were received after the recommended holding time had expired. Sample(s) were received in a broken container. Sample(s) were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) were further preserved in the laboratory. Time preserved: Preservative(s) added/Lot number(s): VOA Sample Preservation - Date/Time VOAs Frozen: