

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-112945-1
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
5/31/2019 4:38:00 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Job ID: 240-112945-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-112945-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 5/18/2019 10:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-87S_051319 (240-112945-1), MW-86S_051319 (240-112945-2) and TRIP BLANK (240-112945-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/24/2019.

1,2-Dichloroethane-d4 (Surr) failed the surrogate recovery criteria high for MW-87S_051319 (240-112945-1). Refer to the QC report for details.

Surrogate recovery for the following sample was outside the upper control limit: MW-87S_051319 (240-112945-1). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-87S_051319 (240-112945-1) and MW-86S_051319 (240-112945-2) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 05/21/2019.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Job ID: 240-112945-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-112945-1	MW-87S_051319	Water	05/13/19 15:40	05/18/19 10:15	
240-112945-2	MW-86S_051319	Water	05/13/19 16:55	05/18/19 10:15	
240-112945-3	TRIP BLANK	Water	05/13/19 00:00	05/18/19 10:15	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Client Sample ID: MW-87S_051319

Lab Sample ID: 240-112945-1

No Detections.

Client Sample ID: MW-86S_051319

Lab Sample ID: 240-112945-2

No Detections.

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112945-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Client Sample ID: MW-87S_051319

Lab Sample ID: 240-112945-1

Date Collected: 05/13/19 15:40

Matrix: Water

Date Received: 05/18/19 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		05/21/19 21:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		63 - 125		05/21/19 21:37	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		05/24/19 15:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L	-		05/24/19 15:58	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L	-		05/24/19 15:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		05/24/19 15:58	1
Trichloroethene	1.0	U	1.0	0.10	ug/L	-		05/24/19 15:58	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L	-		05/24/19 15:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	123	X	70 - 121		05/24/19 15:58	1
4-Bromofluorobenzene (Surr)	78		59 - 120		05/24/19 15:58	1
Toluene-d8 (Surr)	103		70 - 123		05/24/19 15:58	1
Dibromofluoromethane (Surr)	122		75 - 128		05/24/19 15:58	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Client Sample ID: MW-86S_051319

Lab Sample ID: 240-112945-2

Date Collected: 05/13/19 16:55

Matrix: Water

Date Received: 05/18/19 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/19 22:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		63 - 125		05/21/19 22:02	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 16:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/24/19 16:19	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/24/19 16:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 16:19	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/24/19 16:19	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/24/19 16:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		70 - 121		05/24/19 16:19	1
4-Bromofluorobenzene (Surr)	78		59 - 120		05/24/19 16:19	1
Toluene-d8 (Surr)	104		70 - 123		05/24/19 16:19	1
Dibromofluoromethane (Surr)	118		75 - 128		05/24/19 16:19	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112945-3

Date Collected: 05/13/19 00:00

Matrix: Water

Date Received: 05/18/19 10:15

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 16:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/24/19 16:41	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/24/19 16:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 16:41	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/24/19 16:41	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/24/19 16:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		70 - 121		05/24/19 16:41	1
4-Bromofluorobenzene (Surr)	76		59 - 120		05/24/19 16:41	1
Toluene-d8 (Surr)	101		70 - 123		05/24/19 16:41	1
Dibromofluoromethane (Surr)	121		75 - 128		05/24/19 16:41	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(70-121)	(59-120)	(70-123)	(75-128)
240-112825-B-5 MS	Matrix Spike	110	103	114	109
240-112825-H-5 MSD	Matrix Spike Duplicate	105	106	112	106
240-112945-1	MW-87S_051319	123 X	78	103	122
240-112945-2	MW-86S_051319	120	78	104	118
240-112945-3	TRIP BLANK	120	76	101	121
LCS 240-382950/4	Lab Control Sample	102	106	112	109
MB 240-382950/6	Method Blank	118	82	106	115

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(63-125)
240-112945-1	MW-87S_051319	110
240-112945-2	MW-86S_051319	111
240-112950-A-1 MS	Matrix Spike	114
240-112950-A-1 MSD	Matrix Spike Duplicate	111
LCS 240-382402/4	Lab Control Sample	109
MB 240-382402/5	Method Blank	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-382950/6
Matrix: Water
Analysis Batch: 382950

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 11:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/24/19 11:06	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/24/19 11:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/24/19 11:06	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/24/19 11:06	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/24/19 11:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	118		70 - 121		05/24/19 11:06	1
4-Bromofluorobenzene (Surr)	82		59 - 120		05/24/19 11:06	1
Toluene-d8 (Surr)	106		70 - 123		05/24/19 11:06	1
Dibromofluoromethane (Surr)	115		75 - 128		05/24/19 11:06	1

Lab Sample ID: LCS 240-382950/4
Matrix: Water
Analysis Batch: 382950

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	8.35		ug/L		84	65 - 139
cis-1,2-Dichloroethene	10.0	9.44		ug/L		94	76 - 128
Tetrachloroethene	10.0	8.69		ug/L		87	74 - 130
trans-1,2-Dichloroethene	10.0	10.2		ug/L		102	78 - 133
Trichloroethene	10.0	8.16		ug/L		82	76 - 125
Vinyl chloride	10.0	9.10		ug/L		91	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 121
4-Bromofluorobenzene (Surr)	106		59 - 120
Toluene-d8 (Surr)	112		70 - 123
Dibromofluoromethane (Surr)	109		75 - 128

Lab Sample ID: 240-112825-B-5 MS
Matrix: Water
Analysis Batch: 382950

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.10		ug/L		81	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	9.79		ug/L		98	64 - 130
Tetrachloroethene	1.0	U	10.0	7.77		ug/L		78	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	10.3		ug/L		103	68 - 133
Trichloroethene	1.0	U	10.0	7.70		ug/L		77	55 - 131
Vinyl chloride	1.0	U	10.0	9.06		ug/L		91	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		70 - 121
4-Bromofluorobenzene (Surr)	103		59 - 120
Toluene-d8 (Surr)	114		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-112825-B-5 MS
Matrix: Water
Analysis Batch: 382950

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	109		75 - 128

Lab Sample ID: 240-112825-H-5 MSD
Matrix: Water
Analysis Batch: 382950

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	10.0	7.77		ug/L		78	53 - 140	4	35	
cis-1,2-Dichloroethene	1.0	U	10.0	9.33		ug/L		93	64 - 130	5	21	
Tetrachloroethene	1.0	U	10.0	7.75		ug/L		77	51 - 136	0	23	
trans-1,2-Dichloroethene	1.0	U	10.0	9.86		ug/L		99	68 - 133	5	24	
Trichloroethene	1.0	U	10.0	7.76		ug/L		78	55 - 131	1	23	
Vinyl chloride	1.0	U	10.0	8.51		ug/L		85	43 - 154	6	29	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		70 - 121
4-Bromofluorobenzene (Surr)	106		59 - 120
Toluene-d8 (Surr)	112		70 - 123
Dibromofluoromethane (Surr)	106		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-382402/5
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/21/19 16:35	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		05/21/19 16:35	1

Lab Sample ID: LCS 240-382402/4
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS LCS		Unit	D	%Rec	%Rec.
		Result	Qualifier				
1,4-Dioxane	10.0	11.2		ug/L		112	59 - 131

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		63 - 125

Lab Sample ID: 240-112950-A-1 MS
Matrix: Water
Analysis Batch: 382402

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS MS		Unit	D	%Rec	%Rec.
	Result	Qualifier		Result	Qualifier				
1,4-Dioxane	2.0	U	10.0	10.5		ug/L		105	52 - 129

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	114		63 - 125

Lab Sample ID: 240-112950-A-1 MSD
 Matrix: Water
 Analysis Batch: 382402

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	52 - 129	1	13

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	111		63 - 125

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

GC/MS VOA

Analysis Batch: 382402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112945-1	MW-87S_051319	Total/NA	Water	8260B SIM	
240-112945-2	MW-86S_051319	Total/NA	Water	8260B SIM	
MB 240-382402/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-382402/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-112950-A-1 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-112950-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 382950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112945-1	MW-87S_051319	Total/NA	Water	8260B	
240-112945-2	MW-86S_051319	Total/NA	Water	8260B	
240-112945-3	TRIP BLANK	Total/NA	Water	8260B	
MB 240-382950/6	Method Blank	Total/NA	Water	8260B	
LCS 240-382950/4	Lab Control Sample	Total/NA	Water	8260B	
240-112825-B-5 MS	Matrix Spike	Total/NA	Water	8260B	
240-112825-H-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Client Sample ID: MW-87S_051319

Lab Sample ID: 240-112945-1

Date Collected: 05/13/19 15:40

Matrix: Water

Date Received: 05/18/19 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382950	05/24/19 15:58	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	382402	05/21/19 21:37	SAM	TAL CAN

Client Sample ID: MW-86S_051319

Lab Sample ID: 240-112945-2

Date Collected: 05/13/19 16:55

Matrix: Water

Date Received: 05/18/19 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382950	05/24/19 16:19	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	382402	05/21/19 22:02	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-112945-3

Date Collected: 05/13/19 00:00

Matrix: Water

Date Received: 05/18/19 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382950	05/24/19 16:41	LRW	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112945-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Illinois	NELAP	5	200004	07-31-19 *
Iowa	State Program	7	421	06-01-21
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

Regulatory program: DW NPDES RCRA Other

Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240
Project Name: Ford LTP
Project Number: MI001454.0004.00003
PO # MI001454.0004.00003

Client Project Manager: Kris Hinskey
Telephone: 248-994-2240
Email: kris@hinskey.com


Site Contact: Caitlin O'Neill
Telephone: 248-722-2411

Lab Contact: Mike DelMonico
Telephone: 330-497-9396

Method of Shipment/Carrier: 16 DARS

Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Filtered Sample (Y/N)	Composite C / Grab G	Analyses						Sample Specific Notes / Special Instructions		
			Air	Aqueous	Sediment	Solid			H2SO4	HNO3	HCl	NaOH	Zn/NaOH	Tapres		Other:	
[REDACTED]	[REDACTED]	[REDACTED]															
MW-875-051319	5/13/19	1540	X							X	X	X	X	X	X	X	6 VDAS
MW-865-051319	5/13/19	1655	X							X	X	X	X	X	X	X	6 VDAS
Trip blank			X							X							1 VDA



Possible Hazard Identification: Non-Hazard Irritant Poison B Unknown

Special Instructions/OC Requirements & Comments: Submit all results through Cadena at jim.tomalia@cadena.com, Cadena #E203631 Level IV Reporting requested.

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
[Signature]	ARCADIS	5/13/19 1930	NOVI Cold Storage	ARCADIS	5/13/19 1930
Caitlin O'Neill	ARCADIS	5/17/19 1200	[Signature]	ETA	5-17-19 1223
[Signature]	ETA	5-17-19 1530	[Signature]	TA	5-18-19 1015

TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 112945

Client Arcadis Site Name _____ Cooler unpacked by: _____
 Cooler Received on 5-18-19 Opened on 5-18-19

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 1.6 °C Corrected Cooler Temp. 1.4 °C
 IR GUN #36 (CF +0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC984738
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: JE

18. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____