



Environment Testing  
TestAmerica

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14



## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-114171-1

Client Project/Site: Ford LTP Livonia MI - E203728

For:

ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey

*Mike DelMonico*

Authorized for release by:

6/26/2019 3:17:43 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[michael.delmonico@testamericainc.com](mailto:michael.delmonico@testamericainc.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

Ask  
The  
Expert

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	17
Lab Chronicle . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20

# Definitions/Glossary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

### Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Job ID: 240-114171-1**

**Laboratory: Eurofins TestAmerica, Canton**

Narrative

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP Livonia MI - E203728**

**Report Number: 240-114171-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### RECEIPT

The samples were received on 6/12/2019 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 2.5° C, 3.9° C and 4.5° C.

### VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-9\_06102019 (240-114171-1), MW-7\_06102019 (240-114171-2), MW-25\_06102019 (240-114171-3), MW-18\_06102019 (240-114171-4) and DUP-02 (240-114171-5) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 06/21/2019.

No MS/MSD in batch 385516 due to the internal standards dropping: MW-9\_06102019 (240-114171-1), MW-7\_06102019 (240-114171-2), MW-25\_06102019 (240-114171-3), MW-18\_06102019 (240-114171-4) and DUP-02 (240-114171-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-9\_06102019 (240-114171-1), MW-7\_06102019 (240-114171-2), MW-25\_06102019 (240-114171-3), MW-18\_06102019 (240-114171-4) and DUP-02 (240-114171-5) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 06/16/2019.

1,4-Dioxane was detected in method blank MB 240-386387/5 at a level that was above the method detection limit but below the reporting

## Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

### Job ID: 240-114171-1 (Continued)

#### Laboratory: Eurofins TestAmerica, Canton (Continued)

limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Method Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

## Sample Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-114171-1	MW-9_06102019	Water	06/10/19 18:03	06/12/19 08:40	
240-114171-2	MW-7_06102019	Water	06/10/19 12:23	06/12/19 08:40	
240-114171-3	MW-25_06102019	Water	06/10/19 14:29	06/12/19 08:40	
240-114171-4	MW-18_06102019	Water	06/10/19 16:18	06/12/19 08:40	
240-114171-5	DUP-02	Water	06/10/19 00:00	06/12/19 08:40	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Eurofins TestAmerica, Canton

## Detection Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

### Client Sample ID: MW-9\_06102019

### Lab Sample ID: 240-114171-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	5.2	B	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	1.2		1.0	0.20	ug/L	1		8260B	Total/NA

### Client Sample ID: MW-7\_06102019

### Lab Sample ID: 240-114171-2

No Detections.

### Client Sample ID: MW-25\_06102019

### Lab Sample ID: 240-114171-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.3	B	2.0	0.86	ug/L	1		8260B SIM	Total/NA

### Client Sample ID: MW-18\_06102019

### Lab Sample ID: 240-114171-4

No Detections.

### Client Sample ID: DUP-02

### Lab Sample ID: 240-114171-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: MW-9\_06102019**

**Lab Sample ID: 240-114171-1**

Matrix: Water

Date Collected: 06/10/19 18:03

Date Received: 06/12/19 08:40

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	5.2	B	2.0	0.86	ug/L			06/16/19 07:00	1
<b>Surrogate</b>							<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	90		63 - 125					06/16/19 07:00	1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 12:34	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 12:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:34	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 12:34	1
<b>Vinyl chloride</b>	<b>1.2</b>		1.0	0.20	ug/L			06/21/19 12:34	1
<b>Surrogate</b>							<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	93		70 - 121					06/21/19 12:34	1
4-Bromofluorobenzene (Surr)	63		59 - 120					06/21/19 12:34	1
Toluene-d8 (Surr)	78		70 - 123					06/21/19 12:34	1
Dibromofluoromethane (Surr)	92		75 - 128					06/21/19 12:34	1

# Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: MW-7\_06102019**

**Lab Sample ID: 240-114171-2**

**Matrix: Water**

Date Collected: 06/10/19 12:23

Date Received: 06/12/19 08:40

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/16/19 07:25	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	91		63 - 125					06/16/19 07:25	1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:55	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 12:55	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 12:55	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:55	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 12:55	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/21/19 12:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	95		70 - 121					06/21/19 12:55	1
4-Bromofluorobenzene (Surr)	64		59 - 120					06/21/19 12:55	1
Toluene-d8 (Surr)	80		70 - 123					06/21/19 12:55	1
Dibromofluoromethane (Surr)	94		75 - 128					06/21/19 12:55	1

# Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: MW-25\_06102019**

**Lab Sample ID: 240-114171-3**

**Matrix: Water**

Date Collected: 06/10/19 14:29

Date Received: 06/12/19 08:40

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.3	B	2.0	0.86	ug/L			06/16/19 07:50	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	90		63 - 125					06/16/19 07:50	1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 13:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 13:17	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 13:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 13:17	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 13:17	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/21/19 13:17	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	99		70 - 121					06/21/19 13:17	1
4-Bromofluorobenzene (Surr)	65		59 - 120					06/21/19 13:17	1
Toluene-d8 (Surr)	86		70 - 123					06/21/19 13:17	1
Dibromofluoromethane (Surr)	97		75 - 128					06/21/19 13:17	1

# Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: MW-18\_06102019**

**Lab Sample ID: 240-114171-4**

Matrix: Water

Date Collected: 06/10/19 16:18

Date Received: 06/12/19 08:40

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/16/19 08:16	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	87		63 - 125					06/16/19 08:16	1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 13:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 13:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 13:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 13:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 13:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/21/19 13:39	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	96		70 - 121					06/21/19 13:39	1
4-Bromofluorobenzene (Surr)	68		59 - 120					06/21/19 13:39	1
Toluene-d8 (Surr)	83		70 - 123					06/21/19 13:39	1
Dibromofluoromethane (Surr)	97		75 - 128					06/21/19 13:39	1

# Client Sample Results

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: DUP-02**

**Lab Sample ID: 240-114171-5**

Date Collected: 06/10/19 00:00

Matrix: Water

Date Received: 06/12/19 08:40

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/16/19 08:41	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	81		63 - 125					06/16/19 08:41	1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 14:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 14:01	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 14:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 14:01	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 14:01	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/21/19 14:01	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	98		70 - 121					06/21/19 14:01	1
4-Bromofluorobenzene (Surr)	65		59 - 120					06/21/19 14:01	1
Toluene-d8 (Surr)	79		70 - 123					06/21/19 14:01	1
Dibromofluoromethane (Surr)	100		75 - 128					06/21/19 14:01	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-114171-1	MW-9_06102019	93	63	78	92
240-114171-2	MW-7_06102019	95	64	80	94
240-114171-3	MW-25_06102019	99	65	86	97
240-114171-4	MW-18_06102019	96	68	83	97
240-114171-5	DUP-02	98	65	79	100
LCS 240-387516/4	Lab Control Sample	82	90	98	84
MB 240-387516/6	Method Blank	93	65	80	90

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (63-125)			
240-114171-1	MW-9_06102019	90			
240-114171-2	MW-7_06102019	91			
240-114171-3	MW-25_06102019	90			
240-114171-4	MW-18_06102019	87			
240-114171-5	DUP-02	81			
240-114181-B-3 MS	Matrix Spike	87			
240-114181-B-3 MSD	Matrix Spike Duplicate	94			
LCS 240-386387/4	Lab Control Sample	92			
MB 240-386387/5	Method Blank	91			

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.

Job ID: 240-114171-1

Project/Site: Ford LTP Livonia MI - E203728

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID:** MB 240-387516/6

**Matrix:** Water

**Analysis Batch:** 387516

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/21/19 12:12	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/21/19 12:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/21/19 12:12	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/21/19 12:12	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/21/19 12:12	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dichloroethane-d4 (Surr)	93		70 - 121				06/21/19 12:12	1
4-Bromofluorobenzene (Surr)	65		59 - 120				06/21/19 12:12	1
Toluene-d8 (Surr)	80		70 - 123				06/21/19 12:12	1
Dibromofluoromethane (Surr)	90		75 - 128				06/21/19 12:12	1

**Lab Sample ID:** LCS 240-387516/4

**Matrix:** Water

**Analysis Batch:** 387516

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spikes	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
1,1-Dichloroethene	10.0	8.96		ug/L		90	65 - 139
cis-1,2-Dichloroethene	10.0	8.64		ug/L		86	76 - 128
Tetrachloroethene	10.0	9.65		ug/L		96	74 - 130
trans-1,2-Dichloroethene	10.0	9.12		ug/L		91	78 - 133
Trichloroethene	10.0	8.96		ug/L		90	76 - 125
Vinyl chloride	10.0	8.93		ug/L		89	58 - 143

Surrogate	LCS	LCS	%Recovery	Qualifier	Limits
	Result	Qualifier			
1,2-Dichloroethane-d4 (Surr)	82		70 - 121		
4-Bromofluorobenzene (Surr)	90		59 - 120		
Toluene-d8 (Surr)	98		70 - 123		
Dibromofluoromethane (Surr)	84		75 - 128		

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID:** MB 240-386387/5

**Matrix:** Water

**Analysis Batch:** 386387

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier									
1,4-Dioxane	0.951	J			2.0	0.86	ug/L			06/16/19 05:43	1
Surrogate	MB	MB	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91				63 - 125					06/16/19 05:43	1

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.

Job ID: 240-114171-1

Project/Site: Ford LTP Livonia MI - E203728

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 240-386387/4**

**Matrix: Water**

**Analysis Batch: 386387**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	12.6		ug/L		126	59 - 131
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	92		63 - 125				

**Lab Sample ID: 240-114181-B-3 MS**

**Matrix: Water**

**Analysis Batch: 386387**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	12.0		ug/L		120	52 - 129
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	87		63 - 125						

**Lab Sample ID: 240-114181-B-3 MSD**

**Matrix: Water**

**Analysis Batch: 386387**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	12.6		ug/L		126	52 - 129	4	13
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	94		63 - 125								

# QC Association Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

## GC/MS VOA

### Analysis Batch: 386387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-114171-1	MW-9_06102019	Total/NA	Water	8260B SIM	1
240-114171-2	MW-7_06102019	Total/NA	Water	8260B SIM	2
240-114171-3	MW-25_06102019	Total/NA	Water	8260B SIM	3
240-114171-4	MW-18_06102019	Total/NA	Water	8260B SIM	4
240-114171-5	DUP-02	Total/NA	Water	8260B SIM	5
MB 240-386387/5	Method Blank	Total/NA	Water	8260B SIM	6
LCS 240-386387/4	Lab Control Sample	Total/NA	Water	8260B SIM	7
240-114181-B-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	8
240-114181-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	9

### Analysis Batch: 387516

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-114171-1	MW-9_06102019	Total/NA	Water	8260B	10
240-114171-2	MW-7_06102019	Total/NA	Water	8260B	11
240-114171-3	MW-25_06102019	Total/NA	Water	8260B	12
240-114171-4	MW-18_06102019	Total/NA	Water	8260B	13
240-114171-5	DUP-02	Total/NA	Water	8260B	14
MB 240-387516/6	Method Blank	Total/NA	Water	8260B	
LCS 240-387516/4	Lab Control Sample	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

**Client Sample ID: MW-9\_06102019**  
Date Collected: 06/10/19 18:03  
Date Received: 06/12/19 08:40

**Lab Sample ID: 240-114171-1**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387516	06/21/19 12:34	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	386387	06/16/19 07:00	TJL2	TAL CAN

**Client Sample ID: MW-7\_06102019**  
Date Collected: 06/10/19 12:23  
Date Received: 06/12/19 08:40

**Lab Sample ID: 240-114171-2**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387516	06/21/19 12:55	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	386387	06/16/19 07:25	TJL2	TAL CAN

**Client Sample ID: MW-25\_06102019**  
Date Collected: 06/10/19 14:29  
Date Received: 06/12/19 08:40

**Lab Sample ID: 240-114171-3**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387516	06/21/19 13:17	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	386387	06/16/19 07:50	TJL2	TAL CAN

**Client Sample ID: MW-18\_06102019**  
Date Collected: 06/10/19 16:18  
Date Received: 06/12/19 08:40

**Lab Sample ID: 240-114171-4**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387516	06/21/19 13:39	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	386387	06/16/19 08:16	TJL2	TAL CAN

**Client Sample ID: DUP-02**  
Date Collected: 06/10/19 00:00  
Date Received: 06/12/19 08:40

**Lab Sample ID: 240-114171-5**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387516	06/21/19 14:01	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	386387	06/16/19 08:41	TJL2	TAL CAN

## Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Eurofins TestAmerica, Canton

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.

Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114171-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State		2927	02-23-20
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Florida	NELAP		E87225	06-30-19
Illinois	NELAP	5	200004	07-31-19 *
Illinois	NELAP		004498	07-31-19
Iowa	State Program	7	421	06-01-21
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-20
New Jersey	NELAP		OH001	06-30-19
New York	NELAP	2	10975	03-31-20
New York	NELAP		10975	03-31-20
Ohio VAP	State Program	5	CL0024	06-05-21
Oregon	NELAP	10	4062	02-23-20
Oregon	NELAP		4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Pennsylvania	NELAP		68-00340	08-31-19
Texas	NELAP	6	T104704517-18-10	08-31-19 *
Texas	NELAP		T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19 *
Virginia	NELAP		010101	09-14-19
Washington	State		C971	01-12-20
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

**MICHIGAN**  
**1960**  
**Chain of Custody Record**

**Eurofins TestAmerica, Canton**  
4101 Shufel Street NW  
North Canton, OH 44720  
Phone: 330-497-9396 Fax: 330-497-0772

MICHIGAN  
190

## Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : 114111

## Canton Facility

Client <u>Arcadis</u>	Site Name	Cooler unpacked by: <u>MJD</u>
Cooler Received on <u>6-12-19</u>	Opened on <u>6-12-19</u>	
FedEx: 1 <sup>st</sup> <input checked="" type="checkbox"/> Exp	UPS <input type="checkbox"/> FAS <input type="checkbox"/> Clipper	Client Drop Off <input type="checkbox"/> TestAmerica Courier <input type="checkbox"/> Other

## Receipt After-hours: Drop-off Date/Time

## Storage Location

TestAmerica Cooler # <u>74</u>	Foam Box	Client Cooler	Box	Other _____
Packing material used:	Bubble Wrap	Foam	<u>Plastic Bag</u>	None
COOLANT:	<u>Wet Ice</u>	Blue Ice	Dry Ice	Water
				None

1. Cooler temperature upon receipt  
 IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
 IR GUN #36 (CF +0.6 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 each  Yes  No  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  
 -Were tamper/custody seals intact and uncompromised?  Yes  No NA  
 3. Shippers' packing-slip attached to the cooler(s)?  Yes  No  
 4. Did custody papers accompany the sample(s)?  Yes  No  
 5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
 6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
 7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
 8. Could all bottle labels be reconciled with the COC?  Yes  No  
 9. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
 10. Sufficient quantity received to perform indicated analyses?  Yes  No

11. Are these work share samples?

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No NA

pH Strip Lot# HC984738

13. Were VOAs on the COC?

14. Were air bubbles >6 mm in any VOA vials?  Larger than this

15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/18

16. Was a LL Hg or Me Hg trip blank present?  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other

Concerning \_\_\_\_\_

## 17. CHAIN OF CUSTODY &amp; SAMPLE DISCREPANCIES

Samples processed by: SLM/S

## 18. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

## 19. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

TestAmerica Canton Sample Receipt Multiple Cooler Form

See Temperature Excursion Form