

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-114394-1
Client Project/Site: Ford LTP Livonia MI - E203728

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
6/27/2019 11:19:34 AM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Job ID: 240-114394-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203728

Report Number: 240-114394-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 6/14/2019 8:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 1.0° C and 1.9° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-29_061219 (240-114394-1), MW-113_061219 (240-114394-2), MW-19_061219 (240-114394-3) and TRIP BLANK (240-114394-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 06/24/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-29_061219 (240-114394-1), MW-113_061219 (240-114394-2) and MW-19_061219 (240-114394-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 06/17/2019 and 06/18/2019.

Sample MW-19_061219 (240-114394-3)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-114394-1	MW-29_061219	Water	06/12/19 10:27	06/14/19 08:15	
240-114394-2	MW-113_061219	Water	06/12/19 12:42	06/14/19 08:15	
240-114394-3	MW-19_061219	Water	06/12/19 14:23	06/14/19 08:15	
240-114394-4	TRIP BLANK	Water	06/12/19 00:00	06/14/19 08:15	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: MW-29_061219

Lab Sample ID: 240-114394-1

No Detections.

Client Sample ID: MW-113_061219

Lab Sample ID: 240-114394-2

No Detections.

Client Sample ID: MW-19_061219

Lab Sample ID: 240-114394-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	190		4.0	1.7	ug/L	2		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.65	J	1.0	0.16	ug/L	1		8260B	Total/NA
Trichloroethene	0.60	J	1.0	0.10	ug/L	1		8260B	Total/NA
Vinyl chloride	0.73	J	1.0	0.20	ug/L	1		8260B	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-114394-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: MW-29_061219

Lab Sample ID: 240-114394-1

Date Collected: 06/12/19 10:27

Matrix: Water

Date Received: 06/14/19 08:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/17/19 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		63 - 125		06/17/19 16:28	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 18:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/24/19 18:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/24/19 18:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 18:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/24/19 18:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/24/19 18:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		70 - 121		06/24/19 18:39	1
4-Bromofluorobenzene (Surr)	83		59 - 120		06/24/19 18:39	1
Toluene-d8 (Surr)	88		70 - 123		06/24/19 18:39	1
Dibromofluoromethane (Surr)	97		75 - 128		06/24/19 18:39	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: MW-113_061219

Lab Sample ID: 240-114394-2

Date Collected: 06/12/19 12:42

Matrix: Water

Date Received: 06/14/19 08:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/17/19 16:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		63 - 125		06/17/19 16:53	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 19:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/24/19 19:06	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/24/19 19:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 19:06	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/24/19 19:06	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/24/19 19:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 121		06/24/19 19:06	1
4-Bromofluorobenzene (Surr)	104		59 - 120		06/24/19 19:06	1
Toluene-d8 (Surr)	102		70 - 123		06/24/19 19:06	1
Dibromofluoromethane (Surr)	120		75 - 128		06/24/19 19:06	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: MW-19_061219

Lab Sample ID: 240-114394-3

Date Collected: 06/12/19 14:23

Matrix: Water

Date Received: 06/14/19 08:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	190		4.0	1.7	ug/L			06/18/19 18:26	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		63 - 125					06/18/19 18:26	2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 19:32	1
cis-1,2-Dichloroethene	0.65	J	1.0	0.16	ug/L			06/24/19 19:32	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/24/19 19:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 19:32	1
Trichloroethene	0.60	J	1.0	0.10	ug/L			06/24/19 19:32	1
Vinyl chloride	0.73	J	1.0	0.20	ug/L			06/24/19 19:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 121					06/24/19 19:32	1
4-Bromofluorobenzene (Surr)	77		59 - 120					06/24/19 19:32	1
Toluene-d8 (Surr)	82		70 - 123					06/24/19 19:32	1
Dibromofluoromethane (Surr)	104		75 - 128					06/24/19 19:32	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-114394-4

Date Collected: 06/12/19 00:00

Matrix: Water

Date Received: 06/14/19 08:15

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 20:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/24/19 20:02	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/24/19 20:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 20:02	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/24/19 20:02	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/24/19 20:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		70 - 121		06/24/19 20:02	1
4-Bromofluorobenzene (Surr)	94		59 - 120		06/24/19 20:02	1
Toluene-d8 (Surr)	100		70 - 123		06/24/19 20:02	1
Dibromofluoromethane (Surr)	112		75 - 128		06/24/19 20:02	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-114394-1	MW-29_061219	120	83	88	97
240-114394-2	MW-113_061219	106	104	102	120
240-114394-3	MW-19_061219	105	77	82	104
240-114394-4	TRIP BLANK	108	94	100	112
240-114521-K-3 MS	Matrix Spike	111	92	97	109
240-114521-L-3 MSD	Matrix Spike Duplicate	113	104	90	113
LCS 240-387956/4	Lab Control Sample	106	92	87	106
MB 240-387956/7	Method Blank	110	85	88	115

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (63-125)
240-114386-C-4 MS	Matrix Spike	110
240-114386-C-4 MSD	Matrix Spike Duplicate	108
240-114394-1	MW-29_061219	108
240-114394-2	MW-113_061219	112
240-114394-3	MW-19_061219	109
LCS 240-386517/4	Lab Control Sample	99
LCS 240-386776/4	Lab Control Sample	105
MB 240-386517/5	Method Blank	105
MB 240-386776/5	Method Blank	109

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-387956/7
Matrix: Water
Analysis Batch: 387956

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 18:14	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			06/24/19 18:14	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/24/19 18:14	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			06/24/19 18:14	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			06/24/19 18:14	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			06/24/19 18:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		70 - 121		06/24/19 18:14	1
4-Bromofluorobenzene (Surr)	85		59 - 120		06/24/19 18:14	1
Toluene-d8 (Surr)	88		70 - 123		06/24/19 18:14	1
Dibromofluoromethane (Surr)	115		75 - 128		06/24/19 18:14	1

Lab Sample ID: LCS 240-387956/4
Matrix: Water
Analysis Batch: 387956

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	11.0		ug/L		110	65 - 139
cis-1,2-Dichloroethene	10.0	9.86		ug/L		99	76 - 128
Tetrachloroethene	10.0	11.9		ug/L		119	74 - 130
trans-1,2-Dichloroethene	10.0	9.51		ug/L		95	78 - 133
Trichloroethene	10.0	12.2		ug/L		122	76 - 125
Vinyl chloride	10.0	9.63		ug/L		96	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		70 - 121
4-Bromofluorobenzene (Surr)	92		59 - 120
Toluene-d8 (Surr)	87		70 - 123
Dibromofluoromethane (Surr)	106		75 - 128

Lab Sample ID: 240-114521-K-3 MS
Matrix: Water
Analysis Batch: 387956

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.58		ug/L		86	53 - 140
cis-1,2-Dichloroethene	1.0	U	10.0	8.32		ug/L		83	64 - 130
Tetrachloroethene	1.0	U	10.0	10.5		ug/L		105	51 - 136
trans-1,2-Dichloroethene	1.0	U	10.0	8.48		ug/L		85	68 - 133
Trichloroethene	1.0	U F2	10.0	8.82		ug/L		88	55 - 131
Vinyl chloride	0.67	J	10.0	9.69		ug/L		90	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		70 - 121
4-Bromofluorobenzene (Surr)	92		59 - 120
Toluene-d8 (Surr)	97		70 - 123

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-114521-K-3 MS
Matrix: Water
Analysis Batch: 387956

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	109		75 - 128

Lab Sample ID: 240-114521-L-3 MSD
Matrix: Water
Analysis Batch: 387956

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	10.0	9.34		ug/L		93	53 - 140	8	35
cis-1,2-Dichloroethene	1.0	U	10.0	9.01		ug/L		90	64 - 130	8	21
Tetrachloroethene	1.0	U	10.0	9.55		ug/L		96	51 - 136	9	23
trans-1,2-Dichloroethene	1.0	U	10.0	8.87		ug/L		89	68 - 133	4	24
Trichloroethene	1.0	U F2	10.0	11.4	F2	ug/L		114	55 - 131	26	23
Vinyl chloride	0.67	J	10.0	9.27		ug/L		86	43 - 154	4	29

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	113		70 - 121
4-Bromofluorobenzene (Surr)	104		59 - 120
Toluene-d8 (Surr)	90		70 - 123
Dibromofluoromethane (Surr)	113		75 - 128

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-386517/5
Matrix: Water
Analysis Batch: 386517

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/17/19 11:27	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		63 - 125		06/17/19 11:27	1

Lab Sample ID: LCS 240-386517/4
Matrix: Water
Analysis Batch: 386517

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
1,4-Dioxane	10.0	10.9		ug/L		109	59 - 131

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		63 - 125

Lab Sample ID: MB 240-386776/5
Matrix: Water
Analysis Batch: 386776

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			06/18/19 12:37	1

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	109		63 - 125		06/18/19 12:37	1

Lab Sample ID: LCS 240-386776/4
Matrix: Water
Analysis Batch: 386776

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<u>Analyte</u>	<u>Spike Added</u>	<u>LCS Result</u>	<u>LCS Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec. Limits</u>
1,4-Dioxane	10.0	10.9		ug/L		109	59 - 131

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
1,2-Dichloroethane-d4 (Surr)	105		63 - 125

Lab Sample ID: 240-114386-C-4 MS
Matrix: Water
Analysis Batch: 386776

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<u>Analyte</u>	<u>Sample Result</u>	<u>Sample Qualifier</u>	<u>Spike Added</u>	<u>MS Result</u>	<u>MS Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec. Limits</u>
1,4-Dioxane	2.0	U	10.0	11.1		ug/L		111	52 - 129

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
1,2-Dichloroethane-d4 (Surr)	110		63 - 125

Lab Sample ID: 240-114386-C-4 MSD
Matrix: Water
Analysis Batch: 386776

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<u>Analyte</u>	<u>Sample Result</u>	<u>Sample Qualifier</u>	<u>Spike Added</u>	<u>MSD Result</u>	<u>MSD Qualifier</u>	<u>Unit</u>	<u>D</u>	<u>%Rec</u>	<u>%Rec. Limits</u>	<u>RPD</u>	<u>RPD Limit</u>
1,4-Dioxane	2.0	U	10.0	11.2		ug/L		112	52 - 129	1	13

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>
1,2-Dichloroethane-d4 (Surr)	108		63 - 125

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

GC/MS VOA

Analysis Batch: 386517

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-114394-1	MW-29_061219	Total/NA	Water	8260B SIM	
240-114394-2	MW-113_061219	Total/NA	Water	8260B SIM	
MB 240-386517/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-386517/4	Lab Control Sample	Total/NA	Water	8260B SIM	

Analysis Batch: 386776

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-114394-3	MW-19_061219	Total/NA	Water	8260B SIM	
MB 240-386776/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-386776/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-114386-C-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-114386-C-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 387956

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-114394-1	MW-29_061219	Total/NA	Water	8260B	
240-114394-2	MW-113_061219	Total/NA	Water	8260B	
240-114394-3	MW-19_061219	Total/NA	Water	8260B	
240-114394-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-387956/7	Method Blank	Total/NA	Water	8260B	
LCS 240-387956/4	Lab Control Sample	Total/NA	Water	8260B	
240-114521-K-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-114521-L-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Client Sample ID: MW-29_061219

Lab Sample ID: 240-114394-1

Date Collected: 06/12/19 10:27

Matrix: Water

Date Received: 06/14/19 08:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387956	06/24/19 18:39	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	386517	06/17/19 16:28	SAM	TAL CAN

Client Sample ID: MW-113_061219

Lab Sample ID: 240-114394-2

Date Collected: 06/12/19 12:42

Matrix: Water

Date Received: 06/14/19 08:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387956	06/24/19 19:06	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	386517	06/17/19 16:53	SAM	TAL CAN

Client Sample ID: MW-19_061219

Lab Sample ID: 240-114394-3

Date Collected: 06/12/19 14:23

Matrix: Water

Date Received: 06/14/19 08:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387956	06/24/19 19:32	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		2	386776	06/18/19 18:26	SAM	TAL CAN

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-114394-4

Date Collected: 06/12/19 00:00

Matrix: Water

Date Received: 06/14/19 08:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	387956	06/24/19 20:02	LRW	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203728

Job ID: 240-114394-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State		2927	02-23-20
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Florida	NELAP		E87225	06-30-19
Illinois	NELAP	5	200004	07-31-19 *
Illinois	NELAP		004498	07-31-19
Iowa	State Program	7	421	06-01-21
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New Jersey	NELAP		OH001	06-30-19
New York	NELAP	2	10975	03-31-20
New York	NELAP		10975	03-31-20
Ohio VAP	State Program	5	CL0024	06-05-21
Oregon	NELAP	10	4062	02-23-20
Oregon	NELAP		4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Pennsylvania	NELAP		68-00340	08-31-19
Texas	NELAP	6	T104704517-18-10	08-31-19 *
Texas	NELAP		T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19 *
Virginia	NELAP		010101	09-14-19
Washington	State		C971	01-12-20
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.


eurolins TestAmerica, Canton MICHIGAN Chain of Custody Record 190

4101 Shuffel Street NW
North Canton, OH 44720
Phone: 330-497-9396 Fax: 330-497-0772

Client Information
 Company: ARCADIS U.S. Inc
 Address: 28550 Cabot Drive Suite 500
 City: Novi
 State, Zip: MI, 48377
 Phone:
 Email: Caitlin.O'Neill@arcadis.com
 Project Name: Ford LTP Livonia MI - E203631-728
 Site: LTP

Client Information
 Sampler: Madison Olander
 Lab Piv: DelMonico, Michael
 E-Mail: michael.delmonico@testamericainc.com
 Carrier Tracking No(s):
 COC No: 240-61361-26116.2
 Page: Page 2 of 10
 Job #:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Soaked, On-surface, etc)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260B - VOCs (Short List)	8260B - VOCs (Short List)	Total Number of Containers	Special Instructions/Note:
NW-29-061219	6/12/19	1027	G	Water		N	X	X		6	
NW-113-061219	6/12/19	1242	G	Water		N	X	X		6	
NW-19-061219	6/12/19	1423	G	Water		N	X	X		6	
Trip Blank				Water		-	-	-		1	



Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: [Signature] Date: 6/12/19 1530
 Relinquished by: [Signature] Date/Time: 6/12/19 1918
 Relinquished by: Mary-Catherine Goodrich Date/Time: 6/12/19 1959
 Relinquished by: RACHEL BELAK Date/Time: 6/13/19 0920
 Custody Seal No.: [Blank] Company: Arcadis

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Received by: [Signature] Date/Time: 6-14-19 9:15
 Received by: [Signature] Date/Time: 6-13-19 0930
 Received by: [Signature] Date/Time: 6-13-19 0930
 Company: Arcadis

Cooler Temperature(s) °C and Other Remarks:
 6-13-19 1505
 6-14-19 9:15 ETAC



Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 114394
Canton Facility

Client Areadis Site Name _____ Cooler unpacked by: [Signature]
Cooler Received on 6-14-19 Opened on 6-19-19
FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. 1 °C
IR GUN #36 (CF +0.6°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Are these work share samples? Yes No
If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot # HC984738
13. Were VOAs on the COC? Yes No
14. Were air bubbles >6 mm in any VOA vials? ● Larger than this. Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # B837707VB Yes No
16. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES Samples processed by: Ann

18. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____
VOA Sample Preservation - Date/Time VOAs Frozen: _____

