

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-126440-1
Client Project/Site: Ford LTP Off Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
3/3/2020 9:46:51 AM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Job ID: 240-126440-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Off Site

Report Number: 240-126440-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 2/18/2020 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.5° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIP BLANK (240-126440-1), MW-102S_021420 (240-126440-2), MW-102_021420 (240-126440-3) and DUP-06 (240-126440-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 02/20/2020 and 02/24/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-102S_021420 (240-126440-2), MW-102_021420 (240-126440-3) and DUP-06 (240-126440-4) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 02/26/2020.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-126440-1	TRIP BLANK	Water	02/14/20 00:00	02/18/20 09:00	
240-126440-2	MW-102S_021420	Water	02/14/20 11:00	02/18/20 09:00	
240-126440-3	MW-102_021420	Water	02/14/20 09:50	02/18/20 09:00	
240-126440-4	DUP-06	Water	02/14/20 00:00	02/18/20 09:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126440-1

No Detections.

Client Sample ID: MW-102S_021420

Lab Sample ID: 240-126440-2

No Detections.

Client Sample ID: MW-102_021420

Lab Sample ID: 240-126440-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	1.4	J	2.0	0.86	ug/L	1			8260B SIM	Total/NA
Vinyl chloride	1.3		1.0	0.20	ug/L	1			8260B	Total/NA

Client Sample ID: DUP-06

Lab Sample ID: 240-126440-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Vinyl chloride	1.1		1.0	0.20	ug/L	1			8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126440-1

Date Collected: 02/14/20 00:00

Matrix: Water

Date Received: 02/18/20 09:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/24/20 20:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/24/20 20:59	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/24/20 20:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/24/20 20:59	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/24/20 20:59	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/24/20 20:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		75 - 130		02/24/20 20:59	1
4-Bromofluorobenzene (Surr)	66		47 - 134		02/24/20 20:59	1
Toluene-d8 (Surr)	85		69 - 122		02/24/20 20:59	1
Dibromofluoromethane (Surr)	94		78 - 129		02/24/20 20:59	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: MW-102S_021420

Lab Sample ID: 240-126440-2

Date Collected: 02/14/20 11:00

Matrix: Water

Date Received: 02/18/20 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/20 21:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		70 - 133		02/26/20 21:10	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 19:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/20/20 19:04	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/20/20 19:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 19:04	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/20/20 19:04	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/20/20 19:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 130		02/20/20 19:04	1
4-Bromofluorobenzene (Surr)	100		47 - 134		02/20/20 19:04	1
Toluene-d8 (Surr)	95		69 - 122		02/20/20 19:04	1
Dibromofluoromethane (Surr)	100		78 - 129		02/20/20 19:04	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: MW-102_021420

Lab Sample ID: 240-126440-3

Date Collected: 02/14/20 09:50

Matrix: Water

Date Received: 02/18/20 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.4	J	2.0	0.86	ug/L			02/26/20 21:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		70 - 133		02/26/20 21:36	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 19:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/20/20 19:27	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/20/20 19:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 19:27	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/20/20 19:27	1
Vinyl chloride	1.3		1.0	0.20	ug/L			02/20/20 19:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 130		02/20/20 19:27	1
4-Bromofluorobenzene (Surr)	98		47 - 134		02/20/20 19:27	1
Toluene-d8 (Surr)	93		69 - 122		02/20/20 19:27	1
Dibromofluoromethane (Surr)	99		78 - 129		02/20/20 19:27	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: DUP-06

Lab Sample ID: 240-126440-4

Date Collected: 02/14/20 00:00

Matrix: Water

Date Received: 02/18/20 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		02/26/20 22:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		70 - 133		02/26/20 22:02	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		02/20/20 19:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L	-		02/20/20 19:49	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L	-		02/20/20 19:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		02/20/20 19:49	1
Trichloroethene	1.0	U	1.0	0.10	ug/L	-		02/20/20 19:49	1
Vinyl chloride	1.1		1.0	0.20	ug/L	-		02/20/20 19:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 130		02/20/20 19:49	1
4-Bromofluorobenzene (Surr)	103		47 - 134		02/20/20 19:49	1
Toluene-d8 (Surr)	96		69 - 122		02/20/20 19:49	1
Dibromofluoromethane (Surr)	93		78 - 129		02/20/20 19:49	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
180-102203-B-1 MSD	Matrix Spike Duplicate	109	104	94	106
180-102203-D-1 MS	Matrix Spike	108	101	94	98
240-126438-A-3 MSD	Matrix Spike Duplicate	80	71	81	80
240-126438-H-3 MS	Matrix Spike	83	72	86	84
240-126440-1	TRIP BLANK	89	66	85	94
240-126440-2	MW-102S_021420	109	100	95	100
240-126440-3	MW-102_021420	108	98	93	99
240-126440-4	DUP-06	108	103	96	93
LCS 240-423570/4	Lab Control Sample	107	101	93	98
LCS 240-423965/4	Lab Control Sample	83	87	95	92
MB 240-423570/6	Method Blank	113	107	97	104
MB 240-423965/7	Method Blank	88	73	89	92

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-126438-G-3 MS	Matrix Spike	134 X
240-126438-G-3 MSD	Matrix Spike Duplicate	133
240-126440-2	MW-102S_021420	115
240-126440-3	MW-102_021420	113
240-126440-4	DUP-06	114
LCS 240-424320/4	Lab Control Sample	105
MB 240-424320/5	Method Blank	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-423570/6
Matrix: Water
Analysis Batch: 423570

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 12:22	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/20/20 12:22	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/20/20 12:22	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/20/20 12:22	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/20/20 12:22	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/20/20 12:22	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		75 - 130		02/20/20 12:22	1
4-Bromofluorobenzene (Surr)	107		47 - 134		02/20/20 12:22	1
Toluene-d8 (Surr)	97		69 - 122		02/20/20 12:22	1
Dibromofluoromethane (Surr)	104		78 - 129		02/20/20 12:22	1

Lab Sample ID: LCS 240-423570/4
Matrix: Water
Analysis Batch: 423570

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.4		ug/L		104	73 - 129
cis-1,2-Dichloroethene	10.0	11.0		ug/L		110	75 - 124
Tetrachloroethene	10.0	10.9		ug/L		109	70 - 125
trans-1,2-Dichloroethene	10.0	10.4		ug/L		104	74 - 130
Trichloroethene	10.0	9.44		ug/L		94	71 - 121
Vinyl chloride	10.0	8.39		ug/L		84	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	107		75 - 130
4-Bromofluorobenzene (Surr)	101		47 - 134
Toluene-d8 (Surr)	93		69 - 122
Dibromofluoromethane (Surr)	98		78 - 129

Lab Sample ID: 180-102203-B-1 MSD
Matrix: Water
Analysis Batch: 423570

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	10.5		ug/L		105	64 - 132	19	35
Tetrachloroethene	1.0	U	10.0	10.0		ug/L		100	52 - 129	9	35
trans-1,2-Dichloroethene	1.0	U	10.0	10.1		ug/L		101	69 - 126	21	35
Vinyl chloride	0.41	J	10.0	8.20		ug/L		78	49 - 136	21	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		75 - 130
4-Bromofluorobenzene (Surr)	104		47 - 134
Toluene-d8 (Surr)	94		69 - 122
Dibromofluoromethane (Surr)	106		78 - 129

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 180-102203-D-1 MS

Matrix: Water

Analysis Batch: 423570

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	8.62		ug/L		86	64 - 132
Tetrachloroethene	1.0	U	10.0	9.16		ug/L		92	52 - 129
trans-1,2-Dichloroethene	1.0	U	10.0	8.20		ug/L		82	69 - 126
Vinyl chloride	0.41	J	10.0	6.61		ug/L		62	49 - 136

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	108		75 - 130
4-Bromofluorobenzene (Surr)	101		47 - 134
Toluene-d8 (Surr)	94		69 - 122
Dibromofluoromethane (Surr)	98		78 - 129

Lab Sample ID: MB 240-423965/7

Matrix: Water

Analysis Batch: 423965

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/24/20 12:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			02/24/20 12:54	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			02/24/20 12:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			02/24/20 12:54	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			02/24/20 12:54	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			02/24/20 12:54	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		75 - 130		02/24/20 12:54	1
4-Bromofluorobenzene (Surr)	73		47 - 134		02/24/20 12:54	1
Toluene-d8 (Surr)	89		69 - 122		02/24/20 12:54	1
Dibromofluoromethane (Surr)	92		78 - 129		02/24/20 12:54	1

Lab Sample ID: LCS 240-423965/4

Matrix: Water

Analysis Batch: 423965

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.5		ug/L		105	73 - 129
cis-1,2-Dichloroethene	10.0	10.2		ug/L		102	75 - 124
Tetrachloroethene	10.0	11.7		ug/L		117	70 - 125
trans-1,2-Dichloroethene	10.0	10.1		ug/L		101	74 - 130
Trichloroethene	10.0	10.0		ug/L		100	71 - 121
Vinyl chloride	10.0	6.62		ug/L		66	61 - 134

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
1,2-Dichloroethane-d4 (Surr)	83		75 - 130
4-Bromofluorobenzene (Surr)	87		47 - 134
Toluene-d8 (Surr)	95		69 - 122
Dibromofluoromethane (Surr)	92		78 - 129

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-126438-A-3 MSD
Matrix: Water
Analysis Batch: 423965

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	7.20		ug/L		72	64 - 132	17	35
cis-1,2-Dichloroethene	1.0	U	10.0	8.00		ug/L		80	68 - 121	6	35
Tetrachloroethene	1.0	U	10.0	8.24		ug/L		82	52 - 129	8	35
trans-1,2-Dichloroethene	1.0	U	10.0	7.70		ug/L		77	69 - 126	7	35
Trichloroethene	1.0	U	10.0	7.62		ug/L		76	56 - 124	6	35
Vinyl chloride	1.0	U F1	10.0	5.67		ug/L		57	49 - 136	17	35
				MSD MSD							
Surrogate	%Recovery		Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	80			75 - 130							
4-Bromofluorobenzene (Surr)	71			47 - 134							
Toluene-d8 (Surr)	81			69 - 122							
Dibromofluoromethane (Surr)	80			78 - 129							

Lab Sample ID: 240-126438-H-3 MS
Matrix: Water
Analysis Batch: 423965

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
1,1-Dichloroethene	1.0	U	10.0	8.52		ug/L		85	64 - 132		
cis-1,2-Dichloroethene	1.0	U	10.0	8.52		ug/L		85	68 - 121		
Tetrachloroethene	1.0	U	10.0	8.91		ug/L		89	52 - 129		
trans-1,2-Dichloroethene	1.0	U	10.0	8.25		ug/L		83	69 - 126		
Trichloroethene	1.0	U	10.0	8.12		ug/L		81	56 - 124		
Vinyl chloride	1.0	U F1	10.0	4.78	F1	ug/L		48	49 - 136		
				MS MS							
Surrogate	%Recovery		Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	83			75 - 130							
4-Bromofluorobenzene (Surr)	72			47 - 134							
Toluene-d8 (Surr)	86			69 - 122							
Dibromofluoromethane (Surr)	84			78 - 129							

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-424320/5
Matrix: Water
Analysis Batch: 424320

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/26/20 12:03	1
				MB MB					
Surrogate	%Recovery		Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105			70 - 133				02/26/20 12:03	1

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-424320/4
Matrix: Water
Analysis Batch: 424320

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.5		ug/L	-	105	80 - 135
Surrogate							
	%Recovery	LCS Qualifier	LCS Limits				
1,2-Dichloroethane-d4 (Surr)	105		70 - 133				

Lab Sample ID: 240-126438-G-3 MS
Matrix: Water
Analysis Batch: 424320

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	9.77		ug/L	-	98	46 - 170
Surrogate									
	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	134	X	70 - 133						

Lab Sample ID: 240-126438-G-3 MSD
Matrix: Water
Analysis Batch: 424320

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	10.9		ug/L	-	109	46 - 170	11	26
Surrogate											
	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	133		70 - 133								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

GC/MS VOA

Analysis Batch: 423570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126440-2	MW-102S_021420	Total/NA	Water	8260B	
240-126440-3	MW-102_021420	Total/NA	Water	8260B	
240-126440-4	DUP-06	Total/NA	Water	8260B	
MB 240-423570/6	Method Blank	Total/NA	Water	8260B	
LCS 240-423570/4	Lab Control Sample	Total/NA	Water	8260B	
180-102203-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
180-102203-D-1 MS	Matrix Spike	Total/NA	Water	8260B	

Analysis Batch: 423965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126440-1	TRIP BLANK	Total/NA	Water	8260B	
MB 240-423965/7	Method Blank	Total/NA	Water	8260B	
LCS 240-423965/4	Lab Control Sample	Total/NA	Water	8260B	
240-126438-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
240-126438-H-3 MS	Matrix Spike	Total/NA	Water	8260B	

Analysis Batch: 424320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-126440-2	MW-102S_021420	Total/NA	Water	8260B SIM	
240-126440-3	MW-102_021420	Total/NA	Water	8260B SIM	
240-126440-4	DUP-06	Total/NA	Water	8260B SIM	
MB 240-424320/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-424320/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-126438-G-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-126438-G-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-126440-1

Date Collected: 02/14/20 00:00

Matrix: Water

Date Received: 02/18/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423965	02/24/20 20:59	LEE	TAL CAN

Client Sample ID: MW-102S_021420

Lab Sample ID: 240-126440-2

Date Collected: 02/14/20 11:00

Matrix: Water

Date Received: 02/18/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423570	02/20/20 19:04	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	424320	02/26/20 21:10	SAM	TAL CAN

Client Sample ID: MW-102_021420

Lab Sample ID: 240-126440-3

Date Collected: 02/14/20 09:50

Matrix: Water

Date Received: 02/18/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423570	02/20/20 19:27	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	424320	02/26/20 21:36	SAM	TAL CAN

Client Sample ID: DUP-06

Lab Sample ID: 240-126440-4

Date Collected: 02/14/20 00:00

Matrix: Water

Date Received: 02/18/20 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	423570	02/20/20 19:49	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	424320	02/26/20 22:02	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Off Site

Job ID: 240-126440-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20 *
Connecticut	State	PH-0590	12-31-19 *
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20 *
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20 *
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-18-10	08-31-20
USDA	US Federal Programs	P330-16-00404	12-28-19 *
Virginia	NELAP	010101	09-14-20
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility


Login # : 26440

Client Arcadis Site Name _____
 Cooler Received on 2-18-20 Opened on 2-18-20
 FedEx: Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by:
Ryan C

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-10 (CF +0.7°C) Observed Cooler Temp. 2.8 °C Corrected Cooler Temp. 3.5 °C
 IR GUN #IR-11 (CF +0.9°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.
12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC995364
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 59072 Yes No NA 2-18-20
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____