

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-111623-1
Client Project/Site: Ford LTP Livonia MI - E203631

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
5/9/2019 4:05:55 PM

Michael DelMonico, Project Manager I
(330)497-9396
michael.delmonico@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Method Summary | 6 |
| Sample Summary | 7 |
| Detection Summary | 8 |
| Client Sample Results | 9 |
| Surrogate Summary | 14 |
| QC Sample Results | 15 |
| QC Association Summary | 19 |
| Lab Chronicle | 20 |
| Certification Summary | 21 |
| Chain of Custody | 22 |



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| F2 | MS/MSD RPD exceeds control limits |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U | Indicates the analyte was analyzed for but not detected. |
| X | Surrogate is outside control limits |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Job ID: 240-111623-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

CASE NARRATIVE

Client: ARCADIS U.S., Inc.

Project: Ford LTP Livonia MI - E203631

Report Number: 240-111623-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

RECEIPT

The samples were received on 4/26/2019 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.2° C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples MW-114_042319 (240-111623-1), MW-120_042319 (240-111623-2), MW-113_042319 (240-111623-3), MW-124_042319 (240-111623-4) and TRIP BLANK (240-111623-5) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/04/2019 and 05/06/2019.

Dibromofluoromethane (Surr) failed the surrogate recovery criteria high for MW-113_042319 (240-111623-3). Refer to the QC report for details.

trans-1,2-Dichloroethene failed the recovery criteria high for LCS 240-379663/4. Refer to the QC report for details.

The laboratory control sample (LCS) for 379663 recovered outside control limits for multiple analytes. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported: MW-114_042319 (240-111623-1), MW-113_042319 (240-111623-3), MW-124_042319 (240-111623-4), TRIP BLANK (240-111623-5) and (LCS 240-379663/4).

Surrogate recovery for the following sample was outside the upper control limit: MW-113_042319 (240-111623-3). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Job ID: 240-111623-1 (Continued)

Laboratory: Eurofins TestAmerica, Canton (Continued)

No MS/MSD in batch 379663 due to an incorrect dilution: MW-114_042319 (240-111623-1), MW-113_042319 (240-111623-3), MW-124_042319 (240-111623-4) and TRIP BLANK (240-111623-5).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOLATILE ORGANIC COMPOUNDS (GCMS SIM)

Samples MW-114_042319 (240-111623-1), MW-120_042319 (240-111623-2), MW-113_042319 (240-111623-3) and MW-124_042319 (240-111623-4) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 04/29/2019.

1,4-Dioxane exceeded the RPD limit for the MSD of sample MW-124_042319MSD (240-111623-4) in batch 240-378674. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

| Method | Method Description | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846 | TAL CAN |
| 5030B | Purge and Trap | SW846 | TAL CAN |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 240-111623-1 | MW-114_042319 | Water | 04/23/19 15:25 | 04/26/19 09:00 |
| 240-111623-2 | MW-120_042319 | Water | 04/23/19 13:30 | 04/26/19 09:00 |
| 240-111623-3 | MW-113_042319 | Water | 04/23/19 13:26 | 04/26/19 09:00 |
| 240-111623-4 | MW-124_042319 | Water | 04/23/19 15:08 | 04/26/19 09:00 |
| 240-111623-5 | TRIP BLANK | Water | 04/23/19 00:00 | 04/26/19 09:00 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-114_042319

Lab Sample ID: 240-111623-1

No Detections.

Client Sample ID: MW-120_042319

Lab Sample ID: 240-111623-2

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|-----------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| Trichloroethene | 3.7 | | 1.0 | 0.10 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: MW-113_042319

Lab Sample ID: 240-111623-3

No Detections.

Client Sample ID: MW-124_042319

Lab Sample ID: 240-111623-4

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|--------------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 1.7 | | 1.0 | 0.16 | ug/L | 1 | | 8260B | Total/NA |
| trans-1,2-Dichloroethene | 0.19 | J * | 1.0 | 0.19 | ug/L | 1 | | 8260B | Total/NA |
| Vinyl chloride | 0.32 | J | 1.0 | 0.20 | ug/L | 1 | | 8260B | Total/NA |

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-111623-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-114_042319

Lab Sample ID: 240-111623-1

Date Collected: 04/23/19 15:25

Matrix: Water

Date Received: 04/26/19 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 04/29/19 14:42 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 63 - 125 | | 04/29/19 14:42 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/04/19 20:40 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/04/19 20:40 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/04/19 20:40 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U * | 1.0 | 0.19 | ug/L | | | 05/04/19 20:40 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/04/19 20:40 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/04/19 20:40 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 114 | | 70 - 121 | | 05/04/19 20:40 | 1 |
| 4-Bromofluorobenzene (Surr) | 73 | | 59 - 120 | | 05/04/19 20:40 | 1 |
| Toluene-d8 (Surr) | 101 | | 70 - 123 | | 05/04/19 20:40 | 1 |
| Dibromofluoromethane (Surr) | 123 | | 75 - 128 | | 05/04/19 20:40 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-120_042319

Lab Sample ID: 240-111623-2

Date Collected: 04/23/19 13:30

Matrix: Water

Date Received: 04/26/19 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 04/29/19 15:08 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106 | | 63 - 125 | | 04/29/19 15:08 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/06/19 14:14 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/06/19 14:14 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/06/19 14:14 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/06/19 14:14 | 1 |
| Trichloroethene | 3.7 | | 1.0 | 0.10 | ug/L | | | 05/06/19 14:14 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/06/19 14:14 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109 | | 70 - 121 | | 05/06/19 14:14 | 1 |
| 4-Bromofluorobenzene (Surr) | 79 | | 59 - 120 | | 05/06/19 14:14 | 1 |
| Toluene-d8 (Surr) | 103 | | 70 - 123 | | 05/06/19 14:14 | 1 |
| Dibromofluoromethane (Surr) | 125 | | 75 - 128 | | 05/06/19 14:14 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-113_042319

Lab Sample ID: 240-111623-3

Date Collected: 04/23/19 13:26

Matrix: Water

Date Received: 04/26/19 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 04/29/19 15:34 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108 | | 63 - 125 | | 04/29/19 15:34 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/04/19 21:24 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/04/19 21:24 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/04/19 21:24 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U * | 1.0 | 0.19 | ug/L | | | 05/04/19 21:24 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/04/19 21:24 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/04/19 21:24 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 119 | | 70 - 121 | | 05/04/19 21:24 | 1 |
| 4-Bromofluorobenzene (Surr) | 76 | | 59 - 120 | | 05/04/19 21:24 | 1 |
| Toluene-d8 (Surr) | 102 | | 70 - 123 | | 05/04/19 21:24 | 1 |
| Dibromofluoromethane (Surr) | 132 | X | 75 - 128 | | 05/04/19 21:24 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-124_042319

Lab Sample ID: 240-111623-4

Date Collected: 04/23/19 15:08

Matrix: Water

Date Received: 04/26/19 09:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0 | U F2 | 2.0 | 0.86 | ug/L | - | | 04/29/19 15:59 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105 | | 63 - 125 | | 04/29/19 15:59 | 1 |

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|-------------|------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | - | | 05/04/19 21:46 | 1 |
| cis-1,2-Dichloroethene | 1.7 | | 1.0 | 0.16 | ug/L | | | 05/04/19 21:46 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/04/19 21:46 | 1 |
| trans-1,2-Dichloroethene | 0.19 | J * | 1.0 | 0.19 | ug/L | | | 05/04/19 21:46 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/04/19 21:46 | 1 |
| Vinyl chloride | 0.32 | J | 1.0 | 0.20 | ug/L | | | 05/04/19 21:46 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 112 | | 70 - 121 | | 05/04/19 21:46 | 1 |
| 4-Bromofluorobenzene (Surr) | 75 | | 59 - 120 | | 05/04/19 21:46 | 1 |
| Toluene-d8 (Surr) | 102 | | 70 - 123 | | 05/04/19 21:46 | 1 |
| Dibromofluoromethane (Surr) | 124 | | 75 - 128 | | 05/04/19 21:46 | 1 |

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-111623-5

Date Collected: 04/23/19 00:00

Matrix: Water

Date Received: 04/26/19 09:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/04/19 22:08 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/04/19 22:08 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/04/19 22:08 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U * | 1.0 | 0.19 | ug/L | | | 05/04/19 22:08 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/04/19 22:08 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/04/19 22:08 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 118 | | 70 - 121 | | 05/04/19 22:08 | 1 |
| 4-Bromofluorobenzene (Surr) | 75 | | 59 - 120 | | 05/04/19 22:08 | 1 |
| Toluene-d8 (Surr) | 98 | | 70 - 123 | | 05/04/19 22:08 | 1 |
| Dibromofluoromethane (Surr) | 126 | | 75 - 128 | | 05/04/19 22:08 | 1 |

Surrogate Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) | | | |
|--------------------|------------------------|--|-----------------|-----------------|------------------|
| | | DCA (70-121) | BFB (59-120) | TOL (70-123) | DBFM (75-128) |
| 240-111598-E-5 MS | Matrix Spike | 96 | 102 | 112 | 117 |
| 240-111598-H-5 MSD | Matrix Spike Duplicate | 93 | 101 | 110 | 115 |
| 240-111623-1 | MW-114_042319 | 114 | 73 | 101 | 123 |
| 240-111623-2 | MW-120_042319 | 109 | 79 | 103 | 125 |
| 240-111623-3 | MW-113_042319 | 119 | 76 | 102 | 132 X |
| 240-111623-4 | MW-124_042319 | 112 | 75 | 102 | 124 |
| 240-111623-5 | TRIP BLANK | 118 | 75 | 98 | 126 |
| LCS 240-379663/4 | Lab Control Sample | 100 | 109 | 112 | 121 |
| LCS 240-379783/4 | Lab Control Sample | 92 | 100 | 110 | 114 |
| MB 240-379663/6 | Method Blank | 116 | 80 | 107 | 128 |
| MB 240-379783/6 | Method Blank | 111 | 81 | 108 | 127 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
 BFB = 4-Bromofluorobenzene (Surr)
 TOL = Toluene-d8 (Surr)
 DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID | Client Sample ID | DCA |
|------------------|--------------------|----------|
| | | (63-125) |
| 240-111623-1 | MW-114_042319 | 104 |
| 240-111623-2 | MW-120_042319 | 106 |
| 240-111623-3 | MW-113_042319 | 108 |
| 240-111623-4 | MW-124_042319 | 105 |
| 240-111623-4 MS | MW-124_042319 | 103 |
| 240-111623-4 MSD | MW-124_042319 | 107 |
| LCS 240-378674/7 | Lab Control Sample | 99 |
| MB 240-378674/5 | Method Blank | 104 |

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-379663/6
Matrix: Water
Analysis Batch: 379663

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/04/19 14:07 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/04/19 14:07 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/04/19 14:07 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/04/19 14:07 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/04/19 14:07 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/04/19 14:07 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 116 | | 70 - 121 | | 05/04/19 14:07 | 1 |
| 4-Bromofluorobenzene (Surr) | 80 | | 59 - 120 | | 05/04/19 14:07 | 1 |
| Toluene-d8 (Surr) | 107 | | 70 - 123 | | 05/04/19 14:07 | 1 |
| Dibromofluoromethane (Surr) | 128 | | 75 - 128 | | 05/04/19 14:07 | 1 |

Lab Sample ID: LCS 240-379663/4
Matrix: Water
Analysis Batch: 379663

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,1-Dichloroethene | 10.0 | 11.8 | | ug/L | | 118 | 65 - 139 |
| cis-1,2-Dichloroethene | 10.0 | 12.1 | | ug/L | | 121 | 76 - 128 |
| Tetrachloroethene | 10.0 | 11.0 | | ug/L | | 110 | 74 - 130 |
| trans-1,2-Dichloroethene | 10.0 | 13.6 | * | ug/L | | 136 | 78 - 133 |
| Trichloroethene | 10.0 | 9.71 | | ug/L | | 97 | 76 - 125 |
| Vinyl chloride | 10.0 | 13.8 | | ug/L | | 138 | 58 - 143 |

| Surrogate | LCS %Recovery | LCS Qualifier | Limits |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 100 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 109 | | 59 - 120 |
| Toluene-d8 (Surr) | 112 | | 70 - 123 |
| Dibromofluoromethane (Surr) | 121 | | 75 - 128 |

Lab Sample ID: MB 240-379783/6
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/06/19 13:01 | 1 |
| cis-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.16 | ug/L | | | 05/06/19 13:01 | 1 |
| Tetrachloroethene | 1.0 | U | 1.0 | 0.15 | ug/L | | | 05/06/19 13:01 | 1 |
| trans-1,2-Dichloroethene | 1.0 | U | 1.0 | 0.19 | ug/L | | | 05/06/19 13:01 | 1 |
| Trichloroethene | 1.0 | U | 1.0 | 0.10 | ug/L | | | 05/06/19 13:01 | 1 |
| Vinyl chloride | 1.0 | U | 1.0 | 0.20 | ug/L | | | 05/06/19 13:01 | 1 |

| Surrogate | MB %Recovery | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 111 | | 70 - 121 | | 05/06/19 13:01 | 1 |
| 4-Bromofluorobenzene (Surr) | 81 | | 59 - 120 | | 05/06/19 13:01 | 1 |
| Toluene-d8 (Surr) | 108 | | 70 - 123 | | 05/06/19 13:01 | 1 |

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-379783/6
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Method Blank
Prep Type: Total/NA

| Surrogate | MB MB | | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| | %Recovery | Qualifier | | | | |
| Dibromofluoromethane (Surr) | 127 | | 75 - 128 | | 05/06/19 13:01 | 1 |

Lab Sample ID: LCS 240-379783/4
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits | |
|--------------------------|-------------|------------|---------------|------|---|------|--------------|--|
| | | | | | | | | |
| 1,1-Dichloroethene | 10.0 | 9.62 | | ug/L | | 96 | 65 - 139 | |
| cis-1,2-Dichloroethene | 10.0 | 10.6 | | ug/L | | 106 | 76 - 128 | |
| Tetrachloroethene | 10.0 | 10.2 | | ug/L | | 102 | 74 - 130 | |
| trans-1,2-Dichloroethene | 10.0 | 11.4 | | ug/L | | 114 | 78 - 133 | |
| Trichloroethene | 10.0 | 9.09 | | ug/L | | 91 | 76 - 125 | |
| Vinyl chloride | 10.0 | 9.96 | | ug/L | | 100 | 58 - 143 | |

| Surrogate | LCS LCS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 92 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 100 | | 59 - 120 |
| Toluene-d8 (Surr) | 110 | | 70 - 123 |
| Dibromofluoromethane (Surr) | 114 | | 75 - 128 |

Lab Sample ID: 240-111598-E-5 MS
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Matrix Spike
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits | |
|--------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|--|
| | | | | | | | | | | |
| 1,1-Dichloroethene | 10 | U | 100 | 87.9 | | ug/L | | 88 | 53 - 140 | |
| cis-1,2-Dichloroethene | 10 | U | 100 | 102 | | ug/L | | 102 | 64 - 130 | |
| Tetrachloroethene | 10 | U | 100 | 97.6 | | ug/L | | 98 | 51 - 136 | |
| trans-1,2-Dichloroethene | 10 | U | 100 | 112 | | ug/L | | 112 | 68 - 133 | |
| Trichloroethene | 10 | U | 100 | 86.6 | | ug/L | | 87 | 55 - 131 | |
| Vinyl chloride | 10 | U | 100 | 101 | | ug/L | | 101 | 43 - 154 | |

| Surrogate | MS MS | | Limits |
|------------------------------|-----------|-----------|----------|
| | %Recovery | Qualifier | |
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 70 - 121 |
| 4-Bromofluorobenzene (Surr) | 102 | | 59 - 120 |
| Toluene-d8 (Surr) | 112 | | 70 - 123 |
| Dibromofluoromethane (Surr) | 117 | | 75 - 128 |

Lab Sample ID: 240-111598-H-5 MSD
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | | RPD | |
|--------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|----|-----|-------|
| | | | | | | | | | | | RPD | Limit |
| 1,1-Dichloroethene | 10 | U | 100 | 97.2 | | ug/L | | 97 | 53 - 140 | 10 | 35 | |
| cis-1,2-Dichloroethene | 10 | U | 100 | 109 | | ug/L | | 109 | 64 - 130 | 6 | 21 | |
| Tetrachloroethene | 10 | U | 100 | 102 | | ug/L | | 102 | 51 - 136 | 4 | 23 | |
| trans-1,2-Dichloroethene | 10 | U | 100 | 118 | | ug/L | | 118 | 68 - 133 | 5 | 24 | |
| Trichloroethene | 10 | U | 100 | 91.3 | | ug/L | | 91 | 55 - 131 | 5 | 23 | |

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-111598-H-5 MSD
Matrix: Water
Analysis Batch: 379783

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|------------------------------|----------------------|----------------------|---------------|------------|---------------|------|---|------|--------------|-----|-----------|
| Vinyl chloride | 10 | U | 100 | 112 | | ug/L | | 112 | 43 - 154 | 10 | 29 |
| Surrogate | MSD %Recovery | MSD Qualifier | Limits | | | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 93 | | 70 - 121 | | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 101 | | 59 - 120 | | | | | | | | |
| Toluene-d8 (Surr) | 110 | | 70 - 123 | | | | | | | | |
| Dibromofluoromethane (Surr) | 115 | | 75 - 128 | | | | | | | | |

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-378674/5
Matrix: Water
Analysis Batch: 378674

Client Sample ID: Method Blank
Prep Type: Total/NA

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac | |
|------------------------------|---------------------|---------------------|---------------|-----------------|-----------------|----------------|----------|----------------|---------|--|
| 1,4-Dioxane | 2.0 | U | 2.0 | 0.86 | ug/L | | | 04/29/19 12:09 | 1 | |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 63 - 125 | | | | | | | |
| | | | | Prepared | Analyzed | Dil Fac | | | | |
| | | | | 04/29/19 12:09 | | 1 | | | | |

Lab Sample ID: LCS 240-378674/7
Matrix: Water
Analysis Batch: 378674

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|----------------------|----------------------|---------------|------|---|------|--------------|
| 1,4-Dioxane | 10.0 | 10.5 | | ug/L | | 105 | 59 - 131 |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 99 | | 63 - 125 | | | | |

Lab Sample ID: 240-111623-4 MS
Matrix: Water
Analysis Batch: 378674

Client Sample ID: MW-124_042319
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|------------------------------|---------------------|---------------------|---------------|-----------|--------------|------|---|------|--------------|
| 1,4-Dioxane | 2.0 | U F2 | 10.0 | 9.70 | | ug/L | | 97 | 52 - 129 |
| Surrogate | MS %Recovery | MS Qualifier | Limits | | | | | | |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 63 - 125 | | | | | | |

Lab Sample ID: 240-111623-4 MSD
Matrix: Water
Analysis Batch: 378674

Client Sample ID: MW-124_042319
Prep Type: Total/NA

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| 1,4-Dioxane | 2.0 | U F2 | 10.0 | 11.4 | F2 | ug/L | | 114 | 52 - 129 | 16 | 13 |

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-111623-4 MSD
Matrix: Water
Analysis Batch: 378674

Client Sample ID: MW-124_042319
Prep Type: Total/NA

| <i>Surrogate</i> | <i>MSD</i> | <i>MSD</i> | <i>Limits</i> |
|------------------------------|------------------|------------------|---------------|
| | <i>%Recovery</i> | <i>Qualifier</i> | |
| 1,2-Dichloroethane-d4 (Surr) | 107 | | 63 - 125 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

GC/MS VOA

Analysis Batch: 378674

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|-----------|------------|
| 240-111623-1 | MW-114_042319 | Total/NA | Water | 8260B SIM | |
| 240-111623-2 | MW-120_042319 | Total/NA | Water | 8260B SIM | |
| 240-111623-3 | MW-113_042319 | Total/NA | Water | 8260B SIM | |
| 240-111623-4 | MW-124_042319 | Total/NA | Water | 8260B SIM | |
| MB 240-378674/5 | Method Blank | Total/NA | Water | 8260B SIM | |
| LCS 240-378674/7 | Lab Control Sample | Total/NA | Water | 8260B SIM | |
| 240-111623-4 MS | MW-124_042319 | Total/NA | Water | 8260B SIM | |
| 240-111623-4 MSD | MW-124_042319 | Total/NA | Water | 8260B SIM | |

Analysis Batch: 379663

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 240-111623-1 | MW-114_042319 | Total/NA | Water | 8260B | |
| 240-111623-3 | MW-113_042319 | Total/NA | Water | 8260B | |
| 240-111623-4 | MW-124_042319 | Total/NA | Water | 8260B | |
| 240-111623-5 | TRIP BLANK | Total/NA | Water | 8260B | |
| MB 240-379663/6 | Method Blank | Total/NA | Water | 8260B | |
| LCS 240-379663/4 | Lab Control Sample | Total/NA | Water | 8260B | |

Analysis Batch: 379783

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-111623-2 | MW-120_042319 | Total/NA | Water | 8260B | |
| MB 240-379783/6 | Method Blank | Total/NA | Water | 8260B | |
| LCS 240-379783/4 | Lab Control Sample | Total/NA | Water | 8260B | |
| 240-111598-E-5 MS | Matrix Spike | Total/NA | Water | 8260B | |
| 240-111598-H-5 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B | |

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Client Sample ID: MW-114_042319

Lab Sample ID: 240-111623-1

Date Collected: 04/23/19 15:25

Matrix: Water

Date Received: 04/26/19 09:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 379663 | 05/04/19 20:40 | LEE | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 378674 | 04/29/19 14:42 | SAM | TAL CAN |

Client Sample ID: MW-120_042319

Lab Sample ID: 240-111623-2

Date Collected: 04/23/19 13:30

Matrix: Water

Date Received: 04/26/19 09:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 379783 | 05/06/19 14:14 | LEE | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 378674 | 04/29/19 15:08 | SAM | TAL CAN |

Client Sample ID: MW-113_042319

Lab Sample ID: 240-111623-3

Date Collected: 04/23/19 13:26

Matrix: Water

Date Received: 04/26/19 09:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 379663 | 05/04/19 21:24 | LEE | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 378674 | 04/29/19 15:34 | SAM | TAL CAN |

Client Sample ID: MW-124_042319

Lab Sample ID: 240-111623-4

Date Collected: 04/23/19 15:08

Matrix: Water

Date Received: 04/26/19 09:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 379663 | 05/04/19 21:46 | LEE | TAL CAN |
| Total/NA | Analysis | 8260B SIM | | 1 | 378674 | 04/29/19 15:59 | SAM | TAL CAN |

Client Sample ID: TRIP BLANK

Lab Sample ID: 240-111623-5

Date Collected: 04/23/19 00:00

Matrix: Water

Date Received: 04/26/19 09:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B | | 1 | 379663 | 05/04/19 22:08 | LEE | TAL CAN |

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-111623-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | EPA Region | Identification Number | Expiration Date |
|-----------------------|---------------|------------|-----------------------|-----------------|
| California | State Program | 9 | 2927 | 02-23-20 |
| Connecticut | State Program | 1 | PH-0590 | 12-31-19 |
| Florida | NELAP | 4 | E87225 | 06-30-19 |
| Illinois | NELAP | 5 | 200004 | 07-31-19 |
| Kansas | NELAP | 7 | E-10336 | 04-30-19 * |
| Kentucky (UST) | State Program | 4 | 58 | 02-23-20 |
| Kentucky (WW) | State Program | 4 | 98016 | 12-31-19 |
| Minnesota | NELAP | 5 | 039-999-348 | 12-31-19 * |
| Minnesota (Petrofund) | State Program | 1 | 3506 | 07-31-19 |
| Nevada | State Program | 9 | OH00048 | 07-31-19 |
| New Jersey | NELAP | 2 | OH001 | 06-30-19 |
| New York | NELAP | 2 | 10975 | 03-31-20 |
| Ohio VAP | State Program | 5 | CL0024 | 09-06-19 |
| Oregon | NELAP | 10 | 4062 | 02-23-20 |
| Pennsylvania | NELAP | 3 | 68-00340 | 08-31-19 * |
| Texas | NELAP | 6 | T104704517-18-10 | 08-31-19 |
| USDA | Federal | | P330-16-00404 | 12-28-19 |
| Virginia | NELAP | 3 | 460175 | 09-14-19 |
| Washington | State Program | 10 | C971 | 01-12-20 * |
| West Virginia DEP | State Program | 3 | 210 | 12-31-19 |

* Accreditation/Certification renewal pending - accreditation/certification considered valid.




MICHIGAN
190

1.4/C1.2

Chain of Custody Record

TestAmerica Laboratory location: N.Canton — 4101 Shuffel Street NW/ North Canton, OH 44720 / 330-497-9396

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

| | | | | | | | | | | | |
|---|--|---|--|--|--|--|--|---|--|---|--|
| Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Project Number: MI001454.0003 PO # MI001454.0003 | | Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other | | Site Contact: Angela ProGeno CATLIN O'NEILL Telephone: 754-276-0005 248-953-2620 Email: kristoffer.hinskey@arcadis.com | | Lab Contact: Mike DelMontico Telephone: 330-497-9396 | | TestAmerica Laboratories, Inc. COC No: _____ of _____ For lab use only | | | |
| Method of Shipment/Carrier: Shipping/Tracking No: _____ | | TAT if different from below <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input checked="" type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day | | Analyses 1,4-Dioxane 8260B SIM Vinyl Chloride 8260B TCE 8260B PCE 8260B Trans-1,2-DCE 8260B cis-1,2-DCE 8260B 1,1-DCE 8260B Composite C/Grab-G Filtered Sample (Y/N) | | Containers & Preservatives H2SO4 HNO3 HCl NaOH ZnAc NaOH Upret Other: _____ | | Matrix Air Aqueous Sediment Solid Other: _____ | | Sample Specific Notes / Special Instructions: 6 VOA'S 6 VOA'S 6 VOA'S 6 VOA'S 1 VOA | |
| Sample Identification MW-114_042319 MW-120_042319 MW-113_042319 MW-124_042319 TRIP BLANK | | Sample Date 4/23/19 4/23/19 4/23/19 4/23/19 4/23/19 | | Sample Time 1525 1330 1326 1508 _____ | | <input checked="" type="checkbox"/> Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Sample Disposal (A fee may be assessed if samples are returned longer than 1 month) | |  240-111623 Chain of Custody | | Received by: Received by: _____ Received in Laboratory by: _____ Date/Time: 4/23/19 1700 Date/Time: 4/25/19 1330 Date/Time: 4-26-19 900 | |
| Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritable <input type="checkbox"/> Inflammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jim.tomalla@cadana.com. Cadena #E203631 Level IV Reporting. | | Relinquished by: Relinquished by: _____ Relinquished by: _____ Relinquished by: _____ | | Company: Arcadis Arcadis TESTAMERICA | | Date/Time: 4/23/19 1700 4/25/19 1330 4/25/19 1450 | | Company: Arcadis TESTAMERICA TAC | |

©2009 TestAmerica Laboratories, Inc. All rights reserved. Reproduction & Design are trademarks of TestAmerica Laboratories, Inc.



TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 111623

Client Arcadis Site Name _____ Cooler unpacked by: [Signature]
 Cooler Received on 4-26-19 Opened on 4-26-19
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 77 Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 1.4 °C Corrected Cooler Temp. 1.2 °C
 IR GUN #36 (CF +0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels be reconciled with the COC? Yes No
 9. Were correct bottle(s) used for the test(s) indicated? Yes No
 10. Sufficient quantity received to perform indicated analyses? Yes No
 11. Are these work share samples? Yes No
 If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC984738
 13. Were VOAs on the COC? Yes No
 14. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
 15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 55320 Yes No
 16. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES
 Samples processed by: [Signature] / M.S.

18. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____