

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-112476-1

Client Project/Site: Ford LTP Livonia MI - E203631

**For:**

ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
5/21/2019 4:43:57 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[michael.delmonico@testamericainc.com](mailto:michael.delmonico@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	14
Lab Chronicle . . . . .	15
Certification Summary . . . . .	16
Chain of Custody . . . . .	17



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Job ID: 240-112476-1**

**Laboratory: Eurofins TestAmerica, Canton**

**Narrative**

## CASE NARRATIVE

**Client: ARCADIS U.S., Inc.**

**Project: Ford LTP Livonia MI - E203631**

**Report Number: 240-112476-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Eurofins TestAmerica, Canton attests to the validity of the laboratory data generated by Eurofins TestAmerica facilities reported herein. All analyses performed by Eurofins TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. Eurofins TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of Eurofins TestAmerica and its client.

### **RECEIPT**

The samples were received on 5/11/2019 10:10 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.8° C.

### **VOLATILE ORGANIC COMPOUNDS (GCMS)**

Samples MW-76S\_050819 (240-112476-2), MW-101S\_050819 (240-112476-3) and TRIP BLANK (240-112476-4) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 05/21/2019.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **VOLATILE ORGANIC COMPOUNDS (GCMS SIM)**

Samples MW-76S\_050819 (240-112476-2) and MW-101S\_050819 (240-112476-3) were analyzed for volatile organic compounds (GCMS SIM) in accordance with EPA SW-846 Method 8260B SIM. The samples were analyzed on 05/13/2019.

Batch 240-380970 is reported without a matrix spike/matrix spike duplicate (MS/MSD). The batch MS/MSD was originally performed on another client's sample, and this test was canceled at client request. This MS/MSD result does not have immediate bearing on any samples except for the actual sample spiked. The associated laboratory control sample (LCS) met acceptance criteria and provides long-term precision and accuracy for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Assest ID
240-112476-2	MW-76S_050819	Water	05/08/19 13:57	05/11/19 10:10	
240-112476-3	MW-101S_050819	Water	05/08/19 16:41	05/11/19 10:10	
240-112476-4	TRIP BLANK	Water	05/08/19 00:00	05/11/19 10:10	

---

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Client Sample ID: MW-76S\_050819**

**Lab Sample ID: 240-112476-2**

No Detections.

**Client Sample ID: MW-101S\_050819**

**Lab Sample ID: 240-112476-3**

No Detections.

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-112476-4**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Client Sample ID: MW-76S\_050819**

**Lab Sample ID: 240-112476-2**

Date Collected: 05/08/19 13:57

Matrix: Water

Date Received: 05/11/19 10:10

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/13/19 22:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		63 - 125		05/13/19 22:20	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 07:51	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/19 07:51	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 07:51	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 07:51	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 07:51	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 07:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 121		05/21/19 07:51	1
4-Bromofluorobenzene (Surr)	100		59 - 120		05/21/19 07:51	1
Toluene-d8 (Surr)	98		70 - 123		05/21/19 07:51	1
Dibromofluoromethane (Surr)	111		75 - 128		05/21/19 07:51	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Client Sample ID: MW-101S\_050819**

**Lab Sample ID: 240-112476-3**

Date Collected: 05/08/19 16:41

Matrix: Water

Date Received: 05/11/19 10:10

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L	-		05/13/19 22:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		63 - 125		05/13/19 22:45	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		05/21/19 08:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L	-		05/21/19 08:17	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L	-		05/21/19 08:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L	-		05/21/19 08:17	1
Trichloroethene	1.0	U	1.0	0.10	ug/L	-		05/21/19 08:17	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L	-		05/21/19 08:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 121		05/21/19 08:17	1
4-Bromofluorobenzene (Surr)	100		59 - 120		05/21/19 08:17	1
Toluene-d8 (Surr)	99		70 - 123		05/21/19 08:17	1
Dibromofluoromethane (Surr)	107		75 - 128		05/21/19 08:17	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-112476-4**

**Date Collected: 05/08/19 00:00**

**Matrix: Water**

**Date Received: 05/11/19 10:10**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 08:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/19 08:42	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 08:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 08:42	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 08:42	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 08:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 121		05/21/19 08:42	1
4-Bromofluorobenzene (Surr)	95		59 - 120		05/21/19 08:42	1
Toluene-d8 (Surr)	92		70 - 123		05/21/19 08:42	1
Dibromofluoromethane (Surr)	100		75 - 128		05/21/19 08:42	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-121)	BFB (59-120)	TOL (70-123)	DBFM (75-128)
240-112371-C-3 MS	Matrix Spike	103	94	93	112
240-112371-G-3 MSD	Matrix Spike Duplicate	96	92	91	106
240-112476-2	MW-76S_050819	102	100	98	111
240-112476-3	MW-101S_050819	107	100	99	107
240-112476-4	TRIP BLANK	100	95	92	100
LCS 240-382198/4	Lab Control Sample	100	93	92	110
MB 240-382198/7	Method Blank	94	91	92	104

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (63-125)
240-112476-2	MW-76S_050819	98
240-112476-3	MW-101S_050819	100
LCS 240-380970/4	Lab Control Sample	96
MB 240-380970/5	Method Blank	94

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-382198/7**  
**Matrix: Water**  
**Analysis Batch: 382198**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 01:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/19 01:41	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/19 01:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/19 01:41	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/19 01:41	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/19 01:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 121		05/21/19 01:41	1
4-Bromofluorobenzene (Surr)	91		59 - 120		05/21/19 01:41	1
Toluene-d8 (Surr)	92		70 - 123		05/21/19 01:41	1
Dibromofluoromethane (Surr)	104		75 - 128		05/21/19 01:41	1

**Lab Sample ID: LCS 240-382198/4**  
**Matrix: Water**  
**Analysis Batch: 382198**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	10.0	10.9		ug/L		109	65 - 139
cis-1,2-Dichloroethene	10.0	10.5		ug/L		105	76 - 128
Tetrachloroethene	10.0	9.54		ug/L		95	74 - 130
trans-1,2-Dichloroethene	10.0	9.44		ug/L		94	78 - 133
Trichloroethene	10.0	11.2		ug/L		112	76 - 125
Vinyl chloride	10.0	10.2		ug/L		102	58 - 143

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 121
4-Bromofluorobenzene (Surr)	93		59 - 120
Toluene-d8 (Surr)	92		70 - 123
Dibromofluoromethane (Surr)	110		75 - 128

**Lab Sample ID: 240-112371-C-3 MS**  
**Matrix: Water**  
**Analysis Batch: 382198**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	10.0	10.2		ug/L		102	53 - 140
cis-1,2-Dichloroethene	2.9		10.0	10.2		ug/L		73	64 - 130
Tetrachloroethene	1.0	U	10.0	9.44		ug/L		94	51 - 136
trans-1,2-Dichloroethene	0.50	J	10.0	8.54		ug/L		80	68 - 133
Trichloroethene	14		10.0	22.0		ug/L		78	55 - 131
Vinyl chloride	1.7		10.0	11.4		ug/L		97	43 - 154

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 121
4-Bromofluorobenzene (Surr)	94		59 - 120
Toluene-d8 (Surr)	93		70 - 123

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-112371-C-3 MS**  
**Matrix: Water**  
**Analysis Batch: 382198**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	112		75 - 128

**Lab Sample ID: 240-112371-G-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 382198**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	10.0	9.66		ug/L		97	53 - 140	5	35	
cis-1,2-Dichloroethene	2.9		10.0	10.8		ug/L		79	64 - 130	6	21	
Tetrachloroethene	1.0	U	10.0	7.49		ug/L		75	51 - 136	23	23	
trans-1,2-Dichloroethene	0.50	J	10.0	8.73		ug/L		82	68 - 133	2	24	
Trichloroethene	14		10.0	20.1		ug/L		60	55 - 131	9	23	
Vinyl chloride	1.7		10.0	11.1		ug/L		94	43 - 154	3	29	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		70 - 121
4-Bromofluorobenzene (Surr)	92		59 - 120
Toluene-d8 (Surr)	91		70 - 123
Dibromofluoromethane (Surr)	106		75 - 128

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-380970/5**  
**Matrix: Water**  
**Analysis Batch: 380970**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/13/19 13:30	1

  

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		63 - 125		05/13/19 13:30	1

**Lab Sample ID: LCS 240-380970/4**  
**Matrix: Water**  
**Analysis Batch: 380970**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS LCS		Unit	D	%Rec	%Rec.
		Result	Qualifier				
1,4-Dioxane	10.0	12.0		ug/L		120	59 - 131

  

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		63 - 125

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## GC/MS VOA

### Analysis Batch: 380970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112476-2	MW-76S_050819	Total/NA	Water	8260B SIM	
240-112476-3	MW-101S_050819	Total/NA	Water	8260B SIM	
MB 240-380970/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-380970/4	Lab Control Sample	Total/NA	Water	8260B SIM	

### Analysis Batch: 382198

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-112476-2	MW-76S_050819	Total/NA	Water	8260B	
240-112476-3	MW-101S_050819	Total/NA	Water	8260B	
240-112476-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-382198/7	Method Blank	Total/NA	Water	8260B	
LCS 240-382198/4	Lab Control Sample	Total/NA	Water	8260B	
240-112371-C-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-112371-G-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

**Client Sample ID: MW-76S\_050819**

**Lab Sample ID: 240-112476-2**

**Date Collected: 05/08/19 13:57**

**Matrix: Water**

**Date Received: 05/11/19 10:10**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382198	05/21/19 07:51	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	380970	05/13/19 22:20	SAM	TAL CAN

**Client Sample ID: MW-101S\_050819**

**Lab Sample ID: 240-112476-3**

**Date Collected: 05/08/19 16:41**

**Matrix: Water**

**Date Received: 05/11/19 10:10**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382198	05/21/19 08:17	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	380970	05/13/19 22:45	SAM	TAL CAN

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 240-112476-4**

**Date Collected: 05/08/19 00:00**

**Matrix: Water**

**Date Received: 05/11/19 10:10**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	382198	05/21/19 08:42	LRW	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Livonia MI - E203631

Job ID: 240-112476-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	2927	02-23-20
Connecticut	State Program	1	PH-0590	12-31-19
Florida	NELAP	4	E87225	06-30-19 *
Illinois	NELAP	5	200004	07-31-19 *
Kansas	NELAP	7	E-10336	04-30-20
Kentucky (UST)	State Program	4	58	02-23-20
Kentucky (WW)	State Program	4	98016	12-31-19
Minnesota	NELAP	5	039-999-348	12-31-19 *
Minnesota (Petrofund)	State Program	1	3506	07-31-19 *
Nevada	State Program	9	OH00048	07-31-19
New Jersey	NELAP	2	OH001	06-30-19 *
New York	NELAP	2	10975	03-31-20
Ohio VAP	State Program	5	CL0024	09-06-19
Oregon	NELAP	10	4062	02-23-20
Pennsylvania	NELAP	3	68-00340	08-31-19 *
Texas	NELAP	6	T104704517-18-10	08-31-19
USDA	Federal		P330-16-00404	12-28-19
Virginia	NELAP	3	460175	09-14-19
Washington	State Program	10	C971	01-12-20 *
West Virginia DEP	State Program	3	210	12-31-19

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.





Chain of Custody Record

TestAmerica Laboratory location: N. Canton — 4101 Shuffel Street NW/ North Canton, OH 44720 / 330-497-9396

Regulatory program:  DW  NPDES  RCRA  Other

Client Contact: Arcadis  
Address: 28550 Cabot Drive, Suite 500  
City/State/Zip: Novi, MI, 48377  
Phone: 248-994-2240

Client Project Manager: Kris Hinskey  
Site Contact: Angela DeGromard  
Telephone: 248-994-2240  
Email: kristoffer.hinskey@arcadis.com

Lab Contact: Mike DeMonico  
Telephone: 330-497-9396

Project Name: Ford LTP  
Project Number: M1001454.0006 - 00003  
PO # M1001454.0003

Method of Shipment/Carrier:  
Shipping/Tracking No:

Analysis Turnaround Time  
TAT (if different from below)  
 3 weeks  
 2 weeks  
 1 week  
 2 days  
 1 day

Sample Identification	Sample Date	Sample Time	Matrix										Filtered Sample (Y/N)	Composite=C/Grab=Q	Analyses							Sample Specific Notes / Special Instructions:				
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnO			NaOH	Uptres	Other:	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B		TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	
MW-76-050819	5/8/19	1217	X																							6 VOAS
MW-76S-050819	5/8/19	1357	X																							6 VOAS
MW-101S-050819	5/8/19	1641	X																							6 VOAS
Trip Blank	5/8/19	—	X																							Trip blank



Possible Hazard Identification  
 Non-Hazard  
 Irritant  
 Poison B  
 Unknown

Special Instructions/QC Requirements & Comments:  
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Retinquired by: *Michael O'Neil*  
 Company: Arcadis  
 Date/Time: 5/8/19 1830

Retinquired by: *Paul Buehler / RACHEL BIEAU*  
 Company: ARCADIS  
 Date/Time: 5/10/19 1445

Retinquired by: *[Signature]*  
 Company: ETAL  
 Date/Time: 5/10/19 1630

Received by: *[Signature]*  
 Company: Arcadis  
 Date/Time: 5/8/19/1830

Received by: *[Signature]*  
 Company: ETAL  
 Date/Time: 5/10/19 1445

Received in Laboratory by: *[Signature]*  
 Company: *[Signature]*  
 Date/Time: 5-11-19 1010

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



TestAmerica Canton Sample Receipt Form/Narrative

Login #: 112476

Canton Facility

Client Arcadis Site Name \_\_\_\_\_

Cooler unpacked by: [Signature]

Cooler Received on 5-11-19 Opened on 5-11-19

FedEx: 1<sup>st</sup> Grd  Exp  UPS  FAS  Clipper  Client Drop Off  TestAmerica Courier  Other

Receipt After-hours: Drop-off Date/Time

Storage Location

TestAmerica Cooler # TA Foam Box  Client Cooler  Box  Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None \_\_\_\_\_ Other \_\_\_\_\_

COOLANT: Wet Ice Blue Ice  Dry Ice  Water  None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-8 (CF -0.2 °C) Observed Cooler Temp. 1.0 °C Corrected Cooler Temp. 0.8 °C  
IR GUN #36 (CF +0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes  No   
-Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA   
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA   
-Were tamper/custody seals intact and uncompromised? Yes  No  NA

3. Shippers' packing slip attached to the cooler(s)?  Yes  No   
4. Did custody papers accompany the sample(s)?  Yes  No   
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No   
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No   
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No   
8. Could all bottle labels be reconciled with the COC?  Yes  No   
9. Were correct bottle(s) used for the test(s) indicated?  Yes  No   
10. Sufficient quantity received to perform indicated analyses?  Yes  No   
11. Are these work share samples? Yes  No

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

If yes, Questions 12-16 have been checked at the originating laboratory.

12. Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA  pH Strip Lot# HC984738  
13. Were VOAs on the COC?  Yes  No   
14. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  Larger than this.   
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 55320  Yes  No   
16. Was a LL Hg or Me Hg trip blank present?  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

Martin

18. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_