

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-149390-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
5/28/2021 2:08:25 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	14
Lab Chronicle . . . . .	15
Certification Summary . . . . .	16
Chain of Custody . . . . .	17

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

---

## Job ID: 240-149390-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-149390-1

### Comments

No additional comments.

### Receipt

The samples were received on 5/14/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.8° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-149390-1	TRIP BLANK_63	Water	05/12/21 00:00	05/14/21 08:00	
240-149390-2	MW-93S_051221	Water	05/12/21 15:21	05/14/21 08:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

**Client Sample ID: TRIP BLANK\_63**

**Lab Sample ID: 240-149390-1**

No Detections.

**Client Sample ID: MW-93S\_051221**

**Lab Sample ID: 240-149390-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.17	J	1.0	0.16	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

**Client Sample ID: TRIP BLANK\_63**

**Lab Sample ID: 240-149390-1**

**Date Collected: 05/12/21 00:00**

**Matrix: Water**

**Date Received: 05/14/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 17:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/21 17:37	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/21 17:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 17:37	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/21 17:37	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/21 17:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 130		05/21/21 17:37	1
4-Bromofluorobenzene (Surr)	91		47 - 134		05/21/21 17:37	1
Toluene-d8 (Surr)	102		69 - 122		05/21/21 17:37	1
Dibromofluoromethane (Surr)	111		78 - 129		05/21/21 17:37	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

**Client Sample ID: MW-93S\_051221**

**Lab Sample ID: 240-149390-2**

Date Collected: 05/12/21 15:21

Matrix: Water

Date Received: 05/14/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/18/21 17:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		70 - 133					05/18/21 17:19	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 20:07	1
<b>cis-1,2-Dichloroethene</b>	<b>0.17</b>	<b>J</b>	1.0	0.16	ug/L			05/21/21 20:07	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/21 20:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 20:07	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/21 20:07	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/21 20:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 130					05/21/21 20:07	1
4-Bromofluorobenzene (Surr)	97		47 - 134					05/21/21 20:07	1
Toluene-d8 (Surr)	104		69 - 122					05/21/21 20:07	1
Dibromofluoromethane (Surr)	109		78 - 129					05/21/21 20:07	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
190-25914-B-1 MS	Matrix Spike	103	99	104	107
190-25914-B-1 MSD	Matrix Spike Duplicate	112	100	104	116
240-149390-1	TRIP BLANK_63	103	91	102	111
240-149390-2	MW-93S_051221	108	97	104	109
LCS 240-486953/5	Lab Control Sample	106	103	103	113
MB 240-486953/7	Method Blank	106	94	102	103

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-133)
240-149390-2	MW-93S_051221	82
240-149470-H-4 MS	Matrix Spike	84
240-149470-N-4 MSD	Matrix Spike Duplicate	81
LCS 240-486375/4	Lab Control Sample	82
MB 240-486375/5	Method Blank	83

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-486953/7**  
**Matrix: Water**  
**Analysis Batch: 486953**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 15:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/21 15:31	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/21 15:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 15:31	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/21 15:31	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/21 15:31	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		75 - 130		05/21/21 15:31	1
4-Bromofluorobenzene (Surr)	94		47 - 134		05/21/21 15:31	1
Toluene-d8 (Surr)	102		69 - 122		05/21/21 15:31	1
Dibromofluoromethane (Surr)	103		78 - 129		05/21/21 15:31	1

**Lab Sample ID: LCS 240-486953/5**  
**Matrix: Water**  
**Analysis Batch: 486953**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	27.6		ug/L		111	73 - 129
cis-1,2-Dichloroethene	25.0	29.1		ug/L		116	75 - 124
Tetrachloroethene	25.0	28.0		ug/L		112	70 - 125
trans-1,2-Dichloroethene	25.0	27.2		ug/L		109	74 - 130
Trichloroethene	25.0	27.0		ug/L		108	71 - 121
Vinyl chloride	25.0	24.0		ug/L		96	61 - 134

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		75 - 130
4-Bromofluorobenzene (Surr)	103		47 - 134
Toluene-d8 (Surr)	103		69 - 122
Dibromofluoromethane (Surr)	113		78 - 129

**Lab Sample ID: 190-25914-B-1 MS**  
**Matrix: Water**  
**Analysis Batch: 486953**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	10	U	250	247		ug/L		99	64 - 132
cis-1,2-Dichloroethene	110		250	391		ug/L		114	68 - 121
Tetrachloroethene	10	U	250	264		ug/L		106	52 - 129
trans-1,2-Dichloroethene	18		250	288		ug/L		108	69 - 126
Trichloroethene	17		250	282		ug/L		106	56 - 124
Vinyl chloride	9.4	J	250	243		ug/L		93	49 - 136

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	103		75 - 130
4-Bromofluorobenzene (Surr)	99		47 - 134
Toluene-d8 (Surr)	104		69 - 122

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 190-25914-B-1 MS**  
**Matrix: Water**  
**Analysis Batch: 486953**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	107		78 - 129

**Lab Sample ID: 190-25914-B-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 486953**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	10	U	250	259		ug/L		104	64 - 132	5	35
cis-1,2-Dichloroethene	110		250	399		ug/L		117	68 - 121	2	35
Tetrachloroethene	10	U	250	246		ug/L		99	52 - 129	7	35
trans-1,2-Dichloroethene	18		250	295		ug/L		111	69 - 126	3	35
Trichloroethene	17		250	277		ug/L		104	56 - 124	2	35
Vinyl chloride	9.4	J	250	249		ug/L		96	49 - 136	2	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	112		75 - 130
4-Bromofluorobenzene (Surr)	100		47 - 134
Toluene-d8 (Surr)	104		69 - 122
Dibromofluoromethane (Surr)	116		78 - 129

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-486375/5**  
**Matrix: Water**  
**Analysis Batch: 486375**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/18/21 16:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		70 - 133		05/18/21 16:05	1

**Lab Sample ID: LCS 240-486375/4**  
**Matrix: Water**  
**Analysis Batch: 486375**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		70 - 133

**Lab Sample ID: 240-149470-H-4 MS**  
**Matrix: Water**  
**Analysis Batch: 486375**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	1.3	J	10.0	12.4		ug/L		111	46 - 170

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	84		70 - 133

**Lab Sample ID: 240-149470-N-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 486375**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	1.3	J	10.0	11.5		ug/L		102	46 - 170	8	26

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	81		70 - 133

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## GC/MS VOA

### Analysis Batch: 486375

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149390-2	MW-93S_051221	Total/NA	Water	8260B SIM	
MB 240-486375/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-486375/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-149470-H-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-149470-N-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 486953

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149390-1	TRIP BLANK_63	Total/NA	Water	8260B	
240-149390-2	MW-93S_051221	Total/NA	Water	8260B	
MB 240-486953/7	Method Blank	Total/NA	Water	8260B	
LCS 240-486953/5	Lab Control Sample	Total/NA	Water	8260B	
190-25914-B-1 MS	Matrix Spike	Total/NA	Water	8260B	
190-25914-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

**Client Sample ID: TRIP BLANK\_63**

**Lab Sample ID: 240-149390-1**

**Date Collected: 05/12/21 00:00**

**Matrix: Water**

**Date Received: 05/14/21 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	486953	05/21/21 17:37	SAM	TAL CAN

**Client Sample ID: MW-93S\_051221**

**Lab Sample ID: 240-149390-2**

**Date Collected: 05/12/21 15:21**

**Matrix: Water**

**Date Received: 05/14/21 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	486953	05/21/21 20:07	SAM	TAL CAN
Total/NA	Analysis	8260B SIM		1	486375	05/18/21 17:19	CS	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21 *
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton



2/12/21


### Chain of Custody Record

TestAmerica Laboratory location Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

MICHIGAN  
190

TestAmerica  
AD R I N NY ON NT INC

Client Contact		Regulatory program		DW	NPDES	RCRA	Other	TestAmerica Laboratories, Inc.										
Company Name: Arcadis		Client Project Manager: Kris Hinskey		Site Contact: Julia McClafferty			Lab Contact: Mike DelMonico			COC No:								
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Telephone: 734-644-5131			Telephone: 330-497-9396			1 of 1 COCs								
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com		Analysis Turnaround Time			Analyses			For lab use only								
Phone: 248-994-2240		Sampler Name:		TAT: 10 day			Filtered Sample (V/N)			Walk-in client								
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:		1 week			Composite-C / Grab-G			Lab sampling								
Project Number: 30080642.402.04		Shipping/Tracking No:		2 days			1-DCE 8260B			Job/SDG No:								
PO # 30080642.402.04				1 day			cis-1,2-DCE 8260B			Sample Specific Notes / Special Instructions:								
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives									
				Air	Aqueous	Sediment	Solid	Other	H2SO4	HNO3	HCl	NaOH	Zn Ac	NaOH	Unpres	Other		
Trip Blank - 63				X							1							1 Trip Blank
MW-935-051221		05/12/21	15:21	X							6						NG	3 VOAs for 8260B 3 VOAs for 8260B SIM



Page 17 of 19

5/28/2021

Possible Hazard Identification:  Non-Hazard,  Flammable,  Irritant,  PCB,  Unknown. Sample Disposal:  Return to Client,  Disposal By Lab,  Archive For \_\_\_ Months.

Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631. Level IV Reporting requested.

Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 05/13/21 8:25	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 5/13/21 8:25
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 5/13/21	Received by: <i>[Signature]</i>	Company: EPA	Date/Time: 5/13/21 10:01
Relinquished by: <i>[Signature]</i>	Company: EPA	Date/Time: 5/13/21 15:19	Received in Laboratory by: <i>[Signature]</i>	Company: EPA	Date/Time: 5-14-21 2:00

©2009 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Chain of Custody are trademarks of TestAmerica Laboratories.



2129

### Chain of Custody Record

# TestAmerica

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

# MICHIGAN

# 190

TMF ADEP IN NO IROUSE INC

<b>Client Contact</b>		<b>Regulatory program</b>		DW	NPDES	RCRA	Other																								
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Julia McCafferty				Lab Contact: Mike DelMonico				TestAmerica Laboratories, Inc																	
Address: 28550 Cabot Drive Suite 500		Telephone: 248-994-2240				Telephone: 734-644-5131				Telephone: 336-497-9396				COC No:																	
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				<b>Analysis Turnaround Time</b>				<b>Analyses</b>				1 of 1 COCs																	
Phone: 248-994-2240		Sampler Name: Gary Schafer				TAT difference between: 3 weeks				10 day				For lab use only																	
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:				1 week				1 week				Walk-in client																	
Project Number: 30080642.402.04		Shipping/Tracking No:				1 day				1 day				Lab sampling																	
PO # 30080642.402.04														Job/SDG No:																	
<b>Sample Identification</b>		<b>Sample Date</b>		<b>Sample Time</b>		<b>Matrix</b>					<b>Containers &amp; Preservatives</b>					<b>Sample Specific Notes</b>															
						Air	Aqueous	Sediment	Solid	Other	H2SO4	HNO3	HCl	NaOH	ZnAc	Salt	Unpres	Other	Filtered Sample (Y/N)	Composite (C) / Grab (G)	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM				
Trip Blank - 103						X						1								X	X	X	X	X	X	X	1 Trip Blank				
MW 935-051221		05/12/21		15:21		X						6							NG	X	X	X	X	X	X		3 VOAs for 8260B 3 VOAs for 8260B SIM				
<b>Possible Hazard Identification</b>		Non-Hazard		Flammable		Irritant		Poison B		Unknown		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>																			
												Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input checked="" type="checkbox"/> Archive For <input type="checkbox"/> Months <input type="checkbox"/>																			
<b>Special Instructions/QC Requirements &amp; Comments.</b>																															
Submit all results through Cadena at jtomalla@cadenaco.com. Cadena #E203631 Level IV Reporting requested.																															
Relinquished by: Gary Schafer				Company: Arcadis				Date/Time: 05/13/21 8:25				Received by: Noe Cold Storage				Company: Arcadis				Date/Time: 5/13/21 8:25											
Relinquished by: Julia McCafferty				Company: Arcadis				Date/Time: 5/13/21				Received by: Amanda Balthasar				Company: EPA				Date/Time: 5/13/21 10:01											
Relinquished by: Amanda Balthasar				Company: EPA				Date/Time: 5/13/21 15:19				Received in Laboratory by: Mike				Company: EPA				Date/Time: 5/14/21 2:00											

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Chain of Custody are trademarks of TestAmerica Laboratories, Inc.



**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**

Login # 219390

Client Arcoadis Site Name \_\_\_\_\_

Cooler unpacked by:

Cooler Received on 5-14-21 Opened on 5-14-21

Matt

FedEx 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Receipt After-hours. Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # NA Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used Bubble Wrap Foam \_\_\_\_\_ Plastic Bag \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice \_\_\_\_\_ Dry Ice \_\_\_\_\_ Water \_\_\_\_\_ None \_\_\_\_\_

1 Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp 27 °C Corrected Cooler Temp. 28 °C  
 IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes  No   
 -Were the seals on the outside of the cooler(s) signed & dated? Yes  No  NA   
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes  No  NA   
 -Were tamper/custody seals intact and uncompromised? Yes  No  NA

3 Shippers' packing slip attached to the cooler(s)? Yes  No

4 Did custody papers accompany the sample(s)? Yes  No

5 Were the custody papers relinquished & signed in the appropriate place? Yes  No

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes  No  5/21/21

7 Did all bottles arrive in good condition (Unbroken)? Yes  No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes  No

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10 Were correct bottle(s) used for the test(s) indicated? Yes  No

11 Sufficient quantity received to perform indicated analyses? Yes  No

12 Are these work share samples and all listed on the COC? Yes  No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes  No  NA pH Strip Lot# HC022887

14 Were VOAs on the COC? Yes  No

15 Were air bubbles >6 mm in any VOA vials?  ← Larger than this. Yes  No  NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes  No

17 Was a LL Hg or Me Hg trip blank present? Yes  No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page

Samples processed by:

Received revised COC on 5-21-21 that has sampler's name included. get 5-21-21

**19 SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

# DATA VERIFICATION REPORT



May 29, 2021

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631  
Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater  
Project number: 30080642.402.04\_W01 OFF-SITE GW  
Event Specific Scope of Work References: Sample COC  
Laboratory: TestAmerica - North Canton  
Laboratory submittal: 149390-1  
Sample date: 2021-05-12  
Report received by CADENA: 2021-05-28  
Initial Data Verification completed by CADENA: 2021-05-29  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

## Reportable Results Only

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 149390-1

Sample Name: TRIP BLANK\_63 MW-93S\_051221  
Lab Sample ID: 2401493901 2401493902  
Sample Date: 5/12/2021 5/12/2021

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier	
		Result	Limit			Result	Limit			
<b>GC/MS VOC</b>										
<u>OSW-8260B</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.17	1.0	ug/l	J	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
<u>OSW-8260BBSim</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-149390-1

CADENA Verification Report: 2021-05-29

Analyses Performed By:

TestAmerica

North Canton, Ohio

Report # 41606R

Review Level: Tier III

Project: 30080642.402.04





## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-149390-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_63	240-149390-1	Water	05/12/2021		X	
MW-93S_051221	240-149390-2	Water	05/12/2021		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery


RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE:



---

DATE: June 22, 2021

---

PEER REVIEW: Andrew Korycinski

DATE: June 24, 2021

---

# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**





**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



2129

# Chain of Custody Record

TestAmerica

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

MICHIGAN

TMF ADR IN IRONMINE ING

Client Contact		Regulatory program		DW	NPDES	RCRA	Other	190										TestAmerica Laboratories, Inc																					
Company Name: Arcadis		Client Project Manager: Kris Hinskey			Site Contact: Julia McCafferty			Lab Contact: Mike DelMonico			COC No:																												
Address: 28550 Cabot Drive Suite 500		Telephone: 248-994-2240			Telephone: 734-644-5131			Telephone: 330-497-9396			1 of 1 COCs																												
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com			Analysis Turnaround Time			Analyses										For lab use only																					
Phone: 248-994-2240		Sampler Name: Gary Schafer			FAT difference in below													Walk-in client																					
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:			10 day													Lab sampling																					
Project Number: 30080642.402.04		Shipping/Tracking No:			1 week													Job/SDG No:																					
PO # 30080642.402.04					1 day																																		
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)	Composite-C/ Grab-G	Analyses										Sample Specific Notes Special Instructions.														
			Air	Aqueous	Sediment	Solid	Other	H2SO4	HNO3	HCl	NaOH	Zn Ac			SAHJ	Unpres	Other	1-1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM															
Trip Blank 63			X						1						X	X	X	X	X	X	X			1 Trip Blank															
MW 935-051221	05/12/21	15:21	X						6				NG		X	X	X	X	X	X	X			3 VOAs for 8260B 3 VOAs for 8260B SIM															
Possible Hazard Identification				Non-Hazard				Irritant				Toxic				Unknown				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				Return to Client				Disposal By Lab				Archive For				Months			
Special Instructions/QC Requirements & Comments.																																							
Submit all results through Cadena at jtomalla@cadenaco.com, Cadena #E203631																																							
Level IV Reporting requested.																																							
Relinquished by: Gary Schafer				Company: Arcadis				Date/Time: 05/13/21 8:25				Received by: Noe Cold Storage				Company: Arcadis				Date/Time: 5/13/21 8:25																			
Relinquished by: Julia McCafferty				Company: Arcadis				Date/Time: 5/13/21				Received by: Amanda Balthasar				Company: EPA				Date/Time: 5/13/21 10:01																			
Relinquished by: Amanda Balthasar				Company: EPA				Date/Time: 5/13/21 15:19				Received in Laboratory by: [Signature]				Company: EPA				Date/Time: 5/14/21 2:00																			

Page 378 of 379

05/28/2021

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Logo are trademarks of TestAmerica Laboratories, Inc.

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149390-1

**Client Sample ID: TRIP BLANK\_63**

**Lab Sample ID: 240-149390-1**

**Date Collected: 05/12/21 00:00**

**Matrix: Water**

**Date Received: 05/14/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 17:37	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/21/21 17:37	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/21 17:37	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 17:37	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/21 17:37	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/21 17:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 130		05/21/21 17:37	1
4-Bromofluorobenzene (Surr)	91		47 - 134		05/21/21 17:37	1
Toluene-d8 (Surr)	102		69 - 122		05/21/21 17:37	1
Dibromofluoromethane (Surr)	111		78 - 129		05/21/21 17:37	1

**Client Sample ID: MW-93S\_051221**

**Lab Sample ID: 240-149390-2**

**Date Collected: 05/12/21 15:21**

**Matrix: Water**

**Date Received: 05/14/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/18/21 17:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		70 - 133		05/18/21 17:19	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 20:07	1
<b>cis-1,2-Dichloroethene</b>	<b>0.17</b>	<b>J</b>	1.0	0.16	ug/L			05/21/21 20:07	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/21/21 20:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/21/21 20:07	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/21/21 20:07	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/21/21 20:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 130		05/21/21 20:07	1
4-Bromofluorobenzene (Surr)	97		47 - 134		05/21/21 20:07	1
Toluene-d8 (Surr)	104		69 - 122		05/21/21 20:07	1
Dibromofluoromethane (Surr)	109		78 - 129		05/21/21 20:07	1