

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-149709-1  
Client Project/Site: Ford LTP Off-Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
6/4/2021 11:13:24 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	13
Lab Chronicle . . . . .	14
Certification Summary . . . . .	15
Chain of Custody . . . . .	16

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

---

## Job ID: 240-149709-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-149709-1

### Comments

No additional comments.

### Receipt

The samples were received on 5/20/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.7° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-149709-1	TRIP BLANK_99	Water	05/17/21 00:00	05/20/21 08:00	
240-149709-2	MW-95S_051721	Water	05/17/21 10:11	05/20/21 08:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

**Client Sample ID: TRIP BLANK\_99**

**Lab Sample ID: 240-149709-1**

No Detections.

**Client Sample ID: MW-95S\_051721**

**Lab Sample ID: 240-149709-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.17	J	1.0	0.16	ug/L	1		8260B	Total/NA
Vinyl chloride	0.56	J	1.0	0.20	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

**Client Sample ID: TRIP BLANK\_99**

**Lab Sample ID: 240-149709-1**

**Date Collected: 05/17/21 00:00**

**Matrix: Water**

**Date Received: 05/20/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 15:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/27/21 15:11	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/27/21 15:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 15:11	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/27/21 15:11	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/27/21 15:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 130		05/27/21 15:11	1
4-Bromofluorobenzene (Surr)	96		47 - 134		05/27/21 15:11	1
Toluene-d8 (Surr)	102		69 - 122		05/27/21 15:11	1
Dibromofluoromethane (Surr)	109		78 - 129		05/27/21 15:11	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

**Client Sample ID: MW-95S\_051721**

**Lab Sample ID: 240-149709-2**

Date Collected: 05/17/21 10:11

Matrix: Water

Date Received: 05/20/21 08:00

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/21 22:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	86		70 - 133					05/24/21 22:51	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 20:57	1
<b>cis-1,2-Dichloroethene</b>	<b>0.17</b>	<b>J</b>	1.0	0.16	ug/L			05/27/21 20:57	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/27/21 20:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 20:57	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/27/21 20:57	1
<b>Vinyl chloride</b>	<b>0.56</b>	<b>J</b>	1.0	0.20	ug/L			05/27/21 20:57	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		75 - 130					05/27/21 20:57	1
4-Bromofluorobenzene (Surr)	98		47 - 134					05/27/21 20:57	1
Toluene-d8 (Surr)	103		69 - 122					05/27/21 20:57	1
Dibromofluoromethane (Surr)	114		78 - 129					05/27/21 20:57	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-149697-F-4 MS	Matrix Spike	107	106	105	106
240-149697-F-4 MSD	Matrix Spike Duplicate	104	107	105	107
240-149709-1	TRIP BLANK_99	109	96	102	109
240-149709-2	MW-95S_051721	112	98	103	114
LCS 240-487854/5	Lab Control Sample	105	108	108	107
MB 240-487854/7	Method Blank	109	98	101	111

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (70-133)
240-149709-2	MW-95S_051721	86
LCS 240-487235/4	Lab Control Sample	81
MB 240-487235/5	Method Blank	82

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-487854/7**  
**Matrix: Water**  
**Analysis Batch: 487854**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 13:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/27/21 13:39	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/27/21 13:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 13:39	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/27/21 13:39	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/27/21 13:39	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	109		75 - 130		05/27/21 13:39	1
4-Bromofluorobenzene (Surr)	98		47 - 134		05/27/21 13:39	1
Toluene-d8 (Surr)	101		69 - 122		05/27/21 13:39	1
Dibromofluoromethane (Surr)	111		78 - 129		05/27/21 13:39	1

**Lab Sample ID: LCS 240-487854/5**  
**Matrix: Water**  
**Analysis Batch: 487854**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	26.9		ug/L		108	75 - 124
Tetrachloroethene	25.0	26.3		ug/L		105	70 - 125
trans-1,2-Dichloroethene	25.0	27.7		ug/L		111	74 - 130
Trichloroethene	25.0	26.4		ug/L		105	71 - 121
Vinyl chloride	25.0	26.4		ug/L		105	61 - 134

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		75 - 130
4-Bromofluorobenzene (Surr)	108		47 - 134
Toluene-d8 (Surr)	108		69 - 122
Dibromofluoromethane (Surr)	107		78 - 129

**Lab Sample ID: 240-149697-F-4 MS**  
**Matrix: Water**  
**Analysis Batch: 487854**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier							
1,1-Dichloroethene	13	U	313	344		ug/L		110	64 - 132
cis-1,2-Dichloroethene	330		313	653		ug/L		105	68 - 121
Tetrachloroethene	13	U	313	311		ug/L		100	52 - 129
trans-1,2-Dichloroethene	92		313	424		ug/L		106	69 - 126
Trichloroethene	400		313	700		ug/L		97	56 - 124
Vinyl chloride	13	U	313	303		ug/L		97	49 - 136

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		75 - 130
4-Bromofluorobenzene (Surr)	106		47 - 134
Toluene-d8 (Surr)	105		69 - 122

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-149697-F-4 MS**  
**Matrix: Water**  
**Analysis Batch: 487854**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	106		78 - 129

**Lab Sample ID: 240-149697-F-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 487854**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	13	U	313	340		ug/L		109	64 - 132	1	35
cis-1,2-Dichloroethene	330		313	648		ug/L		103	68 - 121	1	35
Tetrachloroethene	13	U	313	307		ug/L		98	52 - 129	1	35
trans-1,2-Dichloroethene	92		313	419		ug/L		105	69 - 126	1	35
Trichloroethene	400		313	703		ug/L		97	56 - 124	0	35
Vinyl chloride	13	U	313	310		ug/L		99	49 - 136	2	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		75 - 130
4-Bromofluorobenzene (Surr)	107		47 - 134
Toluene-d8 (Surr)	105		69 - 122
Dibromofluoromethane (Surr)	107		78 - 129

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-487235/5**  
**Matrix: Water**  
**Analysis Batch: 487235**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/21 14:36	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	82		70 - 133		05/24/21 14:36	1

**Lab Sample ID: LCS 240-487235/4**  
**Matrix: Water**  
**Analysis Batch: 487235**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		70 - 133

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## GC/MS VOA

### Analysis Batch: 487235

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149709-2	MW-95S_051721	Total/NA	Water	8260B SIM	
MB 240-487235/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-487235/4	Lab Control Sample	Total/NA	Water	8260B SIM	

### Analysis Batch: 487854

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149709-1	TRIP BLANK_99	Total/NA	Water	8260B	
240-149709-2	MW-95S_051721	Total/NA	Water	8260B	
MB 240-487854/7	Method Blank	Total/NA	Water	8260B	
LCS 240-487854/5	Lab Control Sample	Total/NA	Water	8260B	
240-149697-F-4 MS	Matrix Spike	Total/NA	Water	8260B	
240-149697-F-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

**Client Sample ID: TRIP BLANK\_99**

**Lab Sample ID: 240-149709-1**

**Date Collected: 05/17/21 00:00**

**Matrix: Water**

**Date Received: 05/20/21 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	487854	05/27/21 15:11	SAM	TAL CAN

**Client Sample ID: MW-95S\_051721**

**Lab Sample ID: 240-149709-2**

**Date Collected: 05/17/21 10:11**

**Matrix: Water**

**Date Received: 05/20/21 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	487854	05/27/21 20:57	SAM	TAL CAN
Total/NA	Analysis	8260B SIM		1	487235	05/24/21 22:51	CS	TAL CAN

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21 *
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21


\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



# Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>		<b>Regulatory program:</b>		<input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other								<b>TestAmerica Laboratories, Inc.</b>																		
Company Name: Arcadis		Client Project Manager: Kris Hinskey		Site Contact: Julia McClafferty		Lab Contact: Mike DelMonico						COC No:																		
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Telephone: 734-644-5131		Telephone: 330-497-9396						1 of 1 COCs																		
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com		<b>Analysis Turnaround Time</b>		<b>Analyses</b>						For lab use only																		
Phone: 248-994-2240		Sampler Name: Andrew Banitt		TAT if different from below		<table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <tr> <td rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Filtered Sample (Y / N)</td> <td rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Composite=C / Grab=G</td> <td>1,1-DCE 8260B</td> <td>cis-1,2-DCE 8260B</td> <td>Trans-1,2-DCE 8260B</td> <td>PCE 8260B</td> <td>TCE 8260B</td> <td>Vinyl Chloride 8260B</td> <td>1,4-Dioxane 8260B SIM</td> </tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>						Filtered Sample (Y / N)	Composite=C / Grab=G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM									Walk-in client	
Filtered Sample (Y / N)	Composite=C / Grab=G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B									TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM														
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:		10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/>								Lab sampling																		
Project Number: 30080642.402.04		Shipping/Tracking No:		1 week <input type="checkbox"/>								Job/SDG No:																		
PO # 30080642.402.04				2 days <input type="checkbox"/>								Sample Specific Notes / Special Instructions:																		
				1 day <input type="checkbox"/>																										
<b>Sample Identification</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Matrix</b>				<b>Containers &amp; Preservatives</b>																						
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	Zn Ac	NaOH	Uppres	Other:	Filtered	Composite	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM					
Trip Blank - 99		---	---	X					1								NG	G	X	X	X	X	X	X	X		1 Trip Blank			
MN-955-051721		5/17/21	1011	X					G								NG	G	X	X	Y	X	Y	X	X		3 VOAs for 8260B 3 VOAs for 8260B SIM			
<b>Possible Hazard Identification</b>		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>		<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="text"/> Months																								
<b>Special Instructions/QC Requirements &amp; Comments:</b>																														
Submit all results through Cadena at jtomalia@cadenaco.com, Cadena #E203631 Level IV Reporting requested.																														
Relinquished by: <i>Andrew Banitt</i>		Company: Arcadis		Date/Time: 5/17/21 1600		Received by: <i>Novi east storage</i>		Company: Arcadis		Date/Time: 5/17/21 1600																				
Relinquished by: <i>Andrew Banitt</i>		Company: ARCADIS		Date/Time: 5/18/21		Received by: <i>Andrew Banitt</i>		Company: ETA		Date/Time: 5/18/21 945																				
Relinquished by: <i>Andrew Banitt</i>		Company: <i>ETA</i>		Date/Time: 5/18/21 1028		Received in Laboratory by: <i>Andrew Banitt</i>		Company: <i>ETA</i>		Date/Time: 5/20/21 8:00																				



Page 16 of 17

6/4/2021

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.





Canton Facility \_\_\_\_\_  
 Client Arcoadis Site Name \_\_\_\_\_ Cooler unpacked by: [Signature]  
 Cooler Received on 5/20/21 Opened on 5/20/21  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

**Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_**

TestAmerica Cooler # \_\_\_\_\_ Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. 2.6 °C Corrected Cooler Temp. 2.7 °C  
 IR GUN #IR-12 (CF +0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No  
 If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC022887
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Yes No NA ● ← Larger than this.
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container.  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
 Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

# DATA VERIFICATION REPORT



June 04, 2021

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.402.04\_W01 OFF-SITE GW

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 149709-1

Sample date: 2021-05-17

Report received by CADENA: 2021-06-04

Initial Data Verification completed by CADENA: 2021-06-04

Number of Samples: 1 Water and 1 trip blank

Sample Matrices: Water

Test Categories: GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 149709-1

Sample Name: TRIP BLANK\_99 MW-95S\_051721  
 Lab Sample ID: 2401497091 2401497092  
 Sample Date: 5/17/2021 5/17/2021

Analyte	Cas No.	Report		Units	Valid		Report		Valid	
		Result	Limit		Qualifier	Result	Limit	Units	Qualifier	
<b>GC/MS VOC</b>										
<u>OSW-8260B</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.17	1.0	ug/l	J	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.56	1.0	ug/l	J	
<u>OSW-8260BBSim</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-149709-1

CADENA Verification Report: 2021-06-04

Analyses Performed By:  
TestAmerica  
North Canton, Ohio

Report # 41724R  
Review Level: Tier III  
Project: 30080642.402.04



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-149709-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_99	240-149709-1	Water	05/17/21		X	
MW-95S_051721	240-149709-2	Water	05/17/21		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.



## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: June 24, 2021

---

PEER REVIEW: Andrew Korycinski

DATE: June 25, 2021

---

# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**




**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



# Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b> Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240 Project Name: Ford LTP Off-Site Project Number: 30080642.402.04 PO # 30080642.402.04	Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	Client Project Manager: Kris Hinskey Telephone: 248-994-2240 Email: kristoffer.hinskey@arcadis.com				Site Contact: Julia McClafferty Telephone: 734-644-5131				Lab Contact: Mike DelMonico Telephone: 330-497-9396				TestAmerica Laboratories, Inc. COC No: 1 of 1 COCs											
Sampler Name: Andrew Baritt	Method of Shipment/Carrier:	Shipping/Tracking No:	Analysis Turnaround Time TAT if different from below: 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Filtered Sample (Y / N)	Composite=C / Grab=G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	For lab use only Walk-in client Lab sampling Job/SDG No:											
<b>Sample Identification</b>	<b>Sample Date</b>	<b>Sample Time</b>	<b>Matrix</b>			<b>Containers &amp; Preservatives</b>							<b>Sample Specific Notes / Special Instructions:</b>												
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	Zn Ac	NaOH	Unpres	Other:	Y/N	C/G	1,1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	
Trip Blank 99 MW-955-051721	---	---	X							1						Y	G	X	X	X	X	X	X	X	1 Trip Blank
	5/17/21	1011	X							G						N	G	X	X	Y	X	Y	X	X	3 VOAs for 8260B 3 VOAs for 8260B SIM
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown	<b>Sample Disposal</b> ( A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																								
Special Instructions/QC Requirements & Comments:  Submit all results through Cadena at jtomalla@cadenaco.com. Cadena #E203631 Level IV Reporting requested.																									
Relinquished by: <i>Andrew Baritt</i>	Company: Arcadis	Date/Time: 5/17/21 1600	Received by: <i>Navi cold storage</i>		Company: Arcadis	Date/Time: 5/17/21 1600																			
Relinquished by: <i>Christina Miller</i>	Company: ARCADIS	Date/Time: 5/18/21	Received by: <i>Andrew Baritt</i>		Company: ETA	Date/Time: 5/18/21 945																			
Relinquished by: <i>Andrew Baritt</i>	Company: <i>ETA</i>	Date/Time: 5/18/21 1028	Received in Laboratory by: <i>Chris W</i>		Company: <i>ETK</i>	Date/Time: 5/20/21 8:00																			



Page 346 of 347

06/04/2021

© 2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP Off-Site

Job ID: 240-149709-1

**Client Sample ID: TRIP BLANK\_99**

**Lab Sample ID: 240-149709-1**

**Date Collected: 05/17/21 00:00**

**Matrix: Water**

**Date Received: 05/20/21 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 15:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/27/21 15:11	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/27/21 15:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 15:11	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/27/21 15:11	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/27/21 15:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 130		05/27/21 15:11	1
4-Bromofluorobenzene (Surr)	96		47 - 134		05/27/21 15:11	1
Toluene-d8 (Surr)	102		69 - 122		05/27/21 15:11	1
Dibromofluoromethane (Surr)	109		78 - 129		05/27/21 15:11	1

**Client Sample ID: MW-95S\_051721**

**Lab Sample ID: 240-149709-2**

**Date Collected: 05/17/21 10:11**

**Matrix: Water**

**Date Received: 05/20/21 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/24/21 22:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		70 - 133		05/24/21 22:51	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 20:57	1
<b>cis-1,2-Dichloroethene</b>	<b>0.17</b>	<b>J</b>	1.0	0.16	ug/L			05/27/21 20:57	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/27/21 20:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/27/21 20:57	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/27/21 20:57	1
<b>Vinyl chloride</b>	<b>0.56</b>	<b>J</b>	1.0	0.20	ug/L			05/27/21 20:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		75 - 130		05/27/21 20:57	1
4-Bromofluorobenzene (Surr)	98		47 - 134		05/27/21 20:57	1
Toluene-d8 (Surr)	103		69 - 122		05/27/21 20:57	1
Dibromofluoromethane (Surr)	114		78 - 129		05/27/21 20:57	1