

## ANALYTICAL REPORT

Eurofins TestAmerica, Canton  
4101 Shuffel Street NW  
North Canton, OH 44720  
Tel: (330)497-9396

Laboratory Job ID: 240-149103-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
5/25/2021 2:23:18 PM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18



# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

---

## Job ID: 240-149103-1

---

Laboratory: Eurofins TestAmerica, Canton

### Narrative

---

Job Narrative  
240-149103-1

### Comments

No additional comments.

### Receipt

The samples were received on 5/11/2021 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.3° C and 2.5° C.

### GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
240-149103-1	TRIP BLANK_18	Water	05/07/21 00:00	05/11/21 09:30	
240-149103-2	MW-217S_050721	Water	05/07/21 10:36	05/11/21 09:30	
240-149103-3	MW-112S_050721	Water	05/07/21 12:01	05/11/21 09:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: TRIP BLANK\_18**

**Lab Sample ID: 240-149103-1**

No Detections.

**Client Sample ID: MW-217S\_050721**

**Lab Sample ID: 240-149103-2**

No Detections.

**Client Sample ID: MW-112S\_050721**

**Lab Sample ID: 240-149103-3**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: TRIP BLANK\_18**

**Lab Sample ID: 240-149103-1**

**Date Collected: 05/07/21 00:00**

**Matrix: Water**

**Date Received: 05/11/21 09:30**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/17/21 23:26	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/17/21 23:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:26	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/17/21 23:26	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/17/21 23:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 130		05/17/21 23:26	1
4-Bromofluorobenzene (Surr)	112		47 - 134		05/17/21 23:26	1
Toluene-d8 (Surr)	104		69 - 122		05/17/21 23:26	1
Dibromofluoromethane (Surr)	109		78 - 129		05/17/21 23:26	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: MW-217S\_050721**

**Lab Sample ID: 240-149103-2**

Date Collected: 05/07/21 10:36

Matrix: Water

Date Received: 05/11/21 09:30

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/12/21 21:39	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	85		70 - 133					05/12/21 21:39	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/17/21 23:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/17/21 23:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/17/21 23:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/17/21 23:50	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	102		75 - 130					05/17/21 23:50	1
4-Bromofluorobenzene (Surr)	113		47 - 134					05/17/21 23:50	1
Toluene-d8 (Surr)	105		69 - 122					05/17/21 23:50	1
Dibromofluoromethane (Surr)	110		78 - 129					05/17/21 23:50	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: MW-112S\_050721**

**Lab Sample ID: 240-149103-3**

Date Collected: 05/07/21 12:01

Matrix: Water

Date Received: 05/11/21 09:30

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/12/21 22:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133		05/12/21 22:04	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U F1	1.0	0.19	ug/L			05/18/21 00:13	1
cis-1,2-Dichloroethene	1.0	U F1	1.0	0.16	ug/L			05/18/21 00:13	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/18/21 00:13	1
trans-1,2-Dichloroethene	1.0	U F1	1.0	0.19	ug/L			05/18/21 00:13	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/18/21 00:13	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/18/21 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 130		05/18/21 00:13	1
4-Bromofluorobenzene (Surr)	111		47 - 134		05/18/21 00:13	1
Toluene-d8 (Surr)	104		69 - 122		05/18/21 00:13	1
Dibromofluoromethane (Surr)	109		78 - 129		05/18/21 00:13	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (75-130)	BFB (47-134)	TOL (69-122)	DBFM (78-129)
240-149103-1	TRIP BLANK_18	100	112	104	109
240-149103-2	MW-217S_050721	102	113	105	110
240-149103-3	MW-112S_050721	101	111	104	109
240-149103-3 MS	MW-112S_050721	97	113	109	110
240-149103-3 MSD	MW-112S_050721	98	112	105	112
LCS 240-486103/4	Lab Control Sample	97	115	108	114
MB 240-486103/7	Method Blank	103	109	107	114

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(70-133)
240-149042-H-2 MS	Matrix Spike	84
240-149042-N-2 MSD	Matrix Spike Duplicate	83
240-149103-2	MW-217S_050721	85
240-149103-3	MW-112S_050721	87
LCS 240-485384/4	Lab Control Sample	84
MB 240-485384/5	Method Blank	82

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-486103/7**  
**Matrix: Water**  
**Analysis Batch: 486103**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 16:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/17/21 16:21	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/17/21 16:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 16:21	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/17/21 16:21	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/17/21 16:21	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		75 - 130		05/17/21 16:21	1
4-Bromofluorobenzene (Surr)	109		47 - 134		05/17/21 16:21	1
Toluene-d8 (Surr)	107		69 - 122		05/17/21 16:21	1
Dibromofluoromethane (Surr)	114		78 - 129		05/17/21 16:21	1

**Lab Sample ID: LCS 240-486103/4**  
**Matrix: Water**  
**Analysis Batch: 486103**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	10.0	12.7		ug/L		127	73 - 129
cis-1,2-Dichloroethene	10.0	11.8		ug/L		118	75 - 124
Tetrachloroethene	10.0	11.5		ug/L		115	70 - 125
trans-1,2-Dichloroethene	10.0	12.2		ug/L		122	74 - 130
Trichloroethene	10.0	11.8		ug/L		118	71 - 121
Vinyl chloride	10.0	11.9		ug/L		119	61 - 134

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		75 - 130
4-Bromofluorobenzene (Surr)	115		47 - 134
Toluene-d8 (Surr)	108		69 - 122
Dibromofluoromethane (Surr)	114		78 - 129

**Lab Sample ID: 240-149103-3 MS**  
**Matrix: Water**  
**Analysis Batch: 486103**

**Client Sample ID: MW-112S\_050721**  
**Prep Type: Total/NA**

Analyte	Sample Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U F1	10.0	13.3	F1	ug/L		133	64 - 132
cis-1,2-Dichloroethene	1.0	U F1	10.0	12.7	F1	ug/L		127	68 - 121
Tetrachloroethene	1.0	U	10.0	11.6		ug/L		116	52 - 129
trans-1,2-Dichloroethene	1.0	U F1	10.0	12.7	F1	ug/L		127	69 - 126
Trichloroethene	1.0	U	10.0	12.4		ug/L		124	56 - 124
Vinyl chloride	1.0	U	10.0	12.5		ug/L		125	49 - 136

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		75 - 130
4-Bromofluorobenzene (Surr)	113		47 - 134
Toluene-d8 (Surr)	109		69 - 122

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-149103-3 MS  
Matrix: Water  
Analysis Batch: 486103

Client Sample ID: MW-112S\_050721  
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	110		78 - 129

Lab Sample ID: 240-149103-3 MSD  
Matrix: Water  
Analysis Batch: 486103

Client Sample ID: MW-112S\_050721  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U F1	10.0	13.0		ug/L		130	64 - 132	3	35
cis-1,2-Dichloroethene	1.0	U F1	10.0	12.4	F1	ug/L		124	68 - 121	2	35
Tetrachloroethene	1.0	U	10.0	11.1		ug/L		111	52 - 129	4	35
trans-1,2-Dichloroethene	1.0	U F1	10.0	12.4		ug/L		124	69 - 126	2	35
Trichloroethene	1.0	U	10.0	12.0		ug/L		120	56 - 124	3	35
Vinyl chloride	1.0	U	10.0	12.2		ug/L		122	49 - 136	3	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		75 - 130
4-Bromofluorobenzene (Surr)	112		47 - 134
Toluene-d8 (Surr)	105		69 - 122
Dibromofluoromethane (Surr)	112		78 - 129

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-485384/5  
Matrix: Water  
Analysis Batch: 485384

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/12/21 14:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		70 - 133		05/12/21 14:38	1

Lab Sample ID: LCS 240-485384/4  
Matrix: Water  
Analysis Batch: 485384

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.5		ug/L		105	80 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 133

Lab Sample ID: 240-149042-H-2 MS  
Matrix: Water  
Analysis Batch: 485384

Client Sample ID: Matrix Spike  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.6		ug/L		106	46 - 170

Eurofins TestAmerica, Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	84		70 - 133

**Lab Sample ID: 240-149042-N-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 485384**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	46 - 170	5	26

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	83		70 - 133



# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## GC/MS VOA

### Analysis Batch: 485384

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149103-2	MW-217S_050721	Total/NA	Water	8260B SIM	
240-149103-3	MW-112S_050721	Total/NA	Water	8260B SIM	
MB 240-485384/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-485384/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-149042-H-2 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-149042-N-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 486103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-149103-1	TRIP BLANK_18	Total/NA	Water	8260B	
240-149103-2	MW-217S_050721	Total/NA	Water	8260B	
240-149103-3	MW-112S_050721	Total/NA	Water	8260B	
MB 240-486103/7	Method Blank	Total/NA	Water	8260B	
LCS 240-486103/4	Lab Control Sample	Total/NA	Water	8260B	
240-149103-3 MS	MW-112S_050721	Total/NA	Water	8260B	
240-149103-3 MSD	MW-112S_050721	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Client Sample ID: TRIP BLANK\_18

Lab Sample ID: 240-149103-1

Date Collected: 05/07/21 00:00

Matrix: Water

Date Received: 05/11/21 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	486103	05/17/21 23:26	LRW	TAL CAN

## Client Sample ID: MW-217S\_050721

Lab Sample ID: 240-149103-2

Date Collected: 05/07/21 10:36

Matrix: Water

Date Received: 05/11/21 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	486103	05/17/21 23:50	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	485384	05/12/21 21:39	CS	TAL CAN

## Client Sample ID: MW-112S\_050721

Lab Sample ID: 240-149103-3

Date Collected: 05/07/21 12:01

Matrix: Water

Date Received: 05/11/21 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	486103	05/18/21 00:13	LRW	TAL CAN
Total/NA	Analysis	8260B SIM		1	485384	05/12/21 22:04	CS	TAL CAN

### Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

## Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-22
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21 *
Kentucky (UST)	State	112225	02-23-21 *
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Canton

2.3  
2.3

### Chain of Custody Record

MICHIGAN  
190

TestAmerica  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>			<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other															<b>TestAmerica Laboratories, Inc.</b>	
Company Name: Arcadis			Client Project Manager: Kris Hinskey					Site Contact: Julia McClafferty					Lab Contact: Mike DelMonico					COC No:	
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240					Telephone: 734-644-5131					Telephone: 330-497-9396					1 of 1 COCs	
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com					<b>Analysis Turnaround Time</b>					<b>Analyses</b>					For lab use only	
Phone: 248-994-2240			Sampler Name: Gary Schaefer					TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM					Walk-in client	
Project Name: Ford LTP Off-Site			Method of Shipment/Carrier:					Shipping/Tracking No:										Lab sampling	
Project Number: 30080642.402.04			Matrix					Containers & Preservatives										Job/SDG No:	
PO # 30080642.402.04																		Sample Identification	
			Air					H2SO4					1,1-DCE 8260B						
			Aqueous					HNO3					cis-1,2-DCE 8260B						
			Sediment					HCl					Trans-1,2-DCE 8260B						
			Solid					NaOH					PCE 8260B						
			Other:					ZnAc					TCE 8260B						
								NaOH					Vinyl Chloride 8260B						
								Unpres					1,4-Dioxane 8260B SIM						
								Other:											
Trip Blank - 18			---					---					X X X X X X X					1 Trip Blank	
MW-2175-050721			05/07/21 10:36					6					NG X X X X X X X					3 VOAs for 8260B 3 VOAs for 8260B SIM	
MW-1125-050721			05/07/21 12:01					6					NG X X X X X X X					I L	



240-149103 Chain of Custody

<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--

**Special Instructions/QC Requirements & Comments:**

Submit all results through Cadena at jtomalla@cadenaco.com. Cadena #E203631  
Level IV Reporting requested.

Relinquished by: Gary Schaefer	Company: Arcadis	Date/Time: 05/07/21 1445	Received by: Novig Cold Storage	Company: Arcadis	Date/Time: 5/7/21 1445
Relinquished by: Julia McClafferty	Company: Arcadis	Date/Time: 5/10/21 930	Received by: Amanda Battichell	Company: ETA	Date/Time: 5/10/21 930
Relinquished by: Amanda Battichell	Company: ETA	Date/Time: 5/10/21 10:10	Received in Laboratory by: [Signature]	Company: ETA	Date/Time: 5-11-21 930

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Page 18 of 20

5/25/2021



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative** Login # : 149103  
**Canton Facility**

Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by: Matt Snyder  
Cooler Received on 5-11-21 Opened on 5-11-21  
FedEx: 1<sup>st</sup>  Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_


**Receipt After-hours: Drop-off Date/Time** \_\_\_\_\_ **Storage Location** \_\_\_\_\_

TestAmerica Cooler # TA Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-11 (CF +0.1 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
IR GUN #IR-12 (CF +0.2°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes  No  
-Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA  
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No NA  
-Were tamper/custody seals intact and uncompromised?  Yes  No NA

3. Shippers' packing slip attached to the cooler(s)?  Yes  No  
4. Did custody papers accompany the sample(s)?  Yes  No  
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No  
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No  
11. Sufficient quantity received to perform indicated analyses?  Yes  No  
12. Are these work share samples and all listed on the COC?  Yes  No  
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC022887  
14. Were VOAs on the COC?  Yes  No  
15. Were air bubbles >6 mm in any VOA vials?  Yes  No NA  ← Larger than this.  
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # \_\_\_\_\_  Yes  No  
17. Was a LL Hg or Me Hg trip blank present? \_\_\_\_\_  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**19. SAMPLE CONDITION**  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

**20. SAMPLE PRESERVATION**  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form							
Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
TA	Client	Box	Other	IR-11 IR-12	2.4	2.5	Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12	2.2	2.3	Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
TA	Client	Box	Other	IR-11 IR-12			Wet Ice Blue Ice Dry Ice Water None
<input type="checkbox"/> See Temperature Excursion Form							

# DATA VERIFICATION REPORT



May 25, 2021

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.402.04\_W01 OFF-SITE GW

Event Specific Scope of Work References: Sample COC

Laboratory: TestAmerica - North Canton

Laboratory submittal: 149103-1

Sample date: 2021-05-07

Report received by CADENA: 2021-05-25

Initial Data Verification completed by CADENA: 2021-05-25

Number of Samples: 2 Water and 1 trip blank

Sample Matrices: Water

Test Categories: GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

MS and MSD recovery outliers or one recovery and the MS/MSD RPD were outliers with the recovery biased HIGH for these analytes. Client sample results spiked as noted below were non-detect so qualification was not required based on these high bias QC outliers:

GCMS VOC sample -003 - cis-1,2-dichloroethylene, 1,1-dichloroethylene, trans-1,2-dichloroethylene.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: TestAmerica - North Canton

Laboratory Submittal: 149103-1

<b>Sample Name:</b> TRIP BLANK_18	MW-217S_050721	MW-112S_050721
<b>Lab Sample ID:</b> 2401491031	2401491032	2401491033
<b>Sample Date:</b> 5/7/2021	5/7/2021	5/7/2021

Analyte	Cas No.	TRIP BLANK_18				MW-217S_050721				MW-112S_050721			
		Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier	Result	Report Limit	Units	Valid Qualifier
<b>GC/MS VOC</b>													
<u>OSW-8260B</u>													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260BBSim</u>													
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-149103-1

CADENA Verification Report: 2021-05-25

Analyses Performed By:  
TestAmerica  
North Canton, Ohio

Report # 41517R  
Review Level: Tier III  
Project: 30080642.402.04





## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-149103-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) includes a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_18	240-149103-1	Water	05/07/2021		X	
MW-217S_050721	240-149103-2	Water	05/07/2021		X	X
MW-112S_050721	240-149103-3	Water	05/07/2021		X	X

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Hrishikesh Upadhyaya

SIGNATURE: 

---

DATE: June 02, 2021

---

PEER REVIEW: Andrew Korycinski

DATE: June 02, 2021

---

# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**





**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**



2.3  
2.3

### Chain of Custody Record

MICHIGAN

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

190

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>																																																	
Company Name: Arcadis		Client Project Manager: Kris Hinskey					Site Contact: Julia McClafferty					Lab Contact: Mike DelMonico					COC No:																																												
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240					Telephone: 734-644-5131					Telephone: 330-497-9396					1 of 1 COCs																																												
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com					<b>Analysis Turnaround Time</b>					<b>Analyses</b>					For lab use only																																												
Phone: 248-994-2240		Sampler Name: Gary Schaefer					TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 8260B cis-1,2-DCE 8260B Trans-1,2-DCE 8260B PCE 8260B TCE 8260B Vinyl Chloride 8260B 1,4-Dioxane 8260B SIM					Walk-in client																																												
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier:					Shipping/Tracking No:										Lab sampling																																												
Project Number: 30080642.402.04		Matrix					Containers & Preservatives					Sample Identification					Job/SDG No:																																												
PO # 30080642.402.04																	Sample Date					Sample Time					Sample Specific Notes / Special Instructions:																																		
		Air					Aqueous					Sediment					Solid					Other:																																							
		H2SO4					HNO3					HCl					NaOH					ZnAc					NaOH					Unpres					Other:																								
Trip Blank - 18		---					---					X										1					X					X					X					X					X					1 Trip Blank									
MW-2175-050721		05/07/21					10:36					X										6					NG					X					X					X					X					X					3 VOAs for 8260B 3 VOAs for 8260B SIM				
MW-1125-050721		05/07/21					12:01					X										6					NG					X					X					X					X					X					I I				



240-149103 Chain of Custody

Page 361 of 363

05/25/2021

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Irritant  Poison B  Unknown

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

**Special Instructions/QC Requirements & Comments:**  
 Submit all results through Cadena at jtomalla@cadenaco.com. Cadena #E203631  
 Level IV Reporting requested.

Relinquished by: Gary Schaefer	Company: Arcadis	Date/Time: 05/07/21 1445	Received by: Novig Cold Storage	Company: Arcadis	Date/Time: 5/7/21 1445
Relinquished by: Julia McClafferty	Company: Arcadis	Date/Time: 5/11/21 930	Received by: Amanda Battell	Company: ETA	Date/Time: 5/11/21 930
Relinquished by: Amanda Battell	Company: ETA	Date/Time: 5/11/21 10:10	Received in Laboratory by: [Signature]	Company: ETA	Date/Time: 5-11-21 930

©2008 TestAmerica Laboratories, Inc. All rights reserved.  
 TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: TRIP BLANK\_18**

**Lab Sample ID: 240-149103-1**

**Date Collected: 05/07/21 00:00**

**Matrix: Water**

**Date Received: 05/11/21 09:30**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/17/21 23:26	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/17/21 23:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:26	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/17/21 23:26	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/17/21 23:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		75 - 130		05/17/21 23:26	1
4-Bromofluorobenzene (Surr)	112		47 - 134		05/17/21 23:26	1
Toluene-d8 (Surr)	104		69 - 122		05/17/21 23:26	1
Dibromofluoromethane (Surr)	109		78 - 129		05/17/21 23:26	1

**Client Sample ID: MW-217S\_050721**

**Lab Sample ID: 240-149103-2**

**Date Collected: 05/07/21 10:36**

**Matrix: Water**

**Date Received: 05/11/21 09:30**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/12/21 21:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		70 - 133		05/12/21 21:39	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.16	ug/L			05/17/21 23:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/17/21 23:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.19	ug/L			05/17/21 23:50	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/17/21 23:50	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/17/21 23:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		75 - 130		05/17/21 23:50	1
4-Bromofluorobenzene (Surr)	113		47 - 134		05/17/21 23:50	1
Toluene-d8 (Surr)	105		69 - 122		05/17/21 23:50	1
Dibromofluoromethane (Surr)	110		78 - 129		05/17/21 23:50	1

**Client Sample ID: MW-112S\_050721**

**Lab Sample ID: 240-149103-3**

**Date Collected: 05/07/21 12:01**

**Matrix: Water**

**Date Received: 05/11/21 09:30**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/12/21 22:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 133		05/12/21 22:04	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-149103-1

**Client Sample ID: MW-112S\_050721**

**Lab Sample ID: 240-149103-3**

**Date Collected: 05/07/21 12:01**

**Matrix: Water**

**Date Received: 05/11/21 09:30**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U F1	1.0	0.19	ug/L			05/18/21 00:13	1
cis-1,2-Dichloroethene	1.0	U F1	1.0	0.16	ug/L			05/18/21 00:13	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			05/18/21 00:13	1
trans-1,2-Dichloroethene	1.0	U F1	1.0	0.19	ug/L			05/18/21 00:13	1
Trichloroethene	1.0	U	1.0	0.10	ug/L			05/18/21 00:13	1
Vinyl chloride	1.0	U	1.0	0.20	ug/L			05/18/21 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		75 - 130		05/18/21 00:13	1
4-Bromofluorobenzene (Surr)	111		47 - 134		05/18/21 00:13	1
Toluene-d8 (Surr)	104		69 - 122		05/18/21 00:13	1
Dibromofluoromethane (Surr)	109		78 - 129		05/18/21 00:13	1