

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-160322-1
Client Project/Site: Ford LTP - On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
12/1/2021 1:58:23 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Job ID: 240-160322-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative 240-160322-1

Comments

No additional comments.

Receipt

The samples were received on 11/18/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.3° C.

GC/MS VOA

Method 8260B: The laboratory control sample (LCS) for analytical batch 240-514748 recovered outside control limits for the following analyte: Trichloroethene. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported: TRIP BLANK_110 (240-160322-1), MW-62_111621 (240-160322-3) and (LCS 240-514748/4).

Method 8260B: The laboratory control sample (LCS) for analytical batch 240-514886 recovered outside control limits for the following analytes: Trichloroethene. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported: MW-50_111621 (240-160322-2) and (LCS 240-514886/4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-160322-1	TRIP BLANK_110	Water	11/16/21 00:00	11/18/21 08:00
240-160322-2	MW-50_111621	Water	11/16/21 09:55	11/18/21 08:00
240-160322-3	MW-62_111621	Water	11/16/21 11:00	11/18/21 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Client Sample ID: TRIP BLANK_110

Lab Sample ID: 240-160322-1

No Detections.

Client Sample ID: MW-50_111621

Lab Sample ID: 240-160322-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	16		4.0	1.8	ug/L	4		8260B	Total/NA
Vinyl chloride	94		4.0	1.8	ug/L	4		8260B	Total/NA

Client Sample ID: MW-62_111621

Lab Sample ID: 240-160322-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.1	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	0.63	J	1.0	0.45	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Client Sample ID: TRIP BLANK_110

Lab Sample ID: 240-160322-1

Date Collected: 11/16/21 00:00

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 13:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 13:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 13:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 13:49	1
Trichloroethene	1.0	U *+	1.0	0.44	ug/L			11/27/21 13:49	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 13:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		62 - 137		11/27/21 13:49	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/27/21 13:49	1
Toluene-d8 (Surr)	83		78 - 122		11/27/21 13:49	1
Dibromofluoromethane (Surr)	92		73 - 120		11/27/21 13:49	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Client Sample ID: MW-50_111621

Lab Sample ID: 240-160322-2

Date Collected: 11/16/21 09:55

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/20/21 02:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	78		66 - 120		11/20/21 02:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	4.0	U	4.0	2.0	ug/L			11/29/21 16:37	4
cis-1,2-Dichloroethene	16		4.0	1.8	ug/L			11/29/21 16:37	4
Tetrachloroethene	4.0	U	4.0	1.8	ug/L			11/29/21 16:37	4
trans-1,2-Dichloroethene	4.0	U	4.0	2.0	ug/L			11/29/21 16:37	4
Trichloroethene	4.0	U *	4.0	1.8	ug/L			11/29/21 16:37	4
Vinyl chloride	94		4.0	1.8	ug/L			11/29/21 16:37	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		62 - 137		11/29/21 16:37	4
4-Bromofluorobenzene (Surr)	95		56 - 136		11/29/21 16:37	4
Toluene-d8 (Surr)	82		78 - 122		11/29/21 16:37	4
Dibromofluoromethane (Surr)	90		73 - 120		11/29/21 16:37	4

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Client Sample ID: MW-62_111621

Lab Sample ID: 240-160322-3

Date Collected: 11/16/21 11:00

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.1	J	2.0	0.86	ug/L			11/20/21 02:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					11/20/21 02:38	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 14:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 14:35	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 14:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 14:35	1
Trichloroethene	1.0	U *+	1.0	0.44	ug/L			11/27/21 14:35	1
Vinyl chloride	0.63	J	1.0	0.45	ug/L			11/27/21 14:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		62 - 137					11/27/21 14:35	1
4-Bromofluorobenzene (Surr)	91		56 - 136					11/27/21 14:35	1
Toluene-d8 (Surr)	79		78 - 122					11/27/21 14:35	1
Dibromofluoromethane (Surr)	87		73 - 120					11/27/21 14:35	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-160322-1	TRIP BLANK_110	85	95	83	92
240-160322-2	MW-50_111621	81	95	82	90
240-160322-3	MW-62_111621	79	91	79	87
240-160325-D-3 MS	Matrix Spike	79	95	80	93
240-160325-F-3 MSD	Matrix Spike Duplicate	85	100	85	98
240-160449-B-4 MS	Matrix Spike	81	100	82	96
240-160449-B-4 MSD	Matrix Spike Duplicate	80	98	82	97
LCS 240-514748/4	Lab Control Sample	84	102	86	97
LCS 240-514886/4	Lab Control Sample	80	99	82	95
MB 240-514748/7	Method Blank	82	95	83	89
MB 240-514886/7	Method Blank	77	91	78	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-160322-2	MW-50_111621	78
240-160322-3	MW-62_111621	77
240-160325-I-3 MS	Matrix Spike	80
240-160325-M-3 MSD	Matrix Spike Duplicate	75
LCS 240-513930/4	Lab Control Sample	74
MB 240-513930/5	Method Blank	76

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-514748/7
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 13:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 13:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 13:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 13:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 13:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 13:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		62 - 137		11/27/21 13:27	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/27/21 13:27	1
Toluene-d8 (Surr)	83		78 - 122		11/27/21 13:27	1
Dibromofluoromethane (Surr)	89		73 - 120		11/27/21 13:27	1

Lab Sample ID: LCS 240-514748/4
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	18.1		ug/L		90	63 - 134
cis-1,2-Dichloroethene	20.0	21.3		ug/L		106	77 - 123
Tetrachloroethene	20.0	22.5		ug/L		112	76 - 123
trans-1,2-Dichloroethene	20.0	19.9		ug/L		100	75 - 124
Trichloroethene	20.0	26.6	*+	ug/L		133	70 - 122
Vinyl chloride	20.0	18.0		ug/L		90	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	86		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-160325-D-3 MS
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	1.0	U	20.0	16.2		ug/L		81	56 - 135
cis-1,2-Dichloroethene	1.0	U F2	20.0	18.3		ug/L		92	66 - 128
Tetrachloroethene	1.0	U	20.0	19.2		ug/L		96	62 - 131
trans-1,2-Dichloroethene	1.0	U F2	20.0	17.5		ug/L		88	56 - 136
Trichloroethene	1.0	U F2 F1 *	20.0	23.5		ug/L		118	61 - 124
Vinyl chloride	1.0	U	20.0	14.0		ug/L		70	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		62 - 137
4-Bromofluorobenzene (Surr)	95		56 - 136
Toluene-d8 (Surr)	80		78 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-160325-D-3 MS
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
<i>Dibromofluoromethane (Surr)</i>	93		73 - 120

Lab Sample ID: 240-160325-F-3 MSD
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD MSD</i>		<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>		<i>RPD</i>	
				<i>Result</i>	<i>Qualifier</i>				<i>Limit</i>	<i>RPD</i>	<i>Limit</i>	
1,1-Dichloroethene	1.0	U	20.0	19.4		ug/L		97	56 - 135	18	26	
cis-1,2-Dichloroethene	1.0	U F2	20.0	21.9	F2	ug/L		110	66 - 128	18	14	
Tetrachloroethene	1.0	U	20.0	23.1		ug/L		116	62 - 131	19	20	
trans-1,2-Dichloroethene	1.0	U F2	20.0	21.4	F2	ug/L		107	56 - 136	20	15	
Trichloroethene	1.0	U F2 F1 *	20.0	27.9	F1 F2	ug/L		140	61 - 124	17	15	
Vinyl chloride	1.0	U	20.0	17.5		ug/L		88	43 - 157	22	24	

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	85		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	100		56 - 136
<i>Toluene-d8 (Surr)</i>	85		78 - 122
<i>Dibromofluoromethane (Surr)</i>	98		73 - 120

Lab Sample ID: MB 240-514886/7
Matrix: Water
Analysis Batch: 514886

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB MB</i>		<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		11/29/21 15:16	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		11/29/21 15:16	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		11/29/21 15:16	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		11/29/21 15:16	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		11/29/21 15:16	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		11/29/21 15:16	1	

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	77		62 - 137		11/29/21 15:16	1
<i>4-Bromofluorobenzene (Surr)</i>	91		56 - 136		11/29/21 15:16	1
<i>Toluene-d8 (Surr)</i>	78		78 - 122		11/29/21 15:16	1
<i>Dibromofluoromethane (Surr)</i>	84		73 - 120		11/29/21 15:16	1

Lab Sample ID: LCS 240-514886/4
Matrix: Water
Analysis Batch: 514886

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS LCS</i>		<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	
		<i>Result</i>	<i>Qualifier</i>				<i>Limit</i>	
1,1-Dichloroethene	20.0	19.1		ug/L		96	63 - 134	
cis-1,2-Dichloroethene	20.0	22.3		ug/L		111	77 - 123	
Tetrachloroethene	20.0	23.1		ug/L		116	76 - 123	
trans-1,2-Dichloroethene	20.0	21.4		ug/L		107	75 - 124	

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-514886/4
Matrix: Water
Analysis Batch: 514886

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	20.0	27.9	*+	ug/L		140	70 - 122
Vinyl chloride	20.0	19.4		ug/L		97	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-160449-B-4 MS
Matrix: Water
Analysis Batch: 514886

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	50	U	1000	827		ug/L		83	56 - 135
cis-1,2-Dichloroethene	100		1000	1090		ug/L		99	66 - 128
Tetrachloroethene	50	U	1000	981		ug/L		98	62 - 131
trans-1,2-Dichloroethene	50	U	1000	913		ug/L		91	56 - 136
Trichloroethene	50	U F1 **	1000	1230		ug/L		123	61 - 124
Vinyl chloride	200		1000	963		ug/L		76	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-160449-B-4 MSD
Matrix: Water
Analysis Batch: 514886

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	50	U	1000	879		ug/L		88	56 - 135	6	26
cis-1,2-Dichloroethene	100		1000	1170		ug/L		107	66 - 128	8	14
Tetrachloroethene	50	U	1000	1010		ug/L		101	62 - 131	3	20
trans-1,2-Dichloroethene	50	U	1000	1010		ug/L		101	56 - 136	10	15
Trichloroethene	50	U F1 **	1000	1310	F1	ug/L		131	61 - 124	7	15
Vinyl chloride	200		1000	1040		ug/L		84	43 - 157	8	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-513930/5
Matrix: Water
Analysis Batch: 513930

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/19/21 18:46	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	76		66 - 120					11/19/21 18:46	1

Lab Sample ID: LCS 240-513930/4
Matrix: Water
Analysis Batch: 513930

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.6		ug/L		106	80 - 122
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	74		66 - 120				

Lab Sample ID: 240-160325-I-3 MS
Matrix: Water
Analysis Batch: 513930

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	1.4	J F1	10.0	11.4		ug/L		101	51 - 153
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	80		66 - 120						

Lab Sample ID: 240-160325-M-3 MSD
Matrix: Water
Analysis Batch: 513930

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	1.4	J F1	10.0	11.0		ug/L		96	51 - 153	4	16
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	75		66 - 120								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

GC/MS VOA

Analysis Batch: 513930

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160322-2	MW-50_111621	Total/NA	Water	8260B SIM	
240-160322-3	MW-62_111621	Total/NA	Water	8260B SIM	
MB 240-513930/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-513930/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-160325-I-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-160325-M-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 514748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160322-1	TRIP BLANK_110	Total/NA	Water	8260B	
240-160322-3	MW-62_111621	Total/NA	Water	8260B	
MB 240-514748/7	Method Blank	Total/NA	Water	8260B	
LCS 240-514748/4	Lab Control Sample	Total/NA	Water	8260B	
240-160325-D-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-160325-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 514886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160322-2	MW-50_111621	Total/NA	Water	8260B	
MB 240-514886/7	Method Blank	Total/NA	Water	8260B	
LCS 240-514886/4	Lab Control Sample	Total/NA	Water	8260B	
240-160449-B-4 MS	Matrix Spike	Total/NA	Water	8260B	
240-160449-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Client Sample ID: TRIP BLANK_110

Lab Sample ID: 240-160322-1

Date Collected: 11/16/21 00:00

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 13:49	HMB	TAL CAN

Client Sample ID: MW-50_111621

Lab Sample ID: 240-160322-2

Date Collected: 11/16/21 09:55

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	514886	11/29/21 16:37	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	513930	11/20/21 02:13	CS	TAL CAN

Client Sample ID: MW-62_111621

Lab Sample ID: 240-160322-3

Date Collected: 11/16/21 11:00

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 14:35	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	513930	11/20/21 02:38	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160322-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-18-10	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact
Company Name: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Client Project Manager: Kris Hinsky
Telephone: 248-994-2240
E-mail: kristoffer.hinsky@arcadis.com

Site Contact: Julia McClafferty
Telephone: 734-644-5131
Lab Contact: Mike DeMonico
Telephone: 330-497-9396

Project Name: Ford LTP On-Site
Project Number: 300R0642.401.03
PO # 300R0642.401.03

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite=C / Grab=G	Analyses						Sample Specific Notes / Special Instructions:					
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl			NaOH	ZnAc	NaCl	Labres	Other:	1-DCE 8260B		cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B
TRIP BLANK - 110	----	----	X																					1 Trip Blank
MW-50-111621	11/16/21	955	X																					3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-62-111621	11/16/21	1100	X																					I



Possible Hazard Identification
 Non-Hazard
 Irritant
 Poison B
 Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return to Client
 Disposal By Lab
 Archive For _____ Months

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
<i>[Signature]</i>	Arcadis	11/17/21 1830	Novi Cold Storage	Arcadis	11/17/21 1830
<i>[Signature]</i>	ARCADIS	11/17/21 1029	<i>[Signature]</i>	ETA	11/17/21
<i>[Signature]</i>	ETA	11/17/21	<i>[Signature]</i>	TA	11-18-21 0800

Submit all results through Cadena at jtomalia@cadeneco.com. Cadena #E203728
 Level IV Reporting requested.

Special Instructions/OC Requirements & Comments:

Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : 160322

Canton Facility

Client ARCADIS Site Name _____
 Cooler Received on 11-18-21 Opened on 11-18-21
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Cooler unpacked by:
Brandon

Receipt After-hours: Drop-off, Date/Time _____ **Storage Location** _____

TestAmerica Cooler # FA Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. 0.2 °C Corrected Cooler Temp. 0.3 °C
 IR GUN #IR-15 (CF +0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No

17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

No SIM on TB per corrected COC

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____