

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-160153-1
Client Project/Site: Ford LTP - On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
12/3/2021 3:53:16 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Job ID: 240-160153-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative
240-160153-1

Comments

No additional comments.

Receipt

The samples were received on 11/16/2021 10:15 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.9° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-160153-1	TRIP BLANK_125	Water	11/13/21 00:00	11/16/21 10:15
240-160153-2	MW-120_111321	Water	11/13/21 11:46	11/16/21 10:15
240-160153-3	MW-34_111321	Water	11/13/21 12:56	11/16/21 10:15
240-160153-4	MW-52_111321	Water	11/13/21 14:26	11/16/21 10:15
240-160153-5	DUP-04	Water	11/13/21 00:00	11/16/21 10:15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: TRIP BLANK_125

Lab Sample ID: 240-160153-1

No Detections.

Client Sample ID: MW-120_111321

Lab Sample ID: 240-160153-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.7		1.0	0.44	ug/L	1		8260B	Total/NA

Client Sample ID: MW-34_111321

Lab Sample ID: 240-160153-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	3.4		2.0	0.86	ug/L	1		8260B SIM	Total/NA
cis-1,2-Dichloroethene	0.58	J	1.0	0.46	ug/L	1		8260B	Total/NA
Vinyl chloride	1.6		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-52_111321

Lab Sample ID: 240-160153-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.0		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	2.7		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: DUP-04

Lab Sample ID: 240-160153-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.1		2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	2.4		1.0	0.45	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: TRIP BLANK_125

Lab Sample ID: 240-160153-1

Date Collected: 11/13/21 00:00

Matrix: Water

Date Received: 11/16/21 10:15

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 09:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/21 09:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 09:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 09:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 09:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/21 09:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		11/20/21 09:32	1
4-Bromofluorobenzene (Surr)	71		56 - 136		11/20/21 09:32	1
Toluene-d8 (Surr)	101		78 - 122		11/20/21 09:32	1
Dibromofluoromethane (Surr)	93		73 - 120		11/20/21 09:32	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: MW-120_111321

Lab Sample ID: 240-160153-2

Date Collected: 11/13/21 11:46

Matrix: Water

Date Received: 11/16/21 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/19/21 03:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					11/19/21 03:59	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 09:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/21 09:54	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 09:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 09:54	1
Trichloroethene	2.7		1.0	0.44	ug/L			11/20/21 09:54	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/21 09:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					11/20/21 09:54	1
4-Bromofluorobenzene (Surr)	73		56 - 136					11/20/21 09:54	1
Toluene-d8 (Surr)	106		78 - 122					11/20/21 09:54	1
Dibromofluoromethane (Surr)	94		73 - 120					11/20/21 09:54	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: MW-34_111321

Lab Sample ID: 240-160153-3

Date Collected: 11/13/21 12:56

Matrix: Water

Date Received: 11/16/21 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	3.4		2.0	0.86	ug/L			11/19/21 04:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	76		66 - 120					11/19/21 04:24	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 10:17	1
cis-1,2-Dichloroethene	0.58	J	1.0	0.46	ug/L			11/20/21 10:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 10:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 10:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 10:17	1
Vinyl chloride	1.6		1.0	0.45	ug/L			11/20/21 10:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					11/20/21 10:17	1
4-Bromofluorobenzene (Surr)	69		56 - 136					11/20/21 10:17	1
Toluene-d8 (Surr)	104		78 - 122					11/20/21 10:17	1
Dibromofluoromethane (Surr)	94		73 - 120					11/20/21 10:17	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: MW-52_111321

Lab Sample ID: 240-160153-4

Date Collected: 11/13/21 14:26

Matrix: Water

Date Received: 11/16/21 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0		2.0	0.86	ug/L			11/19/21 04:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120		11/19/21 04:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 10:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/21 10:39	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 10:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 10:39	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 10:39	1
Vinyl chloride	2.7		1.0	0.45	ug/L			11/20/21 10:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137		11/20/21 10:39	1
4-Bromofluorobenzene (Surr)	75		56 - 136		11/20/21 10:39	1
Toluene-d8 (Surr)	113		78 - 122		11/20/21 10:39	1
Dibromofluoromethane (Surr)	99		73 - 120		11/20/21 10:39	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: DUP-04

Lab Sample ID: 240-160153-5

Date Collected: 11/13/21 00:00

Matrix: Water

Date Received: 11/16/21 10:15

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1		2.0	0.86	ug/L			11/19/21 05:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	78		66 - 120		11/19/21 05:14	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 11:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/21 11:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 11:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 11:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 11:01	1
Vinyl chloride	2.4		1.0	0.45	ug/L			11/20/21 11:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/20/21 11:01	1
4-Bromofluorobenzene (Surr)	72		56 - 136		11/20/21 11:01	1
Toluene-d8 (Surr)	106		78 - 122		11/20/21 11:01	1
Dibromofluoromethane (Surr)	96		73 - 120		11/20/21 11:01	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-160150-B-2 MS	Matrix Spike	99	85	110	90
240-160150-D-2 MSD	Matrix Spike Duplicate	104	88	122	96
240-160153-1	TRIP BLANK_125	101	71	101	93
240-160153-2	MW-120_111321	99	73	106	94
240-160153-3	MW-34_111321	103	69	104	94
240-160153-4	MW-52_111321	107	75	113	99
240-160153-5	DUP-04	105	72	106	96
LCS 240-513905/4	Lab Control Sample	104	89	118	97
MB 240-513905/6	Method Blank	99	73	109	92

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-159739-G-3 MS	Matrix Spike	74
240-159739-M-3 MSD	Matrix Spike Duplicate	75
240-160153-2	MW-120_111321	77
240-160153-3	MW-34_111321	76
240-160153-4	MW-52_111321	77
240-160153-5	DUP-04	78
LCS 240-513700/4	Lab Control Sample	75
MB 240-513700/5	Method Blank	77

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-513905/6
Matrix: Water
Analysis Batch: 513905

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/21 03:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/21 03:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 03:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/21 03:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/21 03:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/21 03:58	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		11/20/21 03:58	1
4-Bromofluorobenzene (Surr)	73		56 - 136		11/20/21 03:58	1
Toluene-d8 (Surr)	109		78 - 122		11/20/21 03:58	1
Dibromofluoromethane (Surr)	92		73 - 120		11/20/21 03:58	1

Lab Sample ID: LCS 240-513905/4
Matrix: Water
Analysis Batch: 513905

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	10.0	10.9		ug/L		109	63 - 134
cis-1,2-Dichloroethene	10.0	10.4		ug/L		104	77 - 123
Tetrachloroethene	10.0	10.3		ug/L		103	76 - 123
trans-1,2-Dichloroethene	10.0	10.6		ug/L		106	75 - 124
Trichloroethene	10.0	8.96		ug/L		90	70 - 122
Vinyl chloride	10.0	11.0		ug/L		110	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	118		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-160150-B-2 MS
Matrix: Water
Analysis Batch: 513905

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	10.0	7.96		ug/L		80	56 - 135
cis-1,2-Dichloroethene	1.0	U F2	10.0	8.59		ug/L		86	66 - 128
Tetrachloroethene	1.0	U	10.0	7.18		ug/L		72	62 - 131
trans-1,2-Dichloroethene	1.0	U	10.0	8.27		ug/L		83	56 - 136
Trichloroethene	1.0	U	10.0	6.70		ug/L		67	61 - 124
Vinyl chloride	1.0	U	10.0	8.91		ug/L		89	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	85		56 - 136
Toluene-d8 (Surr)	110		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-160150-B-2 MS
Matrix: Water
Analysis Batch: 513905

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: 240-160150-D-2 MSD
Matrix: Water
Analysis Batch: 513905

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	10.0	9.12		ug/L		91	56 - 135	14	26
cis-1,2-Dichloroethene	1.0	U F2	10.0	10.1	F2	ug/L		101	66 - 128	16	14
Tetrachloroethene	1.0	U	10.0	8.59		ug/L		86	62 - 131	18	20
trans-1,2-Dichloroethene	1.0	U	10.0	9.32		ug/L		93	56 - 136	12	15
Trichloroethene	1.0	U	10.0	7.73		ug/L		77	61 - 124	14	15
Vinyl chloride	1.0	U	10.0	9.29		ug/L		93	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	122		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-513700/5
Matrix: Water
Analysis Batch: 513700

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/21 19:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		66 - 120		11/18/21 19:41	1

Lab Sample ID: LCS 240-513700/4
Matrix: Water
Analysis Batch: 513700

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	10.4		ug/L		104	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	75		66 - 120

Lab Sample ID: 240-159739-G-3 MS
Matrix: Water
Analysis Batch: 513700

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U F1	10.0	10.4		ug/L		104	51 - 153

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	74		66 - 120

Lab Sample ID: 240-159739-M-3 MSD
 Matrix: Water
 Analysis Batch: 513700

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U F1	10.0	10.6		ug/L		106	51 - 153	2	16

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	75		66 - 120

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

GC/MS VOA

Analysis Batch: 513700

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160153-2	MW-120_111321	Total/NA	Water	8260B SIM	
240-160153-3	MW-34_111321	Total/NA	Water	8260B SIM	
240-160153-4	MW-52_111321	Total/NA	Water	8260B SIM	
240-160153-5	DUP-04	Total/NA	Water	8260B SIM	
MB 240-513700/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-513700/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-159739-G-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-159739-M-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 513905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160153-1	TRIP BLANK_125	Total/NA	Water	8260B	
240-160153-2	MW-120_111321	Total/NA	Water	8260B	
240-160153-3	MW-34_111321	Total/NA	Water	8260B	
240-160153-4	MW-52_111321	Total/NA	Water	8260B	
240-160153-5	DUP-04	Total/NA	Water	8260B	
MB 240-513905/6	Method Blank	Total/NA	Water	8260B	
LCS 240-513905/4	Lab Control Sample	Total/NA	Water	8260B	
240-160150-B-2 MS	Matrix Spike	Total/NA	Water	8260B	
240-160150-D-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Client Sample ID: TRIP BLANK_125

Lab Sample ID: 240-160153-1

Date Collected: 11/13/21 00:00

Matrix: Water

Date Received: 11/16/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513905	11/20/21 09:32	LEE	TAL CAN

Client Sample ID: MW-120_111321

Lab Sample ID: 240-160153-2

Date Collected: 11/13/21 11:46

Matrix: Water

Date Received: 11/16/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513905	11/20/21 09:54	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	513700	11/19/21 03:59	CS	TAL CAN

Client Sample ID: MW-34_111321

Lab Sample ID: 240-160153-3

Date Collected: 11/13/21 12:56

Matrix: Water

Date Received: 11/16/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513905	11/20/21 10:17	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	513700	11/19/21 04:24	CS	TAL CAN

Client Sample ID: MW-52_111321

Lab Sample ID: 240-160153-4

Date Collected: 11/13/21 14:26

Matrix: Water

Date Received: 11/16/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513905	11/20/21 10:39	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	513700	11/19/21 04:49	CS	TAL CAN

Client Sample ID: DUP-04

Lab Sample ID: 240-160153-5

Date Collected: 11/13/21 00:00

Matrix: Water

Date Received: 11/16/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513905	11/20/21 11:01	LEE	TAL CAN
Total/NA	Analysis	8260B SIM		1	513700	11/19/21 05:14	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160153-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-18-10	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis Telephone: 248-994-2240

Site Contact: Julia McClafferty Telephone: 330-497-9396

Lab Contact: Mike DelMonico Telephone: 330-497-9396

TestAmerica Laboratories, Inc. COC No: 1 of 1 COCs

Client Project Manager: Kris Hinskey Telephone: 734-644-5131

Site Contact: Julia McClafferty Telephone: 330-497-9396

Lab Contact: Mike DelMonico Telephone: 330-497-9396

Project Name: Ford LTP On-Site

Project Number: 30080642.401.03

PO # 30080642.401.03

Sampler Name: Gregory Schuber

Method of Shipment/Carrier: UPS

Shipping/Tracking No.:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite=C/Grab=G	Analyses				Sample Specific Notes / Special Instructions			
			Air	Aqueous	Sediment	Solid	H2SO4	HNO3	HCl	NaOH			ZnAc/NaOH	Ultraps	Other	1-DCE 8260B		cis-1,2 DCE 8260B	Trans-1,2 DCE 8260B	PCE 8260B
TRIP BLANK_ 105	---	---	X																	1 Trip Blank
MW-120-111321	11/13/21	11:46	X																	3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-34-111321	11/13/21	12:56	X																	
MW-52-111321	11/13/21	14:26	X																	
DUP-04	11/13/21	---	X																	



Possible Hazard Identification: Non-Hazard Irritant Inflammable Poison B Unknown

Sample Disposal (A fee may be assessed): Return to Client Disposal By Lab Archive For 1 Months

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
<u>Gregory Schuber</u>	<u>Arcadis</u>	<u>11/13/21 1546</u>	<u>Marki Gold Stange</u>	<u>Arcadis</u>	<u>11/13/21 1540</u>
<u>Chitra Allen</u>	<u>ARCADIS</u>	<u>11/15/21</u>	<u>Judy M</u>	<u>ETA</u>	<u>11/15/21</u>
<u>Judy M</u>	<u>ETA</u>	<u>11/15/21</u>	<u>Joseph Boyer</u>	<u>ETA</u>	<u>11-16-21 105</u>

Submit all results through Cadena at tomalia@cadenaco.com Cadena #E203726
Level IV Reporting requested

2008 TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica Laboratories, Inc. All rights reserved.

Eurofins TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 160153

Client Arcadis Site Name _____
 Cooler Received on 11-16-21 Opened on 11-16-21
 FedEx 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by Nancy Beer

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 1A Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. 0.8 °C Corrected Cooler Temp. 0.9 °C
 IR GUN #IR-15 (CF +0.2°C) Observed Cooler Temp _____ °C Corrected Cooler Temp _____ °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

3 Shippers' packing slip attached to the cooler(s)? Yes No
 4 Did custody papers accompany the sample(s)? Yes No
 5 Were the custody papers relinquished & signed in the appropriate place? Yes No
 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7 Did all bottles arrive in good condition (Unbroken)? Yes No
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11 Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.
 13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
 14 Were VOAs on the COC? Yes No
 15 Were air bubbles >6 mm in any VOA vials? Yes No NA
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 60358 Yes No
 17 Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by _____

NO SIM ON TB per corrected COC. Time 11/16/21

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

 eurofins

11:30
1774
11 16
B

Part # 159469-434 NTWY EXP 07/22

ORIGIN ID:DEDA (810) 229-2763
SHIPPING DEPARTMENT
EUROFINS TESTAMERICA
10448 CITATION DRIVE
SUITE 200
BRIGHTON, MI 48116
UNITED STATES US

SHIP DATE: 15NOV21
ACTWGT: 49.15 LB
CAD: 0183192/CAFE3507

BILL RECIPIENT

TO **ATTN: SAMPLE RECEIVING**
EUROFINS TEST AMERICA NORTH CANTON
4101 SHUFFEL DRIVE NW

NORTH CANTON OH 44720

(330) 497-9396
PHU:
PO:

REF:
DEPT:



TRK# 4506 9518 1774
0201

TUE - 16 NOV 11:30A
PRIORITY OVERNIGHT

64 PHDA

44720
OH-US CLE



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14