

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-160328-1
Client Project/Site: Ford LTP - On-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
12/3/2021 9:40:39 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Job ID: 240-160328-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative 240-160328-1

Comments

No additional comments.

Receipt

The samples were received on 11/18/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.3° C.

GC/MS VOA

Method 8260B: The laboratory control sample (LCS) for analytical batch 240-514748 recovered outside control limits for the following analyte: Trichloroethene. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported: TRIP BLANK_140 (240-160328-1), MW-53_111621 (240-160328-2), MW-36_111621 (240-160328-3), MW-37_111621 (240-160328-4) and (LCS 240-514748/4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-160328-1	TRIP BLANK_140	Water	11/16/21 00:00	11/18/21 08:00
240-160328-2	MW-53_111621	Water	11/16/21 10:15	11/18/21 08:00
240-160328-3	MW-36_111621	Water	11/16/21 12:00	11/18/21 08:00
240-160328-4	MW-37_111621	Water	11/16/21 14:15	11/18/21 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-160328-1

No Detections.

Client Sample ID: MW-53_111621

Lab Sample ID: 240-160328-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.4	J	2.0	0.86	ug/L	1		8260B SIM	Total/NA
Vinyl chloride	0.48	J	1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-36_111621

Lab Sample ID: 240-160328-3

No Detections.

Client Sample ID: MW-37_111621

Lab Sample ID: 240-160328-4

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-160328-1

Date Collected: 11/16/21 00:00

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 19:08	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 19:08	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 19:08	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 19:08	1
Trichloroethene	1.0	U *+	1.0	0.44	ug/L			11/27/21 19:08	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 19:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		62 - 137		11/27/21 19:08	1
4-Bromofluorobenzene (Surr)	99		56 - 136		11/27/21 19:08	1
Toluene-d8 (Surr)	84		78 - 122		11/27/21 19:08	1
Dibromofluoromethane (Surr)	92		73 - 120		11/27/21 19:08	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: MW-53_111621

Lab Sample ID: 240-160328-2

Date Collected: 11/16/21 10:15

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.4	J	2.0	0.86	ug/L			11/22/21 22:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		66 - 120					11/22/21 22:28	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 19:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 19:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 19:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 19:31	1
Trichloroethene	1.0	U *+	1.0	0.44	ug/L			11/27/21 19:31	1
Vinyl chloride	0.48	J	1.0	0.45	ug/L			11/27/21 19:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		62 - 137					11/27/21 19:31	1
4-Bromofluorobenzene (Surr)	94		56 - 136					11/27/21 19:31	1
Toluene-d8 (Surr)	81		78 - 122					11/27/21 19:31	1
Dibromofluoromethane (Surr)	89		73 - 120					11/27/21 19:31	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: MW-36_111621

Lab Sample ID: 240-160328-3

Date Collected: 11/16/21 12:00

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/21 22:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	73		66 - 120		11/22/21 22:52	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 19:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 19:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 19:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 19:53	1
Trichloroethene	1.0	U *	1.0	0.44	ug/L			11/27/21 19:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		62 - 137		11/27/21 19:53	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/27/21 19:53	1
Toluene-d8 (Surr)	85		78 - 122		11/27/21 19:53	1
Dibromofluoromethane (Surr)	88		73 - 120		11/27/21 19:53	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: MW-37_111621

Lab Sample ID: 240-160328-4

Date Collected: 11/16/21 14:15

Matrix: Water

Date Received: 11/18/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/21 19:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		66 - 120		11/22/21 19:06	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 20:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 20:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 20:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 20:16	1
Trichloroethene	1.0	U F1 **	1.0	0.44	ug/L			11/27/21 20:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 20:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		62 - 137		11/27/21 20:16	1
4-Bromofluorobenzene (Surr)	98		56 - 136		11/27/21 20:16	1
Toluene-d8 (Surr)	85		78 - 122		11/27/21 20:16	1
Dibromofluoromethane (Surr)	91		73 - 120		11/27/21 20:16	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-160328-1	TRIP BLANK_140	83	99	84	92
240-160328-2	MW-53_111621	80	94	81	89
240-160328-3	MW-36_111621	83	95	85	88
240-160328-4	MW-37_111621	84	98	85	91
240-160328-4 MS	MW-37-MS_111621	83	102	84	95
240-160328-4 MSD	MW-37-MSD_111621	81	98	82	95
LCS 240-514748/4	Lab Control Sample	84	102	86	97
MB 240-514748/7	Method Blank	82	95	83	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(66-120)
240-160327-G-4 MS	Matrix Spike	75
240-160327-M-4 MSD	Matrix Spike Duplicate	74
240-160328-2	MW-53_111621	74
240-160328-3	MW-36_111621	73
240-160328-4	MW-37_111621	94
240-160328-4 MS	MW-37-MS_111621	94
240-160328-4 MSD	MW-37-MSD_111621	94
LCS 240-514177/4	Lab Control Sample	77
LCS 240-514178/4	Lab Control Sample	92
MB 240-514177/5	Method Blank	77
MB 240-514178/5	Method Blank	90

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-514748/7
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/21 13:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/21 13:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 13:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/21 13:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/21 13:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/21 13:27	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	82		62 - 137		11/27/21 13:27	1
4-Bromofluorobenzene (Surr)	95		56 - 136		11/27/21 13:27	1
Toluene-d8 (Surr)	83		78 - 122		11/27/21 13:27	1
Dibromofluoromethane (Surr)	89		73 - 120		11/27/21 13:27	1

Lab Sample ID: LCS 240-514748/4
Matrix: Water
Analysis Batch: 514748

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	18.1		ug/L		90	63 - 134
cis-1,2-Dichloroethene	20.0	21.3		ug/L		106	77 - 123
Tetrachloroethene	20.0	22.5		ug/L		112	76 - 123
trans-1,2-Dichloroethene	20.0	19.9		ug/L		100	75 - 124
Trichloroethene	20.0	26.6	*+	ug/L		133	70 - 122
Vinyl chloride	20.0	18.0		ug/L		90	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	84		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	86		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-160328-4 MS
Matrix: Water
Analysis Batch: 514748

Client Sample ID: MW-37-MS_111621
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	18.5		ug/L		93	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	21.6		ug/L		108	66 - 128
Tetrachloroethene	1.0	U	20.0	21.3		ug/L		106	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	20.7		ug/L		103	56 - 136
Trichloroethene	1.0	U F1 *+	20.0	26.5	F1	ug/L		133	61 - 124
Vinyl chloride	1.0	U	20.0	16.5		ug/L		83	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	83		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	84		78 - 122

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-160328-4 MS
Matrix: Water
Analysis Batch: 514748

Client Sample ID: MW-37-MS_111621
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-160328-4 MSD
Matrix: Water
Analysis Batch: 514748

Client Sample ID: MW-37-MSD_111621
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec.		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	56 - 135	3	26	
cis-1,2-Dichloroethene	1.0	U	20.0	21.2		ug/L		106	66 - 128	2	14	
Tetrachloroethene	1.0	U	20.0	20.9		ug/L		105	62 - 131	2	20	
trans-1,2-Dichloroethene	1.0	U	20.0	19.7		ug/L		98	56 - 136	5	15	
Trichloroethene	1.0	U F1 **	20.0	26.3	F1	ug/L		131	61 - 124	1	15	
Vinyl chloride	1.0	U	20.0	16.8		ug/L		84	43 - 157	2	24	

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	81		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	82		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-514177/5
Matrix: Water
Analysis Batch: 514177

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		11/22/21 18:20	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	77		66 - 120		11/22/21 18:20	1

Lab Sample ID: LCS 240-514177/4
Matrix: Water
Analysis Batch: 514177

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS		Unit	D	%Rec	%Rec.	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	10.2		ug/L		102	80 - 122	

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	77		66 - 120

Lab Sample ID: 240-160327-G-4 MS
Matrix: Water
Analysis Batch: 514177

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec.	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	11.4		ug/L		114	51 - 153	

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	75		66 - 120

Lab Sample ID: 240-160327-M-4 MSD
Matrix: Water
Analysis Batch: 514177

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	10.9		ug/L		109	51 - 153	5	16

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	74		66 - 120

Lab Sample ID: MB 240-514178/5
Matrix: Water
Analysis Batch: 514178

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	<i>MB Result</i>	<i>MB Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/21 18:19	1

	<i>MB</i>	<i>MB</i>		<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>			
1,2-Dichloroethane-d4 (Surr)	90		66 - 120		11/22/21 18:19	1

Lab Sample ID: LCS 240-514178/4
Matrix: Water
Analysis Batch: 514178

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
1,4-Dioxane	10.0	9.09		ug/L		91	80 - 122

	<i>LCS</i>	<i>LCS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	92		66 - 120

Lab Sample ID: 240-160328-4 MS
Matrix: Water
Analysis Batch: 514178

Client Sample ID: MW-37-MS_111621
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MS Result</i>	<i>MS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	51 - 153

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	94		66 - 120

Lab Sample ID: 240-160328-4 MSD
Matrix: Water
Analysis Batch: 514178

Client Sample ID: MW-37-MSD_111621
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	10.1		ug/L		101	51 - 153	0	16

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-160328-4 MSD
Matrix: Water
Analysis Batch: 514178

Client Sample ID: MW-37-MSD_111621
Prep Type: Total/NA

<i>Surrogate</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
1,2-Dichloroethane-d4 (Surr)	94		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

GC/MS VOA

Analysis Batch: 514177

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160328-2	MW-53_111621	Total/NA	Water	8260B SIM	
240-160328-3	MW-36_111621	Total/NA	Water	8260B SIM	
MB 240-514177/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-514177/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-160327-G-4 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-160327-M-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Analysis Batch: 514178

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160328-4	MW-37_111621	Total/NA	Water	8260B SIM	
MB 240-514178/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-514178/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-160328-4 MS	MW-37-MS_111621	Total/NA	Water	8260B SIM	
240-160328-4 MSD	MW-37-MSD_111621	Total/NA	Water	8260B SIM	

Analysis Batch: 514748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-160328-1	TRIP BLANK_140	Total/NA	Water	8260B	
240-160328-2	MW-53_111621	Total/NA	Water	8260B	
240-160328-3	MW-36_111621	Total/NA	Water	8260B	
240-160328-4	MW-37_111621	Total/NA	Water	8260B	
MB 240-514748/7	Method Blank	Total/NA	Water	8260B	
LCS 240-514748/4	Lab Control Sample	Total/NA	Water	8260B	
240-160328-4 MS	MW-37-MS_111621	Total/NA	Water	8260B	
240-160328-4 MSD	MW-37-MSD_111621	Total/NA	Water	8260B	

Lab Chronicle

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Client Sample ID: TRIP BLANK_140

Lab Sample ID: 240-160328-1

Date Collected: 11/16/21 00:00

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 19:08	HMB	TAL CAN

Client Sample ID: MW-53_111621

Lab Sample ID: 240-160328-2

Date Collected: 11/16/21 10:15

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 19:31	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	514177	11/22/21 22:28	CS	TAL CAN

Client Sample ID: MW-36_111621

Lab Sample ID: 240-160328-3

Date Collected: 11/16/21 12:00

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 19:53	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	514177	11/22/21 22:52	CS	TAL CAN

Client Sample ID: MW-37_111621

Lab Sample ID: 240-160328-4

Date Collected: 11/16/21 14:15

Matrix: Water

Date Received: 11/18/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	514748	11/27/21 20:16	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	514178	11/22/21 19:06	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - On-Site

Job ID: 240-160328-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-18-10	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact Company Name: Arcadis Address: 28550 Cabot Drive, Suite 500 City/State/Zip: Novi, MI, 48377 Phone: 248-994-2240		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Client Project Manager: Kris Hinsky Telephone: 248-994-2240 E-mail: kristoffer.hinsky@arcadis.com		Lab Contact: Mike DelMonico Telephone: 330-497-9396	
Project Name: Ford LTP On-Site Project Number: 30080642.401.03 PO # 30080642.401.03		Analyses Walk-in client Lab sampling Job/SDG No:	
Sampler Name: ALLYSON HARTZ Method of Shipment/Carrier: Shipping/Tracking No:		TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day	
Sample Identification Sample Date Sample Time TRIP BLANK_ 140 MW-53-111621 MW-36-111621 MW-37-111621 MW-37-MS-111621 MW-37-MSD-111621		Containers & Preservatives H2SO4 HNO3 HCl NaOH ZnAc Other: 1 6 6 6 6 6	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		Sample Disposal (A fee may be assessed) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal B	
Special Instructions/QC Requirements & Comments: Submit all results through Cadena at jtomalia@cadena.com. Cadena #E203728 Level IV Reporting requested.			
Relinquished by: <i>Allyson Hartz</i> Relinquished by: <i>Christina Allen</i> Relinquished by: <i>Allyson Hartz</i>		Received by: <i>NOVI Cold Storage</i> Received by: <i>Allyson Hartz</i> Received in Laboratory by: <i>Bronson</i>	
Company: Arcadis Date/Time: 11/16/21 1530 Company: Arcadis Date/Time: 11/17/21 1029 Company: ETA Date/Time: 11/17/21		Company: Arcadis Date/Time: 11/16/21 1530 Company: ETA Date/Time: 11/17/21 Company: ETA Date/Time: 11-18-21 0800	



240-160328 Chain of Custody



©2008 TestAmerica Laboratories, Inc. All rights reserved. Performance & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : _____

Canton Facility

Client Accadis Site Name _____ Cooler unpacked by: Brandon

Cooler Received on 11-18-21 Opened on 11-18-21

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ **Storage Location** _____

TestAmerica Cooler # FA Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. 0.2 °C Corrected Cooler Temp. 0.3 °C
 IR GUN #IR-15 (CF +0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No
 -Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No
 4. Did custody papers accompany the sample(s)? Yes No
 5. Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7. Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
 10. Were correct bottle(s) used for the test(s) indicated? Yes No
 11. Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
 14. Were VOAs on the COC? Yes No
 15. Were air bubbles >6 mm in any VOA vials? Yes Larger than this. Yes No NA
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
 17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

No SIM on TB per corrected COC

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____