

ANALYTICAL REPORT

Eurofins TestAmerica, Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

Laboratory Job ID: 240-159737-1
Client Project/Site: Ford LTP - Off-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
11/24/2021 8:38:32 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	16
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19



Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Job ID: 240-159737-1

Laboratory: Eurofins TestAmerica, Canton

Narrative

Job Narrative 240-159737-1

Comments

No additional comments.

Receipt

The samples were received on 11/10/2021 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.7° C and 0.8° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-159737-1	TRIP BLANK_81	Water	11/08/21 00:00	11/10/21 08:00
240-159737-2	MW-80SR_110821	Water	11/08/21 08:21	11/10/21 08:00
240-159737-3	DUP-07	Water	11/08/21 00:00	11/10/21 08:00
240-159737-4	MW-137S_110821	Water	11/08/21 14:13	11/10/21 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: TRIP BLANK_81

Lab Sample ID: 240-159737-1

No Detections.

Client Sample ID: MW-80SR_110821

Lab Sample ID: 240-159737-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	3.6		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: DUP-07

Lab Sample ID: 240-159737-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	3.4		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-137S_110821

Lab Sample ID: 240-159737-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.65	J	1.0	0.45	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: TRIP BLANK_81

Lab Sample ID: 240-159737-1

Date Collected: 11/08/21 00:00

Matrix: Water

Date Received: 11/10/21 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/17/21 18:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/17/21 18:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 18:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/17/21 18:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 18:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/17/21 18:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		11/17/21 18:46	1
4-Bromofluorobenzene (Surr)	84		56 - 136		11/17/21 18:46	1
Toluene-d8 (Surr)	97		78 - 122		11/17/21 18:46	1
Dibromofluoromethane (Surr)	101		73 - 120		11/17/21 18:46	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: MW-80SR_110821

Lab Sample ID: 240-159737-2

Date Collected: 11/08/21 08:21

Matrix: Water

Date Received: 11/10/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/21 00:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 120					11/18/21 00:21	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/17/21 20:02	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/17/21 20:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/17/21 20:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:02	1
Vinyl chloride	3.6		1.0	0.45	ug/L			11/17/21 20:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					11/17/21 20:02	1
4-Bromofluorobenzene (Surr)	85		56 - 136					11/17/21 20:02	1
Toluene-d8 (Surr)	99		78 - 122					11/17/21 20:02	1
Dibromofluoromethane (Surr)	103		73 - 120					11/17/21 20:02	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: DUP-07

Lab Sample ID: 240-159737-3

Date Collected: 11/08/21 00:00

Matrix: Water

Date Received: 11/10/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/21 00:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120		11/18/21 00:45	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/17/21 20:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/17/21 20:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/17/21 20:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:27	1
Vinyl chloride	3.4		1.0	0.45	ug/L			11/17/21 20:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		11/17/21 20:27	1
4-Bromofluorobenzene (Surr)	82		56 - 136		11/17/21 20:27	1
Toluene-d8 (Surr)	98		78 - 122		11/17/21 20:27	1
Dibromofluoromethane (Surr)	102		73 - 120		11/17/21 20:27	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: MW-137S_110821

Lab Sample ID: 240-159737-4

Date Collected: 11/08/21 14:13

Matrix: Water

Date Received: 11/10/21 08:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/18/21 01:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		66 - 120		11/18/21 01:09	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/17/21 20:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/17/21 20:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/17/21 20:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 20:52	1
Vinyl chloride	0.65	J	1.0	0.45	ug/L			11/17/21 20:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137		11/17/21 20:52	1
4-Bromofluorobenzene (Surr)	80		56 - 136		11/17/21 20:52	1
Toluene-d8 (Surr)	95		78 - 122		11/17/21 20:52	1
Dibromofluoromethane (Surr)	101		73 - 120		11/17/21 20:52	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-159737-1	TRIP BLANK_81	111	84	97	101
240-159737-2	MW-80SR_110821	112	85	99	103
240-159737-3	DUP-07	110	82	98	102
240-159737-4	MW-137S_110821	113	80	95	101
240-159739-E-3 MS	Matrix Spike	103	96	98	96
240-159739-H-3 MSD	Matrix Spike Duplicate	102	101	102	100
LCS 240-513438/9	Lab Control Sample	105	99	96	102
MB 240-513438/7	Method Blank	112	82	95	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (66-120)
240-159642-H-3 MS	Matrix Spike	87
240-159642-M-3 MSD	Matrix Spike Duplicate	87
240-159737-2	MW-80SR_110821	88
240-159737-3	DUP-07	86
240-159737-4	MW-137S_110821	86
LCS 240-513480/3	Lab Control Sample	84
MB 240-513480/4	Method Blank	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-513438/7
Matrix: Water
Analysis Batch: 513438

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/17/21 13:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/17/21 13:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 13:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/17/21 13:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/17/21 13:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/17/21 13:28	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		11/17/21 13:28	1
4-Bromofluorobenzene (Surr)	82		56 - 136		11/17/21 13:28	1
Toluene-d8 (Surr)	95		78 - 122		11/17/21 13:28	1
Dibromofluoromethane (Surr)	102		73 - 120		11/17/21 13:28	1

Lab Sample ID: LCS 240-513438/9
Matrix: Water
Analysis Batch: 513438

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	26.4		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	24.2		ug/L		97	77 - 123
Tetrachloroethene	25.0	30.7		ug/L		123	76 - 123
trans-1,2-Dichloroethene	25.0	25.7		ug/L		103	75 - 124
Trichloroethene	25.0	25.0		ug/L		100	70 - 122
Vinyl chloride	25.0	24.9		ug/L		100	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-159739-E-3 MS
Matrix: Water
Analysis Batch: 513438

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	21.7		ug/L		87	66 - 128
Tetrachloroethene	1.0	U	25.0	29.7		ug/L		119	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	23.3		ug/L		93	56 - 136
Trichloroethene	1.0	U	25.0	24.1		ug/L		96	61 - 124
Vinyl chloride	1.0	U	25.0	21.0		ug/L		84	43 - 157

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	98		78 - 122

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-159739-E-3 MS
Matrix: Water
Analysis Batch: 513438

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-159739-H-3 MSD
Matrix: Water
Analysis Batch: 513438

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	24.5		ug/L		98	56 - 135	7	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	66 - 128	3	14
Tetrachloroethene	1.0	U	25.0	29.4		ug/L		118	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	25.0	24.2		ug/L		97	56 - 136	4	15
Trichloroethene	1.0	U	25.0	23.4		ug/L		94	61 - 124	3	15
Vinyl chloride	1.0	U	25.0	23.5		ug/L		94	43 - 157	11	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-513480/4
Matrix: Water
Analysis Batch: 513480

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/17/21 19:58	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		66 - 120		11/17/21 19:58	1

Lab Sample ID: LCS 240-513480/3
Matrix: Water
Analysis Batch: 513480

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.37		ug/L		94	80 - 122

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		66 - 120

Lab Sample ID: 240-159642-H-3 MS
Matrix: Water
Analysis Batch: 513480

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U F1	10.0	10.3		ug/L		103	51 - 153

Eurofins TestAmerica, Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	87		66 - 120

Lab Sample ID: 240-159642-M-3 MSD
Matrix: Water
Analysis Batch: 513480

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec.</i> <i>Limits</i>	<i>RPD</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U F1	10.0	9.57		ug/L		96	51 - 153	7	16

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	87		66 - 120

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

GC/MS VOA

Analysis Batch: 513438

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159737-1	TRIP BLANK_81	Total/NA	Water	8260B	
240-159737-2	MW-80SR_110821	Total/NA	Water	8260B	
240-159737-3	DUP-07	Total/NA	Water	8260B	
240-159737-4	MW-137S_110821	Total/NA	Water	8260B	
MB 240-513438/7	Method Blank	Total/NA	Water	8260B	
LCS 240-513438/9	Lab Control Sample	Total/NA	Water	8260B	
240-159739-E-3 MS	Matrix Spike	Total/NA	Water	8260B	
240-159739-H-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

Analysis Batch: 513480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-159737-2	MW-80SR_110821	Total/NA	Water	8260B SIM	
240-159737-3	DUP-07	Total/NA	Water	8260B SIM	
240-159737-4	MW-137S_110821	Total/NA	Water	8260B SIM	
MB 240-513480/4	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-513480/3	Lab Control Sample	Total/NA	Water	8260B SIM	
240-159642-H-3 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-159642-M-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Client Sample ID: TRIP BLANK_81

Lab Sample ID: 240-159737-1

Date Collected: 11/08/21 00:00

Matrix: Water

Date Received: 11/10/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513438	11/17/21 18:46	SAM	TAL CAN

Client Sample ID: MW-80SR_110821

Lab Sample ID: 240-159737-2

Date Collected: 11/08/21 08:21

Matrix: Water

Date Received: 11/10/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513438	11/17/21 20:02	SAM	TAL CAN
Total/NA	Analysis	8260B SIM		1	513480	11/18/21 00:21	CS	TAL CAN

Client Sample ID: DUP-07

Lab Sample ID: 240-159737-3

Date Collected: 11/08/21 00:00

Matrix: Water

Date Received: 11/10/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513438	11/17/21 20:27	SAM	TAL CAN
Total/NA	Analysis	8260B SIM		1	513480	11/18/21 00:45	CS	TAL CAN

Client Sample ID: MW-137S_110821

Lab Sample ID: 240-159737-4

Date Collected: 11/08/21 14:13

Matrix: Water

Date Received: 11/10/21 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	513438	11/17/21 20:52	SAM	TAL CAN
Total/NA	Analysis	8260B SIM		1	513480	11/18/21 01:09	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-159737-1

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-21
Minnesota	NELAP	OH00048	12-31-21
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	03-31-22
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-18-10	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-22
West Virginia DEP	State	210	12-31-21

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Regulatory program: DW NPDES RCRA Other

Client Contact: Arcadis
Address: 28550 Cabot Drive, Suite 500
City/State/Zip: Novi, MI, 48377
Phone: 248-994-2240

Client Project Manager: Kris Hinesky
Telephone: 248-994-2240
Email: krstoffer.hinesky@arcadis.com

Site Contact: Julia McClafferty
Telephone: 734-644-5131
Analysis Turnaround Time: 10 day

Sampler Name: Sommer Guy
Method of Shipments/Carrier:
Shipping/Tracking No:

Sample Identification	Sample Date	Sample Time	Matrix				Containers & Preservatives				Filtered Sample (Y/N)	Composite=C / Grab=G	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2-DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM	Sample Specific Notes / Special Instructions	
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl											NaOH
TRIP BLANK_ 81	-	-	X																		1 Trip Blank
MW-80SR-110821	11/8/21	8:21	X																		3 VOAs for 8260B 3 VOAs for 8260B SIM
DUP-07	11/8/21	14:13	X																		↓
MW-137S-110821	11/8/21	14:13	X																		↓



Possible Hazard Identification: Non-Hazard Irritant Poison B Unknown

Special Instructions/QC Requirements & Comments:

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Sommer Guy	Arcadis	11/8/21 15:30	Novi Cold Storage	Arcadis	11/8/21 15:30
<i>[Signature]</i>	Arcadis	11/9/21 1040	<i>[Signature]</i>	ETA	11/9/21 1040
<i>[Signature]</i>	ETA	11/9/21 1055	Mandaryn Black	ETA	11-10-21 8:00

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
Level IV Reporting requested.

©2019 TestAmerica Laboratories, Inc. All Rights Reserved. TestAmerica & Logo are trademarks of TestAmerica Laboratories, Inc.

Eurofins TestAmerica Canton Sample Receipt Form/Narrative

Login # : 59737

Canton Facility

Client Arcadis Site Name _____

Cooler unpacked by: Mandy Blue

Cooler Received on 11-10-21 Opened on 11-10-21

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN #IR-15 (CF +0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials? ● ← Larger than this. Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No

17. Was a LL Hg or Me Hg trip blank present? _____ Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by: _____

NO SIM on TB per corrected COC. one 11/10/21

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) trip blank - 81 were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

