

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-163262-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
3/18/2022 9:03:59 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	13
Lab Chronicle . . . . .	14
Certification Summary . . . . .	15
Chain of Custody . . . . .	16

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

---

**Job ID: 240-163262-1**

---

**Laboratory: Eurofins Canton**

---

**Narrative**

**Job Narrative  
240-163262-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 3/4/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.6° C, 2.2° C and 2.8° C.

**GC/MS VOA**

Method 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 240-519517.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

**VOA Prep**

No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-163262-1	TRIP BLANK_100	Water	03/02/22 00:00	03/04/22 08:00
240-163262-2	MW-145S_030222	Water	03/02/22 13:50	03/04/22 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: TRIP BLANK\_100**

**Lab Sample ID: 240-163262-1**

No Detections.

**Client Sample ID: MW-145S\_030222**

**Lab Sample ID: 240-163262-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: TRIP BLANK\_100**

**Lab Sample ID: 240-163262-1**

**Date Collected: 03/02/22 00:00**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/22 17:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/22 17:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/22 17:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/22 17:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		03/09/22 17:03	1
4-Bromofluorobenzene (Surr)	99		56 - 136		03/09/22 17:03	1
Toluene-d8 (Surr)	102		78 - 122		03/09/22 17:03	1
Dibromofluoromethane (Surr)	100		73 - 120		03/09/22 17:03	1



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: MW-145S\_030222**

**Lab Sample ID: 240-163262-2**

**Date Collected: 03/02/22 13:50**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/22 23:07	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	76		66 - 120					03/07/22 23:07	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/22 17:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/22 17:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/22 17:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/22 17:28	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					03/09/22 17:28	1
4-Bromofluorobenzene (Surr)	101		56 - 136					03/09/22 17:28	1
Toluene-d8 (Surr)	103		78 - 122					03/09/22 17:28	1
Dibromofluoromethane (Surr)	99		73 - 120					03/09/22 17:28	1

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-163262-1	TRIP BLANK_100	92	99	102	100
240-163262-2	MW-145S_030222	90	101	103	99
LCS 240-519517/4	Lab Control Sample	82	101	105	93
LCS D 240-519517/6	Lab Control Sample Dup	83	100	103	93
MB 240-519517/8	Method Blank	89	102	102	100

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA (66-120)
240-163262-2	MW-145S_030222	76
240-163303-I-5 MS	Matrix Spike	76
240-163303-O-5 MSD	Matrix Spike Duplicate	75
LCS 240-519340/4	Lab Control Sample	74
MB 240-519340/5	Method Blank	77

#### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-519517/8**  
**Matrix: Water**  
**Analysis Batch: 519517**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/22 12:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/22 12:50	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 12:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/22 12:50	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 12:50	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/22 12:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		62 - 137		03/09/22 12:50	1
4-Bromofluorobenzene (Surr)	102		56 - 136		03/09/22 12:50	1
Toluene-d8 (Surr)	102		78 - 122		03/09/22 12:50	1
Dibromofluoromethane (Surr)	100		73 - 120		03/09/22 12:50	1

**Lab Sample ID: LCS 240-519517/4**  
**Matrix: Water**  
**Analysis Batch: 519517**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	20.0	24.4		ug/L		122	63 - 134
cis-1,2-Dichloroethene	20.0	20.5		ug/L		102	77 - 123
Tetrachloroethene	20.0	19.5		ug/L		98	76 - 123
trans-1,2-Dichloroethene	20.0	21.8		ug/L		109	75 - 124
Trichloroethene	20.0	19.9		ug/L		99	70 - 122
Vinyl chloride	20.0	16.9		ug/L		84	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

**Lab Sample ID: LCSD 240-519517/6**  
**Matrix: Water**  
**Analysis Batch: 519517**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	20.0	24.0		ug/L		120	63 - 134	2	35
cis-1,2-Dichloroethene	20.0	20.0		ug/L		100	77 - 123	2	35
Tetrachloroethene	20.0	19.3		ug/L		96	76 - 123	1	35
trans-1,2-Dichloroethene	20.0	21.5		ug/L		107	75 - 124	1	35
Trichloroethene	20.0	20.1		ug/L		100	70 - 122	1	35
Vinyl chloride	20.0	18.0		ug/L		90	60 - 144	6	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	103		78 - 122

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCSD 240-519517/6**  
**Matrix: Water**  
**Analysis Batch: 519517**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

	LCSD	LCSD	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
Dibromofluoromethane (Surr)	93		73 - 120

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-519340/5**  
**Matrix: Water**  
**Analysis Batch: 519340**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

<i>Analyte</i>	MB	MB							
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/22 18:22	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	77		66 - 120					03/07/22 18:22	1

**Lab Sample ID: LCS 240-519340/4**  
**Matrix: Water**  
**Analysis Batch: 519340**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

<i>Analyte</i>		Spike		LCS	LCS				%Rec.
		Added		Result	Qualifier	Unit	D	%Rec	Limits
1,4-Dioxane		10.0		10.9		ug/L		109	80 - 122
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>						
1,2-Dichloroethane-d4 (Surr)	74		66 - 120						

**Lab Sample ID: 240-163303-I-5 MS**  
**Matrix: Water**  
**Analysis Batch: 519340**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

<i>Analyte</i>	Sample	Sample	Spike		MS	MS				%Rec.
	Result	Qualifier	Added		Result	Qualifier	Unit	D	%Rec	Limits
1,4-Dioxane	2.0	U	10.0		11.2		ug/L		112	51 - 153
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>							
1,2-Dichloroethane-d4 (Surr)	76		66 - 120							

**Lab Sample ID: 240-163303-O-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 519340**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	Sample	Sample	Spike		MSD	MSD				%Rec.		RPD
	Result	Qualifier	Added		Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0		11.3		ug/L		113	51 - 153	1	16
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>									
1,2-Dichloroethane-d4 (Surr)	75		66 - 120									

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## GC/MS VOA

### Analysis Batch: 519340

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-163262-2	MW-145S_030222	Total/NA	Water	8260B SIM	
MB 240-519340/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-519340/4	Lab Control Sample	Total/NA	Water	8260B SIM	
240-163303-I-5 MS	Matrix Spike	Total/NA	Water	8260B SIM	
240-163303-O-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B SIM	

### Analysis Batch: 519517

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-163262-1	TRIP BLANK_100	Total/NA	Water	8260B	
240-163262-2	MW-145S_030222	Total/NA	Water	8260B	
MB 240-519517/8	Method Blank	Total/NA	Water	8260B	
LCS 240-519517/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 240-519517/6	Lab Control Sample Dup	Total/NA	Water	8260B	

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: TRIP BLANK\_100**

**Lab Sample ID: 240-163262-1**

**Date Collected: 03/02/22 00:00**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519517	03/09/22 17:03	HMB	TAL CAN

**Client Sample ID: MW-145S\_030222**

**Lab Sample ID: 240-163262-2**

**Date Collected: 03/02/22 13:50**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	519517	03/09/22 17:28	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	519340	03/07/22 23:07	CS	TAL CAN

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

## Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22 *
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Chain of Custody Record

TestAmerica Laboratory location Brighton — 10448 Cilation Drive Suite 200 / Brighton MI 48116 / 810-229-2763

Client Contact		Regulatory program		DW	NPDES	RCRA	Other							
Company Name: Arcadis		Client Project Manager: Kris Hinskey												
Address: 28550 Cabot Drive, Suite 500		Telephone 248-994-2240		Lab Contact: Mike DeLMonico										
City/State/Zip: Novi, MI, 48377		Email kris@hinskey.com		Telephone: 330-497-9396										
Phone: 248-994-2240		Analysis Turnaround Time		COC No										
Project Name: Ford LTP Off-Site		TAT (different from below)		1 of 1 COCs										
Project Number: 30080642.402.04		10 day		For lab use only										
PO #: 30080642.402.04		3 weeks		Walk-in client										
		2 weeks		Lab sampling										
		1 week		Job/SDG No										
		2 days		Sample Specific Notes / Special Instructions										
		1 day		1 Trip Blank										
				3 VOAs for: 8260B										
				3 VOAs for: 8260B SIM										
Sample Identification	Sample Date	Sample Time	Matrix	Filtered Sample (Y/N)	Composite=C / Grab=G	1-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2 DCE 8260B	PCE 8260B	TCE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM		
TRIP BLANK_100	3/12/22	1350	Air	NG		X	X	X	X	X	X			
MW-1455-030222	3/12/22	1350	Aqueous	NG		Y	Y	Y	Y	Y	Y			
			Sediment											
			Solid											
			Other											
			H2SO4											
			HNO3											
			HCl											
			NaOH											
			ZnAc											
			NaOH											
			Other											
Possible Hazard Identification			Matrix	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)										
Non-Hazard				Return to Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months										
Flammable				Unknown										
Skin Irritant				Unknown										
Special Instructions/QC Requirements & Comments				240-163262 Chain of Custody										
Sample Address: 12087 Starke				Submit all results through Cadena at tomalia@cadenaco.com Cadena #E203631										
Level IV Reporting requested														
Relinquished by: <i>Anna Davis</i>	Company: Arcadis	Date/Time: 3/12/22 1300	Received by: <i>Nov. Cold Storage</i>	Company: Arcadis	Date/Time: 3/12/22 1315	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 3-3-22 1316	Received by: <i>[Signature]</i>	Company: EETA	Date/Time: 3-3-22 1316	Received by: <i>[Signature]</i>	Company: EETA	Date/Time: 3-4-22 800
Relinquished by: <i>Anna Davis</i>	Company: Arcadis	Date/Time: 3/12/22 1315	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 3-3-22 1350	Received by: <i>[Signature]</i>	Company: EETA	Date/Time: 3-3-22 1350	Received by: <i>[Signature]</i>	Company: EETA	Date/Time: 3-3-22 1350	Received by: <i>[Signature]</i>	Company: EETA	Date/Time: 3-3-22 1350





**Eurofins TestAmerica Canton Sample Receipt Form/Narrative**  
**Canton Facility**


Login # : 163262

Client Arcoadis Site Name \_\_\_\_\_  
 Cooler Received on 3-4-22 Opened on 3-4-22  
 FedEx. 1<sup>st</sup> Grd Exp UPS FAS Chipper Client Drop Off TestAmerica Courier Other

Cooler unpacked by  
A. Camp

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # FA Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C  
 IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 ea Yes No  
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No  
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials?  ← Larger than this Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 01042019 Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:  
  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

**18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES**  additional next page Samples processed by \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**19. SAMPLE CONDITION**  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

**20. SAMPLE PRESERVATION**  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

Login #: 163262

**Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form**

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
TA	Client	Box	Other	IR-14 IR-15	3-0	2-8	Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15	1-8	1-6	Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15	2-4	2-2	Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None
TA	Client	Box	Other	IR-14 IR-15			Wet Ice	Blue Ice	Dry Ice
							Water	None	None

See Temperature Excursion Form

WI-NC-099 Cooler Receipt Form Page 2 – Multiple Coolers



# DATA VERIFICATION REPORT



March 18, 2022

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.402.04 WA04 OFF-SITE GW

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - North Central

Laboratory submittal: 163262-1

Sample date: 2022-03-02

Report received by CADENA: 2022-03-18

Initial Data Verification completed by CADENA: 2022-03-18

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch did not include MS/MSD recovery data due to insufficient sample volume available for spiking according to the laboratory submittal case narrative.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, LCS/LCD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - North Central

Laboratory Submittal: 163262-1

Sample Name: TRIP BLANK\_100 MW-145S\_030222  
 Lab Sample ID: 2401632621 2401632622  
 Sample Date: 3/2/2022 3/2/2022

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260B</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260BBSim</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---

# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-163262-1

CADENA Verification Report: 2022-03-18

Analyses Performed By:


TestAmerica

North Canton, Ohio

Report # 45028R

Review Level: Tier III

Project: 30080642.402.02

A large, solid orange geometric shape, resembling a right-angled triangle or a trapezoid, is positioned in the bottom right corner of the page. It is oriented with its hypotenuse facing upwards and to the right. A thin white diagonal line runs from the bottom-left corner of the shape towards the top-right corner. A thin white horizontal line runs across the page, intersecting the orange shape.

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-163262-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_100	240-163262-1	Water	03/02/2022		X	
MW-145S_030222	240-163262-2	Water	03/02/2022		X	X



## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260B/8260B-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample is not collected for samples from this SDG.

#### 6. Compound Identification

## **DATA REVIEW**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 8260B/8260B-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Tier II Validation</b>					
Holding times/Preservation		X		X	
<b>Tier III Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD	X				X
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD Relative standard deviation


%R Percent recovery

RPD Relative percent difference

%D Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Bhagyashree Fulzele

SIGNATURE: 

DATE: March 29, 2022

PEER REVIEW: Andrew Korycinski

DATE: March 30, 2022

**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**





## Chain of Custody Record

TestAmerica Laboratory location Brighton — 10448 Citation Drive Suite 200 / Brighton MI 48116 / 810-229-2763

Client Contact		Regulatory program		DW		NPDES		RCRA		Other		TestAmerica Laboratories, Inc.													
Company Name: Arcadis		Client Project Manager: Kris Hinskey		Site Contact: Julia McClafferty		Lab Contact: Mike DelMonico		COC No																	
Address: 28550 Cabot Drive, Suite 500		Telephone 248-994-2240		Telephone 734-644-5131		Telephone: 330-497-9396		1 of 1 COCs		For lab use only															
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com		Analysis Turnaround Time		Analyses				Walk-in client															
Phone: 248-994-2240		Sampler Name: <i>Christian Gardo</i>		TAT (different from below): 10 day		Filtered Sample (Y/N)		Composite=C / Grab=G				Lab sampling													
Project Name: Ford LTP Off-Site		Method of Shipment/Carrier		3 weeks		11-DCE 8260B		cis-1,2-DCE 8260B		Trans-1,2 DCE 8260B		Job/SDG No													
Project Number: 30080642.402.04		Shipping/Tracking No		2 weeks		PCE 8260B		TOE 8260B		Vinyl Chloride 8260B		Sample Specific Notes / Special Instructions													
PO # 30080642.402.04				1 week		1,4-Dioxane 8260B SIM						1 Trip Blank													
				2 days								3 VOAs for 8260B													
				1 day								3 VOAs for 8260B SIM													
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives							Sample Specific Notes / Special Instructions									
				Air	Aqueous	Sediment	Solid	Other	H2SO4	HN03	HCl	NaOH	ZnAc/NaOH	Unpres	Other		Filtered Sample (Y/N)	Composite=C / Grab=G	11-DCE 8260B	cis-1,2-DCE 8260B	Trans-1,2 DCE 8260B	PCE 8260B	TOE 8260B	Vinyl Chloride 8260B	1,4-Dioxane 8260B SIM
TRIP BLANK_100		3/4/22	-		X						1					NG	X	X	X	X	X	X			
MW-1455-030222		3/2/22	1350		X						6					NG	X	X	X	X	X	X			
Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																					
Special Instructions/QC Requirements & Comments																									
Sample Address: <i>12087 Starke</i>																									
Submit all results through Cadena at jtomalia@cadenaco.com Cadena #E203631																									
Level IV Reporting requested																									
Relinquished by: <i>Amadeo</i>		Company: Arcadis		Date/Time: 3/2/22 1500		Received by: <i>Novi Cold Storage</i>		Company: Arcadis		Date/Time: 3/2/22 1300															
Relinquished by: <i>Attardo</i>		Company: Arcadis		Date/Time: 3/3/22 1315		Received by: <i>[Signature]</i>		Company: EETA		Date/Time: 3/3/22 1316															
Relinquished by: <i>[Signature]</i>		Company: EETA		Date/Time: 3-3-22 1350		Received in Laboratory by: <i>[Signature]</i>		Company: EETAK		Date/Time: 3/3/22 800															



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: TRIP BLANK\_100**

**Lab Sample ID: 240-163262-1**

**Date Collected: 03/02/22 00:00**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/22 17:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/22 17:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/22 17:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/22 17:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		03/09/22 17:03	1
4-Bromofluorobenzene (Surr)	99		56 - 136		03/09/22 17:03	1
Toluene-d8 (Surr)	102		78 - 122		03/09/22 17:03	1
Dibromofluoromethane (Surr)	100		73 - 120		03/09/22 17:03	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163262-1

**Client Sample ID: MW-145S\_030222**

**Lab Sample ID: 240-163262-2**

**Date Collected: 03/02/22 13:50**

**Matrix: Water**

**Date Received: 03/04/22 08:00**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/07/22 23:07	1
<b>Surrogate</b>									
	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	76		66 - 120					03/07/22 23:07	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/09/22 17:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/09/22 17:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/09/22 17:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/09/22 17:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/09/22 17:28	1
<b>Surrogate</b>									
	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	90		62 - 137					03/09/22 17:28	1
4-Bromofluorobenzene (Surr)	101		56 - 136					03/09/22 17:28	1
Toluene-d8 (Surr)	103		78 - 122					03/09/22 17:28	1
Dibromofluoromethane (Surr)	99		73 - 120					03/09/22 17:28	1