

## ANALYTICAL REPORT

Eurofins Canton  
180 S. Van Buren Avenue  
Barberton, OH 44203  
Tel: (330)497-9396

Laboratory Job ID: 240-163399-1  
Client Project/Site: Ford LTP - Off Site

For:  
ARCADIS U.S., Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Attn: Kristoffer Hinskey



---

Authorized for release by:  
3/22/2022 10:13:45 AM

Michael DelMonico, Project Manager I  
(330)497-9396  
[Michael.DelMonico@Eurofinset.com](mailto:Michael.DelMonico@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Definitions/Glossary . . . . .   | 3  |
| Case Narrative . . . . .         | 4  |
| Method Summary . . . . .         | 5  |
| Sample Summary . . . . .         | 6  |
| Detection Summary . . . . .      | 7  |
| Client Sample Results . . . . .  | 8  |
| Surrogate Summary . . . . .      | 10 |
| QC Sample Results . . . . .      | 11 |
| QC Association Summary . . . . . | 14 |
| Lab Chronicle . . . . .          | 15 |
| Certification Summary . . . . .  | 16 |
| Chain of Custody . . . . .       | 17 |
| Receipt Checklists . . . . .     | 20 |

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

---

## Job ID: 240-163399-1

---

### Laboratory: Eurofins Canton

#### Narrative

---

#### Job Narrative 240-163399-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 3/8/2022 9:50 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.8° C and 1.3° C.

#### GC/MS VOA

Method 8260B: The continuing calibration verification (CCV) associated with batch 519495 recovered above the upper control limit for Vinyl Chloride. The samples associated with this CCV were non-detect for the affected analyte; therefore, the data have been reported. The associated samples are impacted: TRIP BLANK\_96 (240-163399-1) and MW-103S\_030122 (240-163399-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

| Method    | Method Description                 | Protocol | Laboratory |
|-----------|------------------------------------|----------|------------|
| 8260B     | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 8260B SIM | Volatile Organic Compounds (GC/MS) | SW846    | TAL CAN    |
| 5030B     | Purge and Trap                     | SW846    | TAL CAN    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# Sample Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

---

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 240-163399-1  | TRIP BLANK_96    | Water  | 03/01/22 00:00 | 03/08/22 14:15 |
| 240-163399-2  | MW-103S_030122   | Water  | 03/01/22 14:11 | 03/08/22 14:15 |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: TRIP BLANK\_96**

**Lab Sample ID: 240-163399-1**

No Detections.

**Client Sample ID: MW-103S\_030122**

**Lab Sample ID: 240-163399-2**

No Detections.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

This Detection Summary does not include radiochemical test results.

Eurofins Canton

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: TRIP BLANK\_96**

**Lab Sample ID: 240-163399-1**

**Date Collected: 03/01/22 00:00**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/09/22 20:02 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 20:02 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/09/22 20:02 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 76        |           | 62 - 137 |          | 03/09/22 20:02 | 1       |
| 4-Bromofluorobenzene (Surr)  | 109       |           | 56 - 136 |          | 03/09/22 20:02 | 1       |
| Toluene-d8 (Surr)            | 80        |           | 78 - 122 |          | 03/09/22 20:02 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 73 - 120 |          | 03/09/22 20:02 | 1       |



# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: MW-103S\_030122**

**Lab Sample ID: 240-163399-2**

**Date Collected: 03/01/22 14:11**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,4-Dioxane                  | 2.0              | U                | 2.0           | 0.86 | ug/L |   |                 | 03/14/22 20:46  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 79               |                  | 66 - 120      |      |      |   |                 | 03/14/22 20:46  | 1              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene           | 1.0              | U                | 1.0           | 0.49 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| cis-1,2-Dichloroethene       | 1.0              | U                | 1.0           | 0.46 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Tetrachloroethene            | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| trans-1,2-Dichloroethene     | 1.0              | U                | 1.0           | 0.51 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Trichloroethene              | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Vinyl chloride               | 1.0              | U                | 1.0           | 0.45 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 76               |                  | 62 - 137      |      |      |   |                 | 03/09/22 20:26  | 1              |
| 4-Bromofluorobenzene (Surr)  | 107              |                  | 56 - 136      |      |      |   |                 | 03/09/22 20:26  | 1              |
| Toluene-d8 (Surr)            | 79               |                  | 78 - 122      |      |      |   |                 | 03/09/22 20:26  | 1              |
| Dibromofluoromethane (Surr)  | 97               |                  | 73 - 120      |      |      |   |                 | 03/09/22 20:26  | 1              |

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID       | DCA      | BFB      | TOL      | DBFM     |
|--------------------|------------------------|----------|----------|----------|----------|
|                    |                        | (62-137) | (56-136) | (78-122) | (73-120) |
| 240-163303-E-5 MSD | Matrix Spike Duplicate | 81       | 115      | 81       | 96       |
| 240-163303-H-5 MS  | Matrix Spike           | 79       | 114      | 79       | 92       |
| 240-163399-1       | TRIP BLANK_96          | 76       | 109      | 80       | 102      |
| 240-163399-2       | MW-103S_030122         | 76       | 107      | 79       | 97       |
| LCS 240-519495/5   | Lab Control Sample     | 73       | 119      | 86       | 92       |
| MB 240-519495/8    | Method Blank           | 75       | 109      | 79       | 93       |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID       | DCA      |
|--------------------|------------------------|----------|
|                    |                        | (66-120) |
| 240-163399-2       | MW-103S_030122         | 79       |
| 240-163560-E-5 MS  | Matrix Spike           | 82       |
| 240-163560-E-5 MSD | Matrix Spike Duplicate | 83       |
| LCS 240-519881/4   | Lab Control Sample     | 80       |
| MB 240-519881/5    | Method Blank           | 80       |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-519495/8**  
**Matrix: Water**  
**Analysis Batch: 519495**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

| Analyte                  | MB MB  |           | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|                          | Result | Qualifier |     |      |      |   |          |                |         |
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/09/22 12:20 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/09/22 12:20 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 12:20 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/09/22 12:20 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 12:20 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/09/22 12:20 | 1       |

| Surrogate                    | MB MB     |           | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 75        |           | 62 - 137 |          | 03/09/22 12:20 | 1       |
| 4-Bromofluorobenzene (Surr)  | 109       |           | 56 - 136 |          | 03/09/22 12:20 | 1       |
| Toluene-d8 (Surr)            | 79        |           | 78 - 122 |          | 03/09/22 12:20 | 1       |
| Dibromofluoromethane (Surr)  | 93        |           | 73 - 120 |          | 03/09/22 12:20 | 1       |

**Lab Sample ID: LCS 240-519495/5**  
**Matrix: Water**  
**Analysis Batch: 519495**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

| Analyte                  | Spike Added | LCS LCS |           | Unit | D | %Rec | %Rec. Limits |
|--------------------------|-------------|---------|-----------|------|---|------|--------------|
|                          |             | Result  | Qualifier |      |   |      |              |
| 1,1-Dichloroethene       | 20.0        | 24.0    |           | ug/L |   | 120  | 63 - 134     |
| cis-1,2-Dichloroethene   | 20.0        | 22.4    |           | ug/L |   | 112  | 77 - 123     |
| Tetrachloroethene        | 20.0        | 18.7    |           | ug/L |   | 94   | 76 - 123     |
| trans-1,2-Dichloroethene | 20.0        | 23.8    |           | ug/L |   | 119  | 75 - 124     |
| Trichloroethene          | 20.0        | 23.2    |           | ug/L |   | 116  | 70 - 122     |
| Vinyl chloride           | 20.0        | 25.6    |           | ug/L |   | 128  | 60 - 144     |

| Surrogate                    | LCS LCS   |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 73        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 119       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 86        |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 92        |           | 73 - 120 |

**Lab Sample ID: 240-163303-E-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 519495**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

| Analyte                  | Sample Result | Sample Qualifier | Spike Added | MSD MSD |           | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|--------------------------|---------------|------------------|-------------|---------|-----------|------|---|------|--------------|-----|-----------|
|                          |               |                  |             | Result  | Qualifier |      |   |      |              |     |           |
| 1,1-Dichloroethene       | 1.0           | U                | 20.0        | 22.7    |           | ug/L |   | 113  | 56 - 135     | 0   | 26        |
| cis-1,2-Dichloroethene   | 1.0           | U                | 20.0        | 21.6    |           | ug/L |   | 108  | 66 - 128     | 3   | 14        |
| Tetrachloroethene        | 1.0           | U                | 20.0        | 17.1    |           | ug/L |   | 86   | 62 - 131     | 2   | 20        |
| trans-1,2-Dichloroethene | 1.0           | U                | 20.0        | 22.8    |           | ug/L |   | 114  | 56 - 136     | 3   | 15        |
| Trichloroethene          | 1.0           | U                | 20.0        | 22.2    |           | ug/L |   | 111  | 61 - 124     | 1   | 15        |
| Vinyl chloride           | 1.0           | U                | 20.0        | 25.0    |           | ug/L |   | 125  | 43 - 157     | 3   | 24        |

| Surrogate                    | MSD MSD   |           | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 81        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 115       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 81        |           | 78 - 122 |

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 240-163303-E-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 519495**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

| Surrogate                   | MSD %Recovery | MSD Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| Dibromofluoromethane (Surr) | 96            |               | 73 - 120 |

**Lab Sample ID: 240-163303-H-5 MS**  
**Matrix: Water**  
**Analysis Batch: 519495**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

| Analyte                  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|--------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| 1,1-Dichloroethene       | 1.0           | U                | 20.0        | 22.7      |              | ug/L |   | 114  | 56 - 135     |
| cis-1,2-Dichloroethene   | 1.0           | U                | 20.0        | 22.3      |              | ug/L |   | 111  | 66 - 128     |
| Tetrachloroethene        | 1.0           | U                | 20.0        | 17.4      |              | ug/L |   | 87   | 62 - 131     |
| trans-1,2-Dichloroethene | 1.0           | U                | 20.0        | 23.5      |              | ug/L |   | 117  | 56 - 136     |
| Trichloroethene          | 1.0           | U                | 20.0        | 22.5      |              | ug/L |   | 112  | 61 - 124     |
| Vinyl chloride           | 1.0           | U                | 20.0        | 25.9      |              | ug/L |   | 129  | 43 - 157     |

| Surrogate                    | MS %Recovery | MS Qualifier | Limits   |
|------------------------------|--------------|--------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 79           |              | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 114          |              | 56 - 136 |
| Toluene-d8 (Surr)            | 79           |              | 78 - 122 |
| Dibromofluoromethane (Surr)  | 92           |              | 73 - 120 |

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-519881/5**  
**Matrix: Water**  
**Analysis Batch: 519881**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

| Analyte     | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0       | U            | 2.0 | 0.86 | ug/L |   |          | 03/14/22 18:24 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 80           |              | 66 - 120 |          | 03/14/22 18:24 | 1       |

**Lab Sample ID: LCS 240-519881/4**  
**Matrix: Water**  
**Analysis Batch: 519881**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

| Analyte     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|-------------|------------|---------------|------|---|------|--------------|
| 1,4-Dioxane | 10.0        | 10.6       |               | ug/L |   | 106  | 80 - 122     |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 80            |               | 66 - 120 |

**Lab Sample ID: 240-163560-E-5 MS**  
**Matrix: Water**  
**Analysis Batch: 519881**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

| Analyte     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| 1,4-Dioxane | 1.3           | J                | 10.0        | 12.1      |              | ug/L |   | 108  | 51 - 153     |

Eurofins Canton

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

| <i>Surrogate</i>             | <i>%Recovery</i> | <i>MS MS<br/>Qualifier</i> | <i>Limits</i> |
|------------------------------|------------------|----------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 82               |                            | 66 - 120      |

**Lab Sample ID: 240-163560-E-5 MSD**  
**Matrix: Water**  
**Analysis Batch: 519881**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

| <i>Analyte</i> | <i>Sample<br/>Result</i> | <i>Sample<br/>Qualifier</i> | <i>Spike<br/>Added</i> | <i>MSD<br/>Result</i> | <i>MSD<br/>Qualifier</i> | <i>Unit</i> | <i>D</i> | <i>%Rec</i> | <i>%Rec.<br/>Limits</i> | <i>RPD</i> | <i>RPD<br/>Limit</i> |
|----------------|--------------------------|-----------------------------|------------------------|-----------------------|--------------------------|-------------|----------|-------------|-------------------------|------------|----------------------|
| 1,4-Dioxane    | 1.3                      | J                           | 10.0                   | 12.1                  |                          | ug/L        |          | 108         | 51 - 153                | 0          | 16                   |

| <i>Surrogate</i>             | <i>%Recovery</i> | <i>MSD MSD<br/>Qualifier</i> | <i>Limits</i> |
|------------------------------|------------------|------------------------------|---------------|
| 1,2-Dichloroethane-d4 (Surr) | 83               |                              | 66 - 120      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## GC/MS VOA

### Analysis Batch: 519495

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 240-163399-1       | TRIP BLANK_96          | Total/NA  | Water  | 8260B  |            |
| 240-163399-2       | MW-103S_030122         | Total/NA  | Water  | 8260B  |            |
| MB 240-519495/8    | Method Blank           | Total/NA  | Water  | 8260B  |            |
| LCS 240-519495/5   | Lab Control Sample     | Total/NA  | Water  | 8260B  |            |
| 240-163303-E-5 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B  |            |
| 240-163303-H-5 MS  | Matrix Spike           | Total/NA  | Water  | 8260B  |            |

### Analysis Batch: 519881

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-163399-2       | MW-103S_030122         | Total/NA  | Water  | 8260B SIM |            |
| MB 240-519881/5    | Method Blank           | Total/NA  | Water  | 8260B SIM |            |
| LCS 240-519881/4   | Lab Control Sample     | Total/NA  | Water  | 8260B SIM |            |
| 240-163560-E-5 MS  | Matrix Spike           | Total/NA  | Water  | 8260B SIM |            |
| 240-163560-E-5 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B SIM |            |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: TRIP BLANK\_96**

**Lab Sample ID: 240-163399-1**

**Date Collected: 03/01/22 00:00**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 519495       | 03/09/22 20:02       | LEE     | TAL CAN |

**Client Sample ID: MW-103S\_030122**

**Lab Sample ID: 240-163399-2**

**Date Collected: 03/01/22 14:11**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B        |     | 1               | 519495       | 03/09/22 20:26       | LEE     | TAL CAN |
| Total/NA  | Analysis   | 8260B SIM    |     | 1               | 519881       | 03/14/22 20:46       | CS      | TAL CAN |

**Laboratory References:**

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

## Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority             | Program | Identification Number | Expiration Date |
|-----------------------|---------|-----------------------|-----------------|
| California            | State   | 2927                  | 02-23-22 *      |
| Connecticut           | State   | PH-0590               | 12-31-21 *      |
| Florida               | NELAP   | E87225                | 06-30-22        |
| Georgia               | State   | 4062                  | 02-23-22 *      |
| Illinois              | NELAP   | 200004                | 07-31-22        |
| Iowa                  | State   | 421                   | 06-01-23        |
| Kansas                | NELAP   | E-10336               | 04-30-22        |
| Kentucky (UST)        | State   | 112225                | 02-23-22 *      |
| Kentucky (WW)         | State   | KY98016               | 12-31-22        |
| Minnesota             | NELAP   | 039-999-348           | 12-31-22        |
| Minnesota (Petrofund) | State   | 3506                  | 08-01-23        |
| New Jersey            | NELAP   | OH001                 | 11-06-22        |
| New York              | NELAP   | 10975                 | 03-31-22        |
| Ohio                  | State   | 8303                  | 02-23-23        |
| Ohio VAP              | State   | CL0024                | 03-16-22        |
| Oregon                | NELAP   | 4062                  | 03-16-22        |
| Pennsylvania          | NELAP   | 68-00340              | 08-31-22        |
| Texas                 | NELAP   | T104704517-21-14      | 08-31-22        |
| Virginia              | NELAP   | 11570                 | 09-14-22        |
| Washington            | State   | C971                  | 01-12-23        |
| West Virginia DEP     | State   | 210                   | 12-31-22        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Canton



Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

|   |  |  |  |
|---|--|--|--|
| Client Contact  |  | Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other  |  |
| Company Name: Arcadis   |  | Lab Contact: Mike DeMontino  |  |
| Address: 28550 Cabot Drive, Suite 500                                     |  | Telephone: 330-497-9396  |  |
| City/State/Zip: Novi, MI, 48377   |  | Site Contact: Julia McClafferty  |  |
| Phone: 248-994-2240   |  | Telephone: 734-644-5131  |  |
| Project Name: Ford LTP Off-Site   |  | Analysis Turnaround Time   |  |
| Project Number: 30090642.402.04   |  | TAT if different from below  |  |
| PO # 30090642.402.04  |  | <input type="checkbox"/> 3 weeks<br><input checked="" type="checkbox"/> 2 weeks<br><input type="checkbox"/> 1 week<br><input type="checkbox"/> 2 days<br><input type="checkbox"/> 1 day  |  |
| Sampler Name: <i>Gregory Schaefer</i>                                     |  | Containers & Preservatives   |  |
| Method of Shipment/Carrier:   |  | <input type="checkbox"/> HCl<br><input type="checkbox"/> HNO3<br><input type="checkbox"/> H2SO4<br><input type="checkbox"/> Other:   |  |
| Shipping/Tracking No:   |  | Matrix   |  |
|   |  | <input type="checkbox"/> Air<br><input type="checkbox"/> Aqueous<br><input type="checkbox"/> Sediment<br><input type="checkbox"/> Solid<br><input type="checkbox"/> Other:   |  |
| Sample Date   |  | Sample Time  |  |
| TRIP BLANK_ 916   |  | —  |  |
| MW - 1035 - 030122  |  | 03/01/22 14:11   |  |
| Sample Identification   |  | Filtered Sample (Y/N)  |  |
|   |  | Composite=C / Grab=G   |  |
|   |  | 1,1-DCE 8260B  |  |
|   |  | GIS-1,2-DCE 8260B  |  |
|   |  | Trans-1,2-DCE 8260B  |  |
|   |  | PCE 8260B  |  |
|   |  | TCE 8260B  |  |
|   |  | Vinyl Chloride 8260B   |  |
|   |  | 1,4-Dioxane 8260B SIM  |  |
| Sample Specific Notes / Special Instructions:                             |  | Analyses   |  |
| 1 Trip Blank  |  | <input checked="" type="checkbox"/> TCE 8260B<br><input checked="" type="checkbox"/> PCE 8260B<br><input checked="" type="checkbox"/> Trans-1,2-DCE 8260B<br><input checked="" type="checkbox"/> GIS-1,2-DCE 8260B<br><input checked="" type="checkbox"/> 1,1-DCE 8260B<br><input checked="" type="checkbox"/> Composite=C / Grab=G<br><input checked="" type="checkbox"/> Filtered Sample (Y/N) |  |
| 3 VOAs for 8260B  |  | Barcode: 240-163399 Chain of Custody   |  |
| 3 VOAs for 8260B SIM  |  | Sample Disposal (A fee may be assessed if samples are retained longer than 1 yr)   |  |
|   |  | <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For   |  |
| Possible Hazard Identification  |  | <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown   |  |
| Special Instructions/QC Requirements & Comments:                          |  | Received by: <i>ARCADIS</i> 3/4/22 8:23  |  |
| Sample Address: 34424 Capitol   |  | Received by: <i>ARCADIS</i> 3/7/22 1240  |  |
| Submit all results through Cadena at fomalia@cadence.com. Cadena #E203631 |  | Received in Laboratory by: <i>ARCADIS</i> 3/7/22   |  |
| Level IV Reporting requested.   |  | Relinquished by: <i>ARCADIS</i> 3/7/22   |  |
| Relinquished by: <i>Gregory Schaefer</i>                                  |  | Relinquished by: <i>ARCADIS</i> 3/4/22 8:23  |  |
| Relinquished by: <i>ARCADIS</i>   |  | Relinquished by: <i>ARCADIS</i> 3/7/22 1240  |  |
| Relinquished by: <i>ARCADIS</i>   |  | Relinquished by: <i>ARCADIS</i> 3/7/22   |  |

©2008 TestAmerica Laboratories, Inc. All rights reserved. Environmental Testing - A TestAmerica & Environmental Laboratories, Inc.



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15

**Eurofins TestAmerica Canton Sample Receipt Form/Narrative** Login # : 163399  
**Canton Facility**

Client Arcadis Site Name \_\_\_\_\_ Cooler unpacked by Garry Rayer  
Cooler Received on 3-8-22 Opened on 3-8-22  
FedEx: 1<sup>st</sup> Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

TestAmerica Cooler # 1A Foam Box Client Cooler Box Other \_\_\_\_\_  
Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt  See Multiple Cooler Form  
IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C  
IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_  
-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA  
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA  
-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No  
4. Did custody papers accompany the sample(s)? Yes No  
5. Were the custody papers relinquished & signed in the appropriate place? Yes No  
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No  
7. Did all bottles arrive in good condition (Unbroken)? Yes No  
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No  
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No  
10. Were correct bottle(s) used for the test(s) indicated? Yes No  
11. Sufficient quantity received to perform indicated analyses? Yes No  
12. Are these work share samples and all listed on the COC? Yes No  
If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842  
14. Were VOAs on the COC? Yes No NA  
15. Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA  
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 60358 Yes No NA  
17. Was a LL Hg or Me Hg trip blank present? Yes No NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

19. SAMPLE CONDITION  
Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
Sample(s) \_\_\_\_\_ were received in a broken container.  
Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION  
Sample(s) \_\_\_\_\_ were further preserved in the laboratory.  
Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_



# Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 240-163399-1

**Login Number: 163399**

**List Number: 1**

**Creator: Royer, Tammy R**

**List Source: Eurofins Canton**

| Question   | Answer | Comment      |
|--|--------|--------------|
| Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.      |        | Refer to CRF |
| The cooler's custody seal, if present, is intact.  |        |              |
| Sample custody seals, if present, are intact.  |        |              |
| The cooler or samples do not appear to have been compromised or tampered with.           |        |              |
| Samples were received on ice.  |        |              |
| Cooler Temperature is acceptable.  |        |              |
| Cooler Temperature is recorded.  |        |              |
| COC is present.  |        |              |
| COC is filled out in ink and legible.  |        |              |
| COC is filled out with all pertinent information.  |        |              |
| Is the Field Sampler's name present on COC?  |        |              |
| There are no discrepancies between the containers received and the COC.                  |        |              |
| Samples are received within Holding Time (excluding tests with immediate HTs)            |        |              |
| Sample containers have legible labels.   |        |              |
| Containers are not broken or leaking.  |        |              |
| Sample collection date/times are provided.   |        |              |
| Appropriate sample containers are used.  |        |              |
| Sample bottles are completely filled.  |        |              |
| Sample Preservation Verified.  |        |              |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs         |        |              |
| Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4"). |        |              |
| Multiphasic samples are not present.   |        |              |
| Samples do not require splitting or compositing.   |        |              |
| Residual Chlorine Checked.   |        |              |



# DATA VERIFICATION REPORT



March 22, 2022

Kris Hinskey  
Arcadis Inc  
10559 Citation Ave  
Suite 100  
Brighton, MI 48116

CADENA project ID: E203631

Project: Ford Livonia Transmission Project - OFF-SITE - Soil Gas and Groundwater

Project number: 30080642.402.04 WA04 OFF-SITE GW

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - North Central

Laboratory submittal: 163399-1

Sample date: 2022-03-01

Report received by CADENA: 2022-03-22

Initial Data Verification completed by CADENA: 2022-03-22

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

| Valid Qualifiers | Description  |
|------------------|--|
| <                | Less than the reported concentration.  |
| >                | Greater than the reported concentration.   |
| B                | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E                | The analyte / Compound reported exceeds the calibration range and is considered estimated.   |
| EMPC             | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.  |
| J                | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.                     |
| J-               | The result is an estimated quantity, but the result may be biased low.   |
| JB               | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED   |
| JH               | The sample result is considered estimated and is potentially biased high.  |
| JL               | The sample result is considered estimated and is potentially biased low.   |
| JUB              | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED  |
| NJ               | Tentatively identified compound with approximated concentration.   |
| R                | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)  |
| TNTC             | Too Numerous to Count - Asbestos and Microbiological Results.  |
| U                | Indicates that the analyte / compound was analyzed for, but not detected.  |
| UB               | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.   |
| UJ               | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.  |

# Analytical Results Summary

CADENA Project ID: E203631

Laboratory: Eurofins Environment Testing LLC - North Central

Laboratory Submittal: 163399-1

Sample Name: TRIP BLANK\_96 MW-103S\_030122  
 Lab Sample ID: 2401633991 2401633992  
 Sample Date: 3/1/2022 3/1/2022

| Analyte                  | Cas No.  | Report |       | Units | Valid<br>Qualifier | Report |       | Units | Valid<br>Qualifier |
|--------------------------|----------|--------|-------|-------|--------------------|--------|-------|-------|--------------------|
|                          |          | Result | Limit |       |                    | Result | Limit |       |                    |
| <b>GC/MS VOC</b>         |          |        |       |       |                    |        |       |       |                    |
| <u>OSW-8260B</u>         |          |        |       |       |                    |        |       |       |                    |
| 1,1-Dichloroethene       | 75-35-4  | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| cis-1,2-Dichloroethene   | 156-59-2 | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| Tetrachloroethene        | 127-18-4 | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| trans-1,2-Dichloroethene | 156-60-5 | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| Trichloroethene          | 79-01-6  | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| Vinyl chloride           | 75-01-4  | ND     | 1.0   | ug/l  | ---                | ND     | 1.0   | ug/l  | ---                |
| <u>OSW-8260BBSim</u>     |          |        |       |       |                    |        |       |       |                    |
| 1,4-Dioxane              | 123-91-1 |        |       |       |                    | ND     | 2.0   | ug/l  | ---                |



# Ford Motor Company – Livonia Transmission Project

## DATA REVIEW

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-163399-1

CADENA Verification Report: 2022-03-22

Analyses Performed By:


TestAmerica

North Canton, Ohio

Report # 45046R

Review Level: Tier III

Project: 30080642.402.02



## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-163399-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

| Sample ID      | Lab ID       | Matrix | Sample Collection Date | Parent Sample | Analysis |         |
|----------------|--------------|--------|------------------------|---------------|----------|---------|
|                |              |        |                        |               | VOC      | VOC SIM |
| TRIP BLANK_96  | 240-163399-1 | Water  | 03/01/2022             |               | X        |         |
| MW-103S_030122 | 240-163399-2 | Water  | 03/01/2022             |               | X        | X       |

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

| Items Reviewed   | Reported |     | Performance Acceptable |     | Not Required |
|--|----------|-----|------------------------|-----|--------------|
|  | No       | Yes | No                     | Yes |              |
| 1. Sample receipt condition  |          | X   |                        | X   |              |
| 2. Requested analyses and sample results                               |          | X   |                        | X   |              |
| 3. Master tracking list  |          | X   |                        | X   |              |
| 4. Methods of analysis   |          | X   |                        | X   |              |
| 5. Reporting limits  |          | X   |                        | X   |              |
| 6. Sample collection date  |          | X   |                        | X   |              |
| 7. Laboratory sample received date                                     |          | X   |                        | X   |              |
| 8. Sample preservation verification (as applicable)                    |          | X   |                        | X   |              |
| 9. Sample preparation/extraction/analysis dates                        |          | X   |                        | X   |              |
| 10. Fully executed Chain-of-Custody (COC) form                         |          | X   |                        | X   |              |
| 11. Narrative summary of Quality Assurance or sample problems provided |          | X   |                        | X   |              |
| 12. Data Package Completeness and Compliance                           |          | X   |                        | X   |              |

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260B and 8260B SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - J+ The result is an estimated quantity, but the result may be biased high.
  - J- The result is an estimated quantity, but the result may be biased low.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

| Method                 | Matrix | Holding Time                        | Preservation                    |
|------------------------|--------|-------------------------------------|---------------------------------|
| SW-846 8260B/8260B-SIM | Water  | 14 days from collection to analysis | Cool to < 6 °C; pH < 2 with HCl |

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

| Sample ID                       | Initial / Continuing                   | Compound       | Criteria |
|---------------------------------|--|----------------|----------|
| TRIP BLANK_96<br>MW-103S_030122 | Continuous Calibration Verification %D | Vinyl chloride | 21.7%    |

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

| Initial/Continuing                 | Criteria                            | Sample Result | Qualification |
|------------------------------------|-------------------------------------|---------------|---------------|
| Initial and Continuing Calibration | RRF <0.05                           | Non-detect    | R             |
|                                    |                                     | Detect        | J             |
|                                    | RRF <0.01 <sup>1</sup>              | Non-detect    | R             |
|                                    |                                     | Detect        | J             |
|                                    | RRF >0.05 or RRF >0.01 <sup>1</sup> | Non-detect    | No Action     |
|                                    |                                     | Detect        |               |

## DATA REVIEW

| Initial/Continuing     | Criteria                                      | Sample Result | Qualification |
|------------------------|---|---------------|---------------|
| Initial Calibration    | %RSD > 20% or a correlation coefficient <0.99 | Non-detect    | UJ            |
|                        |   | Detect        | J             |
|                        | %RSD > 90%                                    | Non-detect    | R             |
|                        |   | Detect        | J             |
| Continuing Calibration | %D >20% (increase in sensitivity)             | Non-detect    | No Action     |
|                        |   | Detect        | J             |
|                        | %D >20% (decrease in sensitivity)             | Non-detect    | UJ            |
|                        |   | Detect        | J             |
|                        | %D > 90% (increase/decrease in sensitivity)   | Non-detect    | R             |
|                        |   | Detect        | J             |

Note:

<sup>1</sup>RRF of 0.01 only applies to compounds which are typically poor responding compounds

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

No compounds were detected in the samples within this SDG.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

**DATA REVIEW**

**DATA VALIDATION CHECKLIST FOR VOCs**

| VOCs: 8260B/8260B-SIM                                       | Reported |     | Performance Acceptable |     | Not Required |
|---|----------|-----|------------------------|-----|--------------|
|   | No       | Yes | No                     | Yes |              |
| <b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>         |          |     |                        |     |              |
| <b>Tier II Validation</b>                                   |          |     |                        |     |              |
| Holding times/Preservation                                  |          | X   |                        | X   |              |
| <b>Tier III Validation</b>                                  |          |     |                        |     |              |
| System performance and column resolution                    |          | X   |                        | X   |              |
| Initial calibration %RSDs                                   |          | X   |                        | X   |              |
| Continuing calibration RRFs                                 |          | X   |                        | X   |              |
| Continuing calibration %Ds                                  |          | X   |                        | X   |              |
| Instrument tune and performance check                       |          | X   |                        | X   |              |
| Ion abundance criteria for each instrument used             |          | X   |                        | X   |              |
| Field Duplicate RPD   | X        |     |                        |     | X            |
| Internal standard   |          | X   |                        | X   |              |
| Compound identification and quantitation                    |          |     |                        |     |              |
| A. Reconstructed ion chromatograms                          |          | X   |                        | X   |              |
| B. Quantitation Reports                                     |          | X   |                        | X   |              |
| C. RT of sample compounds within the established RT windows |          | X   |                        | X   |              |
| D. Transcription/calculation errors present                 |          | X   |                        | X   |              |
| E. Reporting limits adjusted to reflect sample dilutions    |          | X   |                        | X   |              |

Notes:

%RSD Relative standard deviation


%R Percent recovery

RPD Relative percent difference

%D Percent difference

## DATA REVIEW

VALIDATION PERFORMED BY: Bhagyashree Fulzele

SIGNATURE: 

DATE: March 29, 2022

PEER REVIEW: Andrew Korycinski

DATE: March 30, 2022



# **NO CORRECTIONS/QUALIFIERS ADDED TO SAMPLE ANALYSIS DATA SHEETS**



**CHAIN OF CUSTODY  
CORRECTED SAMPLE ANALYSIS DATA  
SHEETS**





# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: TRIP BLANK\_96**

**Lab Sample ID: 240-163399-1**

**Date Collected: 03/01/22 00:00**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/09/22 20:02 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 20:02 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/09/22 20:02 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/09/22 20:02 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 76        |           | 62 - 137 |          | 03/09/22 20:02 | 1       |
| 4-Bromofluorobenzene (Surr)  | 109       |           | 56 - 136 |          | 03/09/22 20:02 | 1       |
| Toluene-d8 (Surr)            | 80        |           | 78 - 122 |          | 03/09/22 20:02 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 73 - 120 |          | 03/09/22 20:02 | 1       |

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: Ford LTP - Off Site

Job ID: 240-163399-1

**Client Sample ID: MW-103S\_030122**

**Lab Sample ID: 240-163399-2**

**Date Collected: 03/01/22 14:11**

**Matrix: Water**

**Date Received: 03/08/22 14:15**

**Method: 8260B SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,4-Dioxane                  | 2.0              | U                | 2.0           | 0.86 | ug/L |   |                 | 03/14/22 20:46  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 79               |                  | 66 - 120      |      |      |   |                 | 03/14/22 20:46  | 1              |

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene           | 1.0              | U                | 1.0           | 0.49 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| cis-1,2-Dichloroethene       | 1.0              | U                | 1.0           | 0.46 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Tetrachloroethene            | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| trans-1,2-Dichloroethene     | 1.0              | U                | 1.0           | 0.51 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Trichloroethene              | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| Vinyl chloride               | 1.0              | U                | 1.0           | 0.45 | ug/L |   |                 | 03/09/22 20:26  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 76               |                  | 62 - 137      |      |      |   |                 | 03/09/22 20:26  | 1              |
| 4-Bromofluorobenzene (Surr)  | 107              |                  | 56 - 136      |      |      |   |                 | 03/09/22 20:26  | 1              |
| Toluene-d8 (Surr)            | 79               |                  | 78 - 122      |      |      |   |                 | 03/09/22 20:26  | 1              |
| Dibromofluoromethane (Surr)  | 97               |                  | 73 - 120      |      |      |   |                 | 03/09/22 20:26  | 1              |