

ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-162582-1
Client Project/Site: Ford LTP - Off-Site

For:
ARCADIS U.S., Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Attn: Kristoffer Hinskey



Authorized for release by:
2/24/2022 8:27:30 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Job ID: 240-162582-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-162582-1

Comments

No additional comments.

Receipt

The samples were received on 2/10/2022 11:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.9° C and 4.1° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
8260B SIM	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-162582-1	TRIP BLANK_02	Water	02/08/22 00:00	02/10/22 11:00
240-162582-2	MW-74S_020822	Water	02/08/22 09:15	02/10/22 11:00
240-162582-3	MW-85_020822	Water	02/08/22 10:45	02/10/22 11:00
240-162582-4	MW-108S_020822	Water	02/08/22 13:00	02/10/22 11:00
240-162582-5	MW-132S_020822	Water	02/08/22 14:10	02/10/22 11:00
240-162582-6	DUP-06	Water	02/08/22 00:00	02/10/22 11:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: TRIP BLANK_02

Lab Sample ID: 240-162582-1

No Detections.

Client Sample ID: MW-74S_020822

Lab Sample ID: 240-162582-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.73	J	1.0	0.46	ug/L	1		8260B	Total/NA

Client Sample ID: MW-85_020822

Lab Sample ID: 240-162582-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	5.3		1.0	0.45	ug/L	1		8260B	Total/NA

Client Sample ID: MW-108S_020822

Lab Sample ID: 240-162582-4

No Detections.

Client Sample ID: MW-132S_020822

Lab Sample ID: 240-162582-5

No Detections.

Client Sample ID: DUP-06

Lab Sample ID: 240-162582-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	5.1		1.0	0.45	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: TRIP BLANK_02

Lab Sample ID: 240-162582-1

Date Collected: 02/08/22 00:00

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 15:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 15:00	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 15:00	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:00	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/11/22 15:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		02/11/22 15:00	1
4-Bromofluorobenzene (Surr)	100		56 - 136		02/11/22 15:00	1
Toluene-d8 (Surr)	93		78 - 122		02/11/22 15:00	1
Dibromofluoromethane (Surr)	95		73 - 120		02/11/22 15:00	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: MW-74S_020822

Lab Sample ID: 240-162582-2

Date Collected: 02/08/22 09:15

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 18:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120					02/11/22 18:58	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 15:23	1
cis-1,2-Dichloroethene	0.73	J	1.0	0.46	ug/L			02/11/22 15:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 15:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/11/22 15:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		62 - 137					02/11/22 15:23	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/11/22 15:23	1
Toluene-d8 (Surr)	92		78 - 122					02/11/22 15:23	1
Dibromofluoromethane (Surr)	93		73 - 120					02/11/22 15:23	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: MW-85_020822

Lab Sample ID: 240-162582-3

Date Collected: 02/08/22 10:45

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 20:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		66 - 120					02/11/22 20:13	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 15:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 15:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 15:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 15:45	1
Vinyl chloride	5.3		1.0	0.45	ug/L			02/11/22 15:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					02/11/22 15:45	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/11/22 15:45	1
Toluene-d8 (Surr)	93		78 - 122					02/11/22 15:45	1
Dibromofluoromethane (Surr)	94		73 - 120					02/11/22 15:45	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: MW-108S_020822

Lab Sample ID: 240-162582-4

Date Collected: 02/08/22 13:00

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 20:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		66 - 120					02/11/22 20:38	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 16:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 16:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 16:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/11/22 16:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					02/11/22 16:07	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/11/22 16:07	1
Toluene-d8 (Surr)	95		78 - 122					02/11/22 16:07	1
Dibromofluoromethane (Surr)	96		73 - 120					02/11/22 16:07	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: MW-132S_020822

Lab Sample ID: 240-162582-5

Date Collected: 02/08/22 14:10

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 21:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120					02/11/22 21:03	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 16:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 16:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 16:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/11/22 16:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					02/11/22 16:30	1
4-Bromofluorobenzene (Surr)	98		56 - 136					02/11/22 16:30	1
Toluene-d8 (Surr)	94		78 - 122					02/11/22 16:30	1
Dibromofluoromethane (Surr)	96		73 - 120					02/11/22 16:30	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: DUP-06

Lab Sample ID: 240-162582-6

Date Collected: 02/08/22 00:00

Matrix: Water

Date Received: 02/10/22 11:00

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 21:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		66 - 120					02/11/22 21:28	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 16:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 16:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 16:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 16:52	1
Vinyl chloride	5.1		1.0	0.45	ug/L			02/11/22 16:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137					02/11/22 16:52	1
4-Bromofluorobenzene (Surr)	98		56 - 136					02/11/22 16:52	1
Toluene-d8 (Surr)	92		78 - 122					02/11/22 16:52	1
Dibromofluoromethane (Surr)	91		73 - 120					02/11/22 16:52	1

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-162582-1	TRIP BLANK_02	98	100	93	95
240-162582-2	MW-74S_020822	95	100	92	93
240-162582-2 MS	MW-74S-MS_020822	99	102	96	99
240-162582-2 MSD	MW-74S-MSD_020822	95	101	93	95
240-162582-3	MW-85_020822	99	100	93	94
240-162582-4	MW-108S_020822	96	100	95	96
240-162582-5	MW-132S_020822	99	98	94	96
240-162582-6	DUP-06	92	98	92	91
LCS 240-517868/5	Lab Control Sample	92	99	91	95
LCS 240-517868/6	Lab Control Sample Dup	94	100	92	95
MB 240-517868/9	Method Blank	94	98	92	94

Surrogate Legend
DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (66-120)
240-162582-2	MW-74S_020822	80
240-162582-2 MS	MW-74S-MS_020822	81
240-162582-2 MSD	MW-74S-MSD_020822	81
240-162582-3	MW-85_020822	80
240-162582-4	MW-108S_020822	79
240-162582-5	MW-132S_020822	81
240-162582-6	DUP-06	81
LCS 240-517921/4	Lab Control Sample	82
MB 240-517921/5	Method Blank	82

Surrogate Legend
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (10-150)
MRL 240-517921/6	Lab Control Sample	80

Surrogate Legend
DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-517868/9

Matrix: Water

Analysis Batch: 517868

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/11/22 12:14	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/11/22 12:14	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 12:14	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/11/22 12:14	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/11/22 12:14	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/11/22 12:14	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		02/11/22 12:14	1
4-Bromofluorobenzene (Surr)	98		56 - 136		02/11/22 12:14	1
Toluene-d8 (Surr)	92		78 - 122		02/11/22 12:14	1
Dibromofluoromethane (Surr)	94		73 - 120		02/11/22 12:14	1

Lab Sample ID: LCS 240-517868/5

Matrix: Water

Analysis Batch: 517868

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1-Dichloroethene	20.0	19.9		ug/L		99	63 - 134
cis-1,2-Dichloroethene	20.0	18.0		ug/L		90	77 - 123
Tetrachloroethene	20.0	16.8		ug/L		84	76 - 123
trans-1,2-Dichloroethene	20.0	18.2		ug/L		91	75 - 124
Trichloroethene	20.0	17.9		ug/L		89	70 - 122
Vinyl chloride	20.0	17.6		ug/L		88	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	91		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: LCSD 240-517868/6

Matrix: Water

Analysis Batch: 517868

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
		Result	Qualifier						
1,1-Dichloroethene	20.0	22.1		ug/L		110	63 - 134	10	35
cis-1,2-Dichloroethene	20.0	19.9		ug/L		99	77 - 123	10	35
Tetrachloroethene	20.0	18.7		ug/L		93	76 - 123	10	35
trans-1,2-Dichloroethene	20.0	20.4		ug/L		102	75 - 124	12	35
Trichloroethene	20.0	19.8		ug/L		99	70 - 122	10	35
Vinyl chloride	20.0	19.6		ug/L		98	60 - 144	11	35

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	92		78 - 122

Eurofins Canton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 240-517868/6
Matrix: Water
Analysis Batch: 517868

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-162582-2 MS
Matrix: Water
Analysis Batch: 517868

Client Sample ID: MW-74S-MS_020822
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier	Added	Result	Qualifier				
1,1-Dichloroethene	1.0	U	20.0	20.8		ug/L		104	56 - 135
cis-1,2-Dichloroethene	0.73	J	20.0	18.7		ug/L		90	66 - 128
Tetrachloroethene	1.0	U	20.0	16.7		ug/L		84	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	18.6		ug/L		93	56 - 136
Trichloroethene	1.0	U	20.0	17.2		ug/L		86	61 - 124
Vinyl chloride	1.0	U	20.0	21.3		ug/L		107	43 - 157

Surrogate	MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-162582-2 MSD
Matrix: Water
Analysis Batch: 517868

Client Sample ID: MW-74S-MSD_020822
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier						
1,1-Dichloroethene	1.0	U	20.0	22.3		ug/L		112	56 - 135	7	26
cis-1,2-Dichloroethene	0.73	J	20.0	20.4		ug/L		99	66 - 128	9	14
Tetrachloroethene	1.0	U	20.0	17.8		ug/L		89	62 - 131	6	20
trans-1,2-Dichloroethene	1.0	U	20.0	20.5		ug/L		102	56 - 136	10	15
Trichloroethene	1.0	U	20.0	18.8		ug/L		94	61 - 124	9	15
Vinyl chloride	1.0	U	20.0	21.3		ug/L		106	43 - 157	0	24

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Method: 8260B SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-517921/5
Matrix: Water
Analysis Batch: 517921

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/11/22 16:28	1

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Method: 8260B SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-517921/5
Matrix: Water
Analysis Batch: 517921

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	82		66 - 120		02/11/22 16:28	1

Lab Sample ID: LCS 240-517921/4
Matrix: Water
Analysis Batch: 517921

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	10.0	9.73		ug/L		97	80 - 122

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	82		66 - 120

Lab Sample ID: MRL 240-517921/6
Matrix: Water
Analysis Batch: 517921

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	0.00100	0.000899	J	ng/uL		90	10 - 150

Surrogate	MRL MRL		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	80		10 - 150

Lab Sample ID: 240-162582-2 MS
Matrix: Water
Analysis Batch: 517921

Client Sample ID: MW-74S-MS_020822
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	2.0	U	10.0	10.3		ug/L		103	51 - 153

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	81		66 - 120

Lab Sample ID: 240-162582-2 MSD
Matrix: Water
Analysis Batch: 517921

Client Sample ID: MW-74S-MSD_020822
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	10.7		ug/L		107	51 - 153	3	16

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	81		66 - 120

QC Association Summary

Client: ARCADIS U.S., Inc.
 Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

GC/MS VOA

Analysis Batch: 517868

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162582-1	TRIP BLANK_02	Total/NA	Water	8260B	
240-162582-2	MW-74S_020822	Total/NA	Water	8260B	
240-162582-3	MW-85_020822	Total/NA	Water	8260B	
240-162582-4	MW-108S_020822	Total/NA	Water	8260B	
240-162582-5	MW-132S_020822	Total/NA	Water	8260B	
240-162582-6	DUP-06	Total/NA	Water	8260B	
MB 240-517868/9	Method Blank	Total/NA	Water	8260B	
LCS 240-517868/5	Lab Control Sample	Total/NA	Water	8260B	
LCSD 240-517868/6	Lab Control Sample Dup	Total/NA	Water	8260B	
240-162582-2 MS	MW-74S-MS_020822	Total/NA	Water	8260B	
240-162582-2 MSD	MW-74S-MSD_020822	Total/NA	Water	8260B	

Analysis Batch: 517921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-162582-2	MW-74S_020822	Total/NA	Water	8260B SIM	
240-162582-3	MW-85_020822	Total/NA	Water	8260B SIM	
240-162582-4	MW-108S_020822	Total/NA	Water	8260B SIM	
240-162582-5	MW-132S_020822	Total/NA	Water	8260B SIM	
240-162582-6	DUP-06	Total/NA	Water	8260B SIM	
MB 240-517921/5	Method Blank	Total/NA	Water	8260B SIM	
LCS 240-517921/4	Lab Control Sample	Total/NA	Water	8260B SIM	
MRL 240-517921/6	Lab Control Sample	Total/NA	Water	8260B SIM	
240-162582-2 MS	MW-74S-MS_020822	Total/NA	Water	8260B SIM	
240-162582-2 MSD	MW-74S-MSD_020822	Total/NA	Water	8260B SIM	

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Client Sample ID: TRIP BLANK_02

Lab Sample ID: 240-162582-1

Date Collected: 02/08/22 00:00

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 15:00	HMB	TAL CAN

Client Sample ID: MW-74S_020822

Lab Sample ID: 240-162582-2

Date Collected: 02/08/22 09:15

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 15:23	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	517921	02/11/22 18:58	CS	TAL CAN

Client Sample ID: MW-85_020822

Lab Sample ID: 240-162582-3

Date Collected: 02/08/22 10:45

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 15:45	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	517921	02/11/22 20:13	CS	TAL CAN

Client Sample ID: MW-108S_020822

Lab Sample ID: 240-162582-4

Date Collected: 02/08/22 13:00

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 16:07	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	517921	02/11/22 20:38	CS	TAL CAN

Client Sample ID: MW-132S_020822

Lab Sample ID: 240-162582-5

Date Collected: 02/08/22 14:10

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 16:30	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	517921	02/11/22 21:03	CS	TAL CAN

Client Sample ID: DUP-06

Lab Sample ID: 240-162582-6

Date Collected: 02/08/22 00:00

Matrix: Water

Date Received: 02/10/22 11:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	517868	02/11/22 16:52	HMB	TAL CAN
Total/NA	Analysis	8260B SIM		1	517921	02/11/22 21:28	CS	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: Ford LTP - Off-Site

Job ID: 240-162582-1

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	12-21-23
Oregon	NELAP	4062	02-23-22
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program:		Site Contact: Julia McClafferty		Lab Contact: Mike DeMonico		TestAmerica Laboratories, Inc.		
Company Name: Arcadis		<input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		Telephone: 734-644-5131		Telephone: 330-497-9396		COC No:		
Address: 28550 Cabot Drive, Suite 500		Email: kristoffer.hinskey@arcadis.com		Analysis Turnaround Time		Analyses		1 of 1 COCs		
City/State/Zip: Novi, MI, 48377		Sampler Name: Christian Cavillero		TAT in different from below		1,4-Dioxane 8260B SIM		Walk-in client		
Phone: 248-994-2240		Method of Shipment/Carrier:		10 day		TCE 8260B		Lab sampling		
Project Name: Ford LTP Off-Site		Shipping/Tracking No:		Containers & Preservatives		PCE 8260B		Job/SDG No:		
Project Number: 30080642.402.04				Matrix		Trans-1,2-DCE 8260B				
PO # 30080642.402.04				Other:		cis-1,2-DCE 8260B				
Sample Identification	Sample Date	Sample Time	Matrix			Filtered Sample (Y/N)	Composite=C / Grab=G	1,1-DCE 8260B	Disposal By Lab	Sample Specific Notes / Special Instructions:
			Aqueous	Sediment	Solid					
TRIP BLANK_02	02/18/22	—	X			N	G	X		1 Trip Blank
MW-745-020822	2/18/22	915	X			N	G	X		3 VOAs for 8260B 3 VOAs for 8260B SIM
MW-745-MS-020822		915	X			N	G	X		PM MS JUST P (H) MS/MS
MW-745-MSD-020822		915	X			N	G	X		
MW-85-020822		1045	X			N	G	X		
MW-1085-020822		1300	X			N	G	X		
MW-1325-020822		1410	X			N	G	X		
Duf-06		—	X			N	G	X		

Non-Hazard Flammable Skin Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than): Return to Client Disposal By Lab Archive For

Special Instructions/QC Requirements & Comments:
 Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203631
 Level IV Reporting requested.

Relinquished by: *Christina* Date/Time: 2/18/22 Company: Arcadis
 Relinquished by: *Fieldon/Rosalia* Date/Time: 2/9/22 Company: Arcadis
 Relinquished by: *Novi cold storage* Date/Time: 2-9-22 Company: Eurofins
 Relinquished by: *Fieldon* Date/Time: 2-10-22 Company: Eurofins



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

©2008 TestAmerica Laboratories, Inc. All rights reserved.
 TestAmerica Laboratories, Inc. is an Equal Opportunity Employer.

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 162582
Canton Facility

Client ARCADIS Site Name _____ Cooler unpacked by: Branford
 Cooler Received on 2-10-22 Opened on 2-10-22
 FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 70 Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN# IR-14 (CF +0.1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN #IR-15 (CF +0.2°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
10. Were correct bottle(s) used for the test(s) indicated? Yes No
11. Sufficient quantity received to perform indicated analyses? Yes No
12. Are these work share samples and all listed on the COC? Yes No
- If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC157842
14. Were VOAs on the COC? Yes No
15. Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No
17. Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving:

VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

Login #: 162582

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form

Cooler Description (Circle)				IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)		
<input checked="" type="radio"/> TA	Client	Box	Other	<input checked="" type="radio"/> IR-14 IR-15	4.0	4.1	<input checked="" type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input checked="" type="radio"/> TA	Client	Box	Other	<input checked="" type="radio"/> IR-14 IR-15	1.6	1.9	<input checked="" type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice
<input type="radio"/> TA	Client	Box	Other	IR-14 IR-15			<input type="radio"/> Wet Ice	<input type="radio"/> Blue Ice	<input type="radio"/> Dry Ice

See Temperature Excursion Form